

Jincai Zhao

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7874600/jincai-zhao-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

158
papers

10,551
citations

46
h-index

100
g-index

173
ext. papers

12,095
ext. citations

10.4
avg, IF

6.56
L-index

#	Paper	IF	Citations
158	Accurate Removal of Toxic Organic Pollutants From Complex Water Matrices.. <i>Environmental Science & Technology</i> , 2022 ,	10.3	2
157	Visible-light-driven semihydrogenation of alkynes via proton reduction over carbon nitride supported nickel. <i>Applied Catalysis B: Environmental</i> , 2022 , 304, 121004	21.8	1
156	Emergent Photostability Synchronization in Coassembled Array Members for the Steady Multiple Discrimination of Explosives. <i>Advanced Science</i> , 2021 , 9, e2102739	13.6	1
155	All at once arrangement of both oxygen atoms of dioxygen into aliphatic C(sp ³)-C(sp ³) bonds for hydroxyketone difunctionalization. <i>Science China Chemistry</i> , 2021 , 64, 770-777	7.9	0
154	Development of a Fluorophore with Enhanced Unorthodox Chalcogen Bonding for Highly Sensitive Detection of Trimethyl Arsine Vapor. <i>ACS Sensors</i> , 2021 , 6, 2851-2857	9.2	0
153	Plasmonic Hot Electrons from Oxygen Vacancies for Infrared Light-Driven Catalytic CO ₂ Reduction on Bi ₂ O ₃ . <i>Angewandte Chemie</i> , 2021 , 133, 923-929	3.6	12
152	Plasmonic Hot Electrons from Oxygen Vacancies for Infrared Light-Driven Catalytic CO Reduction on Bi ₂ O ₃ . <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 910-916	16.4	59
151	Highly Photostable and Luminescent Donor-Acceptor Molecules for Ultrasensitive Detection of Sulfur Mustard. <i>Advanced Science</i> , 2021 , 8, 2002615	13.6	4
150	Photocatalytic C-C Coupling from Carbon Dioxide Reduction on Copper Oxide with Mixed-Valence Copper(I)/Copper(II). <i>Journal of the American Chemical Society</i> , 2021 , 143, 2984-2993	16.4	55
149	Long-Range Exciton Migration in Coassemblies: Achieving High Photostability without Disrupting the Electron Donation of Fluorene Oligomers. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 5827-5832	16.4	3
148	Fundamental Flaw in the Current Construction of the TiO ₂ Electron Transport Layer of Perovskite Solar Cells and Its Elimination. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 39371-39378	9.5	1
147	Fe ₂ O ₃ as a versatile and efficient oxygen atom transfer catalyst in combination with H ₂ O as the oxygen source. <i>Nature Catalysis</i> , 2021 , 4, 684-691	36.5	18
146	Sulphur vacancy derived anaerobic hydroxyl radical generation at the pyrite-water interface: Pollutants removal and pyrite self-oxidation behavior. <i>Applied Catalysis B: Environmental</i> , 2021 , 290, 120051	21.8	9
145	Boosting thermo-photocatalytic CO conversion activity by using photosynthesis-inspired electron-proton-transfer mediators. <i>Nature Communications</i> , 2021 , 12, 123	17.4	23
144	Nickel-Coordinated Carbon Nitride as a Metallaphotoredox Platform for the Cross-Coupling of Aryl Halides with Alcohols. <i>ACS Catalysis</i> , 2020 , 10, 15178-15185	13.1	15
143	Kinetically Stable Nanoribbons with Improved Exciton Migration Length for Detecting Explosives. <i>ACS Applied Nano Materials</i> , 2020 , 3, 4880-4885	5.6	4
142	Crucial Effect of Ti-H Species Generated in the Visible-Light-Driven Transformations: Slowed-Down Proton-Coupled Electron Transfer. <i>Journal of Physical Chemistry Letters</i> , 2020 , 11, 3941-3946	6.4	3

141	Light-Driven Crawling of Molecular Crystals by Phase-Dependent Transient Elastic Lattice Deformation. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 10337-10342	16.4	5
140	Light-Driven Crawling of Molecular Crystals by Phase-Dependent Transient Elastic Lattice Deformation. <i>Angewandte Chemie</i> , 2020 , 132, 10423-10428	3.6	0
139	Photochemical aging of Beijing urban PM: Production of oxygenated volatile organic compounds. <i>Science of the Total Environment</i> , 2020 , 743, 140751	10.2	1
138	The Key Role of Sulfate in the Photochemical Renoxification on Real PM. <i>Environmental Science & Technology</i> , 2020 , 54, 3121-3128	10.3	12
137	Identifying the active photocatalytic H ₂ -production sites on TiO ₂ -supported Pt nanoparticles by the in-situ infrared spectrum of CO. <i>Science China Chemistry</i> , 2020 , 63, 354-360	7.9	4
136	Enhanced Photochemical Volatile Organic Compounds Release from Fatty Acids by Surface-Enriched Fe(III). <i>Environmental Science & Technology</i> , 2020 , 54, 13448-13457	10.3	7
135	Photoinduced Uptake and Oxidation of SO on Beijing Urban PM. <i>Environmental Science & Technology</i> , 2020 , 54, 14868-14876	10.3	10
134	Quantitative isotope measurements in heterogeneous photocatalysis and electrocatalysis. <i>Energy and Environmental Science</i> , 2020 , 13, 2602-2617	35.4	11
133	Hydrogen Spillover to Oxygen Vacancy of TiOH/Fe: Breaking the Scaling Relationship of Ammonia Synthesis. <i>Journal of the American Chemical Society</i> , 2020 , 142, 17403-17412	16.4	24
132	Beyond the Thermal Equilibrium Limit of Ammonia Synthesis with Dual Temperature Zone Catalyst Powered by Solar Light. <i>Chem</i> , 2019 , 5, 2702-2717	16.2	46
131	Photochemical Aging of Soot in the Aqueous Phase: Release of Dissolved Black Carbon and the Formation of O. <i>Environmental Science & Technology</i> , 2019 , 53, 12311-12319	10.3	22
130	Molecular-scale structures of uranyl surface complexes on hematite facets. <i>Environmental Science: Nano</i> , 2019 , 6, 892-903	7.1	15
129	Photoassisted degradation of trifluoromethyl benzoic acid isomers in aqueous media by Ga ₂ O ₃ under UVC irradiation. <i>Research on Chemical Intermediates</i> , 2019 , 45, 4607-4623	2.8	0
128	Anion (O, N, C, and S) vacancies promoted photocatalytic nitrogen fixation. <i>Green Chemistry</i> , 2019 , 21, 2852-2867	10	84
127	Turn-on Fluorescent Detection of Hydrogen Peroxide and Triacetone Triperoxide via Enhancing Interfacial Interactions of a Blended System. <i>Analytical Chemistry</i> , 2019 , 91, 6967-6970	7.8	11
126	Kinetic Control of a Self-Assembly Pathway towards Hidden Chiral Microcoils. <i>Chemistry - A European Journal</i> , 2019 , 25, 7463-7468	4.8	5
125	Ultrasensitive Detection of Sulfur Mustard via Differential Noncovalent Interactions. <i>Analytical Chemistry</i> , 2019 , 91, 6408-6412	7.8	12
124	Ligand directed debromination of tetrabromodiphenyl ether mediated by nickel under visible irradiation. <i>Environmental Science: Nano</i> , 2019 , 6, 1585-1593	7.1	8

123	Fabrication of Single-Handed Nanocoils with Controlled Length via a Living Supramolecular Self-Assembly. <i>Chemistry of Materials</i> , 2019 , 31, 1403-1407	9.6	13
122	Nitrate-Enhanced Oxidation of SO on Mineral Dust: A Vital Role of a Proton. <i>Environmental Science & Technology</i> , 2019 , 53, 10139-10145	10.3	13
121	Emergent Self-Assembly Pathways to Multidimensional Hierarchical Assemblies using a Hetero-Seeding Approach. <i>Chemistry - A European Journal</i> , 2019 , 25, 13484-13490	4.8	11
120	Proton-free electron-trapping feature of titanium dioxide nanoparticles without the characteristic blue color. <i>Communications Chemistry</i> , 2019 , 2,	6.3	11
119	Sensitive Fluorescence Detection of Phthalates by Suppressing the Intramolecular Motion of Nitrophenyl Groups in Porous Crystalline Ribbons. <i>Analytical Chemistry</i> , 2019 , 91, 13355-13359	7.8	9
118	Self-Assembled Microribbons: Light-Driven Continuous Twist Movements of Microribbons (Small 7/2019). <i>Small</i> , 2019 , 15, 1970040	11	
117	Highly Selective Detection of Benzene, Toluene, and Xylene Hydrocarbons Using Coassembled Microsheets with Förster Resonance Energy Transfer-Enhanced Photostability. <i>Analytical Chemistry</i> , 2019 , 91, 768-771	7.8	15
116	Sensitive Discrimination of Nerve Agent and Sulfur Mustard Simulants Using Fluorescent Coassembled Nanofibers with Förster Resonance Energy Transfer-Enhanced Photostability and Emission. <i>Analytical Chemistry</i> , 2019 , 91, 1711-1714	7.8	28
115	Photocatalytic Hydrodehalogenation for the Removal of Halogenated Aromatic Contaminants. <i>ChemCatChem</i> , 2019 , 11, 258-268	5.2	16
114	Light-Driven Continuous Twist Movements of Microribbons. <i>Small</i> , 2019 , 15, e1804102	11	7
113	Interpenetrated Binary Supramolecular Nanofibers for Sensitive Fluorescence Detection of Six Classes of Explosives. <i>Analytical Chemistry</i> , 2018 , 90, 4273-4276	7.8	14
112	Rate-Limiting O-O Bond Formation Pathways for Water Oxidation on Hematite Photoanode. <i>Journal of the American Chemical Society</i> , 2018 , 140, 3264-3269	16.4	93
111	Integrating TEMPO and Its Analogues with Visible-Light Photocatalysis. <i>Chemistry - an Asian Journal</i> , 2018 , 13, 599-613	4.5	38
110	Sensitive Detection of a Nerve-Agent Simulant through Retightening Internanofiber Binding for Fluorescence Enhancement. <i>Analytical Chemistry</i> , 2018 , 90, 1498-1501	7.8	18
109	Photochemical Aging of Beijing Urban PM: HONO Production. <i>Environmental Science & Technology</i> , 2018 , 52, 6309-6316	10.3	61
108	Catalytic hydrodehalogenation over supported gold: Electron transfer versus hydride transfer. <i>Applied Catalysis B: Environmental</i> , 2018 , 231, 262-268	21.8	17
107	Role of elemental carbon in the photochemical aging of soot. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 7717-7722	11.5	37
106	Desulfurization of thiophenes in oils into H ₂ SO ₄ using molecular oxygen. <i>Applied Catalysis B: Environmental</i> , 2018 , 235, 207-213	21.8	19

105	Energy-confined solar thermal ammonia synthesis with K/Ru/TiO ₂ -xH ₂ O. <i>Applied Catalysis B: Environmental</i> , 2018 , 224, 612-620	21.8	75
104	Fast and Ultrasensitive Detection of a Nerve Agent Simulant Using Carbazole-Based Nanofibers with Amplified Ratiometric Fluorescence Responses. <i>Analytical Chemistry</i> , 2018 , 90, 7131-7134	7.8	21
103	Ascorbic acid induced atrazine degradation. <i>Journal of Hazardous Materials</i> , 2017 , 327, 71-78	12.8	31
102	The Formation of Ti-H Species at Interface Is Lethal to the Efficiency of TiO ₂ -Based Dye-Sensitized Devices. <i>Journal of the American Chemical Society</i> , 2017 , 139, 2083-2089	16.4	41
101	Ascorbate-Promoted Surface Iron Cycle for Efficient Heterogeneous Fenton Alachlor Degradation with Hematite Nanocrystals. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 8751-8758	9.5	86
100	Diverse macroscopic helical motions of microribbons driven by electrons. <i>Chemical Communications</i> , 2017 , 53, 2578-2581	5.8	4
99	Aqueous Oxidations Started by TiO ₂ Photoinduced Holes Can Be a Rate-Determining Step. <i>Chemistry - an Asian Journal</i> , 2017 , 12, 2048-2051	4.5	3
98	Hydroxylamine Promoted Goethite Surface Fenton Degradation of Organic Pollutants. <i>Environmental Science & Technology</i> , 2017 , 51, 5118-5126	10.3	251
97	Internanofiber Spacing Adjustment in the Bundled Nanofibers for Sensitive Fluorescence Detection of Volatile Organic Compounds. <i>Analytical Chemistry</i> , 2017 , 89, 3814-3818	7.8	34
96	Ascorbate Induced Facet Dependent Reductive Dissolution of Hematite Nanocrystals. <i>Journal of Physical Chemistry C</i> , 2017 , 121, 1113-1121	3.8	36
95	Modulating the photocatalytic redox preferences between anatase TiO ₂ {001} and {101} surfaces. <i>Chemical Communications</i> , 2017 , 53, 787-790	5.8	31
94	Discrimination of Five Classes of Explosives by a Fluorescence Array Sensor Composed of Two Tricarbazole-Nanostructures. <i>Analytical Chemistry</i> , 2017 , 89, 11908-11912	7.8	28
93	Localized Ti(III) mediated dissociative electron transfer for carbon halogen bond activation on TiO ₂ . <i>Applied Catalysis B: Environmental</i> , 2017 , 219, 322-328	21.8	10
92	Two-Dimensional Seeded Self-Assembly of a Complex Hierarchical Perylene-Based Heterostructure. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 11380-11384	16.4	23
91	Two-Dimensional Seeded Self-Assembly of a Complex Hierarchical Perylene-Based Heterostructure. <i>Angewandte Chemie</i> , 2017 , 129, 11538-11542	3.6	9
90	Molecular Interactions Control Quantum Chain Reactions toward Distinct Photoresponsive Properties of Molecular Crystals. <i>Journal of the American Chemical Society</i> , 2017 , 139, 10649-10652	16.4	8
89	Interfacial proton-coupled electron transfer in metal oxide semiconductor photocatalysis. <i>Research on Chemical Intermediates</i> , 2017 , 43, 4997-5009	2.8	2
88	Increasing the interlayer distance in layered microribbons enhances the electrically driven twisting response. <i>Physical Review Materials</i> , 2017 , 1,	3.2	1

87	Direction-Controlled Light-Driven Movement of Microribbons. <i>Advanced Materials</i> , 2016 , 28, 8538-8545	24	15
86	Copper-Based Coordination Polymer Nanostructure for Visible Light Photocatalysis. <i>Advanced Materials</i> , 2016 , 28, 9776-9781	24	38
85	Fabrication of Chiral-Selective Nanotubular Heterojunctions through Living Supramolecular Polymerization. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 9539-43	16.4	64
84	Highly Fluorescent Nanotubes with Tunable Diameter and Wall Thickness Self-Assembled from Asymmetric Perylene Diimides. <i>Small</i> , 2016 , 12, 4363-9	11	12
83	Fluorescence Detection of a Broad Class of Explosives with One Zinc(II)-Coordination Nanofiber. <i>Analytical Chemistry</i> , 2016 , 88, 10826-10830	7.8	14
82	Mechanistic Studies of TiO Photocatalysis and Fenton Degradation of Hydrophobic Aromatic Pollutants in Water. <i>Chemistry - an Asian Journal</i> , 2016 , 11, 3568-3574	4.5	12
81	Visible-Light-Induced Photoredox Catalysis of Dye-Sensitized Titanium Dioxide: Selective Aerobic Oxidation of Organic Sulfides. <i>Angewandte Chemie</i> , 2016 , 128, 4775-4778	3.6	36
80	Visible-Light-Induced Photoredox Catalysis of Dye-Sensitized Titanium Dioxide: Selective Aerobic Oxidation of Organic Sulfides. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 4697-700	16.4	179
79	Facet-Dependent Cr(VI) Adsorption of Hematite Nanocrystals. <i>Environmental Science & Technology</i> , 2016 , 50, 1964-72	10.3	174
78	Ascorbic acid/Fe@Fe ₂ O ₃ : A highly efficient combined Fenton reagent to remove organic contaminants. <i>Journal of Hazardous Materials</i> , 2016 , 310, 170-8	12.8	141
77	Pivotal Role and Regulation of Proton Transfer in Water Oxidation on Hematite Photoanodes. <i>Journal of the American Chemical Society</i> , 2016 , 138, 2705-11	16.4	98
76	Detection of Amines with Fluorescent Nanotubes: Applications in the Assessment of Meat Spoilage. <i>ACS Sensors</i> , 2016 , 1, 22-25	9.2	92
75	Doping-Promoted Solar Water Oxidation on Hematite Photoanodes. <i>Molecules</i> , 2016 , 21,	4.8	15
74	Morphological Transformation between Nanocoils and Nanoribbons via Defragmentation Structural Rearrangement or Fragmentation-recombination Mechanism. <i>Scientific Reports</i> , 2016 , 6, 27335	4.9	9
73	Cooperative photoredox catalysis. <i>Chemical Society Reviews</i> , 2016 , 45, 3026-38	58.5	264
72	Rapid photocatalytic debromination on TiO ₂ with in-situ formed copper co-catalyst: Enhanced adsorption and visible light activity. <i>Applied Catalysis B: Environmental</i> , 2016 , 194, 150-156	21.8	48
71	Tertiary amine mediated aerobic oxidation of sulfides into sulfoxides by visible-light photoredox catalysis on TiO. <i>Chemical Science</i> , 2015 , 6, 5000-5005	9.4	81
70	Activation of Water in Titanium Dioxide Photocatalysis by Formation of Surface Hydrogen Bonds: An In Situ IR Spectroscopy Study. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 5905-9	16.4	83

69	Inverse kinetic solvent isotope effect in TiO ₂ photocatalytic dehalogenation of non-adsorbable aromatic halides: a proton-induced pathway. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 2052-6	16.4	28
68	Synergistic photocatalytic aerobic oxidation of sulfides and amines on TiO under visible-light irradiation. <i>Chemical Science</i> , 2015 , 6, 1075-1082	9.4	79
67	Stepwise Formation of Photoconductive Nanotubes through a New Top-Down Method. <i>Advanced Materials</i> , 2015 , 27, 7746-51	24	36
66	Inverse Kinetic Solvent Isotope Effect in TiO ₂ Photocatalytic Dehalogenation of Non-adsorbable Aromatic Halides: A Proton-Induced Pathway. <i>Angewandte Chemie</i> , 2015 , 127, 2080-2084	3.6	9
65	Activation of Water in Titanium Dioxide Photocatalysis by Formation of Surface Hydrogen Bonds: An In Situ IR Spectroscopy Study. <i>Angewandte Chemie</i> , 2015 , 127, 6003-6007	3.6	10
64	Catalase Nanocapsules Protected by Polymer Shells for Scavenging Free Radicals of Tobacco Smoke. <i>Advanced Functional Materials</i> , 2015 , 25, 5159-5165	15.6	15
63	Nanocoiled Assembly of Asymmetric Perylene Diimides: Formulation of Structural Factors. <i>Journal of Physical Chemistry C</i> , 2015 , 119, 6446-6452	3.8	13
62	Essential Roles of Proton Transfer in Photocatalytic Redox Reactions. <i>ChemCatChem</i> , 2015 , 7, 724-731	5.2	27
61	Nonmetal P-doped hematite photoanode with enhanced electron mobility and high water oxidation activity. <i>Energy and Environmental Science</i> , 2015 , 8, 1231-1236	35.4	175
60	Aerobic Oxidation of Alcohols on Au Nanocatalyst: Insight to the Roles of the NiAl Layered Double Hydroxides Support. <i>ChemCatChem</i> , 2014 , 6, 1737-1747	5.2	37
59	Selective aerobic oxidation mediated by TiO(2) photocatalysis. <i>Accounts of Chemical Research</i> , 2014 , 47, 355-63	24.3	225
58	Control of Exposed Facet and Morphology of Anatase Crystals through TiO _x F _y Precursor Synthesis and Impact of the Facet on Crystal Phase Transition. <i>Chemistry of Materials</i> , 2014 , 26, 1014-1018	9.6	24
57	Rapid, photocatalytic, and deep debromination of polybrominated diphenyl ethers on Pd-TiO ₂ : intermediates and pathways. <i>Chemistry - A European Journal</i> , 2014 , 20, 11163-70	4.8	28
56	Peroxymonosulfate activation by phosphate anion for organics degradation in water. <i>Chemosphere</i> , 2014 , 117, 582-5	8.4	122
55	Unraveling the photocatalytic mechanisms on TiO ₂ surfaces using the oxygen-18 isotopic label technique. <i>Molecules</i> , 2014 , 19, 16291-311	4.8	37
54	An Unexpected Fluctuating Reactivity for Odd and Even Carbon Numbers in the TiO ₂ -Based Photocatalytic Decarboxylation of C _{2n} Dicarboxylic Acids. <i>Chemistry - A European Journal</i> , 2014 , 20, 1772-1772	4.8	1
53	Surfactant-additive-free synthesis of 3D anatase TiO ₂ hierarchical architectures with enhanced photocatalytic activity. <i>RSC Advances</i> , 2013 , 3, 17559	3.7	25
52	Selective activation of secondary C-H bonds by an iron catalyst: insights into possibilities created by the use of a carboxyl-containing bipyridine ligand. <i>New Journal of Chemistry</i> , 2013 , 37, 3267	3.6	9

51	The abatement of major pollutants in air and water by environmental catalysis. <i>Frontiers of Environmental Science and Engineering</i> , 2013 , 7, 302-325	5.8	31
50	Photoreductive debromination of decabromodiphenyl ethers in the presence of carboxylates under visible light irradiation. <i>Environmental Science & Technology</i> , 2013 , 47, 2370-7	10.3	46
49	Concerted Two-Electron Transfer and High Selectivity of TiO ₂ in Photocatalyzed Deoxygenation of Epoxides. <i>Angewandte Chemie</i> , 2013 , 125, 12868-12872	3.6	3
48	Direct Four-Electron Reduction of O ₂ to H ₂ O on TiO ₂ Surfaces by Pendant Proton Relay. <i>Angewandte Chemie</i> , 2013 , 125, 9868-9872	3.6	20
47	Photo-electrochemical water splitting system with three-layer n-type organic semiconductor film as photoanode under visible irradiation. <i>Science China Chemistry</i> , 2012 , 55, 1953-1958	7.9	4
46	Photochemical Coupling of Iron Redox Reactions and Transformation of Low-Molecular-Weight Organic Matter. <i>Journal of Physical Chemistry Letters</i> , 2012 , 3, 2044-2051	6.4	41
45	Photocatalytic debromination of decabromodiphenyl ether by graphitic carbon nitride. <i>Science China Chemistry</i> , 2012 , 55, 2532-2536	7.9	17
44	The Surface-Structure Sensitivity of Dioxygen Activation in the Anatase-Photocatalyzed Oxidation Reaction. <i>Angewandte Chemie</i> , 2012 , 124, 3242-3246	3.6	20
43	Photocatalytic Oxidation of Organic Pollutants Catalyzed by an Iron Complex at Biocompatible pH Values: Using O ₂ as Main Oxidant in a Fenton-like Reaction. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 4089-4095	3.8	35
42	Grafting silica species on anatase surface for visible light photocatalytic activity. <i>Energy and Environmental Science</i> , 2011 , 4, 2279	35.4	41
41	Supported noble metal nanoparticles as photo/sono-catalysts for synthesis of chemicals and degradation of pollutants. <i>Science China Chemistry</i> , 2011 , 54, 887-897	7.9	16
40	A new type of covalent-functional graphene donor-acceptor hybrid and its improved photoelectrochemical performance. <i>Science China Chemistry</i> , 2011 , 54, 1622-1626	7.9	15
39	Selective Formation of Imines by Aerobic Photocatalytic Oxidation of Amines on TiO ₂ . <i>Angewandte Chemie</i> , 2011 , 123, 4020-4023	3.6	66
38	Selective formation of imines by aerobic photocatalytic oxidation of amines on TiO ₂ . <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 3934-7	16.4	347
37	Controllable Synthesis of 3D Thorny Plasmonic Gold Nanostructures and Their Tunable Optical Properties. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 23256-23260	3.8	25
36	Photocatalytic Degradation of Organic Contaminants on Mineral Surfaces 2011 , 91-111		1
35	Sonochemical Hydrogen Production Efficiently Catalyzed by Au/TiO ₂ . <i>Journal of Physical Chemistry C</i> , 2010 , 114, 17728-17733	3.8	38
34	Enhancement of photochemical hydrogen evolution over Pt-loaded hierarchical titania photonic crystal. <i>Energy and Environmental Science</i> , 2010 , 3, 1503	35.4	130

33	Semiconductor-mediated photodegradation of pollutants under visible-light irradiation. <i>Chemical Society Reviews</i> , 2010 , 39, 4206-19	58.5	1785
32	Supported silver nanoparticles as photocatalysts under ultraviolet and visible light irradiation. <i>Green Chemistry</i> , 2010 , 12, 414	10	242
31	Mechanism of photocatalytic degradation of dye MG by TiO ₂ -film electrode with cathodic bias potential. <i>Science Bulletin</i> , 2010 , 55, 131-139		11
30	Photocatalytic Aerobic Oxidation of Alcohols on TiO ₂ : The Acceleration Effect of a Brønsted Acid. <i>Angewandte Chemie</i> , 2010 , 122, 8148-8151	3.6	39
29	Photocatalytic aerobic oxidation of alcohols on TiO ₂ : the acceleration effect of a Brønsted acid. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 7976-9	16.4	208
28	Oxygen atom transfer in the photocatalytic oxidation of alcohols by TiO ₂ : oxygen isotope studies. <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 6081-4	16.4	253
27	Size-dependent hydroxyl radicals generation induced by SiO ₂ ultra-fine particles: The role of surface iron. <i>Science in China Series B: Chemistry</i> , 2009 , 52, 1033-1041		20
26	TiO ₂ -mediated photocatalytic debromination of decabromodiphenyl ether: kinetics and intermediates. <i>Environmental Science & Technology</i> , 2009 , 43, 157-62	10.3	123
25	Photoinduced Electron Storage in WO ₃ /TiO ₂ Nanohybrid Material in the Presence of Oxygen and Postirradiated Reduction of Heavy Metal Ions. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 13160-13165	3.8	87
24	A role of ionic liquid as an activator for efficient olefin epoxidation catalyzed by polyoxometalate. <i>New Journal of Chemistry</i> , 2008 , 32, 283-289	3.6	53
23	Photocatalytic degradation of dimethyl phthalate ester using novel hydrophobic TiO ₂ pillared montmorillonite photocatalyst. <i>Research on Chemical Intermediates</i> , 2008 , 34, 67-83	2.8	35
22	Shape and SPR Evolution of Thorny Gold Nanoparticles Promoted by Silver Ions. <i>Chemistry of Materials</i> , 2007 , 19, 1592-1600	9.6	137
21	Zeolite NaY-mediated oxidation of dyes with H ₂ O ₂ : unique heterogeneous non-transition metal center cleavage of H ₂ O ₂ under visible light irradiation. <i>Science in China Series B: Chemistry</i> , 2007 , 50, 770-775		1
20	Efficient degradation of dye pollutants using dioxygen mediated by iron(II) 2,2'-bipyridine loaded layered clay catalyst under visible irradiation. <i>Science in China Series B: Chemistry</i> , 2006 , 49, 407-410		3
19	Photocatalytic Degradation of Organic Pollutants Under Visible Light Irradiation. <i>Topics in Catalysis</i> , 2005 , 35, 269-278	2.3	323
18	Selective photooxidation of styrene in organic-water biphasic media. <i>New Journal of Chemistry</i> , 2004 , 28, 1464-1469	3.6	15
17	Highly selective deethylation of rhodamine B: Adsorption and photooxidation pathways of the dye on the TiO ₂ /SiO ₂ composite photocatalyst. <i>International Journal of Photoenergy</i> , 2003 , 5, 209-217	2.1	216
16	Adsorption factor and photocatalytic degradation of dye-constituent aromatics on the surface of TiO ₂ in the presence of phosphate anions. <i>Research on Chemical Intermediates</i> , 2003 , 29, 733-748	2.8	38

15	An efficient approach for the photodegradation of organic pollutants by immobilized iron ions at neutral pHs. <i>Chemical Communications</i> , 2003 , 1582	5.8	46
14	A Novel [CD]Emin Complex Photocatalyst for Efficient Degradation of Organic Pollutants at Neutral pHs under Visible Irradiation. <i>Journal of Physical Chemistry B</i> , 2003 , 107, 9409-9414	3.4	61
13	Vacuum synthesis and determination of the ionization energies of different molecular orbitals for BrOBr and HOBr. <i>Journal of Chemical Physics</i> , 2003 , 119, 7111-7114	3.9	6
12	Photo-Fenton degradation of malachite green catalyzed by aromatic compounds under visible light irradiation. <i>New Journal of Chemistry</i> , 2002 , 26, 336-341	3.6	60
11	Effect of Transition Metal Ions on the TiO ₂ -Assisted Photodegradation of Dyes under Visible Irradiation: A Probe for the Interfacial Electron Transfer Process and Reaction Mechanism. <i>Journal of Physical Chemistry B</i> , 2002 , 106, 318-324	3.4	337
10	Investigation of the intermediates formed during the degradation of Malachite Green in the presence of Fe ³⁺ and H ₂ O ₂ under visible irradiation. <i>Research on Chemical Intermediates</i> , 2001 , 27, 237-248	2.8	4
9	Mechanism of Photodecomposition of H ₂ O ₂ on TiO ₂ Surfaces under Visible Light Irradiation. <i>Langmuir</i> , 2001 , 17, 4118-4122	4	271
8	Mechanistic study of the TiO ₂ -assisted photodegradation of squarylium cyanine dye in methanolic suspensions exposed to visible light. <i>New Journal of Chemistry</i> , 2000 , 24, 93-98	3.6	28
7	Photocatalytic degradation of dye sulforhodamine B: a comparative study of photocatalysis with photosensitization. <i>New Journal of Chemistry</i> , 2000 , 24, 411-417	3.6	123
6	Photodecomposition of amino acids and photocurrent generation on TiO ₂ /OTE electrodes prepared by pulse laser deposition. <i>Catalysis Letters</i> , 1999 , 60, 95-98	2.8	17
5	Preparation and photocatalytic properties of a novel kind of loaded photocatalyst of TiO ₂ /SiO ₂ /Fe ₂ O ₃ . <i>Catalysis Letters</i> , 1999 , 58, 245-247	2.8	61
4	Photoassisted Degradation of Dye Pollutants. 8. Irreversible Degradation of Alizarin Red under Visible Light Radiation in Air-Equilibrated Aqueous TiO ₂ Dispersions. <i>Environmental Science & Technology</i> , 1999 , 33, 2081-2087	10.3	229
3	TiO ₂ -Assisted Photodegradation of Dyes. 9. Photooxidation of a Squarylium Cyanine Dye in Aqueous Dispersions under Visible Light Irradiation. <i>Environmental Science & Technology</i> , 1999 , 33, 1379-1387	10.3	216
2	Evidence for H ₂ O ₂ Generation during the TiO ₂ -Assisted Photodegradation of Dyes in Aqueous Dispersions under Visible Light Illumination. <i>Journal of Physical Chemistry B</i> , 1999 , 103, 4862-4867	3.4	210
1	Photoassisted Degradation of Dye Pollutants. 3. Degradation of the Cationic Dye Rhodamine B in Aqueous Anionic Surfactant/TiO ₂ Dispersions under Visible Light Irradiation: Evidence for the Need of Substrate Adsorption on TiO ₂ Particles. <i>Environmental Science & Technology</i> , 1998 , 32, 2394-2400	10.3	518