

Petros Skapinakis

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7875258/petros-skapinakis-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87
papers

2,725
citations

30
h-index

50
g-index

97
ext. papers

3,167
ext. citations

5.1
avg, IF

4.89
L-index

#	Paper	IF	Citations
87	Catastrophizing: a predictive factor for postoperative pain. <i>American Journal of Surgery</i> , 2011 , 201, 122-317	3.17	180
86	Pharmacological and psychotherapeutic interventions for management of obsessive-compulsive disorder in adults: a systematic review and network meta-analysis. <i>Lancet Psychiatry</i> , 2016 , 3, 730-739	33.3	176
85	The role of catastrophizing in the prediction of postoperative pain. <i>Pain Medicine</i> , 2009 , 10, 1452-9	2.8	135
84	Socio-economic position and common mental disorders. Longitudinal study in the general population in the UK. <i>British Journal of Psychiatry</i> , 2006 , 189, 109-17	5.4	123
83	Leg wound infection after coronary artery bypass grafting: a meta-analysis comparing minimally invasive versus conventional vein harvesting. <i>Annals of Thoracic Surgery</i> , 2003 , 76, 2141-6	2.7	94
82	Is socioeconomic status in early life associated with drug use? A systematic review of the evidence. <i>Drug and Alcohol Review</i> , 2009 , 28, 142-53	3.2	86
81	Antipsychotic augmentation of serotonergic antidepressants in treatment-resistant obsessive-compulsive disorder: a meta-analysis of the randomized controlled trials. <i>European Neuropsychopharmacology</i> , 2007 , 17, 79-93	1.2	84
80	The 2-item Generalized Anxiety Disorder scale had high sensitivity and specificity for detecting GAD in primary care. <i>Evidence-Based Medicine</i> , 2007 , 12, 149		83
79	Surgical Checklist Implementation Project: The Impact of Variable WHO Checklist Compliance on Risk-adjusted Clinical Outcomes After National Implementation: A Longitudinal Study. <i>Annals of Surgery</i> , 2016 , 263, 58-63	7.8	81
78	Temporal relations between unexplained fatigue and depression: longitudinal data from an international study in primary care. <i>Psychosomatic Medicine</i> , 2004 , 66, 330-5	3.7	75
77	Prevalence and sociodemographic associations of common mental disorders in a nationally representative sample of the general population of Greece. <i>BMC Psychiatry</i> , 2013 , 13, 163	4.2	74
76	Efficacy and acceptability of selective serotonin reuptake inhibitors for the treatment of depression in Parkinson's disease: a systematic review and meta-analysis of randomized controlled trials. <i>BMC Neurology</i> , 2010 , 10, 49	3.1	70
75	Mental health inequalities in Wales, UK: multi-level investigation of the effect of area deprivation. <i>British Journal of Psychiatry</i> , 2005 , 186, 417-22	5.4	66
74	Socio-economic status in childhood and later alcohol use: a systematic review. <i>Addiction</i> , 2007 , 102, 1546-63	4.63	65
73	Offending in psychiatric patients after discharge from medium secure units: prospective national cohort study. <i>BMJ, The</i> , 2004 , 328, 1534	5.9	65
72	Clarifying the relationship between unexplained chronic fatigue and psychiatric morbidity: results from a community survey in Great Britain. <i>American Journal of Psychiatry</i> , 2000 , 157, 1492-8	11.9	65
71	A systematic review of the clinical effectiveness and cost-effectiveness of pharmacological and psychological interventions for the management of obsessive-compulsive disorder in children/adolescents and adults. <i>Health Technology Assessment</i> , 2016 , 20, 1-392	4.4	62

70	The association between preoperative pain catastrophizing and postoperative pain intensity in cardiac surgery patients. <i>Pain Medicine</i> , 2012 , 13, 820-7	2.8	51
69	Unexplained fatigue syndromes in a multinational primary care sample: specificity of definition and prevalence and distinctiveness from depression and generalized anxiety. <i>American Journal of Psychiatry</i> , 2003 , 160, 785-7	11.9	51
68	Evidence-based surgery: barriers, solutions, and the role of evidence synthesis. <i>World Journal of Surgery</i> , 2012 , 36, 1723-31	3.3	48
67	Common mental disorders, subthreshold symptoms and disability: longitudinal study. <i>British Journal of Psychiatry</i> , 2010 , 197, 411-2	5.4	44
66	Longitudinal association between different levels of alcohol consumption and a new onset of depression and generalized anxiety disorder: Results from an international study in primary care. <i>Psychiatry Research</i> , 2016 , 243, 30-4	9.9	43
65	Depression and Its Relationship with Coping Strategies and Illness Perceptions during the COVID-19 Lockdown in Greece: A Cross-Sectional Survey of the Population. <i>Depression Research and Treatment</i> , 2020 , 2020, 3158954	3.8	43
64	The association between bullying and early stages of suicidal ideation in late adolescents in Greece. <i>BMC Psychiatry</i> , 2011 , 11, 22	4.2	38
63	Gender differences in reoffending after discharge from medium-secure units. National cohort study in England and Wales. <i>British Journal of Psychiatry</i> , 2006 , 189, 168-72	5.4	38
62	Cross-cultural patterns of the association between varying levels of alcohol consumption and the common mental disorders of depression and anxiety: secondary analysis of the WHO Collaborative Study on Psychological Problems in General Health Care. <i>Drug and Alcohol Dependence</i> , 2013 , 133, 825-31	4.9	37
61	Cross-cultural differences in the epidemiology of unexplained fatigue syndromes in primary care. <i>British Journal of Psychiatry</i> , 2003 , 182, 205-9	5.4	37
60	Parameters of glucose and lipid metabolism at the fasted state in drug-naïve first-episode patients with psychosis: Evidence for insulin resistance. <i>Psychiatry Research</i> , 2015 , 229, 901-4	9.9	36
59	Bullying behaviour in schools, socioeconomic position and psychiatric morbidity: a cross-sectional study in late adolescents in Greece. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2012 , 6, 8	6.8	30
58	Panic disorder and subthreshold panic in the UK general population: epidemiology, comorbidity and functional limitation. <i>European Psychiatry</i> , 2011 , 26, 354-62	6	30
57	Towards a brief definition of burnout syndrome by subtypes: development of the "Burnout Clinical Subtypes Questionnaire" (BCSQ-12). <i>Health and Quality of Life Outcomes</i> , 2011 , 9, 74	3	30
56	Defensive coping and health-related quality of life in chronic kidney disease: a cross-sectional study. <i>BMC Nephrology</i> , 2011 , 12, 28	2.7	28
55	The impact of the metabolic syndrome on health-related quality of life: a cross-sectional study in Greece. <i>European Journal of Cardiovascular Nursing</i> , 2012 , 11, 297-303	3.3	28
54	Clarifying the relationship between unexplained chronic fatigue and psychiatric morbidity: results from a community survey in Great Britain. <i>International Review of Psychiatry</i> , 2003 , 15, 57-64	3.6	26
53	Depression in late adolescence: a cross-sectional study in senior high schools in Greece. <i>BMC Psychiatry</i> , 2015 , 15, 199	4.2	24

52	Understanding burnout according to individual differences: ongoing explanatory power evaluation of two models for measuring burnout types. <i>BMC Public Health</i> , 2012 , 12, 922	4.1	23
51	One-year outcome of unexplained fatigue syndromes in primary care: results from an international study. <i>Psychological Medicine</i> , 2003 , 33, 857-66	6.9	23
50	Prolactin levels in drug-naïve patients with schizophrenia and other psychotic disorders. <i>International Journal of Psychiatry in Clinical Practice</i> , 2016 , 20, 165-9	2.4	22
49	Diagnostic accuracy meta-analysis: a review of the basic principles of interpretation and application. <i>International Journal of Cardiology</i> , 2010 , 140, 138-44	3.2	22
48	Anticonvulsant drugs for pediatric migraine prevention: an evidence-based review. <i>European Journal of Pain</i> , 2009 , 13, 893-901	3.7	22
47	Socioeconomic inequalities in general and psychological health among adolescents: a cross-sectional study in senior high schools in Greece. <i>International Journal for Equity in Health</i> , 2010 , 9, 3	4.6	21
46	Sleep disturbances and depressive symptoms: an investigation of their longitudinal association in a representative sample of the UK general population. <i>Psychological Medicine</i> , 2013 , 43, 329-39	6.9	20
45	The association between Type D personality and the metabolic syndrome: a cross-sectional study in a University-based outpatient lipid clinic. <i>BMC Research Notes</i> , 2011 , 4, 105	2.3	18
44	Epidemiology and comorbidity of obsessive-compulsive disorder in late adolescence: a cross-sectional study in senior high schools in Greece. <i>International Journal of Psychiatry in Clinical Practice</i> , 2017 , 21, 188-194	2.4	17
43	The association between bullying-related behaviours and subjective health complaints in late adolescence: cross-sectional study in Greece. <i>BMC Research Notes</i> , 2014 , 7, 523	2.3	17
42	Surgery, Complications, and Quality of Life: A Longitudinal Cohort Study Exploring the Role of Psychosocial Factors. <i>Annals of Surgery</i> , 2019 , 270, 95-101	7.8	17
41	Does previous percutaneous coronary stenting compromise the long-term efficacy of subsequent coronary artery bypass surgery? A microsimulation study. <i>Annals of Thoracic Surgery</i> , 2008 , 85, 501-7	2.7	16
40	Cytokine profile in drug-naïve, first episode patients with psychosis. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 324-7	4.1	15
39	Enhancing the h index for the objective assessment of healthcare researcher performance and impact. <i>Journal of the Royal Society of Medicine</i> , 2013 , 106, 19-29	2.3	15
38	THE IMPACT OF SOCIOECONOMIC FACTORS ON QUALITY OF LIFE OF PATIENTS WITH CHRONIC KIDNEY DISEASE IN GREECE. <i>Journal of Renal Care</i> , 2015 , 41, 239-46	1.6	14
37	Estimated verbal IQ and the odds of problem gambling: a population-based study. <i>Psychological Medicine</i> , 2014 , 44, 1739-49	6.9	14
36	An empirical investigation of the structure of anxiety and depressive symptoms in late adolescence: cross-sectional study using the Greek version of the revised Clinical Interview Schedule. <i>Psychiatry Research</i> , 2011 , 186, 419-26	9.9	14
35	Antidepressant drugs for chronic urological pelvic pain: an evidence-based review. <i>Advances in Urology</i> , 2009 , 2009, 797031	1.6	14

34	The incidence and associated risk factors for sudden unexplained death in psychiatric in-patients in England and Wales. <i>Journal of Psychopharmacology</i> , 2011 , 25, 1533-42	4.6	12
33	Common somatic symptoms, causal attributions of somatic symptoms and psychiatric morbidity in a cross-sectional community study in Santiago, Chile. <i>BMC Research Notes</i> , 2011 , 4, 155	2.3	10
32	Adaptation of the Emotional Contagion Scale (ECS) and gender differences within the Greek cultural context. <i>Annals of General Psychiatry</i> , 2008 , 7, 14	3.4	10
31	Changes in the cytokine profile in first-episode, drug-naïve patients with psychosis after short-term antipsychotic treatment. <i>Psychiatry Research</i> , 2017 , 256, 378-383	9.9	9
30	Trigger factors in primary headaches subtypes: a cross-sectional study from a tertiary centre in Greece. <i>BMC Research Notes</i> , 2015 , 8, 393	2.3	9
29	Commentary: Socioeconomic position and common mental disorders: what do we need to know?. <i>International Journal of Epidemiology</i> , 2007 , 36, 786-8	7.8	9
28	The Relationship between Burden and Depression in Spouses of Chronic Kidney Disease Patients. <i>Depression Research and Treatment</i> , 2018 , 2018, 8694168	3.8	9
27	Behavioural interventions for smoking cessation in patients hospitalised for a major cardiovascular event. <i>International Journal of Cardiology</i> , 2009 , 137, 171-4	3.2	8
26	Elevated levels of Insulin-like Growth Factor-1 (IGF-1) in drug-naïve patients with psychosis. <i>Psychiatry Research</i> , 2016 , 246, 348-352	9.9	8
25	Prevalence, comorbidity, quality of life and use of services of obsessive-compulsive disorder and subthreshold obsessive-compulsive symptoms in the general adult population of Greece. <i>International Journal of Psychiatry in Clinical Practice</i> , 2019 , 23, 215-224	2.4	6
24	Health related quality of life in patients with anogenital warts. <i>Health and Quality of Life Outcomes</i> , 2011 , 9, 67	3	6
23	Translation to success of surgical innovation. <i>European Journal of Cardio-thoracic Surgery</i> , 2010 , 37, 613-35		6
22	Nobel Prizes in medicine: are clinicians out of fashion?. <i>Journal of the Royal Society of Medicine</i> , 2011 , 104, 387-9	2.3	6
21	Psychiatric morbidity and social capital in rural communities of the Greek North Aegean islands. <i>Journal of Community Psychology</i> , 2010 , 38, 1023-1041	2.2	5
20	Epidemiology in community psychiatric research: common uses and methodological issues. <i>Epidemiologia E Psichiatria Sociale</i> , 2001 , 10, 18-26		5
19	Do mothers who are anxious during pregnancy have inattentive children?. <i>Journal of Affective Disorders</i> , 2018 , 236, 120-126	6.6	5
18	Prevalence of Alcohol Use Disorders and Their Association with Sociodemographic Determinants and Depression/Anxiety Disorders in a Representative Sample of the Greek General Population. <i>Psychiatry Journal</i> , 2020 , 2020, 4841050	2.4	4
17	Mortality risks from psychological distress are greater for people of lower socioeconomic status. <i>Evidence-Based Mental Health</i> , 2013 , 16, 118	11.1	4

16	Specialty knowledge and competency standards for pharmacotherapy for adult obsessive-compulsive disorder. <i>Psychiatry Research</i> , 2021 , 300, 113853	9.9	4
15	Network meta-analyses and treatment recommendations for obsessive-compulsive disorder - AuthorsReply. <i>Lancet Psychiatry,the</i> , 2016 , 3, 921-922	23.3	4
14	Sex hormone levels in drug-naïve, first-episode patients with psychosis. <i>International Journal of Psychiatry in Clinical Practice</i> , 2020 , 24, 20-24	2.4	3
13	Does maternal somatic anxiety in pregnancy predispose children to hyperactivity?. <i>European Child and Adolescent Psychiatry</i> , 2019 , 28, 1475-1486	5.5	2
12	Epidemiology of Alcohol Use in Late Adolescence in Greece and Comorbidity with Depression and Other Common Mental Disorders. <i>Depression Research and Treatment</i> , 2019 , 2019, 5871857	3.8	1
11	Assessing the effectiveness of pharmacotherapy for obsessive-compulsive disorder - Author's reply. <i>Lancet Psychiatry,the</i> , 2016 , 3, e17	23.3	1
10	Manualized single-session behavior treatment with self-help manual for panic disorder with or without agoraphobia. <i>Psychotherapy Research</i> , 2020 , 30, 776-787	3.6	1
9	Validation of the Greek version of the Affiliate Stigma Scale among mothers of children with autism spectrum disorder.. <i>BJPsych Open</i> , 2022 , 8, e30	5	0
8	Pharmacological and Psychotherapeutic Interventions for Management of Obsessive-compulsive Disorder in Adults: A Systematic Review and Network Meta-analysis. <i>Focus (American Psychiatric Publishing)</i> , 2021 , 19, 457-467	1.1	0
7	Adiponectin, leptin and resistin levels in first-episode, drug-naïve patients with psychosis before and after short-term antipsychotic treatment.. <i>Journal of Psychosomatic Research</i> , 2022 , 157, 110789	4.1	0
6	Feeling life is not worth living: A cross sectional study of Greek adolescents. <i>European Psychiatry</i> , 2011 , 26, 322-322	6	
5	FC13.06 The cross-national epidemiology of unexplained chronic fatigue. <i>European Psychiatry</i> , 2000 , 15, 313s-313s	6	
4	Differentiation of 2 Obsessive-Compulsive Disorder Subgroups with Regard to Demographic and Phenomenological Characteristics Combining Multiple Correspondence and Latent Class Analysis. <i>Psychopathology</i> , 2021 , 54, 315-324	3.4	
3	Study Design, Statistical Inference and Literature Search in Surgical Research 2010 , 33-53		
2	Using Business Process Management Notation to Model Therapeutic Prescription Protocols: The PrescIT Approach. <i>Studies in Health Technology and Informatics</i> , 2021 , 281, 1089-1090	0.5	
1	Evaluation of Social Psychiatry Services 2016 , 389-403		