

Yanling Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/787643/publications.pdf>

Version: 2024-02-01

44
papers

1,172
citations

361296

20
h-index

414303

32
g-index

45
all docs

45
docs citations

45
times ranked

1808
citing authors

#	ARTICLE	IF	CITATIONS
1	The Hippo transducer TAZ promotes epithelial to mesenchymal transition and cancer stem cell maintenance in oral cancer. <i>Molecular Oncology</i> , 2015, 9, 1091-1105.	2.1	139
2	Oncogenic roles of Bmi1 and its therapeutic inhibition by histone deacetylase inhibitor in tongue cancer. <i>Laboratory Investigation</i> , 2014, 94, 1431-1445.	1.7	55
3	The histone demethylase LSD1 is a novel oncogene and therapeutic target in oral cancer. <i>Cancer Letters</i> , 2016, 374, 12-21.	3.2	49
4	External root resorption of the second molar associated with mesially and horizontally impacted mandibular third molar: evidence from cone beam computed tomography. <i>Clinical Oral Investigations</i> , 2017, 21, 1335-1342.	1.4	49
5	Pharmacological activation of TAZ enhances osteogenic differentiation and bone formation of adipose-derived stem cells. <i>Stem Cell Research and Therapy</i> , 2018, 9, 53.	2.4	48
6	The Hippo effector TAZ promotes cancer stemness by transcriptional activation of SOX2 in head neck squamous cell carcinoma. <i>Cell Death and Disease</i> , 2019, 10, 603.	2.7	44
7	Density and location of CD3 ⁺ and CD8 ⁺ tumor-infiltrating lymphocytes correlate with prognosis of oral squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2018, 47, 359-367.	1.4	41
8	Preoperative systemic immune-inflammation index predicts prognosis of patients with oral squamous cell carcinoma after curative resection. <i>Journal of Translational Medicine</i> , 2018, 16, 365.	1.8	41
9	TEAD4 overexpression promotes epithelial-mesenchymal transition and associates with aggressiveness and adverse prognosis in head neck squamous cell carcinoma. <i>Cancer Cell International</i> , 2018, 18, 178.	1.8	40
10	Radiographic features of anatomic relationship between impacted third molar and inferior alveolar canal on coronal CBCT images: risk factors for nerve injury after tooth extraction. <i>Archives of Medical Science</i> , 2018, 14, 532-540.	0.4	38
11	Overexpression of miR-29b reduces collagen biosynthesis by inhibiting heat shock protein 47 during skin wound healing. <i>Translational Research</i> , 2016, 178, 38-53.e6.	2.2	37
12	Therapeutic Targeting of BRD4 in Head Neck Squamous Cell Carcinoma. <i>Theranostics</i> , 2019, 9, 1777-1793.	4.6	37
13	Identification of 4 lncRNA prognostic signature in head and neck squamous cell carcinoma. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 10010-10020.	1.2	37
14	Combinational therapeutic targeting of BRD4 and CDK7 synergistically induces anticancer effects in head and neck squamous cell carcinoma. <i>Cancer Letters</i> , 2020, 469, 510-523.	3.2	36
15	High expression of the histone demethylase LSD1 associates with cancer cell proliferation and unfavorable prognosis in tongue cancer. <i>Journal of Oral Pathology and Medicine</i> , 2015, 44, 159-165.	1.4	35
16	Overexpression of pyruvate kinase M2 associates with aggressive clinicopathological features and unfavorable prognosis in oral squamous cell carcinoma. <i>Cancer Biology and Therapy</i> , 2015, 16, 839-845.	1.5	32
17	Pharmacological inhibition of Bmi1 by PTC-209 impaired tumor growth in head neck squamous cell carcinoma. <i>Cancer Cell International</i> , 2017, 17, 107.	1.8	31
18	Overexpression of CDK7 is associated with unfavourable prognosis in oral squamous cell carcinoma. <i>Pathology</i> , 2019, 51, 74-80.	0.3	29

#	ARTICLE	IF	CITATIONS
19	Identification of a prognostic alternative splicing signature in oral squamous cell carcinoma. <i>Journal of Cellular Physiology</i> , 2020, 235, 4804-4813.	2.0	27
20	Therapeutically targeting head and neck squamous cell carcinoma through synergistic inhibition of LSD1 and JMJD3 by TCP and GSK-J1. <i>British Journal of Cancer</i> , 2020, 122, 528-538.	2.9	26
21	<scp>SUZ</scp>12 is a novel putative oncogene promoting tumorigenesis in head and neck squamous cell carcinoma. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 3582-3594.	1.6	24
22	Development and validation of a seven-immune-feature-based prognostic score for oral squamous cell carcinoma after curative resection. <i>International Journal of Cancer</i> , 2020, 146, 1152-1163.	2.3	22
23	Preoperative circulating platelet, neutrophil, and lymphocyte counts predict survival in oral cancer. <i>Oral Diseases</i> , 2019, 25, 1057-1066.	1.5	21
24	Overexpression of ZEB2-AS1 promotes epithelial-to-mesenchymal transition and metastasis by stabilizing ZEB2 mRNA in head neck squamous cell carcinoma. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 4269-4280.	1.6	21
25	Immune landscape and subtypes in primary resectable oral squamous cell carcinoma: prognostic significance and predictive of therapeutic response. , 2021, 9, e002434.		19
26	Overexpression of WD repeat domain 5 associates with aggressive clinicopathological features and unfavorable prognosis in head neck squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2018, 47, 502-510.	1.4	17
27	Predictive value of prognostic nutritional index in patients with oral squamous cell carcinoma. <i>Oral Diseases</i> , 2020, 26, 903-911.	1.5	17
28	The pluripotency factor LIN28B is involved in oral carcinogenesis and associates with tumor aggressiveness and unfavorable prognosis. <i>Cancer Cell International</i> , 2015, 15, 99.	1.8	15
29	Overexpression of suppressor of zest 12 is associated with cervical node metastasis and unfavorable prognosis in tongue squamous cell carcinoma. <i>Cancer Cell International</i> , 2017, 17, 26.	1.8	15
30	Topographic relationship between root apex of mesially and horizontally impacted mandibular third molar and lingual plate: cross-sectional analysis using CBCT. <i>Scientific Reports</i> , 2016, 6, 39268.	1.6	14
31	Comprehensive analysis of ectopic mandibular third molar: a rare clinical entity revisited. <i>Head & Face Medicine</i> , 2017, 13, 24.	0.8	13
32	The level and clinical significance of 5-hydroxymethylcytosine in oral squamous cell carcinoma: An immunohistochemical study in 95 patients. <i>Pathology Research and Practice</i> , 2017, 213, 969-974.	1.0	12
33	Overexpression of lncRNA WWTR1-AS1 associates with tumor aggressiveness and unfavorable survival in head&neck squamous cell carcinoma. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 18266-18277.	1.2	12
34	Restoration of TET2 deficiency inhibits tumor growth in head neck squamous cell carcinoma. <i>Annals of Translational Medicine</i> , 2020, 8, 329-329.	0.7	12
35	Epidemiological, clinical, and 3-dimensional CBCT radiographic characterizations of supernumerary teeth in a non-syndromic adult population: a single-institutional study from 60,104 Chinese subjects. <i>Clinical Oral Investigations</i> , 2020, 24, 4271-4281.	1.4	11
36	Epidemiological, clinical, radiographic characterization of non-syndromic supernumerary teeth in Chinese children and adolescents. <i>Oral Diseases</i> , 2021, 27, 981-992.	1.5	11

#	ARTICLE	IF	CITATIONS
37	Identification of a Transcriptional Prognostic Signature From Five Metabolic Pathways in Oral Squamous Cell Carcinoma. <i>Frontiers in Oncology</i> , 2020, 10, 572919.	1.3	10
38	Identification of an autophagy-related prognostic signature in head and neck squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2021, 50, 1040-1049.	1.4	10
39	Reconstruction of palatomaxillary defects following cancer ablation with temporalis muscle flap in medically compromised patients: a 15-year single institutional experience. <i>Clinical Oral Investigations</i> , 2014, 18, 1663-1670.	1.4	9
40	Comprehensive analysis of 225 Castleman's diseases in the oral maxillofacial and neck region: a rare disease revisited. <i>Clinical Oral Investigations</i> , 2018, 22, 1285-1295.	1.4	5
41	Functional Dissection of CD26 and Its Pharmacological Inhibition by Sitagliptin During Skin Wound Healing. <i>Medical Science Monitor</i> , 2021, 27, e928933.	0.5	5
42	Pharmacological inhibition of CDK7 by THZ1 impairs tumor growth in p53-mutated HNSCC. <i>Oral Diseases</i> , 2022, 28, 611-620.	1.5	3
43	Comprehensive characterization of epidemiological and 3D radiographic features of non-third molar impacted teeth in a Chinese dental population. <i>Clinical Oral Investigations</i> , 2022, , 1.	1.4	3
44	Comprehensive Analyses of Intraoral Benign and Malignant Nerve Sheath Tumors. <i>Journal of Craniofacial Surgery</i> , 2019, 30, e317-e327.	0.3	0