

Yanling Wang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/787643/yanling-wang-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

43
papers

742
citations

18
h-index

25
g-index

45
ext. papers

981
ext. citations

5.2
avg, IF

3.9
L-index

#	Paper	IF	Citations
43	Comprehensive characterization of epidemiological and 3D radiographic features of non-third molar impacted teeth in a Chinese dental population.. <i>Clinical Oral Investigations</i> , 2022 , 1	4.2	1
42	Immune landscape and subtypes in primary resectable oral squamous cell carcinoma: prognostic significance and predictive of therapeutic response 2021 , 9,		3
41	Epidemiological, clinical, radiographic characterization of non-syndromic supernumerary teeth in Chinese children and adolescents. <i>Oral Diseases</i> , 2021 , 27, 981-992	3.5	4
40	Identification of an autophagy-related prognostic signature in head and neck squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2021 , 50, 1040-1049	3.3	1
39	Functional Dissection of CD26 and Its Pharmacological Inhibition by Sitagliptin During Skin Wound Healing. <i>Medical Science Monitor</i> , 2021 , 27, e928933	3.2	2
38	Predictive value of prognostic nutritional index in patients with oral squamous cell carcinoma. <i>Oral Diseases</i> , 2020 , 26, 903-911	3.5	10
37	Restoration of TET2 deficiency inhibits tumor growth in head neck squamous cell carcinoma. <i>Annals of Translational Medicine</i> , 2020 , 8, 329	3.2	6
36	Epidemiological, clinical, and 3-dimensional CBCT radiographic characterizations of supernumerary teeth in a non-syndromic adult population: a single-institutional study from 60,104 Chinese subjects. <i>Clinical Oral Investigations</i> , 2020 , 24, 4271-4281	4.2	1
35	Identification of a prognostic alternative splicing signature in oral squamous cell carcinoma. <i>Journal of Cellular Physiology</i> , 2020 , 235, 4804-4813	7	10
34	Combinational therapeutic targeting of BRD4 and CDK7 synergistically induces anticancer effects in head and neck squamous cell carcinoma. <i>Cancer Letters</i> , 2020 , 469, 510-523	9.9	23
33	Therapeutically targeting head and neck squamous cell carcinoma through synergistic inhibition of LSD1 and JMJD3 by TCP and GSK-J1. <i>British Journal of Cancer</i> , 2020 , 122, 528-538	8.7	12
32	Identification of a Transcriptional Prognostic Signature From Five Metabolic Pathways in Oral Squamous Cell Carcinoma. <i>Frontiers in Oncology</i> , 2020 , 10, 572919	5.3	4
31	Development and validation of a seven-immune-feature-based prognostic score for oral squamous cell carcinoma after curative resection. <i>International Journal of Cancer</i> , 2020 , 146, 1152-1163	7.5	9
30	Preoperative circulating platelet, neutrophil, and lymphocyte counts predict survival in oral cancer. <i>Oral Diseases</i> , 2019 , 25, 1057-1066	3.5	13
29	Overexpression of lncRNA WWTR1-AS1 associates with tumor aggressiveness and unfavorable survival in head-neck squamous cell carcinoma. <i>Journal of Cellular Biochemistry</i> , 2019 , 120, 18266-18277	4.7	9
28	Therapeutic Targeting of BRD4 in Head Neck Squamous Cell Carcinoma. <i>Theranostics</i> , 2019 , 9, 1777-1793	12.1	26
27	Overexpression of ZEB2-AS1 promotes epithelial-to-mesenchymal transition and metastasis by stabilizing ZEB2 mRNA in head neck squamous cell carcinoma. <i>Journal of Cellular and Molecular Medicine</i> , 2019 , 23, 4269-4280	5.6	12

26	The Hippo effector TAZ promotes cancer stemness by transcriptional activation of SOX2 in head neck squamous cell carcinoma. <i>Cell Death and Disease</i> , 2019 , 10, 603	9.8	26
25	Comprehensive Analyses of Intraoral Benign and Malignant Nerve Sheath Tumors: The Rare Disease Entities Revisited. <i>Journal of Craniofacial Surgery</i> , 2019 , 30, e317-e327	1.2	
24	Overexpression of CDK7 is associated with unfavourable prognosis in oral squamous cell carcinoma. <i>Pathology</i> , 2019 , 51, 74-80	1.6	18
23	Identification of 4-lncRNA prognostic signature in head and neck squamous cell carcinoma. <i>Journal of Cellular Biochemistry</i> , 2019 , 120, 10010-10020	4.7	23
22	Density and location of CD3 and CD8 tumor-infiltrating lymphocytes correlate with prognosis of oral squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2018 , 47, 359-367	3.3	28
21	SUZ12 is a novel putative oncogene promoting tumorigenesis in head and neck squamous cell carcinoma. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 3582-3594	5.6	16
20	Overexpression of WD repeat domain 5 associates with aggressive clinicopathological features and unfavorable prognosis in head neck squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2018 , 47, 502-510	3.3	8
19	Pharmacological activation of TAZ enhances osteogenic differentiation and bone formation of adipose-derived stem cells. <i>Stem Cell Research and Therapy</i> , 2018 , 9, 53	8.3	27
18	Radiographic features of anatomic relationship between impacted third molar and inferior alveolar canal on coronal CBCT images: risk factors for nerve injury after tooth extraction. <i>Archives of Medical Science</i> , 2018 , 14, 532-540	2.9	22
17	Comprehensive analysis of 225 Castleman's diseases in the oral maxillofacial and neck region: a rare disease revisited. <i>Clinical Oral Investigations</i> , 2018 , 22, 1285-1295	4.2	3
16	Preoperative systemic immune-inflammation index predicts prognosis of patients with oral squamous cell carcinoma after curative resection. <i>Journal of Translational Medicine</i> , 2018 , 16, 365	8.5	24
15	TEAD4 overexpression promotes epithelial-mesenchymal transition and associates with aggressiveness and adverse prognosis in head neck squamous cell carcinoma. <i>Cancer Cell International</i> , 2018 , 18, 178	6.4	23
14	Overexpression of suppressor of zest 12 is associated with cervical node metastasis and unfavorable prognosis in tongue squamous cell carcinoma. <i>Cancer Cell International</i> , 2017 , 17, 26	6.4	12
13	The level and clinical significance of 5-hydroxymethylcytosine in oral squamous cell carcinoma: An immunohistochemical study in 95 patients. <i>Pathology Research and Practice</i> , 2017 , 213, 969-974	3.4	8
12	Comprehensive analysis of ectopic mandibular third molar: a rare clinical entity revisited. <i>Head & Face Medicine</i> , 2017 , 13, 24	2.4	9
11	External root resorption of the second molar associated with mesially and horizontally impacted mandibular third molar: evidence from cone beam computed tomography. <i>Clinical Oral Investigations</i> , 2017 , 21, 1335-1342	4.2	29
10	Pharmacological inhibition of Bmi1 by PTC-209 impaired tumor growth in head neck squamous cell carcinoma. <i>Cancer Cell International</i> , 2017 , 17, 107	6.4	21
9	The histone demethylase LSD1 is a novel oncogene and therapeutic target in oral cancer. <i>Cancer Letters</i> , 2016 , 374, 12-21	9.9	38

8	Topographic relationship between root apex of mesially and horizontally impacted mandibular third molar and lingual plate: cross-sectional analysis using CBCT. <i>Scientific Reports</i> , 2016 , 6, 39268	4.9	7
7	Overexpression of miR-29b reduces collagen biosynthesis by inhibiting heat shock protein 47 during skin wound healing. <i>Translational Research</i> , 2016 , 178, 38-53.e6	11	27
6	High expression of the histone demethylase LSD1 associates with cancer cell proliferation and unfavorable prognosis in tongue cancer. <i>Journal of Oral Pathology and Medicine</i> , 2015 , 44, 159-65	3.3	31
5	Overexpression of pyruvate kinase M2 associates with aggressive clinicopathological features and unfavorable prognosis in oral squamous cell carcinoma. <i>Cancer Biology and Therapy</i> , 2015 , 16, 839-45	4.6	26
4	The pluripotency factor LIN28B is involved in oral carcinogenesis and associates with tumor aggressiveness and unfavorable prognosis. <i>Cancer Cell International</i> , 2015 , 15, 99	6.4	12
3	The Hippo transducer TAZ promotes epithelial to mesenchymal transition and cancer stem cell maintenance in oral cancer. <i>Molecular Oncology</i> , 2015 , 9, 1091-105	7.9	110
2	Oncogenic roles of Bmi1 and its therapeutic inhibition by histone deacetylase inhibitor in tongue cancer. <i>Laboratory Investigation</i> , 2014 , 94, 1431-45	5.9	41
1	Reconstruction of palatomaxillary defects following cancer ablation with temporalis muscle flap in medically compromised patients: a 15-year single institutional experience. <i>Clinical Oral Investigations</i> , 2014 , 18, 1663-70	4.2	7