

Heini W Dirr

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7877691/publications.pdf>

Version: 2024-02-01

98
papers

3,344
citations

147566

31
h-index

155451

55
g-index

98
all docs

98
docs citations

98
times ranked

2081
citing authors

#	ARTICLE	IF	CITATIONS
1	Structure Determination and Refinement of Human Alpha Class Glutathione Transferase A1-1, and a Comparison with the Mu and Pi Class Enzymes. <i>Journal of Molecular Biology</i> , 1993, 232, 192-212.	2.0	453
2	X-ray crystal structures of cytosolic glutathione S-transferases. Implications for protein architecture, substrate recognition and catalytic function. <i>FEBS Journal</i> , 1994, 220, 645-661.	0.2	400
3	Three-dimensional structure of class π glutathione S-transferase from human placenta in complex with S-hexylglutathione at 2.8 Å... resolution. <i>Journal of Molecular Biology</i> , 1992, 227, 214-226.	2.0	273
4	Conformational stability of pGEX α -expressed <i>Schistosoma japonicum</i> glutathione S-transferase: A detoxification enzyme and fusion α protein affinity tag. <i>Protein Science</i> , 1997, 6, 399-406.	3.1	121
5	Refined Crystal Structure of Porcine Class Pi Glutathione S-Transferase (pGST P1-1) at 2.1 Å... Resolution. <i>Journal of Molecular Biology</i> , 1994, 243, 72-92.	2.0	93
6	Equilibrium and Kinetic Unfolding Properties of Dimeric Human Glutathione Transferase A1-1 α . <i>Biochemistry</i> , 1998, 37, 5320-5328.	1.2	75
7	Analysis of the levels of conservation of the J domain among the various types of DnaJ-like proteins. <i>Cell Stress and Chaperones</i> , 2000, 5, 347.	1.2	74
8	Class pi glutathione S-transferase from pig lung. Purification, biochemical characterization, primary structure and crystallization. <i>FEBS Journal</i> , 1991, 196, 693-698.	0.2	67
9	Equilibrium unfolding of class π glutathione S-transferase. <i>Biochemical and Biophysical Research Communications</i> , 1991, 180, 294-300.	1.0	61
10	Role of the C-Terminal Helix 9 in the Stability and Ligandin Function of Class π Glutathione Transferase A1-1 α . <i>Biochemistry</i> , 1999, 38, 15631-15640.	1.2	59
11	Mutational substitution of residues implicated by crystal structure in binding the substrate glutathione to human glutathione S-transferase π . <i>Journal of Molecular Biology</i> , 1992, 226, 319-322.	2.0	58
12	The hydrophobic lock-and-key intersubunit motif of glutathione transferase A1-1: implications for catalysis, ligandin function and stability. <i>FEBS Letters</i> , 2000, 465, 169-172.	1.3	58
13	Equilibrium Folding of Dimeric Class π Glutathione Transferases Involves a Stable Monomeric Intermediate. <i>Biochemistry</i> , 2000, 39, 12336-12344.	1.2	56
14	Folding and Assembly of Dimeric Human Glutathione Transferase A1-1 α . <i>Biochemistry</i> , 1999, 38, 16686-16694.	1.2	52
15	Native Dimer Stabilizes the Subunit Tertiary Structure of Porcine Class pi Glutathione S-transferase. <i>FEBS Journal</i> , 1995, 230, 614-620.	0.2	51
16	Formation of an Unfolding Intermediate State of Soluble Chloride Intracellular Channel Protein CLIC1 at Acidic pH. <i>Biochemistry</i> , 2008, 47, 11674-11681.	1.2	44
17	Class Sigma Glutathione Transferase Unfolds via a Dimeric and a Monomeric Intermediate: Impact of Subunit Interface on Conformational Stability in the Superfamily. <i>Biochemistry</i> , 1998, 37, 15534-15541.	1.2	42
18	Heat shock cognate protein 70 chaperone-binding site in the co-chaperone murine stress-inducible protein 1 maps to within three consecutive tetratricopeptide repeat motifs. <i>Biochemical Journal</i> , 2000, 345, 645-651.	1.7	41

#	ARTICLE	IF	CITATIONS
19	Molecular Recognition at the Dimer Interface of a Class Mu Glutathione Transferase: A Role of a Hydrophobic Interaction Motif in Dimer Stability and Protein Function. <i>Biochemistry</i> , 2002, 41, 14238-14247.	1.2	41
20	<i>Plasmodium falciparum</i> Hsp70-z, an Hsp110 homologue, exhibits independent chaperone activity and interacts with Hsp70-1 in a nucleotide-dependent fashion. <i>Cell Stress and Chaperones</i> , 2016, 21, 499-513.	1.2	41
21	Thermodynamics of the ligandin function of human class Alpha glutathione transferase A1-1: energetics of organic anion ligand binding. <i>Biochemical Journal</i> , 2002, 363, 341-346.	1.7	40
22	(α)-Epigallocatechin-3-Gallate Inhibits the Chaperone Activity of <i>Plasmodium falciparum</i> Hsp70 Chaperones and Abrogates Their Association with Functional Partners. <i>Molecules</i> , 2017, 22, 2139.	1.7	39
23	Active-Site Mutations in the South African Human Immunodeficiency Virus Type 1 Subtype C Protease Have a Significant Impact on Clinical Inhibitor Binding: Kinetic and Thermodynamic Study. <i>Journal of Virology</i> , 2008, 82, 11476-11479.	1.5	38
24	Structural and biochemical characterization of <i>Plasmodium falciparum</i> Hsp70 reveals functional versatility of its C-terminal EEVN motif. <i>Proteins: Structure, Function and Bioinformatics</i> , 2018, 86, 1189-1201.	1.5	37
25	Structural Dynamics of Soluble Chloride Intracellular Channel Protein CLIC1 Examined by Amide Hydrogen Deuterium Exchange Mass Spectrometry. <i>Biochemistry</i> , 2009, 48, 8413-8421.	1.2	36
26	Structural insights into the South African HIV-1 subtype C protease: impact of hinge region dynamics and flap flexibility in drug resistance. <i>Journal of Biomolecular Structure and Dynamics</i> , 2013, 31, 1370-1380.	2.0	36
27	Overexpression, Purification and Characterisation of the <i>Plasmodium falciparum</i> Hsp70-z (PfHsp70-z) Protein. <i>PLoS ONE</i> , 2015, 10, e0129445.	1.1	36
28	Protease inhibition in African subtypes of HIV-1. <i>AIDS Reviews</i> , 2003, 5, 165-71.	0.5	34
29	Determination of a Binding Site for a Non-Substrate Ligand in Mammalian Cytosolic Glutathione S-Transferases by means of Fluorescence-Resonance Energy Transfer. <i>FEBS Journal</i> , 1996, 241, 484-488.	0.2	32
30	Electrostatic interactions affecting the active site of class Sigma glutathione S-transferase. <i>Biochemical Journal</i> , 2000, 347, 193-197.	1.7	32
31	Tertiary Interactions Stabilise the C-terminal Region of Human Glutathione Transferase A1-1: a Crystallographic and Calorimetric Study. <i>Journal of Molecular Biology</i> , 2005, 349, 825-838.	2.0	32
32	The role of an evolutionarily conserved cis-proline in the thioredoxin-like domain of human class Alpha glutathione transferase A1-1. <i>Biochemical Journal</i> , 2003, 372, 241-246.	1.7	31
33	Characterization of bromosulphophthalein binding to human glutathione S-transferase A1-1: thermodynamics and inhibition kinetics. <i>Biochemical Journal</i> , 2004, 382, 703-709.	1.7	30
34	Porcine class Γ glutathione S-transferase: anionic ligand binding and conformational analysis. <i>BBA - Proteins and Proteomics</i> , 1995, 1247, 225-230.	2.1	29
35	Thermodynamics of the ligandin function of human class Alpha glutathione transferase A1-1: energetics of organic anion ligand binding. <i>Biochemical Journal</i> , 2002, 363, 341.	1.7	28
36	Double Mutation at the Subunit Interface of Glutathione Transferase rGSTM1-1 Results in a Stable, Folded Monomer. <i>Biochemistry</i> , 2006, 45, 2267-2273.	1.2	28

#	ARTICLE	IF	CITATIONS
37	Heat shock cognate protein 70 chaperone-binding site in the co-chaperone murine stress-inducible protein 1 maps to within three consecutive tetratricopeptide repeat motifs. <i>Biochemical Journal</i> , 2000, 345, 645.	1.7	27
38	Residue 219 Impacts on the Dynamics of the C-Terminal Region in Glutathione Transferase A1-1: Implications for Stability and Catalytic and Ligandin Functions. <i>Biochemistry</i> , 2003, 42, 15326-15332.	1.2	24
39	Aflatoxin B1 transport in rat blood plasma. Binding to albumin in vivo and in vitro and spectrofluorimetric studies into the nature of the interaction. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1986, 881, 383-390.	1.1	22
40	Domain-domain interface packing at conserved Trp-20 in class π glutathione transferase impacts on protein stability. <i>BBA - Proteins and Proteomics</i> , 2000, 1478, 325-332.	2.1	21
41	Influence of the Dimer Interface on Glutathione Transferase Structure and Dynamics Revealed by Amide H/D Exchange Mass Spectrometry. <i>Biochemistry</i> , 2005, 44, 10605-10612.	1.2	21
42	Role of Individual Histidines in the pH-Dependent Global Stability of Human Chloride Intracellular Channel 1. <i>Biochemistry</i> , 2012, 51, 995-1004.	1.2	21
43	A Lys-Trp Cation Interaction Mediates the Dimerization and Function of the Chloride Intracellular Channel Protein 1 Transmembrane Domain. <i>Biochemistry</i> , 2014, 53, 57-67.	1.2	21
44	A Conserved N-capping Motif Contributes Significantly to the Stabilization and Dynamics of the C-terminal Region of Class Alpha Glutathione S-Transferases. <i>Journal of Biological Chemistry</i> , 2005, 280, 19480-19487.	1.6	20
45	The intersubunit lock-and-key motif in human glutathione transferase A1-1: role of the key residues Met51 and Phe52 in function and dimer stability. <i>Biochemical Journal</i> , 2006, 393, 523-528.	1.7	20
46	Arginine 15 stabilizes an SNAr reaction transition state and the binding of anionic ligands at the active site of human glutathione transferase A1-1. <i>Biophysical Chemistry</i> , 2010, 146, 118-125.	1.5	20
47	Impact of domain interchange on conformational stability and equilibrium folding of chimeric class $\pi/4$ glutathione transferases. <i>Protein Science</i> , 2009, 11, 2208-2217.	3.1	17
48	Class Pi Glutathione Transferase Unfolds via a Dimeric and Not Monomeric Intermediate: Functional Implications for an Unstable Monomer. <i>Biochemistry</i> , 2010, 49, 5074-5081.	1.2	17
49	Purification and characterisation of recombinant human eukaryotic elongation factor 1 gamma. <i>Protein Expression and Purification</i> , 2014, 99, 70-77.	0.6	17
50	Aflatoxin B1 and sulphobromophthalein binding to the dimeric human glutathione S-transferase A1-1 : a fluorescence spectroscopic analysis. <i>FEBS Journal</i> , 1998, 257, 434-442.	0.2	16
51	A Single Amino Acid in the Hinge Loop Region of the FOXP Forkhead Domain is Significant for Dimerisation. <i>Protein Journal</i> , 2015, 34, 111-121.	0.7	16
52	Effect of glutathione, glutathione sulphonate and S-hexylglutathione on the conformational stability of class pi glutathione S-transferase. <i>FEBS Letters</i> , 1996, 391, 313-316.	1.3	15
53	Stability of the domain interface contributes towards the catalytic function at the H-site of class alpha glutathione transferase A1-1. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2010, 1804, 2228-2233.	1.1	15
54	Polymorphic Diversity: N-Phenylbenzamide as a Possible Polymorphophore. <i>Crystal Growth and Design</i> , 2013, 13, 3463-3474.	1.4	15

#	ARTICLE	IF	CITATIONS
55	Molecular dynamics and ligand docking of a hinge region variant of South African HIV-1 subtype C protease. <i>Journal of Molecular Graphics and Modelling</i> , 2018, 82, 1-11.	1.3	15
56	The Cochaperone Murine Stress-Inducible Protein 1: Overexpression, Purification, and Characterization. <i>Protein Expression and Purification</i> , 2001, 21, 462-469.	0.6	14
57	Class-pi Glutathione S-Transferase is Unable to Regain Its Native Conformation After Oxidative Inactivation by Hydrogen Peroxide. <i>FEBS Journal</i> , 1996, 242, 301-307.	0.2	13
58	Characterization of the binding of 8-anilino-naphthalene sulfonate to rat class Mu GST M1-1. <i>Biophysical Chemistry</i> , 2008, 137, 100-104.	1.5	13
59	Role of Arginine 29 and Glutamic Acid 81 Interactions in the Conformational Stability of Human Chloride Intracellular Channel 1. <i>Biochemistry</i> , 2012, 51, 7854-7862.	1.2	13
60	High yield purification of JNK1 Δ 1 and activation by in vitro reconstitution of the MEKK1 Δ 1-MKK4 Δ 1-JNK MAPK phosphorylation cascade. <i>Protein Expression and Purification</i> , 2013, 87, 87-99.	0.6	13
61	Purification and properties of an esterase from Cucurbita maxima fruit tissue. <i>Phytochemistry</i> , 1989, 28, 379-383.	1.4	12
62	A topologically conserved aliphatic residue in α -helix 6 stabilizes the hydrophobic core in domain II of glutathione transferases and is a structural determinant for the unfolding pathway. <i>Biochemical Journal</i> , 1998, 336, 413-418.	1.7	11
63	The Lyssavirus glycoprotein: A key to cross-immunity. <i>Virology</i> , 2016, 498, 250-256.	1.1	11
64	Molecular basis of inhibition of Schistosoma japonicum glutathione transferase by ellagic acid: Insights into biophysical and structural studies. <i>Molecular and Biochemical Parasitology</i> , 2020, 240, 111319.	0.5	11
65	Conformational stability of Cys45-alkylated and hydrogen peroxide-oxidised glutathione S-transferase. <i>FEBS Letters</i> , 1995, 371, 94-98.	1.3	10
66	Electrostatic interactions affecting the active site of class Sigma glutathione S-transferase. <i>Biochemical Journal</i> , 2000, 347, 193.	1.7	10
67	S-Nitrosation of Glutathione Transferase P1-1 Is Controlled by the Conformation of a Dynamic Active Site Helix. <i>Journal of Biological Chemistry</i> , 2013, 288, 14973-14984.	1.6	10
68	Solvent effects on the spectroscopic properties of aflatoxin B1. <i>International Journal of Biochemistry & Cell Biology</i> , 1987, 19, 1137-1140.	0.8	9
69	Characterization of the aflatoxin B1-binding site of rat albumin. <i>BBA - Proteins and Proteomics</i> , 1987, 913, 300-307.	2.1	8
70	A Phosphomimetic Study Implicates Ser557 in Regulation of FOXP2 DNA Binding. <i>Protein Journal</i> , 2018, 37, 311-323.	0.7	8
71	Purification and partial characterization of the glutathione S-transferase of rat erythrocytes. <i>BBA - Proteins and Proteomics</i> , 1988, 957, 173-177.	2.1	7
72	<i>S-Nitrosation Destabilizes Glutathione Transferase P1-1. Biochemistry</i> , 2013, 52, 9394-9402.	1.2	7

#	ARTICLE	IF	CITATIONS
73	Membrane Mimetics Induce Helix Formation and Oligomerization of the Chloride Intracellular Channel Protein 1 Transmembrane Domain. <i>Biochemistry</i> , 2013, 52, 2739-2749.	1.2	7
74	Amide hydrogen exchange in HIV-1 subtype B and C proteases insights into reduced drug susceptibility and dimer stability. <i>FEBS Journal</i> , 2014, 281, 5395-5410.	2.2	7
75	Phosphorylation- and Nucleotide-Binding-Induced Changes to the Stability and Hydrogen Exchange Patterns of JNK1 ^{Δ21} Provide Insight into Its Mechanisms of Activation. <i>Journal of Molecular Biology</i> , 2014, 426, 3569-3589.	2.0	6
76	A conserved cationic motif enhances membrane binding and insertion of the chloride intracellular channel protein 1 transmembrane domain. <i>European Biophysics Journal</i> , 2014, 43, 405-414.	1.2	6
77	The FOXP2 forkhead domain binds to a variety of DNA sequences with different rates and affinities. <i>Journal of Biochemistry</i> , 2017, 162, mvx003.	0.9	6
78	An empirical and theoretical description of <i>Schistosoma japonicum</i> glutathione transferase inhibition by bromosulphophthalein and indanyloxyacetic acid 94. <i>Journal of Molecular Structure</i> , 2021, 1223, 128892.	1.8	6
79	JNK1 ^{Δ21} is phosphorylated during expression in <i>E. coli</i> and in vitro by MKK4 at three identical novel sites. <i>Biochemical and Biophysical Research Communications</i> , 2013, 432, 683-688.	1.0	5
80	An update on the biophysical character of the human eukaryotic elongation factor 1 beta: Perspectives from interaction with elongation factor 1 gamma. <i>Journal of Molecular Recognition</i> , 2018, 31, e2708.	1.1	5
81	The forkhead domain hinge-loop plays a pivotal role in DNA binding and transcriptional activity of FOXP2. <i>Biological Chemistry</i> , 2018, 399, 881-893.	1.2	5
82	Double trouble? Gag in conjunction with double insert in HIV protease contributes to reduced DRV susceptibility. <i>Biochemical Journal</i> , 2019, 476, 375-384.	1.7	5
83	[22] X-ray structure methods for glutathione binding. <i>Methods in Enzymology</i> , 1995, 251, 243-254.	0.4	4
84	The role of a topologically conserved isoleucine in glutathione transferase structure, stability and function. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010, 66, 776-780.	0.7	4
85	A Conserved Interdomain Interaction Is a Determinant of Folding Cooperativity in the GST Fold. <i>Biochemistry</i> , 2011, 50, 7067-7075.	1.2	4
86	The Isomerization of ¹⁵ 5-Androstene-3,17-dione by the Human Glutathione Transferase A3-3 Proceeds via a Conjugated Heteroannular Diene Intermediate. <i>Journal of Biological Chemistry</i> , 2014, 289, 32243-32252.	1.6	4
87	The kinetics of the substitution of coordinated H ₂ O on Co(III) by cyanide in aquacobalamin (vitamin) Tj ETQq1 1 0.784314 rgBT /Overlo	1.8	4
88	The effects of mutating Tyr9 and Arg15 on the structure, stability, conformational dynamics and mechanism of GSTA3-3. <i>Biophysical Chemistry</i> , 2017, 224, 40-48.	1.5	4
89	A conserved cation binding site in the DNA binding domain of forkhead box transcription factors regulates DNA binding by FOXP2. <i>Archives of Biochemistry and Biophysics</i> , 2018, 657, 56-64.	1.4	4
90	Energetics of ligand binding to human glutathione transferase A1-1: Tyr-9 associated localisation of the C-terminal helix is ligand-dependent. <i>Biophysical Chemistry</i> , 2011, 156, 153-158.	1.5	3

#	ARTICLE	IF	CITATIONS
91	Energetics of Glutathione Binding to Human Eukaryotic Elongation Factor 1 Gamma: Isothermal Titration Calorimetry and Molecular Dynamics Studies. <i>Protein Journal</i> , 2016, 35, 448-458.	0.7	3
92	The study of degradation mechanisms of glyco-engineered plant produced anti-rabies monoclonal antibodies E559 and 62-71-3. <i>PLoS ONE</i> , 2018, 13, e0209373.	1.1	3
93	Overexpression, Purification and Functional Characterisation of Wild-Type HIV-1 Subtype C Protease and Two Variants Using a Thioredoxin and His-Tag Protein Fusion System. <i>Protein Journal</i> , 2018, 37, 369-379.	0.7	3
94	Accessibility of the tryptophan residues and flavin prosthetic group of β^2 -cyclopiazonate oxidocyclase to solvent studied by fluorescence quenching. <i>International Journal of Biochemistry & Cell Biology</i> , 1988, 20, 109-111.	0.8	2
95	Stability and Unfolding of Reduced <i>Escherichia coli</i> Glutaredoxin 2: A Monomeric Structural Homologue of the Glutathione Transferase Family. <i>Biochemistry</i> , 2008, 47, 10801-10808.	1.2	2
96	F99 is Critical for Dimerization and Activation of South African HIV-1 Subtype C Protease. <i>Protein Journal</i> , 2013, 32, 560-567.	0.7	2
97	Drug Susceptibility and Replication Capacity of a Rare HIV-1 Subtype C Protease Hinge Region Variant. <i>Antiviral Therapy</i> , 2019, 24, 333-342.	0.6	2
98	X-ray crystal structures of cytosolic glutathione S-transferases. , 1994, , 57-73.		0