

# Artur Osikowski

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/787779/publications.pdf>

Version: 2024-02-01

44  
papers

452  
citations

758635

12  
h-index

794141

19  
g-index

45  
all docs

45  
docs citations

45  
times ranked

298  
citing authors

#	ARTICLE	IF	CITATIONS
1	Two new pseudocryptic species in the medium-sized common European land snails, <i>Fruticicola</i> Held, 1838; as a result of phylogeographic analysis of <i>Fruticicola fruticum</i> (O. F. Müller, 1774) (Gastropoda: Tj ETQq1 1:0.7843 34 rgBT / Dv		
2	Effects of embryonic exposure to chromium (VI) on blood parameters and liver microstructure of 1-day-old chickens. <i>Poultry Science</i> , 2021, 100, 366-371.	1.5	4
3	Two new species of the Balkan genus <i>Paladilhioopsis</i> Pavlovič, 1913 (Caenogastropoda, Moitessieriidae). <i>ZooKeys</i> , 2021, 1046, 157-176.	0.5	2
4	Crenobiont, stygophile and stygobiont molluscs in the hydrographic area of the Trebišnjica River Basin. <i>ZooKeys</i> , 2021, 1047, 61-89.	0.5	6
5	Isolation and endemism in subterranean aquatic snails: unexpected case of <i>Montenegrospeum bogici</i> (Pečić et Glaser, 2012) (Gastropoda: Truncatelloidea: Hydrobiidae). <i>Hydrobiologia</i> , 2021, 848, 4967-4990.	1.0	7
6	New data on the valvatiform-shelled Hydrobiidae (Caenogastropoda, Truncatelloidea) from southern Greece. <i>ZooKeys</i> , 2021, 1062, 31-47.	0.5	4
7	Annual Reproductive Performance of <i>Eisenia andrei</i> and <i>E. fetida</i> 2 in Intra- and Inter-Specific Pairs and Lack of Reproduction of Isolated Virgin Earthworms. <i>Folia Biologica</i> , 2020, 68, 1-6.	0.1	5
8	Melanopsidae (Caenogastropoda: Cerithioidea) from the eastern Mediterranean: another case of morphostatic speciation. <i>Zoological Journal of the Linnean Society</i> , 2020, 190, 483-507.	1.0	7
9	Impairment of reproductive capabilities in three subsequent generations of asymmetric hybrids between <i>Eisenia andrei</i> and <i>E. fetida</i> from French, Hungarian and Polish laboratory colonies. <i>PLoS ONE</i> , 2020, 15, e0235789.	1.1	6
10	Phylogenetic relationships of <i>Bracenicia</i> Radoman, 1973 (Caenogastropoda: Truncatelloidea). <i>Folia Malacologica</i> , 2020, 28, .	0.1	3
11	Revealing the stygobiotic and crenobiotic molluscan biodiversity hotspot in Caucasus: Part I. The phylogeny of stygobiotic Sadlerianinae Szarowska, 2006 (Mollusca, Gastropoda, Hydrobiidae) from Georgia with descriptions of five new genera and twenty-one new species. <i>ZooKeys</i> , 2020, 955, 1-77.	0.5	12
12	A new species of <i>Kerkia</i> Radoman, 1978 (Caenogastropoda, Hydrobiidae) from Bosnia and Herzegovina. <i>ZooKeys</i> , 2020, 973, 17-33.	0.5	5
13	<i>Viviparus mamillatus</i> (Käster, 1852), and partial congruence between the morphology-, allozyme- and DNA-based phylogeny in European Viviparidae (Caenogastropoda: Architaenioglossa). <i>Folia Malacologica</i> , 2019, 27, 43-51.	0.1	6
14	Species distinctness of <i>Bithynia cettinensis</i> Clessin, 1887 and <i>B. zeta</i> Glaser et Pečić, 2007 (Caenogastropoda: Truncatelloidea). <i>Folia Malacologica</i> , 2019, 27, 111-118.	0.1	4
15	<i>Lanzaiopsis</i> Bole, 1989 (Caenogastropoda: Truncatelloidea): its phylogenetic and zoogeographic relationships. <i>Folia Malacologica</i> , 2019, 27, 193-201.	0.1	1
16	A case of biodiversity overestimation in the Balkan <i>Belgrandiella</i> A. J. Wagner, 1927 (Caenogastropoda: Hydrobiidae): molecular divergence not paralleled by high morphological variation. <i>Journal of Natural History</i> , 2018, 52, 323-344.	0.2	26
17	Phylogenetic relationships of the Balkan Moitessieriidae (Caenogastropoda: Truncatelloidea). <i>Zootaxa</i> , 2018, 4486, 311-339.	0.2	18
18	The existence of fertile hybrids of closely related model earthworm species, <i>Eisenia andrei</i> and <i>E. fetida</i> . <i>PLoS ONE</i> , 2018, 13, e0191711.	1.1	12

#	ARTICLE	IF	CITATIONS
19	Anatomy of the female reproductive system and sperm storage of the viviparous caecilian <i>Typhlonectes natans</i> (Gymnophiona: Typhlonectidae). <i>Acta Biologica (Szczecin)</i> , 2018, 25, 19-31.	0.4	1
20	Phylogenetic relationships in <i>Kerkia</i> and introgression between <i>Hauffenia</i> and <i>Kerkia</i> (Caenogastropoda: Hydrobiidae). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2017, 55, 106-117.	0.6	26
21	Contribution to the morphology of the Bulgarian stygobiont Truncatelloidea (Caenogastropoda). <i>Folia Malacologica</i> , 2017, 25, 15-25.	0.1	6
22	Unique, Ancient Stygobiont Clade of Hydrobiidae (Truncatelloidea) in Bulgaria: the Origin of Cave Fauna. <i>Folia Biologica</i> , 2017, 65, 79-93.	0.1	12
23	Isolation as a phylogeny-shaping factor: historical geology and cave habitats in the Mediterranean Truncatelloidea Gray, 1840 (Caenogastropoda). <i>Folia Malacologica</i> , 2017, 25, 231-229.	0.1	2
24	Complete mitochondrial genome of the Greek marsh frog <i>Pelophylax cretensis</i> (Anura, Ranidae). <i>Mitochondrial DNA</i> , 2016, 27, 1-2.	0.6	2
25	Aquatic Snails <i>Ecrobia maritima</i> (Milaschewitsch, 1916) and <i>E. Ventrosa</i> (Montagu, 1803) (Caenogastropoda: Hydrobiidae) in the East Mediterranean and Black Sea. <i>Annales Zoologici</i> , 2016, 66, 477-486.	0.1	19
26	Do diversity patterns of the spring-inhabiting snail <i>Bythinella</i> (Gastropoda, Bythinellidae) on the Aegean Islands reflect geological history?. <i>Hydrobiologia</i> , 2016, 765, 225-243.	1.0	21
27	Radiation of <i>Grossuana</i> Radoman, 1973 (Caenogastropoda: Truncatelloidea) in the Balkans. <i>Journal of Molluscan Studies</i> , 2016, 82, 305-313.	0.4	13
28	<i>Pseudamnicola</i> Paulucci, 1878 (Caenogastropoda: Truncatelloidea) from the Aegean Islands: a long or short story?. <i>Organisms Diversity and Evolution</i> , 2016, 16, 121-139.	0.7	40
29	Phylogenetic relationships among four new complete mitogenome sequences of <i>Pelophylax</i> (Amphibia: Anura) from the Balkans and Cyprus. <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2016, 27, 3434-3437.	0.7	8
30	<i>Islamia zermanica</i> (Radoman, 1973) (Caenogastropoda: Hydrobiidae): morphological and molecular distinctness. <i>Folia Malacologica</i> , 2016, 24, 25-30.	0.1	21
31	Does the genetic structure of spring snail <i>Bythinella</i> (Caenogastropoda, Truncatelloidea) in Bulgaria reflect geological history?. <i>ZooKeys</i> , 2015, 518, 67-86.	0.5	10
32	Divergence Preceding Island Formation Among Aegean Insular Populations of the Freshwater Snail Genus <i>Pseudorientalia</i> (Caenogastropoda: Truncatelloidea). <i>Zoological Science</i> , 2014, 31, 680-686.	0.3	16
33	<i>Heleobia maltzani</i> (Westerlund, 1886) (Caenogastropoda: Truncatelloidea: Cochliopidae) from Crete and species-level diversity of <i>Heleobia</i> Stimpson, 1865 in Europe. <i>Journal of Natural History</i> , 2014, 48, 2487-2500.	0.2	17
34	<i>Daphniola</i> Radoman, 1973 (Caenogastropoda: Truncatelloidea) at east Aegean islands. <i>Folia Malacologica</i> , 2014, 22, .	0.1	17
35	<i>Pseudorientalia</i> Radoman, 1973 (Caenogastropoda: Risssooidea) on Samos Island, Aegean Sea. <i>Folia Malacologica</i> , 2014, 22, .	0.1	3
36	Cloacal Anatomy of the Male Carpathian Newt, <i>Lissotriton montandoni</i> (Amphibia), <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 Td (S</i>	0.3	2

#	ARTICLE	IF	CITATIONS
37	Asymmetric Female Preferences for Courtship Pheromones in Two Closely-Related Newt Species, the Smooth Newt ( <i>Lissotriton vulgaris</i> ) and the Carpathian Newt ( <i>L. montandoni</i> ) (Salamandridae). <i>Zoological Science</i> , 2012, 29, 390-395.	0.3	2
38	Frequency of multiple paternity in <i>Myrmica scabrinodis</i> from southern Poland. <i>Entomological Science</i> , 2008, 11, 127-129.	0.3	1
39	in the Abdominal Glands of the Smooth Newt ( <i>Lissotriton vulgaris</i> ) and Montandon's Newt ( <i>L.</i> ) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 11</i>	0.3	11
40	Sperm Transport after Insemination in the Alpine Newt ( <i>Triturus alpestris</i> , Caudata, Salamandridae). <i>Folia Biologica</i> , 2007, 55, 109-114.	0.1	2
41	Sperm mixing in the Alpine newt ( <i>Triturus alpestris</i> ). <i>Canadian Journal of Zoology</i> , 2002, 80, 1293-1298.	0.4	19
42	Multiple insemination increases reproductive success of female Montandon's newt ( <i>Triturus</i> ) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 542</i>	0.6	38
43	Two new stygobiotic species of <i>Horatia</i> Bourguignat, 1887 (Hydrobiidae) from Croatia. <i>Subterranean Biology</i> , 0, 37, 89-104.	5.0	4
44	NEW SUBTERRANEAN FRESHWATER GASTROPOD SPECIES FROM MONTENEGRO (MOLLUSCA, GASTROPODA,) <i>Tj ETQq0 0 0 rgBT /Overlock 7</i>	0.5	7