

# Richard A Brown

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7879220/publications.pdf>

Version: 2024-02-01

143  
papers

9,440  
citations

29994

54  
h-index

39575

94  
g-index

143  
all docs

143  
docs citations

143  
times ranked

6090  
citing authors

#	ARTICLE	IF	CITATIONS
1	Tobacco use and cessation in psychiatric disorders: National Institute of Mental Health report. <i>Nicotine and Tobacco Research</i> , 2008, 10, 1691-1715.	1.4	616
2	Distress tolerance and duration of past smoking cessation attempts.. <i>Journal of Abnormal Psychology</i> , 2002, 111, 180-185.	2.0	535
3	Cigarette Smoking, Major Depression, and Other Psychiatric Disorders among Adolescents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1996, 35, 1602-1610.	0.3	412
4	Reliability and validity of a smoking timeline follow-back interview.. <i>Psychology of Addictive Behaviors</i> , 1998, 12, 101-112.	1.4	411
5	Distress Tolerance as a Predictor of Early Treatment Dropout in a Residential Substance Abuse Treatment Facility.. <i>Journal of Abnormal Psychology</i> , 2005, 114, 729-734.	2.0	275
6	Distress tolerance and duration of past smoking cessation attempts. <i>Journal of Abnormal Psychology</i> , 2002, 111, 180-5.	2.0	271
7	Distress tolerance and early smoking lapse. <i>Clinical Psychology Review</i> , 2005, 25, 713-733.	6.0	269
8	Randomized controlled trial of behavioral activation smoking cessation treatment for smokers with elevated depressive symptoms.. <i>Journal of Consulting and Clinical Psychology</i> , 2010, 78, 55-61.	1.6	252
9	Cognitive-behavioral treatment for depression in smoking cessation.. <i>Journal of Consulting and Clinical Psychology</i> , 2001, 69, 471-480.	1.6	209
10	Anxiety sensitivity. <i>Addictive Behaviors</i> , 2001, 26, 887-899.	1.7	208
11	A psychoeducational approach to the treatment of depression: Comparison of group, individual, and minimal contact procedures.. <i>Journal of Consulting and Clinical Psychology</i> , 1984, 52, 774-783.	1.6	190
12	Cognitive-behavioral treatment for depression in alcoholism.. <i>Journal of Consulting and Clinical Psychology</i> , 1997, 65, 715-726.	1.6	185
13	Dimensions of depressive symptoms and smoking cessation. <i>Nicotine and Tobacco Research</i> , 2008, 10, 507-517.	1.4	184
14	Psychological Distress Tolerance and Duration of Most Recent Abstinence Attempt Among Residential Treatment-Seeking Substance Abusers.. <i>Psychology of Addictive Behaviors</i> , 2005, 19, 208-211.	1.4	159
15	Level of current and past adolescent cigarette smoking as predictors of future substance use disorders in young adulthood. <i>Addiction</i> , 1999, 94, 913-921.	1.7	157
16	Anxiety sensitivity, self-reported motives for alcohol and nicotine use, and level of consumption. <i>Journal of Anxiety Disorders</i> , 2003, 17, 165-180.	1.5	144
17	A prospective examination of distress tolerance and early smoking lapse in adult self-quitters. <i>Nicotine and Tobacco Research</i> , 2009, 11, 493-502.	1.4	143
18	The efficacy of group psychotherapy for depression: A meta-analysis and review of the empirical research.. <i>Clinical Psychology: Science and Practice</i> , 2001, 8, 98-116.	0.6	136

#	ARTICLE	IF	CITATIONS
19	Patterns of change in depressive symptoms during smoking cessation: Who's at risk for relapse?. <i>Journal of Consulting and Clinical Psychology</i> , 2002, 70, 356-361.	1.6	130
20	Distress Tolerance Treatment for Early-Lapse Smokers. <i>Behavior Modification</i> , 2008, 32, 302-332.	1.1	127
21	A Double-Blind, Placebo-Controlled Pilot Study of Carbamazepine for the Treatment of Alcohol Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 1997, 21, 86-92.	1.4	121
22	A pilot study of aerobic exercise as an adjunctive treatment for drug dependence. <i>Mental Health and Physical Activity</i> , 2010, 3, 27-34.	0.9	120
23	Psychiatric disorders, familial factors, and cigarette smoking: II. Associations with progression to daily smoking. <i>Nicotine and Tobacco Research</i> , 2004, 6, 119-132.	1.4	119
24	Nonclinical panic attack history and smoking cessation: An initial examination. <i>Addictive Behaviors</i> , 2004, 29, 825-830.	1.7	119
25	Aerobic Exercise for Alcohol Recovery. <i>Behavior Modification</i> , 2009, 33, 220-249.	1.1	110
26	Nicotine fading and self-monitoring for cigarette abstinence or controlled smoking.. <i>Journal of Applied Behavior Analysis</i> , 1979, 12, 111-125.	2.2	107
27	Positive psychotherapy for smoking cessation: Treatment development, feasibility, and preliminary results. <i>Journal of Positive Psychology</i> , 2014, 9, 19-29.	2.6	107
28	The role of negative affect in risk for early lapse among low distress tolerance smokers. <i>Addictive Behaviors</i> , 2008, 33, 1394-1401.	1.7	99
29	Exercise preferences of patients in substance abuse treatment. <i>Mental Health and Physical Activity</i> , 2011, 4, 79-87.	0.9	94
30	Psychiatric disorders, familial factors and cigarette smoking: I. Associations with smoking initiation. <i>Nicotine and Tobacco Research</i> , 2003, 5, 85-98.	1.4	92
31	Impact of Posttraumatic Stress Disorder on early smoking lapse and relapse during a self-guided quit attempt among community-recruited daily smokers. <i>Nicotine and Tobacco Research</i> , 2008, 10, 1415-1427.	1.4	92
32	Affective style among smokers. <i>Addictive Behaviors</i> , 2001, 26, 901-915.	1.7	91
33	Reductions in Marital Violence Following Treatment for Alcohol Dependence. <i>Journal of Interpersonal Violence</i> , 2003, 18, 1113-1131.	1.3	89
34	Bupropion and cognitive-behavioral treatment for depression in smoking cessation. <i>Nicotine and Tobacco Research</i> , 2007, 9, 721-730.	1.4	89
35	Pharmacogenetic clinical trial of sustained-release bupropion for smoking cessation. <i>Nicotine and Tobacco Research</i> , 2007, 9, 821-833.	1.4	89
36	An Acceptance-Based Behavioral Intervention for Weight Loss: A Pilot Study. <i>Behavior Therapy</i> , 2012, 43, 427-435.	1.3	89

#	ARTICLE	IF	CITATIONS
37	Negative mood, depressive symptoms, and major depression after smoking cessation treatment in smokers with a history of major depressive disorder.. Journal of Abnormal Psychology, 2002, 111, 670-675.	2.0	87
38	The Efficacy of Vigorous-Intensity Exercise as an Aid to Smoking Cessation in Adults With High Anxiety Sensitivity. Psychosomatic Medicine, 2016, 78, 354-364.	1.3	85
39	A preliminary, randomized trial of aerobic exercise for alcohol dependence. Journal of Substance Abuse Treatment, 2014, 47, 1-9.	1.5	83
40	Positive Psychotherapy for Smoking Cessation: A Pilot Randomized Controlled Trial. Nicotine and Tobacco Research, 2015, 17, 1385-1392.	1.4	82
41	Anxiety sensitivity: association with intensity of retrospectively-rated smoking-related withdrawal symptoms and motivation to quit. Cognitive Behaviour Therapy, 2004, 33, 114-125.	1.9	74
42	Bupropion Efficacy for Smoking Cessation is Influenced by the DRD2 Taq1A Polymorphism: Analysis of Pooled Data from two Clinical Trials. Nicotine and Tobacco Research, 2007, 9, 1251-1257.	1.4	74
43	Computer and mobile technology-based interventions for substance use disorders: An organizing framework. Addictive Behaviors, 2013, 38, 1747-1756.	1.7	73
44	Patterns of change in depressive symptoms during smoking cessation: who's at risk for relapse?. Journal of Consulting and Clinical Psychology, 2002, 70, 356-61.	1.6	71
45	Impact of bupropion and cognitive-behavioral treatment for depression on positive affect, negative affect, and urges to smoke during cessation treatment. Nicotine and Tobacco Research, 2009, 11, 1142-1153.	1.4	69
46	Distress tolerance and pre-smoking treatment attrition: Examination of moderating relationships. Addictive Behaviors, 2008, 33, 1385-1393.	1.7	65
47	A Pilot Study of Moderate-Intensity Aerobic Exercise for Obsessive Compulsive Disorder. Journal of Nervous and Mental Disease, 2007, 195, 514-520.	0.5	64
48	Integrating an interoceptive exposure-based smoking cessation program into the cognitive-behavioral treatment of panic disorder: Theoretical relevance and case demonstration. Cognitive and Behavioral Practice, 2003, 10, 347-357.	0.9	62
49	Development and Preliminary Randomized Controlled Trial of a Distress Tolerance Treatment for Smokers With a History of Early Lapse. Nicotine and Tobacco Research, 2013, 15, 2005-2015.	1.4	61
50	The Relationship among Negative Affect, Distress Tolerance, and Length of Gambling Abstinence Attempt. Journal of Gambling Studies, 2005, 21, 363-378.	1.1	59
51	Acute changes in obsessions and compulsions following moderate-intensity aerobic exercise among patients with obsessive-compulsive disorder. Journal of Anxiety Disorders, 2009, 23, 923-927.	1.5	59
52	Determinants of attrition from cessation treatment in smokers with a history of major depressive disorder.. Psychology of Addictive Behaviors, 2000, 14, 134-142.	1.4	58
53	Physical Activity and Neuropsychiatric Symptoms of Parkinson Disease. Journal of Geriatric Psychiatry and Neurology, 2012, 25, 138-145.	1.2	57
54	Negative mood, depressive symptoms, and major depression after smoking cessation treatment in smokers with a history of major depressive disorder. Journal of Abnormal Psychology, 2002, 111, 670-5.	2.0	57

#	ARTICLE	IF	CITATIONS
55	Exercise attitudes and behaviors among persons in treatment for alcohol use disorders. <i>Journal of Substance Abuse Treatment</i> , 2001, 21, 199-206.	1.5	54
56	Recurrent event analysis of lapse and recovery in a smoking cessation clinical trial using bupropion. <i>Nicotine and Tobacco Research</i> , 2005, 7, 257-268.	1.4	45
57	Health risk behaviors in relation to making a smoking quit attempt among adolescents. <i>Journal of Behavioral Medicine</i> , 2009, 32, 142-149.	1.1	44
58	The role of physical exercise in alcoholism treatment and recovery.. <i>Professional Psychology: Research and Practice</i> , 2003, 34, 49-56.	0.6	41
59	A Preliminary Randomized Controlled Trial of a Behavioral Exercise Intervention for Smoking Cessation. <i>Nicotine and Tobacco Research</i> , 2014, 16, 1094-1103.	1.4	41
60	A preliminary randomized controlled trial of a distress tolerance treatment for opioid dependent persons initiating buprenorphine. <i>Drug and Alcohol Dependence</i> , 2015, 147, 243-250.	1.6	41
61	Do small lapses predict relapse to smoking behavior under bupropion treatment?. <i>Nicotine and Tobacco Research</i> , 2004, 6, 357-366.	1.4	40
62	An exploratory analysis of changes in mood, anxiety and craving from pre- to post-single sessions of exercise, over 12 weeks, among patients with alcohol dependence. <i>Mental Health and Physical Activity</i> , 2016, 11, 1-6.	0.9	40
63	Psychiatric disorders, familial factors, and cigarette smoking: III. Associations with cessation by young adulthood among daily smokers. <i>Nicotine and Tobacco Research</i> , 2004, 6, 509-522.	1.4	36
64	Effects on substance use outcomes in adolescents receiving motivational interviewing for smoking cessation during psychiatric hospitalization. <i>Addictive Behaviors</i> , 2009, 34, 887-891.	1.7	36
65	Finding order in the DSM-IV nicotine dependence syndrome: a Rasch analysis. <i>Drug and Alcohol Dependence</i> , 2003, 72, 151-162.	1.6	34
66	Hostility in smokers with past major depressive disorder: Relation to smoking patterns, reasons for quitting, and cessation outcomes. <i>Nicotine and Tobacco Research</i> , 2004, 6, 809-818.	1.4	34
67	Motivational Interviewing to Reduce Substance Use in Adolescents with Psychiatric Comorbidity. <i>Journal of Substance Abuse Treatment</i> , 2015, 59, 20-29.	1.5	34
68	Marital Violence Victimization and Perpetration Among Women Substance Abusers. <i>Violence Against Women</i> , 2002, 8, 934-952.	1.1	32
69	Effects of monitored nicotine fading and anxiety management training on smoking reduction. <i>Addictive Behaviors</i> , 1981, 6, 301-305.	1.7	31
70	Persistence on a Stress-challenge Task Before Initiating Buprenorphine Treatment Was Associated With Successful Transition From Opioid Use to Early Abstinence. <i>Journal of Addiction Medicine</i> , 2012, 6, 219-225.	1.4	30
71	Influence of a dopamine pathway additive genetic efficacy score on smoking cessation: results from two randomized clinical trials of bupropion. <i>Addiction</i> , 2013, 108, 2202-2211.	1.7	30
72	A pilot randomized controlled trial of aerobic exercise as an adjunct to OCD treatment. <i>General Hospital Psychiatry</i> , 2017, 49, 51-55.	1.2	30

#	ARTICLE	IF	CITATIONS
73	Efficacy of Sequential Use of Fluoxetine for Smoking Cessation in Elevated Depressive Symptom Smokers. <i>Nicotine and Tobacco Research</i> , 2014, 16, 197-207.	1.4	27
74	Anxiety sensitivity and smoking among Spanish-speaking Latinx smokers. <i>Addictive Behaviors</i> , 2019, 90, 55-61.	1.7	27
75	Readiness to change smoking behavior in adolescents with psychiatric disorders. <i>Addictive Behaviors</i> , 2007, 32, 1119-1130.	1.7	26
76	Design and rationale for a randomized controlled trial testing the efficacy of aerobic exercise for patients with obsessive-compulsive disorder. <i>Mental Health and Physical Activity</i> , 2012, 5, 155-165.	0.9	25
77	Nicotine withdrawal among adolescents with acute psychopathology: An item response analysis. <i>Nicotine and Tobacco Research</i> , 2004, 6, 547-557.	1.4	24
78	Current Trends in the Modification of Cigarette Dependence. , 1982, , 575-611.		24
79	Nicotine dependence measures among adolescents with psychiatric disorders: Evaluating symptom expression as a function of dependence severity. <i>Nicotine and Tobacco Research</i> , 2003, 5, 735-746.	1.4	23
80	Nicotine dependence symptoms among adolescents with psychiatric disorders: Using a Rasch model to evaluate symptom expression across time. <i>Nicotine and Tobacco Research</i> , 2007, 9, 557-569.	1.4	23
81	Acute effects of aerobic exercise on negative affect and obsessions and compulsions in individuals with obsessive-compulsive disorder. <i>Journal of Affective Disorders</i> , 2019, 245, 991-997.	2.0	23
82	Substance Use Disorder Characteristics and Externalizing Problems Among Inpatient Adolescent Smokers. <i>Journal of Psychoactive Drugs</i> , 2005, 37, 391-399.	1.0	22
83	Affective Trajectories Before and After a Quit Attempt Among Smokers With Current Depressive Disorders. <i>Nicotine and Tobacco Research</i> , 2013, 15, 1807-1815.	1.4	22
84	Regular Exercise as a Protective Factor in Relapse following Smoking Cessation Treatment. <i>American Journal on Addictions</i> , 2009, 18, 100-101.	1.3	21
85	The moderating role of experiential avoidance in the relationships between internal distress and smoking behavior during a quit attempt.. <i>Psychology of Addictive Behaviors</i> , 2015, 29, 400-407.	1.4	20
86	A Double-Blind Randomized Placebo-Controlled Trial of Oral Naltrexone for Heavy-Drinking Smokers Seeking Smoking Cessation Treatment. <i>Alcoholism: Clinical and Experimental Research</i> , 2017, 41, 1201-1211.	1.4	20
87	A randomized controlled trial of distress tolerance treatment for smoking cessation.. <i>Psychology of Addictive Behaviors</i> , 2018, 32, 389-400.	1.4	20
88	History of major depressive disorder among smokers in cessation twreatment. <i>Addictive Behaviors</i> , 2003, 28, 1033-1047.	1.7	19
89	Single versus recurrent depression history: Differentiating risk factors among current US smokers. <i>Drug and Alcohol Dependence</i> , 2010, 109, 90-95.	1.6	19
90	Rationale, design and pilot feasibility results of a smartphone-assisted, mindfulness-based intervention for smokers with mood disorders: Project mSMART MIND. <i>Contemporary Clinical Trials</i> , 2018, 66, 36-44.	0.8	19

#	ARTICLE	IF	CITATIONS
91	Acute Effects of Aerobic Exercise on Affect and Smoking Craving in the Weeks Before and After a Cessation Attempt. <i>Nicotine and Tobacco Research</i> , 2018, 20, 575-582.	1.4	19
92	Development and Initial Validation of a 12-Step Participation Expectancies Questionnaire. <i>Journal of Studies on Alcohol and Drugs</i> , 2006, 67, 538-542.	2.4	18
93	The Role of Self-Efficacy, Adaptive Coping, and Smoking Urges in Long-term Cessation Outcomes. <i>Addictive Disorders and Their Treatment</i> , 2016, 15, 183-189.	0.5	18
94	Quality of life after quitting smoking and initiating aerobic exercise. <i>Psychology, Health and Medicine</i> , 2017, 22, 1127-1135.	1.3	18
95	Transdermal clonidine for smoking cessation: A double-blind randomized dose-response study.. <i>Experimental and Clinical Psychopharmacology</i> , 1996, 4, 285-291.	1.3	17
96	HIV-Risk Behaviors Among Psychiatrically Hospitalized Adolescents With and Without Comorbid SUD. <i>Journal of Dual Diagnosis</i> , 2006, 2, 85-100.	0.7	17
97	Physical Activity Preferences and Attitudes of Individuals With Substance Use Disorders: A Review of the Literature. <i>Issues in Mental Health Nursing</i> , 2018, 39, 657-666.	0.6	17
98	Addressing comorbid depressive symptomatology in alcohol treatment.. <i>Professional Psychology: Research and Practice</i> , 2000, 31, 418-422.	0.6	16
99	Depression proneness in treatment-seeking smokers: a taxometric analysis. <i>Personality and Individual Differences</i> , 2004, 36, 1155-1170.	1.6	15
100	Community-based smoking cessation treatment for adults with high anxiety sensitivity: a randomized clinical trial. <i>Addiction</i> , 2021, 116, 3188-3197.	1.7	15
101	A Pilot Study of a Distress Tolerance Treatment for Opiate-Dependent Patients Initiating Buprenorphine. <i>Behavior Modification</i> , 2014, 38, 730-759.	1.1	14
102	The role of physical activity enjoyment on the acute mood experience of exercise among smokers with elevated depressive symptoms. <i>Mental Health and Physical Activity</i> , 2017, 12, 37-43.	0.9	14
103	Sustained Care Smoking Cessation Intervention for Individuals Hospitalized for Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021, 78, 839.	6.0	14
104	Title is missing!. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2001, 23, 75-83.	0.7	13
105	Family and Peer Influences on Tobacco Use Among Adolescents With Psychiatric Disorders. <i>Journal of Nervous and Mental Disease</i> , 2006, 194, 518-523.	0.5	13
106	Hostility and smoking cessation treatment outcome in heavy social drinkers.. <i>Psychology of Addictive Behaviors</i> , 2009, 23, 67-76.	1.4	13
107	Substance Use and Diagnostic Characteristics that Differentiate Smoking and Nonsmoking Adolescents in a Psychiatric Setting. <i>Journal of Nervous and Mental Disease</i> , 2003, 191, 759-762.	0.5	12
108	Association of post-treatment smoking change with future smoking and cessation efforts among adolescents with psychiatric comorbidity. <i>Nicotine and Tobacco Research</i> , 2007, 9, 1297-1307.	1.4	12

#	ARTICLE	IF	CITATIONS
109	Baseline reaction time predicts 12-month smoking cessation outcome in formerly depressed smokers.. Psychology of Addictive Behaviors, 2007, 21, 415-419.	1.4	12
110	Cigarette Smoking and Substance Use Among Adolescents in Psychiatric Treatment. Journal of Child and Adolescent Substance Abuse, 2005, 14, 1-13.	0.5	11
111	Distress Tolerance Treatment for Weight Concern in Smoking Cessation Among Women: The WE QUIT Pilot Study. Behavior Modification, 2017, 41, 468-498.	1.1	11
112	Effects of Negative Affect, Urge to Smoke, and Working Memory Performance (n-back) on Nicotine Dependence. Substance Use and Misuse, 2018, 53, 1177-1183.	0.7	11
113	Cigarette smoking among adolescent psychiatric inpatients: prevalence and correlates. Annals of Clinical Psychiatry, 2002, 14, 149-53.	0.6	10
114	Assessing the Severity of Hazardous Drinking and Related Consequences Among Incarcerated Women. Alcoholism: Clinical and Experimental Research, 2010, 34, 907-914.	1.4	9
115	Effects of sequential fluoxetine and gender on prequit depressive symptoms, affect, craving, and quit day abstinence in smokers with elevated depressive symptoms: A growth curve modeling approach.. Experimental and Clinical Psychopharmacology, 2014, 22, 392-406.	1.3	9
116	Development and preliminary pilot evaluation of a brief tablet computer intervention to motivate tobacco quitline use among smokers in substance use treatment. American Journal on Addictions, 2017, 26, 587-594.	1.3	9
117	Development of a Brief Motivational Intervention to Facilitate Engagement of Smoking Cessation Treatment Among Inpatient Depressed Smokers. Journal of Smoking Cessation, 2012, 7, 4-11.	0.3	8
118	Quit intention as a predictor of quit attempts over time in adolescents with psychiatric disorders. American Journal on Addictions, 2014, 23, 84-89.	1.3	8
119	Behavioral Activation Treatment for Smoking (BATS) in smokers with depressive symptomatology. Advances in Dual Diagnosis, 2016, 9, .	0.3	8
120	Anxiety sensitivity predicts increased perceived exertion during a 1-mile walk test among treatment-seeking smokers. Journal of Behavioral Medicine, 2017, 40, 886-893.	1.1	8
121	A Pilot Randomized Controlled Trial of Distress Tolerance Treatment for Weight Concern in Smoking Cessation Among Women. Nicotine and Tobacco Research, 2020, 22, 1578-1586.	1.4	8
122	Behavioral Treatment of Cigarette Dependence. , 1991, , 97-118.		8
123	A pilot randomized controlled trial of smartphone-assisted mindfulness-based intervention with contingency management for smokers with mood disorders.. Experimental and Clinical Psychopharmacology, 2022, 30, 653-665.	1.3	7
124	Smoking abstinence effects on emotion dysregulation in adult cigarette smokers with and without attention-deficit/hyperactivity disorder. Drug and Alcohol Dependence, 2019, 205, 107594.	1.6	6
125	Anxiety sensitivity and daily cigarette smoking in relation to sleep disturbances in treatment-seeking smokers. Cognitive Behaviour Therapy, 2020, 49, 137-148.	1.9	6
126	History of Single Episode and Recurrent Major Depressive Disorder Among Smokers in Cessation Treatment. Addictive Disorders and Their Treatment, 2010, 9, 41-52.	0.5	5



#	ARTICLE	IF	CITATIONS
127	Effects of Depression History and Sex on the Efficacy of Sequential Versus Standard Fluoxetine for Smoking Cessation in Elevated Depressive Symptom Smokers. <i>Addictive Disorders and Their Treatment</i> , 2015, 14, 29-39.	0.5	5
128	Factors related to cigarette smoking and intent to quit among adolescent inpatients with psychiatric and substance use disorders. <i>Drug and Alcohol Dependence</i> , 2018, 186, 215-218.	1.6	5
129	Positive psychotherapy for smoking cessation enhanced with text messaging: Protocol for a randomized controlled trial. <i>Contemporary Clinical Trials</i> , 2018, 71, 146-153.	0.8	5
130	Adaptation of a sustained care cessation intervention for smokers hospitalized for psychiatric disorders: Study protocol for a randomized controlled trial. <i>Contemporary Clinical Trials</i> , 2019, 83, 18-26.	0.8	5
131	Multi-method assessment of distress tolerance and smoking-related factors among adult daily smokers.. <i>Experimental and Clinical Psychopharmacology</i> , 2019, 27, 136-145.	1.3	5
132	Characteristics of Dieting and Nondietering Adolescents in a Psychiatric Inpatient Setting. <i>Journal of Child and Family Studies</i> , 2006, 15, 418-432.	0.7	4
133	Gender differences in the relationship between physical activity and smoking among psychiatrically hospitalized adolescents. <i>Mental Health and Physical Activity</i> , 2012, 5, 135-140.	0.9	4
134	Anxiety Sensitivity is Associated with Lower Enjoyment and an Anxiogenic Response to Physical Activity in Smokers. <i>Cognitive Therapy and Research</i> , 2019, 43, 78-87.	1.2	4
135	YMCA exercise intervention to augment smoking cessation treatment in adults with high anxiety sensitivity: Study protocol for a randomized controlled trial. <i>Contemporary Clinical Trials</i> , 2019, 77, 1-7.	0.8	4
136	Approach bias retraining to augment smoking cessation: Study protocol for a randomized controlled trial. <i>Contemporary Clinical Trials Communications</i> , 2019, 14, 100340.	0.5	3
137	Readiness to quit smoking among smokers in substance use treatment: associations with stress, substance use severity, relapse concerns and gender. <i>Journal of Substance Use</i> , 2021, 26, 1-8.	0.3	3
138	Treatment Utilization After Psychiatric Inpatient Hospitalization Among Adolescents With and Without Substance Use Disorders. <i>Addictive Disorders and Their Treatment</i> , 2007, 6, 147-156.	0.5	2
139	Smoking Characteristics of Adolescent Smokers With Post-traumatic Stress Disorder in a Psychiatric Inpatient Setting. <i>Journal of Dual Diagnosis</i> , 2009, 5, 14-29.	0.7	2
140	Testing the Feasibility of a Mindfulness-Based Intervention With Underserved Adolescents at Risk for Depression. <i>Holistic Nursing Practice</i> , 2018, 32, 316-323.	0.3	2
141	A cross-sectional study of physical activity attitudes and preferences of individuals with opioid use disorder. <i>Mental Health and Physical Activity</i> , 2022, 22, 100444.	0.9	1
142	Examining the effect of exercise on the relationship between affect and cravings among smokers engaged in cessation treatment. <i>Addictive Behaviors</i> , 2022, 125, 107156.	1.7	0
143	An examination of the effects of distress intolerance and rating of perceived exertion on changes in mood and anxiety following aerobic exercise among treatment-seeking smokers. <i>Psychology, Health and Medicine</i> , 0, , 1-9.	1.3	0