

Richard A Brown

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7879220/publications.pdf>

Version: 2024-02-01

143
papers

9,440
citations

30070
54
h-index

39675
94
g-index

143
all docs

143
docs citations

143
times ranked

6090
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Tobacco use and cessation in psychiatric disorders: National Institute of Mental Health report. Nicotine and Tobacco Research, 2008, 10, 1691-1715. | 2.6 | 616 |
| 2 | Distress tolerance and duration of past smoking cessation attempts.. Journal of Abnormal Psychology, 2002, 111, 180-185. | 1.9 | 535 |
| 3 | Cigarette Smoking, Major Depression, and Other Psychiatric Disorders among Adolescents. Journal of the American Academy of Child and Adolescent Psychiatry, 1996, 35, 1602-1610. | 0.5 | 412 |
| 4 | Reliability and validity of a smoking timeline follow-back interview.. Psychology of Addictive Behaviors, 1998, 12, 101-112. | 2.1 | 411 |
| 5 | Distress Tolerance as a Predictor of Early Treatment Dropout in a Residential Substance Abuse Treatment Facility.. Journal of Abnormal Psychology, 2005, 114, 729-734. | 1.9 | 275 |
| 6 | Distress tolerance and duration of past smoking cessation attempts. Journal of Abnormal Psychology, 2002, 111, 180-5. | 1.9 | 271 |
| 7 | Distress tolerance and early smoking lapse. Clinical Psychology Review, 2005, 25, 713-733. | 11.4 | 269 |
| 8 | Randomized controlled trial of behavioral activation smoking cessation treatment for smokers with elevated depressive symptoms.. Journal of Consulting and Clinical Psychology, 2010, 78, 55-61. | 2.0 | 252 |
| 9 | Cognitive-behavioral treatment for depression in smoking cessation.. Journal of Consulting and Clinical Psychology, 2001, 69, 471-480. | 2.0 | 209 |
| 10 | Anxiety sensitivity. Addictive Behaviors, 2001, 26, 887-899. | 3.0 | 208 |
| 11 | A psychoeducational approach to the treatment of depression: Comparison of group, individual, and minimal contact procedures.. Journal of Consulting and Clinical Psychology, 1984, 52, 774-783. | 2.0 | 190 |
| 12 | Cognitive-behavioral treatment for depression in alcoholism.. Journal of Consulting and Clinical Psychology, 1997, 65, 715-726. | 2.0 | 185 |
| 13 | Dimensions of depressive symptoms and smoking cessation. Nicotine and Tobacco Research, 2008, 10, 507-517. | 2.6 | 184 |
| 14 | Psychological Distress Tolerance and Duration of Most Recent Abstinence Attempt Among Residential Treatment-Seeking Substance Abusers.. Psychology of Addictive Behaviors, 2005, 19, 208-211. | 2.1 | 159 |
| 15 | Level of current and past adolescent cigarette smoking as predictors of future substance use disorders in young adulthood. Addiction, 1999, 94, 913-921. | 3.3 | 157 |
| 16 | Anxiety sensitivity, self-reported motives for alcohol and nicotine use, and level of consumption. Journal of Anxiety Disorders, 2003, 17, 165-180. | 3.2 | 144 |
| 17 | A prospective examination of distress tolerance and early smoking lapse in adult self-quitters. Nicotine and Tobacco Research, 2009, 11, 493-502. | 2.6 | 143 |
| 18 | The efficacy of group psychotherapy for depression: A meta-analysis and review of the empirical research.. Clinical Psychology: Science and Practice, 2001, 8, 98-116. | 0.9 | 136 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Patterns of change in depressive symptoms during smoking cessation: Who's at risk for relapse?. Journal of Consulting and Clinical Psychology, 2002, 70, 356-361. | 2.0 | 130 |
| 20 | Distress Tolerance Treatment for Early-Lapse Smokers. Behavior Modification, 2008, 32, 302-332. | 1.6 | 127 |
| 21 | A Double-Blind, Placebo-Controlled Pilot Study of Carbamazepine for the Treatment of Alcohol Dependence. Alcoholism: Clinical and Experimental Research, 1997, 21, 86-92. | 2.4 | 121 |
| 22 | A pilot study of aerobic exercise as an adjunctive treatment for drug dependence. Mental Health and Physical Activity, 2010, 3, 27-34. | 1.8 | 120 |
| 23 | Psychiatric disorders, familial factors, and cigarette smoking: II. Associations with progression to daily smoking. Nicotine and Tobacco Research, 2004, 6, 119-132. | 2.6 | 119 |
| 24 | Nonclinical panic attack history and smoking cessation: An initial examination. Addictive Behaviors, 2004, 29, 825-830. | 3.0 | 119 |
| 25 | Aerobic Exercise for Alcohol Recovery. Behavior Modification, 2009, 33, 220-249. | 1.6 | 110 |
| 26 | Nicotine fading and self-monitoring for cigarette abstinence or controlled smoking.. Journal of Applied Behavior Analysis, 1979, 12, 111-125. | 2.7 | 107 |
| 27 | Positive psychotherapy for smoking cessation: Treatment development, feasibility, and preliminary results. Journal of Positive Psychology, 2014, 9, 19-29. | 4.0 | 107 |
| 28 | The role of negative affect in risk for early lapse among low distress tolerance smokers. Addictive Behaviors, 2008, 33, 1394-1401. | 3.0 | 99 |
| 29 | Exercise preferences of patients in substance abuse treatment. Mental Health and Physical Activity, 2011, 4, 79-87. | 1.8 | 94 |
| 30 | Psychiatric disorders, familial factors and cigarette smoking: I. Associations with smoking initiation. Nicotine and Tobacco Research, 2003, 5, 85-98. | 2.6 | 92 |
| 31 | Impact of Posttraumatic Stress Disorder on early smoking lapse and relapse during a self-guided quit attempt among community-recruited daily smokers. Nicotine and Tobacco Research, 2008, 10, 1415-1427. | 2.6 | 92 |
| 32 | Affective style among smokers. Addictive Behaviors, 2001, 26, 901-915. | 3.0 | 91 |
| 33 | Reductions in Marital Violence Following Treatment for Alcohol Dependence. Journal of Interpersonal Violence, 2003, 18, 1113-1131. | 2.0 | 89 |
| 34 | Bupropion and cognitive-behavioral treatment for depression in smoking cessation. Nicotine and Tobacco Research, 2007, 9, 721-730. | 2.6 | 89 |
| 35 | Pharmacogenetic clinical trial of sustained-release bupropion for smoking cessation. Nicotine and Tobacco Research, 2007, 9, 821-833. | 2.6 | 89 |
| 36 | An Acceptance-Based Behavioral Intervention for Weight Loss: A Pilot Study. Behavior Therapy, 2012, 43, 427-435. | 2.4 | 89 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Negative mood, depressive symptoms, and major depression after smoking cessation treatment in smokers with a history of major depressive disorder.. Journal of Abnormal Psychology, 2002, 111, 670-675. | 1.9 | 87 |
| 38 | The Efficacy of Vigorous-Intensity Exercise as an Aid to Smoking Cessation in Adults With High Anxiety Sensitivity. Psychosomatic Medicine, 2016, 78, 354-364. | 2.0 | 85 |
| 39 | A preliminary, randomized trial of aerobic exercise for alcohol dependence. Journal of Substance Abuse Treatment, 2014, 47, 1-9. | 2.8 | 83 |
| 40 | Positive Psychotherapy for Smoking Cessation: A Pilot Randomized Controlled Trial. Nicotine and Tobacco Research, 2015, 17, 1385-1392. | 2.6 | 82 |
| 41 | Anxiety sensitivity: association with intensity of retrospectivelyâ€rated smokingâ€related withdrawal symptoms and motivation to quit. Cognitive Behaviour Therapy, 2004, 33, 114-125. | 3.5 | 74 |
| 42 | Bupropion Efficacy for Smoking Cessation is Influenced by the DRD2 Taq1A Polymorphism: Analysis of Pooled Data from two Clinical Trials. Nicotine and Tobacco Research, 2007, 9, 1251-1257. | 2.6 | 74 |
| 43 | Computer and mobile technology-based interventions for substance use disorders: An organizing framework. Addictive Behaviors, 2013, 38, 1747-1756. | 3.0 | 73 |
| 44 | Patterns of change in depressive symptoms during smoking cessation: Who's at risk for relapse?. Journal of Consulting and Clinical Psychology, 2002, 70, 356-361. | 2.0 | 71 |
| 45 | Impact of bupropion and cognitiveâ€behavioral treatment for depression on positive affect, negative affect, and urges to smoke during cessation treatment. Nicotine and Tobacco Research, 2009, 11, 1142-1153. | 2.6 | 69 |
| 46 | Distress tolerance and pre-smoking treatment attrition: Examination of moderating relationships. Addictive Behaviors, 2008, 33, 1385-1393. | 3.0 | 65 |
| 47 | A Pilot Study of Moderate-Intensity Aerobic Exercise for Obsessive Compulsive Disorder. Journal of Nervous and Mental Disease, 2007, 195, 514-520. | 1.0 | 64 |
| 48 | Integrating an interoceptive exposure-based smoking cessation program into the cognitive-behavioral treatment of panic disorder: Theoretical relevance and case demonstration. Cognitive and Behavioral Practice, 2003, 10, 347-357. | 1.5 | 62 |
| 49 | Development and Preliminary Randomized Controlled Trial of a Distress Tolerance Treatment for Smokers With a History of Early Lapse. Nicotine and Tobacco Research, 2013, 15, 2005-2015. | 2.6 | 61 |
| 50 | The Relationship among Negative Affect, Distress Tolerance, and Length of Gambling Abstinence Attempt. Journal of Gambling Studies, 2005, 21, 363-378. | 1.6 | 59 |
| 51 | Acute changes in obsessions and compulsions following moderate-intensity aerobic exercise among patients with obsessive-compulsive disorder. Journal of Anxiety Disorders, 2009, 23, 923-927. | 3.2 | 59 |
| 52 | Determinants of attrition from cessation treatment in smokers with a history of major depressive disorder.. Psychology of Addictive Behaviors, 2000, 14, 134-142. | 2.1 | 58 |
| 53 | Physical Activity and Neuropsychiatric Symptoms of Parkinson Disease. Journal of Geriatric Psychiatry and Neurology, 2012, 25, 138-145. | 2.3 | 57 |
| 54 | Negative mood, depressive symptoms, and major depression after smoking cessation treatment in smokers with a history of major depressive disorder.. Journal of Abnormal Psychology, 2002, 111, 670-675. | 1.9 | 57 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Exercise attitudes and behaviors among persons in treatment for alcohol use disorders. Journal of Substance Abuse Treatment, 2001, 21, 199-206. | 2.8 | 54 |
| 56 | Recurrent event analysis of lapse and recovery in a smoking cessation clinical trial using bupropion. Nicotine and Tobacco Research, 2005, 7, 257-268. | 2.6 | 45 |
| 57 | Health risk behaviors in relation to making a smoking quit attempt among adolescents. Journal of Behavioral Medicine, 2009, 32, 142-149. | 2.1 | 44 |
| 58 | The role of physical exercise in alcoholism treatment and recovery.. Professional Psychology: Research and Practice, 2003, 34, 49-56. | 1.0 | 41 |
| 59 | A Preliminary Randomized Controlled Trial of a Behavioral Exercise Intervention for Smoking Cessation. Nicotine and Tobacco Research, 2014, 16, 1094-1103. | 2.6 | 41 |
| 60 | A preliminary randomized controlled trial of a distress tolerance treatment for opioid dependent persons initiating buprenorphine. Drug and Alcohol Dependence, 2015, 147, 243-250. | 3.2 | 41 |
| 61 | Do small lapses predict relapse to smoking behavior under bupropion treatment?. Nicotine and Tobacco Research, 2004, 6, 357-366. | 2.6 | 40 |
| 62 | An exploratory analysis of changes in mood, anxiety and craving from pre- to post-single sessions of exercise, over 12 weeks, among patients with alcohol dependence. Mental Health and Physical Activity, 2016, 11, 1-6. | 1.8 | 40 |
| 63 | Psychiatric disorders, familial factors, and cigarette smoking: III. Associations with cessation by young adulthood among daily smokers. Nicotine and Tobacco Research, 2004, 6, 509-522. | 2.6 | 36 |
| 64 | Effects on substance use outcomes in adolescents receiving motivational interviewing for smoking cessation during psychiatric hospitalization. Addictive Behaviors, 2009, 34, 887-891. | 3.0 | 36 |
| 65 | Finding order in the DSM-IV nicotine dependence syndrome: a Rasch analysis. Drug and Alcohol Dependence, 2003, 72, 151-162. | 3.2 | 34 |
| 66 | Hostility in smokers with past major depressive disorder: Relation to smoking patterns, reasons for quitting, and cessation outcomes. Nicotine and Tobacco Research, 2004, 6, 809-818. | 2.6 | 34 |
| 67 | Motivational Interviewing to Reduce Substance Use in Adolescents with Psychiatric Comorbidity. Journal of Substance Abuse Treatment, 2015, 59, 20-29. | 2.8 | 34 |
| 68 | Marital Violence Victimization and Perpetration Among Women Substance Abusers. Violence Against Women, 2002, 8, 934-952. | 1.7 | 32 |
| 69 | Effects of monitored nicotine fading and anxiety management training on smoking reduction. Addictive Behaviors, 1981, 6, 301-305. | 3.0 | 31 |
| 70 | Persistence on a Stress-challenge Task Before Initiating Buprenorphine Treatment Was Associated With Successful Transition From Opioid Use to Early Abstinence. Journal of Addiction Medicine, 2012, 6, 219-225. | 2.6 | 30 |
| 71 | Influence of a dopamine pathway additive genetic efficacy score on smoking cessation: results from two randomized clinical trials of bupropion. Addiction, 2013, 108, 2202-2211. | 3.3 | 30 |
| 72 | A pilot randomized controlled trial of aerobic exercise as an adjunct to OCD treatment. General Hospital Psychiatry, 2017, 49, 51-55. | 2.4 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Efficacy of Sequential Use of Fluoxetine for Smoking Cessation in Elevated Depressive Symptom Smokers. <i>Nicotine and Tobacco Research</i> , 2014, 16, 197-207. | 2.6 | 27 |
| 74 | Anxiety sensitivity and smoking among Spanish-speaking Latinx smokers. <i>Addictive Behaviors</i> , 2019, 90, 55-61. | 3.0 | 27 |
| 75 | Readiness to change smoking behavior in adolescents with psychiatric disorders. <i>Addictive Behaviors</i> , 2007, 32, 1119-1130. | 3.0 | 26 |
| 76 | Design and rationale for a randomized controlled trial testing the efficacy of aerobic exercise for patients with obsessive-compulsive disorder. <i>Mental Health and Physical Activity</i> , 2012, 5, 155-165. | 1.8 | 25 |
| 77 | Nicotine withdrawal among adolescents with acute psychopathology: An item response analysis. <i>Nicotine and Tobacco Research</i> , 2004, 6, 547-557. | 2.6 | 24 |
| 78 | Current Trends in the Modification of Cigarette Dependence. , 1982, , 575-611. | | 24 |
| 79 | Nicotine dependence measures among adolescents with psychiatric disorders: Evaluating symptom expression as a function of dependence severity. <i>Nicotine and Tobacco Research</i> , 2003, 5, 735-746. | 2.6 | 23 |
| 80 | Nicotine dependence symptoms among adolescents with psychiatric disorders: Using a Rasch model to evaluate symptom expression across time. <i>Nicotine and Tobacco Research</i> , 2007, 9, 557-569. | 2.6 | 23 |
| 81 | Acute effects of aerobic exercise on negative affect and obsessions and compulsions in individuals with obsessive-compulsive disorder. <i>Journal of Affective Disorders</i> , 2019, 245, 991-997. | 4.1 | 23 |
| 82 | Substance Use Disorder Characteristics and Externalizing Problems Among Inpatient Adolescent Smokers. <i>Journal of Psychoactive Drugs</i> , 2005, 37, 391-399. | 1.7 | 22 |
| 83 | Affective Trajectories Before and After a Quit Attempt Among Smokers With Current Depressive Disorders. <i>Nicotine and Tobacco Research</i> , 2013, 15, 1807-1815. | 2.6 | 22 |
| 84 | Regular Exercise as a Protective Factor in Relapse following Smoking Cessation Treatment. <i>American Journal on Addictions</i> , 2009, 18, 100-101. | 1.4 | 21 |
| 85 | The moderating role of experiential avoidance in the relationships between internal distress and smoking behavior during a quit attempt.. <i>Psychology of Addictive Behaviors</i> , 2015, 29, 400-407. | 2.1 | 20 |
| 86 | A Double-Blind Randomized Placebo-Controlled Trial of Oral Naltrexone for Heavy-Drinking Smokers Seeking Smoking Cessation Treatment. <i>Alcoholism: Clinical and Experimental Research</i> , 2017, 41, 1201-1211. | 2.4 | 20 |
| 87 | A randomized controlled trial of distress tolerance treatment for smoking cessation.. <i>Psychology of Addictive Behaviors</i> , 2018, 32, 389-400. | 2.1 | 20 |
| 88 | History of major depressive disorder among smokers in cessation treatment. <i>Addictive Behaviors</i> , 2003, 28, 1033-1047. | 3.0 | 19 |
| 89 | Single versus recurrent depression history: Differentiating risk factors among current US smokers. <i>Drug and Alcohol Dependence</i> , 2010, 109, 90-95. | 3.2 | 19 |
| 90 | Rationale, design and pilot feasibility results of a smartphone-assisted, mindfulness-based intervention for smokers with mood disorders: Project mSMART MIND. <i>Contemporary Clinical Trials</i> , 2018, 66, 36-44. | 1.8 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Acute Effects of Aerobic Exercise on Affect and Smoking Craving in the Weeks Before and After a Cessation Attempt. <i>Nicotine and Tobacco Research</i> , 2018, 20, 575-582. | 2.6 | 19 |
| 92 | Development and Initial Validation of a 12-Step Participation Expectancies Questionnaire. <i>Journal of Studies on Alcohol and Drugs</i> , 2006, 67, 538-542. | 2.3 | 18 |
| 93 | The Role of Self-Efficacy, Adaptive Coping, and Smoking Urges in Long-term Cessation Outcomes. <i>Addictive Disorders and Their Treatment</i> , 2016, 15, 183-189. | 0.5 | 18 |
| 94 | Quality of life after quitting smoking and initiating aerobic exercise. <i>Psychology, Health and Medicine</i> , 2017, 22, 1127-1135. | 2.4 | 18 |
| 95 | Transdermal clonidine for smoking cessation: A double-blind randomized dose-response study.. <i>Experimental and Clinical Psychopharmacology</i> , 1996, 4, 285-291. | 1.8 | 17 |
| 96 | HIV-Risk Behaviors Among Psychiatrically Hospitalized Adolescents With and Without Comorbid SUD. <i>Journal of Dual Diagnosis</i> , 2006, 2, 85-100. | 1.2 | 17 |
| 97 | Physical Activity Preferences and Attitudes of Individuals With Substance Use Disorders: A Review of the Literature. <i>Issues in Mental Health Nursing</i> , 2018, 39, 657-666. | 1.2 | 17 |
| 98 | Addressing comorbid depressive symptomatology in alcohol treatment.. <i>Professional Psychology: Research and Practice</i> , 2000, 31, 418-422. | 1.0 | 16 |
| 99 | Depression proneness in treatment-seeking smokers: a taxometric analysis. <i>Personality and Individual Differences</i> , 2004, 36, 1155-1170. | 2.9 | 15 |
| 100 | Community-based smoking cessation treatment for adults with high anxiety sensitivity: a randomized clinical trial. <i>Addiction</i> , 2021, 116, 3188-3197. | 3.3 | 15 |
| 101 | A Pilot Study of a Distress Tolerance Treatment for Opiate-Dependent Patients Initiating Buprenorphine. <i>Behavior Modification</i> , 2014, 38, 730-759. | 1.6 | 14 |
| 102 | The role of physical activity enjoyment on the acute mood experience of exercise among smokers with elevated depressive symptoms. <i>Mental Health and Physical Activity</i> , 2017, 12, 37-43. | 1.8 | 14 |
| 103 | Sustained Care Smoking Cessation Intervention for Individuals Hospitalized for Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021, 78, 839. | 11.0 | 14 |
| 104 | Title is missing!. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2001, 23, 75-83. | 1.2 | 13 |
| 105 | Family and Peer Influences on Tobacco Use Among Adolescents With Psychiatric Disorders. <i>Journal of Nervous and Mental Disease</i> , 2006, 194, 518-523. | 1.0 | 13 |
| 106 | Hostility and smoking cessation treatment outcome in heavy social drinkers.. <i>Psychology of Addictive Behaviors</i> , 2009, 23, 67-76. | 2.1 | 13 |
| 107 | Substance Use and Diagnostic Characteristics that Differentiate Smoking and Nonsmoking Adolescents in a Psychiatric Setting. <i>Journal of Nervous and Mental Disease</i> , 2003, 191, 759-762. | 1.0 | 12 |
| 108 | Association of post-treatment smoking change with future smoking and cessation efforts among adolescents with psychiatric comorbidity. <i>Nicotine and Tobacco Research</i> , 2007, 9, 1297-1307. | 2.6 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Baseline reaction time predicts 12-month smoking cessation outcome in formerly depressed smokers.. Psychology of Addictive Behaviors, 2007, 21, 415-419. | 2.1 | 12 |
| 110 | Cigarette Smoking and Substance Use Among Adolescents in Psychiatric Treatment. Journal of Child and Adolescent Substance Abuse, 2005, 14, 1-13. | 0.5 | 11 |
| 111 | Distress Tolerance Treatment for Weight Concern in Smoking Cessation Among Women: The WE QUIT Pilot Study. Behavior Modification, 2017, 41, 468-498. | 1.6 | 11 |
| 112 | Effects of Negative Affect, Urge to Smoke, and Working Memory Performance (n-back) on Nicotine Dependence. Substance Use and Misuse, 2018, 53, 1177-1183. | 1.4 | 11 |
| 113 | Cigarette smoking among adolescent psychiatric inpatients: prevalence and correlates. Annals of Clinical Psychiatry, 2002, 14, 149-153. | 0.6 | 10 |
| 114 | Assessing the Severity of Hazardous Drinking and Related Consequences Among Incarcerated Women. Alcoholism: Clinical and Experimental Research, 2010, 34, 907-914. | 2.4 | 9 |
| 115 | Effects of sequential fluoxetine and gender on prequit depressive symptoms, affect, craving, and quit day abstinence in smokers with elevated depressive symptoms: A growth curve modeling approach.. Experimental and Clinical Psychopharmacology, 2014, 22, 392-406. | 1.8 | 9 |
| 116 | Development and preliminary pilot evaluation of a brief tablet computer intervention to motivate tobacco quitline use among smokers in substance use treatment. American Journal on Addictions, 2017, 26, 587-594. | 1.4 | 9 |
| 117 | Development of a Brief Motivational Intervention to Facilitate Engagement of Smoking Cessation Treatment Among Inpatient Depressed Smokers. Journal of Smoking Cessation, 2012, 7, 4-11. | 1.0 | 8 |
| 118 | Quit intention as a predictor of quit attempts over time in adolescents with psychiatric disorders. American Journal on Addictions, 2014, 23, 84-89. | 1.4 | 8 |
| 119 | Behavioral Activation Treatment for Smoking (BATS) in smokers with depressive symptomatology. Advances in Dual Diagnosis, 2016, 9, . | 0.5 | 8 |
| 120 | Anxiety sensitivity predicts increased perceived exertion during a 1-mile walk test among treatment-seeking smokers. Journal of Behavioral Medicine, 2017, 40, 886-893. | 2.1 | 8 |
| 121 | A Pilot Randomized Controlled Trial of Distress Tolerance Treatment for Weight Concern in Smoking Cessation Among Women. Nicotine and Tobacco Research, 2020, 22, 1578-1586. | 2.6 | 8 |
| 122 | Behavioral Treatment of Cigarette Dependence. , 1991, , 97-118. | | 8 |
| 123 | A pilot randomized controlled trial of smartphone-assisted mindfulness-based intervention with contingency management for smokers with mood disorders.. Experimental and Clinical Psychopharmacology, 2022, 30, 653-665. | 1.8 | 7 |
| 124 | Smoking abstinence effects on emotion dysregulation in adult cigarette smokers with and without attention-deficit/hyperactivity disorder. Drug and Alcohol Dependence, 2019, 205, 107594. | 3.2 | 6 |
| 125 | Anxiety sensitivity and daily cigarette smoking in relation to sleep disturbances in treatment-seeking smokers. Cognitive Behaviour Therapy, 2020, 49, 137-148. | 3.5 | 6 |
| 126 | History of Single Episode and Recurrent Major Depressive Disorder Among Smokers in Cessation Treatment. Addictive Disorders and Their Treatment, 2010, 9, 41-52. | 0.5 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Effects of Depression History and Sex on the Efficacy of Sequential Versus Standard Fluoxetine for Smoking Cessation in Elevated Depressive Symptom Smokers. Addictive Disorders and Their Treatment, 2015, 14, 29-39. | 0.5 | 5 |
| 128 | Factors related to cigarette smoking and intent to quit among adolescent inpatients with psychiatric and substance use disorders. Drug and Alcohol Dependence, 2018, 186, 215-218. | 3.2 | 5 |
| 129 | Positive psychotherapy for smoking cessation enhanced with text messaging: Protocol for a randomized controlled trial. Contemporary Clinical Trials, 2018, 71, 146-153. | 1.8 | 5 |
| 130 | Adaptation of a sustained care cessation intervention for smokers hospitalized for psychiatric disorders: Study protocol for a randomized controlled trial. Contemporary Clinical Trials, 2019, 83, 18-26. | 1.8 | 5 |
| 131 | Multi-method assessment of distress tolerance and smoking-related factors among adult daily smokers.. Experimental and Clinical Psychopharmacology, 2019, 27, 136-145. | 1.8 | 5 |
| 132 | Characteristics of Dieting and Nondieting Adolescents in a Psychiatric Inpatient Setting. Journal of Child and Family Studies, 2006, 15, 418-432. | 1.3 | 4 |
| 133 | Gender differences in the relationship between physical activity and smoking among psychiatrically hospitalized adolescents. Mental Health and Physical Activity, 2012, 5, 135-140. | 1.8 | 4 |
| 134 | Anxiety Sensitivity is Associated with Lower Enjoyment and an Anxiogenic Response to Physical Activity in Smokers. Cognitive Therapy and Research, 2019, 43, 78-87. | 1.9 | 4 |
| 135 | YMCA exercise intervention to augment smoking cessation treatment in adults with high anxiety sensitivity: Study protocol for a randomized controlled trial. Contemporary Clinical Trials, 2019, 77, 1-7. | 1.8 | 4 |
| 136 | Approach bias retraining to augment smoking cessation: Study protocol for a randomized controlled trial. Contemporary Clinical Trials Communications, 2019, 14, 100340. | 1.1 | 3 |
| 137 | Readiness to quit smoking among smokers in substance use treatment: associations with stress, substance use severity, relapse concerns and gender. Journal of Substance Use, 2021, 26, 1-8. | 0.7 | 3 |
| 138 | Treatment Utilization After Psychiatric Inpatient Hospitalization Among Adolescents With and Without Substance Use Disorders. Addictive Disorders and Their Treatment, 2007, 6, 147-156. | 0.5 | 2 |
| 139 | Smoking Characteristics of Adolescent Smokers With Post-traumatic Stress Disorder in a Psychiatric Inpatient Setting. Journal of Dual Diagnosis, 2009, 5, 14-29. | 1.2 | 2 |
| 140 | Testing the Feasibility of a Mindfulness-Based Intervention With Underserved Adolescents at Risk for Depression. Holistic Nursing Practice, 2018, 32, 316-323. | 0.7 | 2 |
| 141 | A cross-sectional study of physical activity attitudes and preferences of individuals with opioid use disorder. Mental Health and Physical Activity, 2022, 22, 100444. | 1.8 | 1 |
| 142 | Examining the effect of exercise on the relationship between affect and cravings among smokers engaged in cessation treatment. Addictive Behaviors, 2022, 125, 107156. | 3.0 | 0 |
| 143 | An examination of the effects of distress intolerance and rating of perceived exertion on changes in mood and anxiety following aerobic exercise among treatment-seeking smokers. Psychology, Health and Medicine, 0, , 1-9. | 2.4 | 0 |