

Kyung-Su Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7879793/publications.pdf>

Version: 2024-02-01

59
papers

1,846
citations

304602

22
h-index

265120

42
g-index

59
all docs

59
docs citations

59
times ranked

2177
citing authors

#	ARTICLE	IF	CITATIONS
1	Cyclooxygenase Inhibitors Regulate the Expression of a TGF- β Superfamily Member That Has Proapoptotic and Antitumorigenic Activities. <i>Molecular Pharmacology</i> , 2001, 59, 901-908.	1.0	366
2	Surgical Anatomy of the Sphenopalatine Artery in Lateral Nasal Wall. <i>Laryngoscope</i> , 2002, 112, 1813-1818.	1.1	116
3	Kaempferol and quercetin, components of <i>Ginkgo biloba</i> extract (EGb 761), induce caspase-dependent apoptosis in oral cavity cancer cells. <i>Phytotherapy Research</i> , 2010, 24, S77-82.	2.8	115
4	Prevalence and Risk Factors of Chronic Rhinosinusitis in Korea. <i>American Journal of Rhinology and Allergy</i> , 2011, 25, e117-e121.	1.0	113
5	Expression and regulation of nonsteroidal anti-inflammatory drug-activated gene (NAG-1) in human and mouse tissue. <i>Gastroenterology</i> , 2002, 122, 1388-1398.	0.6	98
6	Cyclooxygenase inhibitors induce apoptosis in oral cavity cancer cells by increased expression of nonsteroidal anti-inflammatory drug-activated gene. <i>Biochemical and Biophysical Research Communications</i> , 2004, 325, 1298-1303.	1.0	77
7	Secretory Differentiation of Serially Passaged Normal Human Nasal Epithelial Cells by Retinoic Acid: Expression of Mucin and Lysozyme. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2000, 109, 594-601.	0.6	71
8	15-Lipoxygenase-1 has anti-tumorigenic effects in colorectal cancer. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2004, 70, 7-15.	1.0	67
9	<i>Ginkgo biloba</i> extract (EGb 761) induces apoptosis by the activation of caspase-3 in oral cavity cancer cells. <i>Oral Oncology</i> , 2005, 41, 383-389.	0.8	62
10	The effect of botulinum toxin type A injection for intrinsic rhinitis. <i>Journal of Laryngology and Otolaryngology</i> , 1998, 112, 248-251.	0.4	53
11	Differential Regulation of Nonsteroidal Anti-Inflammatory Drug-Activated Gene in Normal Human Tracheobronchial Epithelial and Lung Carcinoma Cells by Retinoids. <i>Molecular Pharmacology</i> , 2003, 63, 557-564.	1.0	52
12	Arterial Supply of the Nasal Tip in Asians. <i>Laryngoscope</i> , 2000, 110, 308-308.	1.1	47
13	Levels of Intracellular Protein and Messenger RNA of Mucin and Lysozyme in Normal Human Nasal and Polyp Epithelium. <i>Laryngoscope</i> , 2000, 110, 276-276.	1.1	46
14	Prostaglandin E2 Induces MUC8 Gene Expression via a Mechanism Involving ERK MAPK/RSK1/cAMP Response Element Binding Protein Activation in Human Airway Epithelial Cells. <i>Journal of Biological Chemistry</i> , 2005, 280, 6676-6681.	1.6	38
15	CD117 ⁺ CD3 ⁺ CD56 ⁺ OX40L ^{high} cells express IL-22 and display an LT α phenotype in human secondary lymphoid tissues. <i>European Journal of Immunology</i> , 2011, 41, 1563-1572.	1.6	38
16	Antiadhesive Effect of the Mixed Solution of Sodium Hyaluronate and Sodium Carboxymethylcellulose after Endoscopic Sinus Surgery. <i>American Journal of Rhinology & Allergy</i> , 2007, 21, 95-99.	2.3	35
17	A Prospective, Randomized, Single-blinded Controlled Trial on Biodegradable Synthetic Polyurethane foam as a Packing Material after Septoplasty. <i>American Journal of Rhinology and Allergy</i> , 2011, 25, e77-e79.	1.0	34
18	Fontanelle and Uncinate Process in the Lateral Wall of the Human Nasal Cavity. <i>Laryngoscope</i> , 2000, 110, 281-281.	1.1	32

#	ARTICLE	IF	CITATIONS
19	Kaempferol and quercetin, essential ingredients in <i>Ginkgo biloba</i> extract, inhibit interleukin-1 β -induced MUC5AC gene expression in human airway epithelial cells. <i>Phytotherapy Research</i> , 2009, 23, 1708-1712.	2.8	30
20	Surgical anatomy of the middle turbinate. <i>Clinical Anatomy</i> , 2006, 19, 493-496.	1.5	29
21	Dietary Polyphenols Affect Muc5Ac Expression and Ciliary Movement in Respiratory Cells and Nasal Mucosa. <i>American Journal of Rhinology and Allergy</i> , 2010, 24, e59-e62.	1.0	26
22	Prevalence and Risk Factors of Chronic Rhinosinusitis in the Elderly Population of Korea. <i>American Journal of Rhinology and Allergy</i> , 2019, 33, 240-246.	1.0	23
23	MUC8 as a ciliated cell marker in human nasal epithelium. <i>Acta Oto-Laryngologica</i> , 2005, 125, 76-81.	0.3	22
24	Increased Lymphocyte Infiltration in Rheumatoid Arthritis Is Correlated with an Increase in LT α -like Cells in Synovial Fluid. <i>Immune Network</i> , 2013, 13, 240.	1.6	20
25	[6]-Gingerol Suppresses Interleukin-1 β -Induced MUC5AC Gene Expression in Human Airway Epithelial Cells. <i>American Journal of Rhinology and Allergy</i> , 2009, 23, 385-391.	1.0	18
26	Brain abscess caused by chronic invasive actinomycosis in the nasopharynx. <i>Medicine (United States)</i> , 2018, 97, e0406.	0.4	17
27	The Relationship between Chronic Rhinosinusitis and Metabolic Syndrome. <i>American Journal of Rhinology and Allergy</i> , 2017, 31, 222-227.	1.0	16
28	Extracellular signal-regulated kinase is involved in tumor necrosis factor- α -induced MUC5AC gene expression in cultured human nasal polyp epithelial cells. <i>Acta Oto-Laryngologica</i> , 2004, 124, 953-957.	0.3	15
29	Expectorant and Antitussive Effect of <i>Hedera helix</i> and <i>Rhizoma coptidis</i> Extracts Mixture. <i>Yonsei Medical Journal</i> , 2015, 56, 819.	0.9	14
30	Cyclooxygenase inhibitors induce apoptosis in sinonasal cancer cells by increased expression of nonsteroidal anti-inflammatory drug-activated gene. <i>International Journal of Cancer</i> , 2008, 122, 1765-1773.	2.3	13
31	Expression of 15-lipoxygenase-1 in human nasal epithelium: Its implication in mucociliary differentiation. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2005, 73, 77-83.	1.0	12
32	15-Lipoxygenase-1 induced by interleukin-4 mediates apoptosis in oral cavity cancer cells. <i>Oral Oncology</i> , 2006, 42, 825-830.	0.8	12
33	Correlation between symptoms and objective findings may improve the symptom-based diagnosis of chronic rhinosinusitis for primary care and epidemiological studies. <i>BMJ Open</i> , 2015, 5, e009541.	0.8	12
34	Computed Tomographic and Anatomical Analysis of the Basal Lamellas in the Ethmoid Sinus. <i>Laryngoscope</i> , 2001, 111, 424-429.	1.1	10
35	The Risk of Olfactory Disturbance from Conchal Plate Injury during Ethmoidectomy. <i>American Journal of Rhinology & Allergy</i> , 2003, 17, 307-310.	2.3	8
36	Chronic Cholesterol Depletion by Lovastatin Suppresses MUC5AC Gene Expression in Human Airway Epithelial Cells. <i>American Journal of Rhinology and Allergy</i> , 2014, 28, e125-e129.	1.0	8

#	ARTICLE	IF	CITATIONS
37	Prevalence and clinical characteristics of allergic rhinitis in the elderly Korean population. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020, 277, 3367-3373.	0.8	8
38	Effectiveness of atorvastatin in suppressing <i>MUC5AC</i> gene expression in human airway epithelial cells. <i>International Forum of Allergy and Rhinology</i> , 2016, 6, 1159-1166.	1.5	7
39	Creation of Large Maxillary Sinus Ostium: A Modified Antrostomy Technique Removing Palatine Bone for Improved Patency. <i>Laryngoscope</i> , 1999, 109, 672-675.	1.1	6
40	Anti-adhesive effect of a thermosensitive poloxamer applied after the removal of nasal packing in endoscopic sinus surgery: a randomised multicentre clinical trial. <i>Clinical Otolaryngology</i> , 2013, 38, 225-230.	0.6	6
41	A Solitary Malignant Schwannoma in the Choana and Nasal Septum. <i>Case Reports in Otolaryngology</i> , 2014, 2014, 1-4.	0.1	6
42	Efficacy of hyaluronic acid and hydroxyethyl starch in preventing adhesion following endoscopic sinus surgery. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 3643-3649.	0.8	6
43	Comparison of the clinical characteristics of bilateral and unilateral fungal balls in Korea. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 1975-1980.	0.8	6
44	Expression of Non-steroidal Anti-inflammatory Drug-activated Gene-1 in Human Nasal Mucosa and Cultured Nasal Epithelial Cells: A Preliminary Investigation. <i>Acta Oto-Laryngologica</i> , 2003, 123, 857-861.	0.3	4
45	Sulindac sulfide-induced apoptosis in sinonasal cancer cells. <i>Acta Oto-Laryngologica</i> , 2005, 125, 201-206.	0.3	4
46	Cholesterol Depletion in Cell Membranes of Human Airway Epithelial Cells Suppresses <i>MUC5AC</i> Gene Expression. <i>Yonsei Medical Journal</i> , 2013, 54, 679.	0.9	4
47	Analysis of Prevalence and Risk Factors of Chronic Rhinosinusitis in Hyperlipidemia Patients. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2015, 58, 25.	0.0	4
48	The risk of olfactory disturbance from conchal plate injury during ethmoidectomy. <i>American Journal of Rhinology & Allergy</i> , 2003, 17, 307-10.	2.3	4
49	Airway Reconstruction With Carrier-Free Cell Sheets Composed of Autologous Nasal Squamous Epithelium. <i>Laryngoscope</i> , 2007, 117, 1750-1755.	1.1	3
50	Diagnosis and treatment of allergic rhinitis. <i>Journal of the Korean Medical Association</i> , 2010, 53, 780.	0.1	3
51	The Chronicity of Tonsillitis Is Significantly Correlated with an Increase in an LT α Cell Portion. <i>Inflammation</i> , 2014, 37, 132-141.	1.7	2
52	The effect of caudal septoplasty on nasal angle parameters: a report on 69 cases. <i>Clinical Otolaryngology</i> , 2016, 41, 185-189.	0.6	2
53	Nasal Tip Schwannoma Coexisting With Vestibular Schwannoma. <i>Journal of Craniofacial Surgery</i> , 2016, 27, e626-e627.	0.3	2
54	Anti-adhesive effect of solid mixture of sodium hyaluronate/carboxymethylcellulose in murine nasal cavities. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 181-188.	0.8	2

#	ARTICLE	IF	CITATIONS
55	Lack of correlation between serum 25(OH)D level and endoscopy-based chronic rhinosinusitis in Korean adults. <i>Rhinology</i> , 2019, 57, 139-146.	0.7	2
56	Pseudoaneurysm in the Internal Maxillary Artery Occurring After Endoscopic Sinus Surgery. <i>Journal of Craniofacial Surgery</i> , 2016, 27, 1013-1014.	0.3	0
57	Change in Patient's Ages Who Took an Adenoidectomy for 30 Years. <i>Journal of Rhinology</i> , 2017, 24, 8.	0.1	0
58	Clinical Trial to Reconfirm the Efficacy and Safety of Cefetamet Pivoxil Treatment in Sinusitis Patients: A Double-Blind, Randomized, Parallel Designed, Multicenter, Active Comparator Study (CASIS Study). <i>Ear, Nose and Throat Journal</i> , 2021, , 014556132110362.	0.4	0
59	The Relationship between the Causative Allergens of Allergic Diseases and Environments in Korea Over a 8-Year-Period: Based on Skin Prick Test from 2006 to 2015. <i>Journal of Rhinology</i> , 2018, 25, 91.	0.1	0