Melissa Mercincavage

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7881293/publications.pdf

Version: 2024-02-01

623734 713466 33 514 14 21 g-index citations h-index papers 35 35 35 678 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	A Randomized Controlled Trial of Progressively Reduced Nicotine Content Cigarettes on Smoking Behaviors, Biomarkers of Exposure, and Subjective Ratings. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 1125-1133.	2.5	47
2	Effect of message congruency on attention and recall in pictorial health warning labels. Tobacco Control, 2018, 27, 266-271.	3.2	37
3	ls self-efficacy for smoking abstinence a cause of, or a reflection on, smoking behavior change?. Experimental and Clinical Psychopharmacology, 2012, 20, 56-62.	1.8	36
4	Predictors of the Nicotine Dependence Behavior Time to the First Cigarette in a Multiracial Cohort. Nicotine and Tobacco Research, 2015, 17, 819-824.	2.6	34
5	Severity of Nicotine Addiction and Disruptions in Sleep Mediated by Early Awakenings. Nicotine and Tobacco Research, 2016, 18, 2252-2259.	2.6	32
6	Time to First Cigarette Predicts Cessation Outcomes in Adolescent Smokers. Nicotine and Tobacco Research, 2013, 15, 1996-2004.	2.6	28
7	Reduced nicotine content cigarette advertising: How false beliefs and subjective ratings affect smoking behavior. Drug and Alcohol Dependence, 2017, 173, 99-106.	3.2	27
8	Perceived nicotine content of reduced nicotine content cigarettes is a correlate of perceived health risks. Tobacco Control, 2018, 27, 420-426.	3.2	25
9	Varenicline's effects on acute smoking behavior and reward and their association with subsequent abstinence. Psychopharmacology, 2010, 210, 45-51.	3.1	21
10	Association of Reduced Nicotine Content Cigarettes With Smoking Behaviors and Biomarkers of Exposure Among Slow and Fast Nicotine Metabolizers. JAMA Network Open, 2018, 1, e181346.	5.9	20
11	Misperceptions of Nicotine and Nicotine Reduction: The Importance of Public Education to Maximize the Benefits of a Nicotine Reduction Standard. Nicotine and Tobacco Research, 2019, 21, S88-S90.	2.6	20
12	Time to First Cigarette: A Potential Clinical Screening Tool for Nicotine Dependence. Journal of Addiction Medicine, 2020, 14, 409-414.	2.6	20
13	Do current and former cigarette smokers have an attentional bias for e-cigarette cues?. Journal of Psychopharmacology, 2018, 32, 316-323.	4.0	18
14	Examining Risk Perceptions Among Daily Smokers Na $\tilde{\mathbb{A}}$ -ve to Reduced Nicotine Content Cigarettes. Nicotine and Tobacco Research, 2019, 21, 985-990.	2.6	14
15	Polarization Within the Field of Tobacco and Nicotine Science and its Potential Impact on Trainees. Nicotine and Tobacco Research, 2021, 23, 36-39.	2.6	14
16	Reduced Nicotine Content Expectancies Affect Initial Responses to Smoking. Tobacco Regulatory Science (discontinued), 2016, 2, 309-316.	0.2	14
17	Shedding â€`light' on cigarette pack design: colour differences in product perceptions, use and exposure following the US descriptor ban. Tobacco Control, 2022, 31, 19-24.	3.2	12
18	Attrition during a randomized controlled trial of reduced nicotine content cigarettes as a proxy for understanding acceptability of nicotine product standards. Addiction, 2017, 112, 1095-1103.	3.3	11

#	Article	IF	CITATIONS
19	Time to first cigarette predicts 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanol (NNAL) in adolescent regular and intermittent smokers, National Health and Nutrition and Examination Survey (NHANES) 2007-10. Addiction, 2014, 109, 1005-1012.	3.3	10
20	Visual Attention Patterns Differ by Pictorial Health Warning Label Features. Tobacco Regulatory Science (discontinued), 2018, 4, 8-17.	0.2	8
21	Temporal Effects of Message Congruency on Attention to and Recall of Pictorial Health Warning Labels on Cigarette Packages. Nicotine and Tobacco Research, 2019, 21, 879-886.	2.6	8
22	Comparing video observation to electronic topography device as a method for measuring cigarette puffing behavior. Drug and Alcohol Dependence, 2021, 221, 108623.	3.2	7
23	Graphic Warning Labels Affect Hypothetical Cigarette Purchasing Behavior among Smokers Living with HIV. International Journal of Environmental Research and Public Health, 2019, 16, 3380.	2.6	6
24	Marketing Influences on Perceptions of Reduced Nicotine Content Cigarettes. Nicotine and Tobacco Research, 2019, 21, S117-S124.	2.6	6
25	Exploring the Severity of Dependence Scale (SDS) as a Possible Measure of Nicotine Dependence. Substance Abuse, 2016, 37, 323-329.	2.3	5
26	Time to First Cigarette, Physical Activity, and Pulmonary Function in Middle-aged to Older Adult Smokers. Journal of Physical Activity and Health, 2017, 14, 612-616.	2.0	5
27	Effects of advertising features on smokers' and non-smokers' perceptions of a reduced nicotine cigarette modified risk tobacco product. Tobacco Control, 2023, 32, 6-12.	3.2	5
28	The "Organic―Descriptor and Its Association With Commercial Cigarette Health Risk Expectancies, Subjective Effects, and Smoking Topography: A Pilot Human Laboratory Study. Nicotine and Tobacco Research, 2022, 24, 69-76.	2.6	4
29	Cognitive and emotional responses to pictorial warning labels and their association with quitting measures after continued exposure. Addictive Behaviors, 2022, 124, 107121.	3.0	4
30	Responses to reduced nicotine cigarette marketing features: a systematic review. Tobacco Control, 2023, 32, 366-374.	3.2	4
31	Tailored Cigarette Warning Messages: How Individualized Loss Aversion and Delay Discounting Rates Can Influence Perceived Message Effectiveness. International Journal of Environmental Research and Public Health, 2021, 18, 10492.	2.6	4
32	Effects of IQOS health warnings and modified risk claims among young adult cigarette smokers and non-smokers. Tobacco Control, 2023, 32, 505-508.	3.2	4
33	Construct validity of the Cigarette Ratings Scale and associations with tobacco use and product feature outcomes. Drug and Alcohol Dependence, 2022, 234, 109397.	3.2	3