

Áva SZÁJKÁ

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7881936/publications.pdf>

Version: 2024-02-01

40
papers

1,337
citations

430874

18
h-index

345221

36
g-index

40
all docs

40
docs citations

40
times ranked

1386
citing authors

#	ARTICLE	IF	CITATIONS
1	The Impact of Differentiation on Cytotoxicity and Insulin Sensitivity in Streptozotocin Treated SH-SY5Y Cells. <i>Neurochemical Research</i> , 2021, 46, 1350-1358.	3.3	2
2	Oral Supplementation with Benzylamine Delays the Onset of Diabetes in Obese and Diabetic db-/- Mice. <i>Nutrients</i> , 2021, 13, 2622.	4.1	2
3	Selegiline: a molecule with innovative potential. <i>Journal of Neural Transmission</i> , 2020, 127, 831-842.	2.8	50
4	Lack of insulin resistance in response to streptozotocin treatment in neuronal SH-SY5Y cell line. <i>Journal of Neural Transmission</i> , 2020, 127, 71-80.	2.8	10
5	Pharmacological aspects of the neuroprotective effects of irreversible MAO-B inhibitors, selegiline and rasagiline, in Parkinson's disease. <i>Journal of Neural Transmission</i> , 2018, 125, 1735-1749.	2.8	77
6	Age-related and function-dependent regional alterations of free L- and D-aspartate in postembryonic chick brain. <i>Acta Biologica Hungarica</i> , 2018, 69, 1-15.	0.7	5
7	Chiral separations for d -amino acid analysis in biological samples. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016, 130, 100-109.	2.8	49
8	Prenatal dietary load of Maillard reaction products combined with postnatal Coca-Cola drinking affects metabolic status of female Wistar rats. <i>Croatian Medical Journal</i> , 2015, 56, 94-103.	0.7	9
9	Biofilm Lysine Decarboxylase, a New Therapeutic Target for Periodontal Inflammation. <i>Journal of Periodontology</i> , 2015, 86, 1176-1184.	3.4	15
10	Chiral analysis of amino acid neurotransmitters and neuromodulators in mouse brain by CE-LIF. <i>Electrophoresis</i> , 2014, 35, 2870-2876.	2.4	32
11	Study on SSAO enzyme activity and anti-inflammatory effect of SSAO inhibitors in animal model of inflammation. <i>Journal of Neural Transmission</i> , 2013, 120, 963-967.	2.8	17
12	Lack of association between VAP-1/SSAO activity and corneal neovascularization in a rabbit model. <i>Journal of Neural Transmission</i> , 2013, 120, 969-975.	2.8	4
13	The pharmacokinetic evaluation of selegiline ODT for the treatment of Parkinson's disease. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2013, 9, 629-636.	3.3	12
14	Bacterial Lysine Decarboxylase Influences Human Dental Biofilm Lysine Content, Biofilm Accumulation, and Subclinical Gingival Inflammation. <i>Journal of Periodontology</i> , 2012, 83, 1048-1056.	3.4	21
15	Chiral separation and determination of excitatory amino acids in brain samples by CE-LIF using dual cyclodextrin system. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 404, 2363-2368.	3.7	28
16	Differential Changes of Extracellular Aspartate and Glutamate in the Striatum of Domestic Chicken Evoked by High Potassium or Distress: An In Vivo Microdialysis Study. <i>Neurochemical Research</i> , 2012, 37, 1730-1737.	3.3	8
17	Comparison of quantitative performance of three fluorescence labels in CE/LIF analysis of aspartate and glutamate in brain microdialysate. <i>Electrophoresis</i> , 2011, 32, 2816-2822.	2.4	16
18	R-Deprenyl: Pharmacological Spectrum of its Activity. <i>Neurochemical Research</i> , 2010, 35, 1922-1932.	3.3	21

#	ARTICLE	IF	CITATIONS
19	Analysis of biological samples by capillary electrophoresis with laser induced fluorescence detection. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010, 53, 1180-1192.	2.8	63
20	Chronic benzylamine administration in the drinking water improves glucose tolerance, reduces body weight gain and circulating cholesterol in high-fat diet-fed mice. <i>Pharmacological Research</i> , 2010, 61, 355-363.	7.1	42
21	Analysis of Pralidoxime in Serum, Brain and CSF of Rats. <i>Medicinal Chemistry</i> , 2009, 5, 237-241.	1.5	18
22	CE-LIF determination of salivary cadaverine and lysine concentration ratio as an indicator of lysine decarboxylase enzyme activity. <i>Analytical and Bioanalytical Chemistry</i> , 2008, 391, 647-651.	3.7	19
23	Synthesis of hybrids between the alkaloids rutaecarpine and luotonins A, B. <i>Tetrahedron Letters</i> , 2008, 49, 4937-4940.	1.4	24
24	Alteration of serum semicarbazide-sensitive amine oxidase activity in chronic renal failure. <i>Journal of Neural Transmission</i> , 2007, 114, 841-843.	2.8	14
25	Studies on the insulinomimetic effects of benzylamine, exogenous substrate of semicarbazide-sensitive amine oxidase enzyme in streptozotocin induced diabetic rats. <i>Journal of Neural Transmission</i> , 2007, 114, 851-855.	2.8	6
26	Lipopolysaccharide exposure makes allergic airway inflammation and hyper-responsiveness less responsive to dexamethasone and inhibition of iNOS. <i>Clinical and Experimental Allergy</i> , 2006, 36, 951-959.	2.9	21
27	Trace analysis of oxidized, nitrated, and chlorinated aromatic amino acids by capillary electrophoresis with electroosmotic flow modification allowing large-volume sample stacking. <i>Electrophoresis</i> , 2005, 26, 1940-1947.	2.4	17
28	Chiral Separation of Deprenyl-N-Oxide Isomers by Capillary Electrophoresis Using Various Cyclodextrin Derivatives. <i>Journal of Chromatographic Science</i> , 2004, 42, 21-26.	1.4	10
29	Assessment of the N-oxidation of deprenyl, methamphetamine, and amphetamine enantiomers by chiral capillary electrophoresis: An in vitro metabolism study. <i>Electrophoresis</i> , 2004, 25, 2866-2875.	2.4	34
30	High sensitivity analysis of nitrite and nitrate in biological samples by capillary zone electrophoresis with transient isotachopheretic sample stacking. <i>Journal of Chromatography A</i> , 2004, 1051, 177-183.	3.7	50
31	Application of the measurement of oxidized pyridine dinucleotides with high-performance liquid chromatography-fluorescence detection to assay the uncoupled oxidation of NADPH by neuronal nitric oxide synthase. <i>Analytical Biochemistry</i> , 2004, 326, 69-77.	2.4	17
32	Altered nitric oxide production in mouse brain after administration of 1-methyl-4-phenyl-1,2,3,6-tetrahydro-pyridin or methamphetamine. <i>Neurochemistry International</i> , 2004, 44, 641-646.	3.8	11
33	Chiral characterization of deprenyl-N-oxide and other deprenyl metabolites by capillary electrophoresis using a dual cyclodextrin system in rat urine. <i>Electrophoresis</i> , 2003, 24, 2665-2673.	2.4	33
34	Equilibrium binding model of bile salt-mediated chiral micellar electrokinetic capillary chromatography. <i>Electrophoresis</i> , 1999, 20, 2754-2760.	2.4	9
35	Protein and peptide analysis by capillary zone electrophoresis and micellar electrokinetic chromatography. <i>Electrophoresis</i> , 1997, 18, 74-81.	2.4	45
36	Capillary gel electrophoretic separation of DNA restriction fragments in a discontinuous buffer system. <i>Journal of Chromatography A</i> , 1996, 744, 321-324.	3.7	13

#	ARTICLE	IF	CITATIONS
37	Determination of binding constants and the influence of methanol on the separation of drug enantiomers in cyclodextrin modified capillary electrophoresis. Journal of Chromatography A, 1996, 745, 181-187.	3.7	30
38	Chiral separation of deprenyl and its major metabolites using cyclodextrin-modified capillary zone electrophoresis. Journal of Chromatography A, 1995, 709, 157-162.	3.7	42
39	Trace analysis of proteins by capillary zone electrophoresis with on-column transient isotachophoretic preconcentration. Electrophoresis, 1993, 14, 417-428.	2.4	172
40	On-column transient and coupled column isotachophoretic preconcentration of protein samples in capillary zone electrophoresis. Journal of Chromatography A, 1992, 608, 3-12.	3.7	269