Boukje A G Dijkstra

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7883454/publications.pdf

Version: 2024-02-01

567281 552781 36 748 15 26 citations g-index h-index papers 39 39 39 669 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Prevalence of cognitive impairment in patients with substance use disorder. Drug and Alcohol Review, 2019, 38, 435-442.	2.1	85
2	A controlled trial of methylphenidate in adults with attention deficit/hyperactivity disorder and substance use disorders. Addiction, 2005, 100, 1868-1874.	3.3	76
3	Gamma-Hydroxybutyrate Detoxification by Titration and Tapering. European Addiction Research, 2012, 18, 40-45.	2.4	49
4	The Neurobiological Mechanisms of Gamma-Hydroxybutyrate Dependence and Withdrawal and Their Clinical Relevance: A Review. Neuropsychobiology, 2016, 73, 65-80.	1.9	47
5	Psychometric properties of the Montreal Cognitive Assessment (MoCA) in healthy participants aged 18–70. International Journal of Psychiatry in Clinical Practice, 2020, 24, 293-300.	2.4	46
6	Detoxification with titration and tapering in gamma-hydroxybutyrate (GHB) dependent patients: The Dutch GHB monitor project. Drug and Alcohol Dependence, 2017, 170, 164-173.	3.2	45
7	Pharmacological Treatment in γ-Hydroxybutyrate (GHB) and γ-Butyrolactone (GBL) Dependence: Detoxification and Relapse Prevention. CNS Drugs, 2017, 31, 51-64.	5.9	44
8	Treatment consumption and treatment re-enrollment in GHB-dependent patients in The Netherlands. Drug and Alcohol Dependence, 2017, 176, 96-101.	3.2	31
9	Does naltrexone affect craving in abstinent opioid-dependent patients?. Addiction Biology, 2007, 12, 176-182.	2.6	22
10	Baclofen to Prevent Relapse in Gamma-Hydroxybutyrate (GHB)-Dependent Patients: A Multicentre, Open-Label, Non-Randomized, Controlled Trial. CNS Drugs, 2018, 32, 437-442.	5.9	22
11	A Case Series of Pharmaceutical Gamma-Hydroxybutyrate in 3 Patients With Severe Benzodiazepine-Resistant Gamma-Hydroxybutyrate Withdrawal in the Hospital. Psychosomatics, 2015, 56, 404-409.	2.5	19
12	Palliative care for patients with substance use disorder and multiple problems: a qualitative study on experiences of healthcare professionals, volunteers and experts-by-experience. BMC Palliative Care, 2020, 19, 8.	1.8	19
13	Psychometric Evaluation of the Dutch Version of the Subjective Opiate Withdrawal Scale (SOWS). European Addiction Research, 2007, 13, 81-88.	2.4	18
14	Prediction of Abstinence in Opioid-Dependent Patients. Journal of Addiction Medicine, 2008, 2, 194-201.	2.6	18
15	The Montreal Cognitive Assessment (MoCA) as a cognitive screen in addiction health care: A validation study for clinical practice. Journal of Substance Use, 2019, 24, 47-54.	0.7	16
16	Prediction of withdrawal symptoms during opioid detoxification. Journal of Opioid Management, 2008, 4, 311-319.	0.5	16
17	Baclofen as relapse prevention in the treatment of Gamma-Hydroxybutyrate (GHB) dependence: an open label study. BMC Psychiatry, 2015, 15, 91.	2.6	15
18	The Effect of Co-occurring Substance Use on Gamma-hydroxybutyric Acid Withdrawal Syndrome. Journal of Addiction Medicine, 2016, 10, 229-235.	2.6	14

#	Article	IF	CITATIONS
19	Palliative care for people with substance use disorder and multiple problems: a qualitative study on experiences of patients and proxies. BMC Palliative Care, 2019, 18, 56.	1.8	14
20	Decision rules for GHB (gamma-hydroxybutyric acid) detoxification: A vignette study. Drug and Alcohol Dependence, 2014, 135, 146-151.	3.2	12
21	Baclofen as Relapse Prevention in the Treatment of Gamma-Hydroxybutyrate Dependence. Journal of Clinical Psychopharmacology, 2015, 35, 313-318.	1.4	12
22	The Course of Cognitive Performance during Inpatient Treatment in Patients with Alcohol Use Disorder with No, Mild or Major Neurocognitive Disorders. Alcohol and Alcoholism, 2021, 56, 89-100.	1.6	12
23	Regression-Based Normative Data for the Montreal Cognitive Assessment (MoCA) and Its Memory Index Score (MoCA-MIS) for Individuals Aged 18–91. Journal of Clinical Medicine, 2022, 11, 4059.	2.4	12
24	Detoxification of a Patient With Comorbid Dependence on Phenibut and Benzodiazepines by Tapering With Baclofen. Journal of Clinical Psychopharmacology, 2019, 39, 511-514.	1.4	10
25	Good Psychometric Properties of the Addiction Version of the Revised Illness Perception Questionnaire for Health Care Professionals. PLoS ONE, 2016, 11, e0164262.	2.5	10
26	Characterization of the GHB Withdrawal Syndrome. Journal of Clinical Medicine, 2021, 10, 2333.	2.4	9
27	Psychiatric comorbidity, psychological distress, and quality of life in gamma-hydroxybutyrate-dependent patients. Journal of Addictive Diseases, 2017, 36, 72-79.	1.3	8
28	Palliative care for patients with a substance use disorder and multiple problems: a study protocol. BMC Palliative Care, 2018, 17, 97.	1.8	8
29	Success Rates of Monitoring for Healthcare Professionals with a Substance Use Disorder: A Meta-Analysis. Journal of Clinical Medicine, 2021, 10, 264.	2.4	7
30	Opioid Detoxification: From Controlled Clinical Trial to Clinical Practice. American Journal on Addictions, 2010, 19, 283-290.	1.4	6
31	Treatment of substance use disorders: Effects on patients with higher or lower levels of PTSD symptoms. Addictive Behaviors, 2017, 74, 122-126.	3.0	6
32	A Qualitative Approach in Understanding Illness Perception and Treatment Needs in Patients with Gamma Hydroxybutyrate Use Disorder. European Addiction Research, 2019, 25, 248-255.	2.4	6
33	Treatment delivery of the community reinforcement approach in outpatient addiction treatment. Evaluation and Program Planning, 2018, 70, 61-66.	1.6	5
34	Patients' Improvements Measured With the Pleasant Activities List and the Community Reinforcement Approach Happiness Scale. Addictive Disorders and Their Treatment, 2012, 11, 6-13.	0.5	4
35	Gamma-Hydroxybutyrate Abuse and Dependence. , 2016, , 379-387.		2
36	Epidemiology of Gamma-Hydroxybutyrate (GHB) Use and Misuse and Characteristics of GHB-Dependent Inpatients., 2016,, 491-499.		0

3