

Jun Wada

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7883832/publications.pdf>

Version: 2024-02-01

389
papers

12,952
citations

28190

55
h-index

37111

96
g-index

394
all docs

394
docs citations

394
times ranked

15593
citing authors

#	ARTICLE	IF	CITATIONS
1	Visceral adipose tissue-derived serine protease inhibitor: A unique insulin-sensitizing adipocytokine in obesity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 10610-10615.	3.3	602
2	Inflammation and the pathogenesis of diabetic nephropathy. <i>Clinical Science</i> , 2013, 124, 139-152.	1.8	600
3	Diabetic Nephropathy: Mechanisms of Renal Disease Progression. <i>Experimental Biology and Medicine</i> , 2008, 233, 4-11.	1.1	502
4	Innate immunity in diabetes and diabetic nephropathy. <i>Nature Reviews Nephrology</i> , 2016, 12, 13-26.	4.1	305
5	Identification and Characterization of Galectin-9, a Novel β -Galactoside-binding Mammalian Lectin. <i>Journal of Biological Chemistry</i> , 1997, 272, 6078-6086.	1.6	294
6	Intercellular Adhesion Molecule-1-Deficient Mice Are Resistant Against Renal Injury After Induction of Diabetes. <i>Diabetes</i> , 2003, 52, 2586-2593.	0.3	275
7	Long-Term Treatment with the Sodium Glucose Cotransporter 2 Inhibitor, Dapagliflozin, Ameliorates Glucose Homeostasis and Diabetic Nephropathy in db/db Mice. <i>PLoS ONE</i> , 2014, 9, e100777.	1.1	271
8	Developmental regulation, expression, and apoptotic potential of galectin-9, a beta-galactoside binding lectin.. <i>Journal of Clinical Investigation</i> , 1997, 99, 2452-2461.	3.9	242
9	Variations in the FTO gene are associated with severe obesity in the Japanese. <i>Journal of Human Genetics</i> , 2008, 53, 546-553.	1.1	219
10	Collectrin, a Collecting Duct-specific Transmembrane Glycoprotein, Is a Novel Homolog of ACE2 and Is Developmentally Regulated in Embryonic Kidneys. <i>Journal of Biological Chemistry</i> , 2001, 276, 17132-17139.	1.6	211
11	Serum Interleukin-18 Levels Are Associated With Nephropathy and Atherosclerosis in Japanese Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2005, 28, 2890-2895.	4.3	187
12	Thiazolidinedione ameliorates renal injury in experimental diabetic rats through anti-inflammatory effects mediated by inhibition of NF- κ B activation. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 292, F1141-F1150.	1.3	185
13	Gut microbiome-derived phenyl sulfate contributes to albuminuria in diabetic kidney disease. <i>Nature Communications</i> , 2019, 10, 1835.	5.8	173
14	Increased expression of endothelial cell nitric oxide synthase (ecNOS) in afferent and glomerular endothelial cells is involved in glomerular hyperfiltration of diabetic nephropathy. <i>Diabetologia</i> , 1998, 41, 1426-1434.	2.9	153
15	Advanced glycation end products-cytokine-nitric oxide sequence pathway in the development of diabetic nephropathy: aminoguanidine ameliorates the overexpression of tumour necrosis factor- α and inducible nitric oxide synthase in diabetic rat glomeruli. <i>Diabetologia</i> , 1999, 42, 878-886.	2.9	152
16	Vaspin: a novel serpin with insulin-sensitizing effects. <i>Expert Opinion on Investigational Drugs</i> , 2008, 17, 327-333.	1.9	142
17	The HNF-1 target Collectrin controls insulin exocytosis by SNARE complex formation. <i>Cell Metabolism</i> , 2005, 2, 373-384.	7.2	141
18	Identification of Circulating miR-101, miR-375 and miR-802 as Biomarkers for Type 2 Diabetes. <i>Metabolism: Clinical and Experimental</i> , 2015, 64, 489-497.	1.5	141

#	ARTICLE	IF	CITATIONS
19	HMG-CoA reductase inhibitor ameliorates diabetic nephropathy by its pleiotropic effects in rats. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 265-272.	0.4	128
20	Association between obesity and polymorphisms in SEC16B, TMEM18, GNPDA2, BDNF, FAIM2 and MC4R in a Japanese population. <i>Journal of Human Genetics</i> , 2009, 54, 727-731.	1.1	115
21	Clinical features of non-diabetic renal diseases in patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2005, 69, 237-242.	1.1	108
22	Vaspin Is an Adipokine Ameliorating ER Stress in Obesity as a Ligand for Cell-Surface GRP78/MTJ-1 Complex. <i>Diabetes</i> , 2012, 61, 2823-2832.	0.3	108
23	Hydrogen-rich water prevents progression of nonalcoholic steatohepatitis and accompanying hepatocarcinogenesis in mice. <i>Hepatology</i> , 2012, 56, 912-921.	3.6	104
24	Identification of genes specifically expressed in the accumulated visceral adipose tissue of OLETF rats. <i>Journal of Lipid Research</i> , 2000, 41, 1615-1622.	2.0	99
25	Thiazolidinediones Ameliorate Diabetic Nephropathy via Cell Cycle-Dependent Mechanisms. <i>Diabetes</i> , 2006, 55, 1666-1677.	0.3	93
26	Senolytic vaccination improves normal and pathological age-related phenotypes and increases lifespan in progeroid mice. <i>Nature Aging</i> , 2021, 1, 1117-1126.	5.3	87
27	Daily walking reduces visceral adipose tissue areas and improves insulin resistance in Japanese obese subjects. <i>Diabetes Research and Clinical Practice</i> , 2002, 58, 101-107.	1.1	86
28	Macrophage Scavenger Receptor-Deficient Mice Are Resistant Against Diabetic Nephropathy Through Amelioration of Microinflammation. <i>Diabetes</i> , 2007, 56, 363-372.	0.3	86
29	Glycated albumin levels predict long-term survival in diabetic patients undergoing haemodialysis. <i>Nephrology</i> , 2008, 13, 278-283.	0.7	85
30	Mitochondrial Dynamics and Mitochondrial Dysfunction in Diabetes. <i>Acta Medica Okayama</i> , 2016, 70, 151-8.	0.1	82
31	Efficacy of galectins in the amelioration of nephrotoxic serum nephritis in Wistar Kyoto rats. <i>Kidney International</i> , 2000, 58, 1941-1952.	2.6	80
32	Long-term use of vitamin E-coated polysulfone membrane reduces oxidative stress markers in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 2775-2782.	0.4	80
33	Enhanced interaction between focal adhesion and adherens junction proteins: Involvement in sphingosine 1-phosphate-induced endothelial barrier enhancement. <i>Microvascular Research</i> , 2009, 77, 304-313.	1.1	79
34	Methotrexate Prevents Renal Injury in Experimental Diabetic Rats via Anti-Inflammatory Actions. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 3326-3338.	3.0	78
35	Galectin-9 and T Cell Immunoglobulin Mucin-3 Pathway Is a Therapeutic Target for Type 1 Diabetes. <i>Endocrinology</i> , 2012, 153, 612-620.	1.4	78
36	Identification of genes specifically expressed in the accumulated visceral adipose tissue of OLETF rats. <i>Journal of Lipid Research</i> , 2000, 41, 1615-22.	2.0	78

#	ARTICLE	IF	CITATIONS
37	Icodextrin Increases Technique Survival Rate in Peritoneal Dialysis Patients with Diabetic Nephropathy by Improving Body Fluid Management: A Randomized Controlled Trial. <i>Clinical Journal of the American Society of Nephrology</i> ; CJASN, 2011, 6, 1337-1344.	2.2	77
38	Targeting angiogenesis and lymphangiogenesis in kidney disease. <i>Nature Reviews Nephrology</i> , 2020, 16, 289-303.	4.1	76
39	Update of extracellular matrix, its receptors, and cell adhesion molecules in mammalian nephrogenesis. <i>American Journal of Physiology - Renal Physiology</i> , 2004, 286, F202-F215.	1.3	75
40	Role of extracellular matrix, growth factors and proto-oncogenes in metanephric development. <i>Kidney International</i> , 1997, 52, 589-606.	2.6	73
41	Visceral Adipose Tissue-derived Serine Proteinase Inhibitor Inhibits Apoptosis of Endothelial Cells as a Ligand for the Cell-Surface GRP78/Voltage-dependent Anion Channel Complex. <i>Circulation Research</i> , 2013, 112, 771-780.	2.0	72
42	Cloning of mouse integrin alphaV cDNA and role of the alphaV-related matrix receptors in metanephric development.. <i>Journal of Cell Biology</i> , 1996, 132, 1161-1176.	2.3	69
43	Association of variations in the FTO, SLC3 and MTMR9 genes with metabolic syndrome in a Japanese population. <i>Journal of Human Genetics</i> , 2011, 56, 647-651.	1.1	69
44	Characterization of mammalian translocase of inner mitochondrial membrane (Tim44) isolated from diabetic newborn mouse kidney. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 144-149.	3.3	67
45	Therapeutic Approach for Diabetic Nephropathy Using Gene Delivery of Translocase of Inner Mitochondrial Membrane 44 by Reducing Mitochondrial Superoxide Production. <i>Journal of the American Society of Nephrology</i> ; JASN, 2006, 17, 1090-1101.	3.0	67
46	Rap1b GTPase Ameliorates Glucose-Induced Mitochondrial Dysfunction. <i>Journal of the American Society of Nephrology</i> ; JASN, 2008, 19, 2293-2301.	3.0	67
47	Inhibition of SGLT2 alleviates diabetic nephropathy by suppressing high glucose-induced oxidative stress in type 1 diabetic mice. <i>Pharmacology Research and Perspectives</i> , 2016, 4, e00239.	1.1	67
48	Deposition of Mannan Binding Protein and Mannan Binding Protein-Mediated Complement Activation in the Glomeruli of Patients with IgA Nephropathy. <i>Nephron</i> , 1998, 80, 408-413.	0.9	64
49	Gene expression profile in streptozotocin-induced diabetic mice kidneys undergoing glomerulosclerosis. <i>Kidney International</i> , 2001, 59, 1363-1373.	2.6	64
50	Activation of Peroxisome Proliferator-Activated Receptor γ Inhibits Streptozotocin-Induced Diabetic Nephropathy Through Anti-Inflammatory Mechanisms in Mice. <i>Diabetes</i> , 2011, 60, 960-968.	0.3	64
51	Clinical evaluation of muscle strength in 79-years-old obese Japanese. <i>Diabetes Research and Clinical Practice</i> , 2000, 48, 15-21.	1.1	63
52	Cloning of cDNA for the alpha subunit of mouse insulin-like growth factor I receptor and the role of the receptor in metanephric development.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 10360-10364.	3.3	61
53	Effect of an enhanced recovery after surgery protocol in patients undergoing pancreaticoduodenectomy: A randomized controlled trial. <i>Clinical Nutrition</i> , 2019, 38, 174-181.	2.3	61
54	Comparative Role of Phosphotyrosine Kinase Domains of c-ret Protooncogenes in Metanephric Development with Respect to Growth Factors and Matrix Morphogens. <i>Developmental Biology</i> , 1996, 178, 133-148.	0.9	57

#	ARTICLE	IF	CITATIONS
55	Serum Vaspin Concentrations Are Closely Related to Insulin Resistance, and rs77060950 at <i>SERPINA12</i> Genetically Defines Distinct Group with Higher Serum Levels in Japanese Population. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E1202-E1207.	1.8	57
56	In Vivo Delivery of Gremlin siRNA Plasmid Reveals Therapeutic Potential against Diabetic Nephropathy by Recovering Bone Morphogenetic Protein-7. <i>PLoS ONE</i> , 2010, 5, e11709.	1.1	55
57	Beneficial impact of Gpmb and its significance as a biomarker in nonalcoholic steatohepatitis. <i>Scientific Reports</i> , 2015, 5, 16920.	1.6	55
58	The Prevalence of Frailty and its Associated Factors in Japanese Hemodialysis Patients. , 2018, 9, 192.		55
59	Distribution of extracellular matrix receptors in various forms of glomerulonephritis. <i>American Journal of Kidney Diseases</i> , 1995, 25, 680-688.	2.1	54
60	Effect of vildagliptin, a dipeptidyl peptidase 4 inhibitor, on cardiac hypertrophy induced by chronic beta-adrenergic stimulation in rats. <i>Cardiovascular Diabetology</i> , 2014, 13, 43.	2.7	54
61	D-glucose-induced dysmorphogenesis of embryonic kidney.. <i>Journal of Clinical Investigation</i> , 1996, 98, 2478-2488.	3.9	54
62	Modulation of renal-specific oxidoreductase/myo-inositol oxygenase by high-glucose ambience. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 17952-17957.	3.3	53
63	Relationship between Metabolic Syndrome and Cigarette Smoking in the Japanese Population. <i>Internal Medicine</i> , 2006, 45, 1039-1043.	0.3	53
64	Serum galectin-9 levels are elevated in the patients with type 2 diabetes and chronic kidney disease. <i>BMC Nephrology</i> , 2013, 14, 23.	0.8	52
65	Identification of a renal-specific oxido-reductase in newborn diabetic mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 9896-9901.	3.3	51
66	Association of single-nucleotide polymorphisms in MTMR9 gene with obesity. <i>Human Molecular Genetics</i> , 2007, 16, 3017-3026.	1.4	51
67	Screening for genes up-regulated in 5/6 nephrectomized mouse kidney. <i>Kidney International</i> , 1999, 56, 549-558.	2.6	50
68	Urinary Fetuin-A Is a Novel Marker for Diabetic Nephropathy in Type 2 Diabetes Identified by Lectin Microarray. <i>PLoS ONE</i> , 2013, 8, e77118.	1.1	50
69	Nitric oxide system is involved in glomerular hyperfiltration in Japanese normo- and micro-albuminuric patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2001, 53, 149-159.	1.1	49
70	Identification of adipocyte adhesion molecule (ACAM), a novel CTX gene family, implicated in adipocyte maturation and development of obesity. <i>Biochemical Journal</i> , 2005, 387, 343-353.	1.7	49
71	Activation of Liver X Receptor Inhibits Osteopontin and Ameliorates Diabetic Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2012, 23, 1835-1846.	3.0	49
72	Risk factors for the development of glucocorticoid-induced diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2015, 108, 273-279.	1.1	49

#	ARTICLE	IF	CITATIONS
73	Anti-albuminuric effects of spironolactone in patients with type 2 diabetic nephropathy: a multicenter, randomized clinical trial. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 1098-1106.	0.7	49
74	The Role for HNF-1 β -Targeted Collectrin in Maintenance of Primary Cilia and Cell Polarity in Collecting Duct Cells. <i>PLoS ONE</i> , 2007, 2, e414.	1.1	48
75	Icodextrin Versus Glucose Solutions for the Once-Daily Long Dwell in Peritoneal Dialysis: An Enriched Systematic Review and Meta-analysis of Randomized Controlled Trials. <i>American Journal of Kidney Diseases</i> , 2020, 75, 830-846.	2.1	48
76	Antiangiogenic Therapy for Diabetic Nephropathy. <i>BioMed Research International</i> , 2017, 2017, 1-12.	0.9	47
77	Distribution and relevance of insulin-like growth factor-I receptor in metanephric development. <i>Kidney International</i> , 1993, 44, 1242-1250.	2.6	46
78	ANGPTL2 activity in cardiac pathologies accelerates heart failure by perturbing cardiac function and energy metabolism. <i>Nature Communications</i> , 2016, 7, 13016.	5.8	46
79	Relationship between reduced serum IGF-I levels and accumulation of visceral fat in Japanese men. <i>International Journal of Obesity</i> , 2002, 26, 361-369.	1.6	45
80	Multicentric Castleman's disease associated with glomerular microangiopathy and MPGN-like lesion: does vascular endothelial cell-derived growth factor play causative or protective roles in renal injury?. <i>American Journal of Kidney Diseases</i> , 2004, 43, e1.1-e1.7.	2.1	44
81	Cilostazol Attenuates Angiotensin II-Induced Abdominal Aortic Aneurysms but Not Atherosclerosis in Apolipoprotein E-Deficient Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018, 38, 903-912.	1.1	44
82	INSIG2 gene rs7566605 polymorphism is associated with severe obesity in Japanese. <i>Journal of Human Genetics</i> , 2008, 53, 857-862.	1.1	43
83	Insufficiency of phosphatidylethanolamine N-methyltransferase is risk for lean non-alcoholic steatohepatitis. <i>Scientific Reports</i> , 2016, 6, 21721.	1.6	42
84	Secretomes from Mesenchymal Stem Cells against Acute Kidney Injury: Possible Heterogeneity. <i>Stem Cells International</i> , 2018, 2018, 1-14.	1.2	42
85	Kidney Outcomes Associated With SGLT2 Inhibitors Versus Other Glucose-Lowering Drugs in Real-world Clinical Practice: The Japan Chronic Kidney Disease Database. <i>Diabetes Care</i> , 2021, 44, 2542-2551.	4.3	42
86	Re-evaluation of exercise prescription for Japanese type 2 diabetic patients by ventilatory threshold. <i>Diabetes Research and Clinical Practice</i> , 2000, 50, 109-115.	1.1	41
87	Cerebroside Sulfotransferase Deficiency Ameliorates L-selectin-dependent Monocyte Infiltration in the Kidney after Ureteral Obstruction. <i>Journal of Biological Chemistry</i> , 2004, 279, 2085-2090.	1.6	41
88	Gene Delivery of Tim44 Reduces Mitochondrial Superoxide Production and Ameliorates Neointimal Proliferation of Injured Carotid Artery in Diabetic Rats. <i>Diabetes</i> , 2005, 54, 2882-2890.	0.3	41
89	The effects of non-surgical periodontal treatment on glycemic control, oxidative stress balance and quality of life in patients with type 2 diabetes: A randomized clinical trial. <i>PLoS ONE</i> , 2017, 12, e0188171.	1.1	41
90	Changes in serum leptin concentrations in overweight Japanese men after exercise. <i>Diabetes, Obesity and Metabolism</i> , 2004, 6, 332-337.	2.2	40

#	ARTICLE	IF	CITATIONS
91	Galectin-9 Inhibits Glomerular Hypertrophy in db/db Diabetic Mice via Cell-Cycle-Dependent Mechanisms. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 3222-3234.	3.0	40
92	Functional Single-Nucleotide Polymorphisms in the Secretogranin III (SCG3) Gene that Form Secretory Granules with Appetite-Related Neuropeptides Are Associated with Obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 1145-1154.	1.8	40
93	Erythromycin ameliorates renal injury via anti-inflammatory effects in experimental diabetic rats. <i>Diabetologia</i> , 2005, 48, 2402-2411.	2.9	39
94	Current status of the treatment of microscopic polyangiitis and granulomatosis with polyangiitis in Japan. <i>Clinical and Experimental Nephrology</i> , 2013, 17, 51-58.	0.7	39
95	L-selectin and its ligands mediate infiltration of mononuclear cells into kidney interstitium after ureteric obstruction. , 1999, 188, 93-99.		38
96	Genetic variations in the CYP17A1 and NT5C2 genes are associated with a reduction in visceral and subcutaneous fat areas in Japanese women. <i>Journal of Human Genetics</i> , 2012, 57, 46-51.	1.1	38
97	Downregulation of miR-200a-3p, Targeting CtBP2 Complex, Is Involved in the Hypoproduction of IL-2 in Systemic Lupus Erythematosus-Derived T Cells. <i>Journal of Immunology</i> , 2017, 198, 4268-4276.	0.4	37
98	Representational difference analysis of cDNA of genes expressed in embryonic kidney. <i>Kidney International</i> , 1997, 51, 1629-1638.	2.6	36
99	Glomerular cell apoptosis in human lupus nephritis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2003, 443, 67-77.	1.4	36
100	Elevated Serum Monocyte Chemoattractant Protein-4 and Chronic Inflammation in Overweight Subjects. <i>Obesity</i> , 2006, 14, 799-811.	1.5	36
101	Polymorphisms in NRXN3, TFAP2B, MSRA, LYPLAL1, FTO and MC4R and their effect on visceral fat area in the Japanese population. <i>Journal of Human Genetics</i> , 2010, 55, 738-742.	1.1	36
102	Cloning of murine membrane-type-1-matrix metalloproteinase (MT-1-MMP) and its metanephric developmental regulation with respect to MMP-2 and its inhibitor. <i>Kidney International</i> , 1998, 54, 131-142.	2.6	35
103	Daily exercise lowers blood pressure and reduces visceral adipose tissue areas in overweight Japanese men. <i>Diabetes Research and Clinical Practice</i> , 2003, 62, 149-157.	1.1	35
104	Abdominal aortic aneurysm in aged population. <i>Aging</i> , 2018, 10, 3650-3651.	1.4	35
105	Therapeutic effects of prostacyclin analog on crescentic glomerulonephritis of rat. <i>Kidney International</i> , 1998, 53, 1314-1320.	2.6	33
106	Tubulointerstitial nephritis antigen: An extracellular matrix protein that selectively regulates tubulogenesis vs. glomerulogenesis during mammalian renal development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 11323-11328.	3.3	33
107	Pathological Roles of Advanced Glycation End Product Receptors SR-A and CD36. <i>Annals of the New York Academy of Sciences</i> , 2005, 1043, 671-675.	1.8	33
108	P-Selectin Glycoprotein Ligand-1 Deficiency Is Protective Against Obesity-Related Insulin Resistance. <i>Diabetes</i> , 2011, 60, 189-199.	0.3	33

#	ARTICLE	IF	CITATIONS
109	Role of membrane-type matrix metalloproteinase 1 (MT-1-MMP), MMP-2, and its inhibitor in nephrogenesis. <i>American Journal of Physiology - Renal Physiology</i> , 1999, 277, F934-F947.	1.3	32
110	STATUS OF GLUCOSE TRANSPORTERS IN THE MAMMALIAN KIDNEY AND RENAL DEVELOPMENT. <i>Renal Failure</i> , 2001, 23, 301-310.	0.8	32
111	Pathogenesis of IgA nephropathy. <i>Seminars in Nephrology</i> , 2003, 23, 556-563.	0.6	32
112	Urinary PGDS levels are associated with vascular injury in type 2 diabetes patients. <i>Diabetes Research and Clinical Practice</i> , 2007, 76, 358-367.	1.1	31
113	The Protective Effect of Chlorogenic Acid on Vascular Senescence via the Nrf2/HO-1 Pathway. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4527.	1.8	31
114	Conditions, pathogenesis, and progression of diabetic kidney disease and early decliner in Japan. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e000902.	1.2	31
115	Localization of Fibril/Microfibril and Basement Membrane Collagens in Diabetic Glomerulosclerosis in Type 2 Diabetes. <i>Diabetic Medicine</i> , 1994, 11, 304-311.	1.2	30
116	The role of adrenomedullin and receptors in glomerular hyperfiltration in streptozotocin-induced diabetic rats. <i>Kidney International</i> , 2004, 65, 540-550.	2.6	30
117	Hyperglycemia: its imminent effects on mammalian nephrogenesis. <i>Pediatric Nephrology</i> , 2005, 20, 858-866.	0.9	30
118	High Glucose Increases Metallothionein Expression in Renal Proximal Tubular Epithelial Cells. <i>Experimental Diabetes Research</i> , 2011, 2011, 1-8.	3.8	30
119	The effects of telmisartan treatment on the abdominal fat depot in patients with metabolic syndrome and essential hypertension: Abdominal fat Depot Intervention Program of Okayama (ADIPO). <i>Diabetes and Vascular Disease Research</i> , 2013, 10, 93-96.	0.9	30
120	Estrogen-related receptor β is essential for maintaining mitochondrial integrity in cisplatin-induced acute kidney injury. <i>Biochemical and Biophysical Research Communications</i> , 2018, 498, 918-924.	1.0	30
121	Successful use of cyclosporin A for the treatment of acute interstitial pneumonitis associated with rheumatoid arthritis. <i>Rheumatology</i> , 2000, 39, 1422-1424.	0.9	29
122	Beraprost sodium, prostacyclin analogue, attenuates glomerular hyperfiltration and glomerular macrophage infiltration by modulating ecNOS expression in diabetic rats. <i>Diabetes Research and Clinical Practice</i> , 2002, 57, 149-161.	1.1	29
123	Gene expression and identification of gene therapy targets in diabetic nephropathy. <i>Kidney International</i> , 2002, 61, S73-S78.	2.6	29
124	Cloning of mouse c-ros renal cDNA, its role in development and relationship to extracellular matrix glycoproteins. <i>Kidney International</i> , 1995, 48, 1646-1659.	2.6	28
125	Cloning of Rat Fibrillin-2 cDNA and Its Role in Branching Morphogenesis of Embryonic Lung. <i>Developmental Biology</i> , 1999, 212, 229-242.	0.9	28
126	Imprinted mesodermal specific transcript (MEST) and H19 genes in renal development and diabetes. <i>Kidney International</i> , 2003, 63, 1658-1670.	2.6	28

#	ARTICLE	IF	CITATIONS
127	Dysfunction of CD8 ⁺ PD-1 ⁺ T cells in type 2 diabetes caused by the impairment of metabolism-immune axis. <i>Scientific Reports</i> , 2020, 10, 14928.	1.6	28
128	Remission and Regression of Diabetic Nephropathy. <i>Hypertension Research</i> , 2003, 26, 515-519.	1.5	27
129	Comparison of serum uric acid levels between Japanese with and without metabolic syndrome. <i>Diabetes Research and Clinical Practice</i> , 2008, 80, e1-e5.	1.1	27
130	Immunomodulatory and Regenerative Effects of Mesenchymal Stem Cell-Derived Extracellular Vesicles in Renal Diseases. <i>International Journal of Molecular Sciences</i> , 2020, 21, 756.	1.8	27
131	Collectrin Is Involved in the Development of Salt-Sensitive Hypertension by Facilitating the Membrane Trafficking of Apical Membrane Proteins via Interaction With Soluble <i>N</i> -Ethylmaleimide-Sensitive Factor Attachment Protein Receptor Complex. <i>Circulation</i> , 2008, 118, 2146-2155.	1.6	26
132	Telmisartan Attenuates Diabetic Nephropathy by Suppressing Oxidative Stress in <i>db/db</i> Mice. <i>Nephron Experimental Nephrology</i> , 2013, 121, e97-e108.	2.4	26
133	Role of <i>Lgals9</i> Deficiency in Attenuating Nephritis and Arthritis in <i>BALB/c</i> Mice in a Pristane-Induced Lupus Model. <i>Arthritis and Rheumatology</i> , 2018, 70, 1089-1101.	2.9	26
134	Incretins modulate progesterone biosynthesis by regulating bone morphogenetic protein activity in rat granulosa cells. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2018, 178, 82-88.	1.2	26
135	The Critical Role of Src Homology Domain 2-Containing Tyrosine Phosphatase-1 in Recombinant Human Erythropoietin Hyporesponsive Anemia in Chronic Hemodialysis Patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 3215-3224.	3.0	25
136	Changes of gene expression profiles in macrophages stimulated by angiotensin II "Angiotensin II induces MCP-2 through AT1-receptor. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2007, 8, 45-50.	1.0	25
137	Chronic kidney disease is associated with carotid atherosclerosis and symptomatic ischaemic stroke. <i>Journal of International Medical Research</i> , 2018, 46, 3873-3883.	0.4	25
138	Computed tomography analysis of the association between the SH2B1 rs7498665 single-nucleotide polymorphism and visceral fat area. <i>Journal of Human Genetics</i> , 2011, 56, 716-719.	1.1	24
139	Glycoprotein nonmetastatic melanoma protein B regulates lysosomal integrity and lifespan of senescent cells. <i>Scientific Reports</i> , 2022, 12, 6522.	1.6	24
140	Isolation and Functional Analysis of Mouse Uba52 Gene and Its Relevance to Diabetic Nephropathy. <i>Journal of Biological Chemistry</i> , 2002, 277, 29953-29962.	1.6	23
141	Serum bFGF levels are reduced in Japanese overweight men and restored by a 6-month exercise education. <i>International Journal of Obesity</i> , 2003, 27, 1325-1331.	1.6	23
142	Association between type 2 diabetes genetic susceptibility loci and visceral and subcutaneous fat area as determined by computed tomography. <i>Journal of Human Genetics</i> , 2012, 57, 305-310.	1.1	23
143	Structural design and synthesis of arylalkynyl amide-type peroxisome proliferator-activated receptor β (PPAR β)-selective antagonists based on the helix12-folding inhibition hypothesis. <i>European Journal of Medicinal Chemistry</i> , 2015, 90, 53-67.	2.6	23
144	Prognostic factors of methotrexate-associated lymphoproliferative disorders associated with rheumatoid arthritis and plausible application of biological agents. <i>Modern Rheumatology</i> , 2017, 27, 773-777.	0.9	23

#	ARTICLE	IF	CITATIONS
145	Inhibitory Effects of Tofogliflozin on Cardiac Hypertrophy in Dahl Salt-Sensitive and Salt-Resistant Rats Fed a High-Fat Diet. <i>International Heart Journal</i> , 2019, 60, 728-735.	0.5	23
146	Minimal Change Nephrotic Syndrome Developing during Postoperative Interferon-Beta Therapy for Malignant Melanoma. <i>Nephron</i> , 2002, 90, 498-500.	0.9	22
147	Melatonin regulates catecholamine biosynthesis by modulating bone morphogenetic protein and glucocorticoid actions. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2017, 165, 182-189.	1.2	22
148	Nodular lesions in diabetic nephropathy: Collagen staining and renal prognosis. <i>Diabetes Research and Clinical Practice</i> , 2017, 127, 187-197.	1.1	22
149	Malignant Hypertension with a Rare Complication of Pulmonary Alveolar Hemorrhage. <i>American Journal of Nephrology</i> , 2000, 20, 64-67.	1.4	21
150	Cognitive and affective functions in diabetic patients associated with diabetes-related factors, white matter abnormality and aging. <i>European Journal of Neurology</i> , 2015, 22, 313-321.	1.7	21
151	Endogenous Antiangiogenic Factors in Chronic Kidney Disease: Potential Biomarkers of Progression. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1859.	1.8	21
152	Sodium Glucose Co-Transporter 2 Inhibitor Ameliorates Autophagic Flux Impairment on Renal Proximal Tubular Cells in Obesity Mice. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4054.	1.8	21
153	Relevance of extracellular matrix, its receptors, and cell adhesion molecules in mammalian nephrogenesis. <i>American Journal of Physiology - Renal Physiology</i> , 1998, 275, F467-F477.	1.3	20
154	Collectrin, a homologue of ACE2, its transcriptional control and functional perspectives. <i>Biochemical and Biophysical Research Communications</i> , 2007, 363, 1-5.	1.0	20
155	Metallothionein deficiency exacerbates diabetic nephropathy in streptozotocin-induced diabetic mice. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 306, F105-F115.	1.3	20
156	Translocase of inner mitochondrial membrane 44 alters the mitochondrial fusion and fission dynamics and protects from type 2 diabetes. <i>Metabolism: Clinical and Experimental</i> , 2015, 64, 677-688.	1.5	20
157	Risk Factors for the Requirement of Antenatal Insulin Treatment in Gestational Diabetes Mellitus. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-6.	1.0	20
158	Diabetic nephropathy is associated with frailty in patients with chronic hemodialysis. <i>Geriatrics and Gerontology International</i> , 2018, 18, 1597-1602.	0.7	20
159	Podocyte autophagy is associated with foot process effacement and proteinuria in patients with minimal change nephrotic syndrome. <i>PLoS ONE</i> , 2020, 15, e0228337.	1.1	20
160	Preventive effect of sulphated colominic acid on P-selectin-dependent infiltration of macrophages in experimentally induced crescentic glomerulonephritis. <i>Clinical and Experimental Immunology</i> , 2002, 129, 43-53.	1.1	19
161	RXR antagonism induces G ₀ /G ₁ cell cycle arrest and ameliorates obesity by up-regulating the p53-p21 ^{Cip1} pathway in adipocytes. <i>Journal of Pathology</i> , 2012, 226, 784-795.	2.1	19
162	Renal expression of trefoil factor 3 mRNA in association with tubulointerstitial fibrosis in IgA nephropathy. <i>Nephrology</i> , 2018, 23, 855-862.	0.7	19

#	ARTICLE	IF	CITATIONS
163	Deep Learning Could Diagnose Diabetic Nephropathy with Renal Pathological Immunofluorescent Images. <i>Diagnostics</i> , 2020, 10, 466.	1.3	19
164	The Critical Role of Intercellular Adhesion Molecule-1 in Masugi Nephritis in Rats. <i>Nephron</i> , 1996, 73, 264-272.	0.6	18
165	The possible involvement of intestine-derived IgA1: a case of IgA nephropathy associated with Crohn's disease. <i>BMC Nephrology</i> , 2016, 17, 122.	0.8	18
166	Differential Distribution of Insulin-Like Growth Factor-1 and Insulin-Like Growth Factor Binding Proteins in Experimental Diabetic Rat Kidney. <i>Nephron</i> , 1999, 81, 317-323.	0.9	17
167	Cyanotic congenital heart disease associated with glomerulomegaly and focal segmental glomerulosclerosis: remission of nephrotic syndrome with angiotensin converting enzyme inhibitor. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 144-147.	0.4	17
168	Comparison of ventilatory threshold and exercise habits between Japanese men with and without metabolic syndrome. <i>Diabetes Research and Clinical Practice</i> , 2007, 77, 314-319.	1.1	17
169	Peripheral artery disease is associated with frailty in chronic hemodialysis patients. <i>Vascular</i> , 2018, 26, 425-431.	0.4	17
170	Refractory Takayasu arteritis responding to the oral Janus kinase inhibitor, tofacitinib. <i>Rheumatology Advances in Practice</i> , 2020, 4, rkz050.	0.3	17
171	MicroRNAs as Biomarkers for Nephrotic Syndrome. <i>International Journal of Molecular Sciences</i> , 2021, 22, 88.	1.8	17
172	Identification of up-regulated Ras-like GTPase, Rap1b, by suppression subtractive hybridization. <i>Kidney International</i> , 2001, 60, 2129-2141.	2.6	16
173	Effects of icodextrin peritoneal dialysis solution on the peritoneal membrane in the STZ-induced diabetic rat model with partial nephrectomy. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 1479-1488.	0.4	16
174	Comparison of Insulin Detemir and Insulin Glargine on Glycemic Variability in Patients with Type 1 and Type 2 Diabetes. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2010, 118, 320-324.	0.6	16
175	Discovery of Genes Related to Diabetic Nephropathy in Various Animal Models by Current Techniques. <i>Contributions To Nephrology</i> , 2011, 169, 161-174.	1.1	16
176	<i>NUDT3</i> rs206936 is associated with body mass index in obese Japanese women. <i>Endocrine Journal</i> , 2013, 60, 991-1000.	0.7	16
177	Replication Study of 15 Recently Published Loci for Body Fat Distribution in the Japanese Population. <i>Journal of Atherosclerosis and Thrombosis</i> , 2013, 20, 336-350.	0.9	16
178	Pemt Deficiency Ameliorates Endoplasmic Reticulum Stress in Diabetic Nephropathy. <i>PLoS ONE</i> , 2014, 9, e92647.	1.1	16
179	Sustained Tubulointerstitial Inflammation in Kidney with Severe Leptospirosis. <i>Internal Medicine</i> , 2017, 56, 1179-1184.	0.3	16
180	Deletion of pro-angiogenic factor vasohibin-2 ameliorates glomerular alterations in a mouse diabetic nephropathy model. <i>PLoS ONE</i> , 2018, 13, e0195779.	1.1	16

#	ARTICLE	IF	CITATIONS
181	Involvement of MAPKs in ICAM-1 expression in glomerular endothelial cells in diabetic nephropathy. <i>Acta Medica Okayama</i> , 2011, 65, 247-57.	0.1	16
182	Trophic effect of insulin-like growth factor-I on metanephric development: relationship to proteoglycans. <i>European Journal of Cell Biology</i> , 1994, 65, 378-91.	1.6	16
183	Developmental regulation and partial-length cloning of tubulointerstitial nephritis antigen of murine metanephros. <i>Kidney International</i> , 1997, 52, 620-627.	2.6	15
184	Signaling Transduction Pathway of Angiotensin II in Human Mesangial Cells: Mediation of Focal Adhesion and GTPase Activating Proteins. <i>Biochemical and Biophysical Research Communications</i> , 1999, 257, 234-238.	1.0	15
185	RELEVANCE OF ALDO-KETO REDUCTASE FAMILY MEMBERS TO THE PATHOBIOLOGY OF DIABETIC NEPHROPATHY AND RENAL DEVELOPMENT. <i>Renal Failure</i> , 2001, 23, 311-320.	0.8	15
186	Chronic Kidney Disease Is Positively and Diabetes Mellitus Is Negatively Associated with Abdominal Aortic Aneurysm. <i>PLoS ONE</i> , 2016, 11, e0164015.	1.1	15
187	Antiobesity Action of ACAM by Modulating the Dynamics of Cell Adhesion and Actin Polymerization in Adipocytes. <i>Diabetes</i> , 2016, 65, 1255-1267.	0.3	15
188	Anti-high Mobility Group Box 1 Antibody Ameliorates Albuminuria in MRL/lpr Lupus-Prone Mice. <i>Molecular Therapy - Methods and Clinical Development</i> , 2017, 6, 31-39.	1.8	15
189	Serum cystatin C is an independent biomarker associated with the renal resistive index in patients with chronic kidney disease. <i>PLoS ONE</i> , 2018, 13, e0193695.	1.1	15
190	GPIHBP1 autoantibody syndrome during interferon β 21a treatment. <i>Journal of Clinical Lipidology</i> , 2019, 13, 62-69.	0.6	15
191	Comparison of muscle strength between Japanese men with and without metabolic syndrome. <i>Acta Medica Okayama</i> , 2007, 61, 99-102.	0.1	15
192	Relationship between Metabolic Syndrome and Proteinuria in the Japanese Population. <i>Internal Medicine</i> , 2006, 45, 599-603.	0.3	14
193	Impact of circulating vaspin levels on metabolic variables in elderly twins. <i>Diabetologia</i> , 2012, 55, 530-532.	2.9	14
194	<i>CDH13</i> Polymorphisms are Associated with Adiponectin Levels and Metabolic Syndrome Traits Independently of Visceral Fat Mass. <i>Journal of Atherosclerosis and Thrombosis</i> , 2016, 23, 309-319.	0.9	14
195	Urine Trefoil Factors as Prognostic Biomarkers in Chronic Kidney Disease. <i>BioMed Research International</i> , 2018, 2018, 1-11.	0.9	14
196	Dynamin 1 is important for microtubule organization and stabilization in glomerular podocytes. <i>FASEB Journal</i> , 2020, 34, 16449-16463.	0.2	14
197	Paratubular basement membrane insudative lesions predict renal prognosis in patients with type 2 diabetes and biopsy-proven diabetic nephropathy. <i>PLoS ONE</i> , 2017, 12, e0183190.	1.1	14
198	Protective effect of a novel and selective inhibitor of inducible nitric oxide synthase on experimental crescentic glomerulonephritis in WKY rats. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 2117-2121.	0.4	13

#	ARTICLE	IF	CITATIONS
199	Therapeutic effect of sulphated hyaluronic acid, a potential selectin-blocking agent, on experimental progressive mesangial proliferative glomerulonephritis. <i>Journal of Pathology</i> , 2002, 198, 407-414.	2.1	13
200	The serum vaspin levels are reduced in Japanese chronic hemodialysis patients. <i>BMC Nephrology</i> , 2012, 13, 163.	0.8	13
201	Long-term effect of cinacalcet hydrochloride on abdominal aortic calcification in patients on hemodialysis with secondary hyperparathyroidism. <i>International Journal of Nephrology and Renovascular Disease</i> , 2013, 7, 25.	0.8	13
202	Nuclear Hormone Receptor Expression in Mouse Kidney and Renal Cell Lines. <i>PLoS ONE</i> , 2014, 9, e85594.	1.1	13
203	The efficacy of add-on tacrolimus for minor flare in patients with systemic lupus erythematosus: a retrospective study. <i>Lupus</i> , 2016, 25, 54-60.	0.8	13
204	Identification of Novel Urinary Biomarkers for Predicting Renal Prognosis in Patients With Type 2 Diabetes by Glycan Profiling in a Multicenter Prospective Cohort Study: U-CARE Study 1. <i>Diabetes Care</i> , 2018, 41, 1765-1775.	4.3	13
205	Acute idiopathic blue fingers: a young man with Achenbach's syndrome. <i>BMJ Case Reports</i> , 2016, 2016, bcr2016214491.	0.2	13
206	Renal-specific oxidoreductase biphasic expression under high glucose ambience during fetal versus neonatal development. <i>Kidney International</i> , 2005, 68, 1670-1683.	2.6	12
207	Procollagen C-proteinase enhancer-1 (PCPE-1) interacts with Î²2-microglobulin (Î²2-m) and may help initiate Î²2-m amyloid fibril formation in connective tissues. <i>Matrix Biology</i> , 2008, 27, 211-219.	1.5	12
208	The Successful Treatment of Refractory Polyarteritis Nodosa Using Infliximab. <i>Internal Medicine</i> , 2017, 56, 1435-1438.	0.3	12
209	Semaphorin3A-Inhibitor Ameliorates Doxorubicin-Induced Podocyte Injury. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4099.	1.8	12
210	Sodiumâ€“Glucose Cotransporter 2 Inhibitors Work as a â€œRegulatorâ€œ of Autophagic Activity in Overnutrition Diseases. <i>Frontiers in Pharmacology</i> , 2021, 12, 761842.	1.6	12
211	Galectins, galactoside-binding mammalian lectins: clinical application of multi-functional proteins. <i>Acta Medica Okayama</i> , 2001, 55, 11-7.	0.1	12
212	Identification of developmentally regulated mesodermal-specific transcript in mouse embryonic metanephros. <i>American Journal of Physiology - Renal Physiology</i> , 2002, 282, F953-F965.	1.3	11
213	Cell Biology of Diabetic Kidney Disease. <i>Nephron Experimental Nephrology</i> , 2005, 101, e100-e110.	2.4	11
214	Endothelial barrier protection by FTY720 under hyperglycemic condition: involvement of focal adhesion kinase, small GTPases, and adherens junction proteins. <i>American Journal of Physiology - Cell Physiology</i> , 2009, 297, C945-C954.	2.1	11
215	Peramivir for Severe Influenza Infection in a Patient with Diabetic Nephropathy. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2010, 182, 1209-1210.	2.5	11
216	Arterial Stiffness is an Independent Risk Factor for Anemia After Percutaneous Native Kidney Biopsy. <i>Kidney and Blood Pressure Research</i> , 2017, 42, 284-293.	0.9	11

#	ARTICLE	IF	CITATIONS
217	Capnocytophaga canimorsus peritonitis diagnosed by mass spectrometry in a diabetic patient undergoing peritoneal dialysis: a case report. BMC Nephrology, 2019, 20, 219.	0.8	11
218	Urine 5MedC, a Marker of DNA Methylation, in the Progression of Chronic Kidney Disease. Disease Markers, 2019, 2019, 1-10.	0.6	11
219	Renal tubular injury exacerbated by vasohibin-1 deficiency in a murine cisplatin-induced acute kidney injury model. American Journal of Physiology - Renal Physiology, 2019, 317, F264-F274.	1.3	11
220	Nivolumab-induced IgA nephropathy in a patient with advanced gastric cancer. Medicine (United Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.4	11
221	Association of glucocorticoid doses and emotional health in lupus low disease activity state (LLDAS): a cross-sectional study. Arthritis Research and Therapy, 2021, 23, 79.	1.6	11
222	Fisetin Attenuates Lipopolysaccharide-Induced Inflammatory Responses in Macrophage. BioMed Research International, 2021, 2021, 1-8.	0.9	11
223	The macrophage is a key factor in renal injuries caused by glomerular hyperfiltration. Acta Medica Okayama, 2011, 65, 81-9.	0.1	11
224	Isolation of rat fibrillin-1 cDNA and its relevance in metanephric development. American Journal of Physiology - Renal Physiology, 1998, 275, F710-F723.	1.3	10
225	Historical chronology of basic and clinical research in diabetic nephropathy and contributions of Japanese scientists. Clinical and Experimental Nephrology, 2009, 13, 405-414.	0.7	10
226	Anti-SS-A/Ro antibody positivity as a risk factor for relapse in patients with polymyositis/dermatomyositis. Modern Rheumatology, 2018, 28, 141-146.	0.9	10
227	Regulation of Cathepsin E gene expression by the transcription factor Kaiso in MRL/lpr mice derived CD4+ T cells. Scientific Reports, 2019, 9, 3054.	1.6	10
228	Development of Hypertrophic Pachymeningitis in a Patient With Antineutrophil Cytoplasmic Antibodyâ€“Negative Eosinophilic Granulomatosis With Polyangiitis. Journal of Clinical Rheumatology, 2019, 25, e61-e61.	0.5	10
229	Risk of higher dose methotrexate for renal impairment in patients with rheumatoid arthritis. Scientific Reports, 2020, 10, 18715.	1.6	10
230	Deletion of Mir223 Exacerbates Lupus Nephritis by Targeting S1pr1 in Faslpr/lpr Mice. Frontiers in Immunology, 2020, 11, 616141.	2.2	10
231	A retrospective observational study of glucocorticoid-induced diabetes mellitus with IgA nephropathy treated with tonsillectomy plus methylprednisolone pulse therapy. PLoS ONE, 2017, 12, e0178018.	1.1	10
232	Emphysematous cystitis in a patient with type 2 diabetes mellitus. Acta Medica Okayama, 2011, 65, 129-33.	0.1	10
233	A Case of Membranous Nephropathy Associated with Psoriasis vulgaris. Nephron, 1998, 80, 111-112.	0.9	9
234	Fatal Hyperammonemia in a Patient with Systemic Lupus Erythematosus.. Internal Medicine, 1998, 37, 700-703.	0.3	9

#	ARTICLE	IF	CITATIONS
235	Relevance of renal-specific oxidoreductase in tubulogenesis during mammalian nephron development. <i>American Journal of Physiology - Renal Physiology</i> , 2002, 282, F752-F762.	1.3	9
236	Successful treatment of necrotizing fasciitis associated with diabetic nephropathy. <i>Diabetes Research and Clinical Practice</i> , 2003, 60, 213-216.	1.1	9
237	Gene Regulation of Aldose-, Aldehyde- and a Renal Specific Oxido Reductase (RSOR) in the Pathobiology of Diabetes Mellitus. <i>Current Medicinal Chemistry</i> , 2003, 10, 1399-1406.	1.2	9
238	Serum-inducible protein (IP)-10 is a disease progression-related marker for non-alcoholic fatty liver disease. <i>Hepatology International</i> , 2017, 11, 115-124.	1.9	9
239	The <i>KCNQ1</i> gene polymorphism as a shared genetic risk for rheumatoid arthritis and chronic periodontitis in Japanese adults: A pilot case-control study. <i>Journal of Periodontology</i> , 2018, 89, 315-324.	1.7	9
240	Cluster Analysis Using Anti-Aminoacyl-tRNA Synthetases and SS-A/Ro52 antibodies in Patients With Polymyositis/Dermatomyositis. <i>Journal of Clinical Rheumatology</i> , 2019, 25, 246-251.	0.5	9
241	Novel urinary glycan profiling by lectin array serves as the biomarkers for predicting renal prognosis in patients with IgA nephropathy. <i>Scientific Reports</i> , 2021, 11, 3394.	1.6	9
242	Adipocyte-Specific Inhibition of Mir221/222 Ameliorates Diet-Induced Obesity Through Targeting Ddit4. <i>Frontiers in Endocrinology</i> , 2021, 12, 750261.	1.5	9
243	Bilateral dystonia in type 1 diabetes: a case report. <i>Journal of Medical Case Reports</i> , 2008, 2, 352.	0.4	8
244	Urinary angiotensinogen is a marker for tubular injuries in patients with type 2 diabetes. <i>International Journal of Nephrology and Renovascular Disease</i> , 2013, 6, 233.	0.8	8
245	Bilateral Abducens Nerve Palsy due to Idiopathic Intracranial Hypertension as an Initial Manifestation of Systemic Lupus Erythematosus. <i>Internal Medicine</i> , 2016, 55, 991-994.	0.3	8
246	Acquired partial lipodystrophy as graft-versus-host disease and treatment with metreleptin: two case reports. <i>Journal of Medical Case Reports</i> , 2018, 12, 368.	0.4	8
247	Orexin A modulates prolactin production by regulating BMP-4 activity in rat pituitary lactotrope cells. <i>Peptides</i> , 2019, 113, 35-40.	1.2	8
248	Exogenous Vasohibin-2 Exacerbates Angiotensin II-Induced Ascending Aortic Dilation in Mice. <i>Circulation Reports</i> , 2019, 1, 155-161.	0.4	8
249	Renal Gene Expression in Embryonic and Newborn Diabetic Mice. <i>Nephron Experimental Nephrology</i> , 2002, 10, 130-138.	2.4	7
250	A case of congenital generalized lipodystrophy with lipodystrophic diabetes developing anti-insulin antibodies. <i>Diabetic Medicine</i> , 2002, 19, 794-795.	1.2	7
251	Edaravone mimics sphingosine-1-phosphate-induced endothelial barrier enhancement in human microvascular endothelial cells. <i>American Journal of Physiology - Cell Physiology</i> , 2007, 293, C1523-C1531.	2.1	7
252	Screening of 336 single-nucleotide polymorphisms in 85 obesity-related genes revealed McKusick-Kaufman syndrome gene variants are associated with metabolic syndrome. <i>Journal of Human Genetics</i> , 2009, 54, 230-235.	1.1	7

#	ARTICLE	IF	CITATIONS
253	Case of emphysematous cholecystitis in a patient with type 2 diabetes mellitus associated with schizophrenia. <i>Journal of Diabetes Investigation</i> , 2012, 3, 534-535.	1.1	7
254	Sarcoid-like lung granulomas in a hemodialysis patient treated with a dipeptidyl peptidase-4 inhibitor. <i>CKJ: Clinical Kidney Journal</i> , 2014, 7, 182-185.	1.4	7
255	Regulatory role of melatonin and BMP-4 in prolactin production by rat pituitary lactotrope GH3 cells. <i>Peptides</i> , 2017, 94, 19-24.	1.2	7
256	Occurrence of Dermatomyositis Immediately after Mastectomy Subsequent to Severe Chemotherapeutic Drug Eruption. <i>Internal Medicine</i> , 2017, 56, 3379-3383.	0.3	7
257	The clinical efficacy of angiotensin II type1 receptor blockers on inflammatory markers in patients with hypertension: a multicenter randomized-controlled trial; MUSCAT-3 study. <i>Biomarkers</i> , 2019, 24, 255-261.	0.9	7
258	The relationship between repeated measurement of casual and 24-h urinary sodium-to-potassium ratio in patients with chronic kidney disease. <i>Journal of Human Hypertension</i> , 2019, 33, 286-297.	1.0	7
259	The hypoglycemia-prevention effect of sensor-augmented pump therapy with predictive low glucose management in Japanese patients with type 1 diabetes mellitus: a short-term study. <i>Diabetology International</i> , 2020, 11, 97-104.	0.7	7
260	A Vaspin-HSPA1L complex protects proximal tubular cells from organelle stress in diabetic kidney disease. <i>Communications Biology</i> , 2021, 4, 373.	2.0	7
261	RUNX2 Phosphorylation by Tyrosine Kinase ABL Promotes Breast Cancer Invasion. <i>Frontiers in Oncology</i> , 2021, 11, 665273.	1.3	7
262	Inhibition of interleukin-6 signaling attenuates aortitis, left ventricular hypertrophy and arthritis in interleukin-1 receptor antagonist deficient mice. <i>Clinical Science</i> , 2020, 134, 2771-2787.	1.8	7
263	Semaphorin3A inhibitor ameliorates renal fibrosis through the regulation of JNK signaling. <i>American Journal of Physiology - Renal Physiology</i> , 2021, 321, F740-F756.	1.3	7
264	Bcl-2 expression and apoptosis in nephrotoxic nephritis. <i>Experimental Nephrology</i> , 1997, 5, 481-9.	0.4	7
265	Increased Urinary Excretion of Macrophage-Colony-Stimulating Factor (M-CSF) in Patients with IgA Nephropathy: Tonsil Stimulation Enhances Urinary M-CSF Excretion. <i>Nephron</i> , 1999, 81, 264-270.	0.9	6
266	Relevance of extracellular matrix and its receptors in mammalian nephrogenesis revealed by metanephric organ culture system. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 75-77.	0.4	6
267	Pelvic lymphocyst infection associated with maternally inherited diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2003, 61, 137-141.	1.1	6
268	Hemophagocytic Syndrome Associated with Fatal Veno-Occlusive Disease in the Liver. <i>Internal Medicine</i> , 2007, 46, 495-500.	0.3	6
269	Development of intracerebral hemorrhage in the short-term clinical course of a patient with microscopic polyangiitis without neurological symptoms at diagnosis: an autopsy case. <i>CEN Case Reports</i> , 2016, 5, 173-178.	0.5	6
270	Practical efficacy of olmesartan versus azilsartan in patients with hypertension. <i>Blood Pressure Monitoring</i> , 2017, 22, 59-67.	0.4	6

#	ARTICLE	IF	CITATIONS
271	Central Diabetes Insipidus in Refractory Antineutrophil Cytoplasmic Antibody-associated Vasculitis. <i>Internal Medicine</i> , 2017, 56, 2943-2948.	0.3	6
272	Refractory neuromyelitis optica spectrum disorder in systemic lupus erythematosus successfully treated with rituximab. <i>Lupus</i> , 2018, 27, 1374-1377.	0.8	6
273	High calcium enhances the expression of double-stranded RNA sensors and antiviral activity in epidermal keratinocytes. <i>Experimental Dermatology</i> , 2018, 27, 129-134.	1.4	6
274	Adult kidney stem/progenitor cells contribute to regeneration through the secretion of trophic factors. <i>Stem Cell Research</i> , 2020, 46, 101865.	0.3	6
275	Current Status of Familial LCAT Deficiency in Japan. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, 28, 679-691.	0.9	6
276	Successful deceased donor kidney transplantation to a recipient with a history of COVID-19 treatment. <i>Journal of Infection and Chemotherapy</i> , 2021, 27, 1097-1101.	0.8	6
277	Immunohistochemistry of Vasohibin-2 in Human Kidney Disease : Implications in Impaired Glucose Tolerance and Reduced Renal Function. <i>Acta Medica Okayama</i> , 2017, 71, 369-380.	0.1	6
278	Prevalence of Chronic Kidney Disease and Variation of Its Risk Factors by the Regions in Okayama Prefecture. <i>Journal of Personalized Medicine</i> , 2022, 12, 97.	1.1	6
279	Tankyrase represses autoinflammation through the attenuation of TLR2 signaling. <i>Journal of Clinical Investigation</i> , 2022, 132, .	3.9	6
280	Novel approaches to unravel the genesis of glomerulosclerosis by new methodologies in molecular biology and molecular genetics. <i>Nephrology Dialysis Transplantation</i> , 1999, 14, 2551-2553.	0.4	5
281	Expression characteristics and relevance of sodium glucose cotransporter-1 in mammalian renal tubulogenesis. <i>American Journal of Physiology - Renal Physiology</i> , 2000, 279, F765-F777.	1.3	5
282	Sulfated Hyaluronic Acid, a Potential Selectin Inhibitor, Ameliorates Experimentally Induced Crescentic Glomerulonephritis. <i>Nephron Experimental Nephrology</i> , 2005, 99, e26-e32.	2.4	5
283	The Usefulness of Super-Selective Computed Tomography Angiography (CTA) for Diagnosing and Localizing a Small Insulinoma. <i>Internal Medicine</i> , 2010, 49, 1983-1986.	0.3	5
284	Two novel mutations of lecithin:cholesterol acyltransferase (LCAT) gene and the influence of APOE genotypes on clinical manifestations. <i>CKJ: Clinical Kidney Journal</i> , 2011, 4, 299-302.	1.4	5
285	<i>ADIPOQ</i> polymorphisms are associated with insulin resistance in Japanese women. <i>Endocrine Journal</i> , 2015, 62, 513-521.	0.7	5
286	Reprogramming of metabolism in immune-mediated cells. <i>Diabetology International</i> , 2017, 8, 244-247.	0.7	5
287	The level of urinary semaphorin3A is associated with disease activity in patients with minimal change nephrotic syndrome. <i>International Journal of Nephrology and Renovascular Disease</i> , 2017, Volume 10, 167-174.	0.8	5
288	HIV-associated Immune Complex Kidney Disease with C3-dominant Deposition Induced by HIV Infection after Treatment of IgA Nephropathy. <i>Internal Medicine</i> , 2019, 58, 3001-3007.	0.3	5

#	ARTICLE	IF	CITATIONS
289	<p>Report of health checkup system for chronic kidney disease in general population in Okayama city: effect of health guidance intervention on chronic kidney disease outcome</p>. International Journal of Nephrology and Renovascular Disease, 2019, Volume 12, 143-152.	0.8	5
290	Parathyroid Lipoadenoma: A Pitfall in Preoperative Localization. Internal Medicine, 2019, 58, 1183-1184.	0.3	5
291	Association of explanatory histological findings and urinary protein and serum creatinine levels at renal biopsy in lupus nephritis: a cross-sectional study. BMC Nephrology, 2020, 21, 208.	0.8	5
292	Genetic Deletion of Vasohibin-2 Exacerbates Ischemia-Reperfusion-Induced Acute Kidney Injury. International Journal of Molecular Sciences, 2020, 21, 4545.	1.8	5
293	Pembrolizumab-induced hypothyroidism caused reversible increased serum creatinine levels: a case report. BMC Nephrology, 2020, 21, 113.	0.8	5
294	Effects of LDL apheresis on proteinuria in patients with diabetes mellitus, severe proteinuria, and dyslipidemia. Clinical and Experimental Nephrology, 2021, 25, 1-8.	0.7	5
295	Orexin A Enhances Pro-Opiomelanocortin Transcription Regulated by BMP-4 in Mouse Corticotrope AtT20 Cells. International Journal of Molecular Sciences, 2021, 22, 4553.	1.8	5
296	Association of blood pressure and renal outcome in patients with chronic kidney disease; a post hoc analysis of FROM-J study. Scientific Reports, 2021, 11, 14990.	1.6	5
297	Granulomatosis with polyangiitis with obstructive pneumonia progressing to hypertrophic pachymeningitis. Medicine (United States), 2021, 100, e24028.	0.4	5
298	Re-evaluation of waist circumference in metabolic syndrome: a comparison between Japanese men and women. Acta Medica Okayama, 2007, 61, 167-9.	0.1	5
299	Cell cycle abnormality in metabolic syndrome and nuclear receptors as an emerging therapeutic target. Acta Medica Okayama, 2013, 67, 129-34.	0.1	5
300	Factors associated with remission and/or regression of microalbuminuria in type 2 diabetes mellitus. Acta Medica Okayama, 2014, 68, 235-41.	0.1	5
301	Familial interstitial nephritis with progressive renal failure. American Journal of Kidney Diseases, 2000, 36, e25.1-e25.5.	2.1	4
302	Perturbation of autocrine/paracrine loops of burst-forming units of erythroid-derived cells in rHuEPO-hyporesponsive hemodialysis patients. American Journal of Kidney Diseases, 2003, 41, 624-636.	2.1	4
303	Serum vaspin levels are associated with physical activity or physical fitness in Japanese: a pilot study. Environmental Health and Preventive Medicine, 2014, 19, 200-206.	1.4	4
304	An open-label pilot study on preventing glucocorticoid-induced diabetes mellitus with linagliptin. Journal of Medical Case Reports, 2018, 12, 288.	0.4	4
305	Risk factors for cytomegalovirus infection in patients with antineutrophil cytoplasmic antibody-associated vasculitis. PLoS ONE, 2019, 14, e0218705.	1.1	4
306	Hemoptysis Originating from the Bronchial Artery in Takayasu Arteritis with Ulcerative Colitis. Internal Medicine, 2019, 58, 293-295.	0.3	4

#	ARTICLE	IF	CITATIONS
307	Lgals9 deficiency ameliorates obesity by modulating redox state of PRDX2. <i>Scientific Reports</i> , 2021, 11, 5991.	1.6	4
308	The effect of Humanitude care methodology on improving empathy: a six-year longitudinal study of medical students in Japan. <i>BMC Medical Education</i> , 2021, 21, 316.	1.0	4
309	Feasible kidney donation with living marginal donors, including diabetes mellitus. <i>Immunity, Inflammation and Disease</i> , 2021, 9, 1061-1068.	1.3	4
310	Upregulation of Mir342 in Diet-Induced Obesity Mouse and the Hypothalamic Appetite Control. <i>Frontiers in Endocrinology</i> , 2021, 12, 727915.	1.5	4
311	Linkage between oxygen uptake at ventilatory threshold and muscle strength in subjects with and without metabolic syndrome. <i>Acta Medica Okayama</i> , 2007, 61, 255-9.	0.1	4
312	Circulating GPIHBP1 levels and microvascular complications in patients with type 2 diabetes: A cross-sectional study. <i>Journal of Clinical Lipidology</i> , 2022, 16, 237-245.	0.6	4
313	Potential Strategies for Kidney Regeneration With Stem Cells: An Overview. <i>Frontiers in Cell and Developmental Biology</i> , 2022, 10, 892356.	1.8	4
314	Intravenous Vitamin D Therapy Reduces PTH-(1 α -84)/Large C Fragments Ratio in Chronic Hemodialysis Patients. <i>Nephron Clinical Practice</i> , 2004, 98, c93-c100.	2.3	3
315	Progressive reduction of serum complement levels: a risk factor for relapse in patients with hypocomplementemia in systemic lupus erythematosus. <i>Lupus</i> , 2018, 27, 2093-2100.	0.8	3
316	Thrombocytosis as a prognostic factor in polymyalgia rheumatica: characteristics determined from cluster analysis. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2019, 11, 1759720X1986482.	1.2	3
317	Impaired mental health status in patients with chronic kidney disease is associated with estimated glomerular filtration rate decline. <i>Nephrology</i> , 2019, 24, 926-932.	0.7	3
318	Tubulointerstitial Nephritis Cases With IgM-Positive Plasma Cells. <i>Kidney International Reports</i> , 2020, 5, 1576-1580.	0.4	3
319	Recovery from hypoxemia and Hypercapnia following noninvasive pressure support ventilation in a patient with statin-associated necrotizing myopathy: a case report. <i>BMC Pulmonary Medicine</i> , 2020, 20, 156.	0.8	3
320	Damage accrual related to pregnancies before and after diagnosis of systemic lupus erythematosus: a cross-sectional and nested case-control analysis from a lupus registry. <i>Lupus</i> , 2020, 29, 176-181.	0.8	3
321	The resolution of immunofluorescent pathological images affects diagnosis for not only artificial intelligence but also human. <i>Journal of Nephropathology</i> , 2021, 10, e26-e26.	0.1	3
322	Novel Urinary Glycan Biomarkers Predict Cardiovascular Events in Patients With Type 2 Diabetes: A Multicenter Prospective Study With 5-Year Follow Up (U-CARE Study 2). <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 668059.	1.1	3
323	Presence of decoy cells for 6 months on urine cytology efficiently predicts BK virus nephropathy in renal transplant recipients. <i>International Journal of Urology</i> , 2021, 28, 1240-1246.	0.5	3
324	Longitudinal observation of insulin secretory ability before and after the onset of immune checkpoint inhibitor-induced diabetes mellitus: A report of two cases. <i>Clinical Case Reports (discontinued)</i> , 2021, 9, e04574.	0.2	3

#	ARTICLE	IF	CITATIONS
325	Blood concentrations of tacrolimus upon conversion from rabeprazole to vonoprazan in renal transplant recipients: Correlation with cytochrome P450 gene polymorphisms. <i>Drug Metabolism and Pharmacokinetics</i> , 2021, 40, 100407.	1.1	3
326	Vasohibin-2 Aggravates Development of Ascending Aortic Aneurysms but not Abdominal Aortic Aneurysms nor Atherosclerosis in ApoE-Deficient Mice. <i>American Journal of Hypertension</i> , 2021, 34, 467-475.	1.0	3
327	Fatal pancreatitis associated with systemic amyloidosis in a rheumatoid arthritis patient. <i>Journal of Medicine</i> , 2000, 31, 303-10.	0.1	3
328	Ultrastructure of mesangial type III collagen deposition in a patient with IgA nephropathy. <i>American Journal of Kidney Diseases</i> , 1998, 32, 146-152.	2.1	2
329	Integrins Mediate the Inhibitory Effect of Focal Adhesion on Angiotensin II-Induced p44/42 Mitogen-Activated Protein (MAP) Kinase Activity in Human Mesangial Cells. <i>Biochemical and Biophysical Research Communications</i> , 1999, 261, 820-823.	1.0	2
330	Ultrastructure of Glomerular Basement Membrane in Active Heymann Nephritis Rats Revealed by Tissue-Negative Staining Method. <i>American Journal of Nephrology</i> , 2001, 21, 249-255.	1.4	2
331	Intercellular adhesion molecule-1 plays a critical role in glomerulosclerosis after subtotal nephrectomy. <i>Clinical and Experimental Nephrology</i> , 2011, 15, 212-219.	0.7	2
332	A Case of Type 2 Diabetes and Metastatic Liver Cancer Exhibiting Hypercholesterolemia with Abnormal Lipoproteins. <i>Internal Medicine</i> , 2012, 51, 619-623.	0.3	2
333	The therapeutic potential of synthetic human atrial natriuretic peptide in nephrotic syndrome: a randomized controlled trial. <i>International Journal of Nephrology and Renovascular Disease</i> , 2012, 5, 91.	0.8	2
334	Autoimmune pancreatitis and minimal change nephrotic syndrome: an unusual association?. <i>Nephrology</i> , 2015, 20, 225-226.	0.7	2
335	Azathioprine Intolerance in Japanese Patients with Antineutrophil Cytoplasmic Antibody-associated Vasculitis. <i>Internal Medicine</i> , 2017, 56, 1645-1650.	0.3	2
336	Reply. <i>Arthritis and Rheumatology</i> , 2018, 70, 1531-1532.	2.9	2
337	Low-dose rituximab induction therapy is effective in immunological high-risk renal transplantation without increasing cytomegalovirus infection. <i>International Journal of Urology</i> , 2020, 27, 1136-1142.	0.5	2
338	Endonuclease increases efficiency of osteoblast isolation from murine calvariae. <i>Scientific Reports</i> , 2021, 11, 8502.	1.6	2
339	Total vascular resistance, augmentation index, and augmentation pressure increase in patients with peripheral artery disease. <i>Medicine (United States)</i> , 2021, 100, e26931.	0.4	2
340	Study about the Efficacy of Metformin to Immune Function in Cancer Patients. <i>Acta Medica Okayama</i> , 2016, 70, 327-30.	0.1	2
341	Contrast-enhanced Computed Tomography-Guided Percutaneous Cryoablation of Renal Cell Carcinoma in a Renal Allograft: First Case in Asia. <i>Acta Medica Okayama</i> , 2019, 73, 269-272.	0.1	2
342	The application of synthetic hANP in diabetic nephropathy with nephrotic syndrome. <i>Diabetes Care</i> , 2006, 29, 172-3.	4.3	2

#	ARTICLE	IF	CITATIONS
343	Insufficient control of morning home blood pressure in Japanese patients with hypertension associated with diabetes mellitus. <i>Journal of Diabetes Investigation</i> , 2010, 1, 266-272.	1.1	1
344	Salt and sugar: Bad company. <i>Journal of Diabetes Investigation</i> , 2017, 8, 32-33.	1.1	1
345	Development of a novel estimation method for hemoglobin A1c using glycated albumin in type 2 diabetes mellitus patients with end-stage renal disease. <i>Diabetology International</i> , 2018, 9, 179-188.	0.7	1
346	Rationale and study design of a clinical trial to assess the effects of LDL apheresis on proteinuria in diabetic patients with severe proteinuria and dyslipidemia. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 591-596.	0.7	1
347	Antineutrophil cytoplasmic antibody-positive familial Mediterranean fever and hyperthyroidism. <i>Medicine (United States)</i> , 2018, 97, e13805.	0.4	1
348	Cardiovascular syndrome (Ortner syndrome) associated with secondary pulmonary arterial hypertension in a patient with mixed connective tissue disease. <i>Modern Rheumatology Case Reports</i> , 2018, 2, 54-58.	0.3	1
349	Reply. <i>Arthritis and Rheumatology</i> , 2019, 71, 832-833.	2.9	1
350	Lymphoproliferative disease in a patient with Takayasu arteritis and ulcerative colitis. <i>Modern Rheumatology Case Reports</i> , 2019, 3, 34-37.	0.3	1
351	Cavernous Transformation and Granulomatous Epididymis in Behçet Disease. <i>Journal of Clinical Rheumatology</i> , 2019, 25, e45-e47.	0.5	1
352	A novel homoplasmic mitochondrial DNA mutation (m.13376T>C, p.I347T) of MELAS presenting characteristic medial temporal lobe atrophy. <i>Journal of the Neurological Sciences</i> , 2020, 408, 116460.	0.3	1
353	Takayasu phlebitis. <i>Rheumatology</i> , 2020, 59, e131-e133.	0.9	1
354	ABO Blood Incompatibility Positively Affects Early Graft Function: Single-Center Retrospective Cohort Study. <i>Transplantation Proceedings</i> , 2021, 53, 1494-1500.	0.3	1
355	Robotic Renal Autotransplantation: A Feasibility Study in a Porcine Model. <i>Acta Medica Okayama</i> , 2020, 74, 53-58.	0.1	1
356	The Aging Population and Research into Treatments for Abdominal Aortic Aneurysms. <i>Acta Medica Okayama</i> , 2019, 73, 475-477.	0.1	1
357	IgA Nephropathy Complicated with X-linked Thrombocytopenia. <i>Acta Medica Okayama</i> , 2018, 72, 301-307.	0.1	1
358	A Patient with Type 3 Autoimmune Polyglandular Syndrome who Developed Systemic Lupus Erythematosus 8 years after the Diagnosis of Autoimmune Hepatitis. <i>Acta Medica Okayama</i> , 2019, 73, 367-372.	0.1	1
359	Risk Factors for Chronic Damage Accumulation Across Different Onset Eras in Systemic Lupus Erythematosus: A Cross-sectional Analysis of a Lupus Registry of Nationwide Institutions (LUNA). <i>Acta Medica Okayama</i> , 2020, 74, 191-198.	0.1	1
360	Angiocentric immunoproliferative lesions of the lung associated with diffuse renal involvement. <i>American Journal of Kidney Diseases</i> , 2002, 39, e12.1-e12.6.	2.1	0

#	ARTICLE	IF	CITATIONS
361	Primary peritoneal carcinosarcoma in a dialysis patient. <i>Nephrology</i> , 2017, 22, 925-925.	0.7	0
362	Impact of nocturnal blood pressure variability on renal arterioles. <i>Hypertension Research</i> , 2018, 41, 6-7.	1.5	0
363	Multiple nodular pulmonary amyloidosis in a patient with rheumatoid arthritis. <i>Modern Rheumatology Case Reports</i> , 2019, 3, 92-96.	0.3	0
364	Combination of Renal Angioplasty and Angiotensin-converting-enzyme Inhibitor Can Reduce Proteinuria in Patients with Bilateral Renal Artery Disease. <i>Internal Medicine</i> , 2019, 58, 1917-1922.	0.3	0
365	THU0310â€¦OPTIMAL INITIAL DOSE OF GLUCOCORTICOID FOR ELDERLY-ONSET ANCA ASSOCIATED VASCULITIS: SAFTY OUTOCOME ANALYSIS OF TWO NATIONWIDE, PROSPECTIVE, INCEPTION COHORT STUDIES. , 2019, , .		0
366	THU0175â€¦DOSE-DEPENDENT RISK OF METHOTREXATE FOR RENAL IMPAIRMENT IN PATIENTS WITH RHEUMATOID ARTHRITIS. , 2019, , .		0
367	Simultaneous development of IgA vasculitis and eosinophilic granulomatosis with polyangiitis. <i>Modern Rheumatology Case Reports</i> , 2020, 4, 63-69.	0.3	0
368	Podocytopathy as â€˜stand-aloneâ€™™ involvement in systemic lupus erythematosus: a case report. <i>Lupus</i> , 2020, 29, 1148-1150.	0.8	0
369	Acute Kidney Injury Caused by Evans Syndrome with Systemic Lupus Erythematosus and Systemic Sclerosis. <i>Internal Medicine</i> , 2021, 60, 1055-1060.	0.3	0
370	THE IMPACT OF BLOOD PRESSURE MANAGEMENT IN PATIENTS WITH CHRONIC KIDNEY DISEASE: A MULTICENTER PROSPECTIVE COHORT STUDY IN JAPAN. <i>Journal of Hypertension</i> , 2021, 39, e122-e123.	0.3	0
371	Kidney cyst infection through a fistula between bladder and retroperitoneal abscess in a polycystic kidney disease patient. <i>Nephrology</i> , 2021, , .	0.7	0
372	Commentary on Intraglomerular dysfunction predicts kidney failure in the typeâ€%2 diabetes. <i>Journal of Diabetes Investigation</i> , 2021, 12, 2124-2125.	1.1	0
373	RXR antagonism induces G0/G1 cell cycle arrest and ameliorates obesity by up-regulating p53-p21Cip1 pathway in adipocytes. <i>Okayama Igakkai Zasshi</i> , 2012, 124, 97-100.	0.0	0
374	A case of neutro-Behcet's disease started with diplopia.. <i>Japanese Journal of Clinical Immunology</i> , 1991, 14, 463-468.	0.0	0
375	Identification of the adipokine 'vaspin' and its significance in metabolic syndrome. <i>Okayama Igakkai Zasshi</i> , 2016, 128, 103-109.	0.0	0
376	AB1322â€¦Treatment response as a predictor for refractory disease and/or transition to rheumatoid arthritis in patients with polymyalgia rheumatica. , 2018, , .		0
377	Prominent Insulin Resistance in Congenital Generalized Lipoatrophy. , 2019, , 23-31.		0
378	MON-485 Effects of Orexin A on Prolactin Production by Regulating BMP-4 Activity in Rat Pituitary Lactotrope Cells. <i>Journal of the Endocrine Society</i> , 2019, 3, .	0.1	0

#	ARTICLE	IF	CITATIONS
379	V. Biomarkers for Predicting Development and Progression of DKD. The Journal of the Japanese Society of Internal Medicine, 2019, 108, 928-936.	0.0	0
380	Characteristic Analysis of Patients Visiting the Gender-Specific Outpatient Clinic for Women at Our Hospital. An Official Journal of the Japan Primary Care Association, 2019, 42, 141-149.	0.1	0
381	AB0387â€¦TREATMENT STATUS FOR OSTEOPOROSIS IN PATIENTS WITH SYSTEMIC LUPUS ERYTHEMATOSUS: CROSS-SECTIONAL ANALYSIS FROM A LUPUS REGISTRY OF NATIONWIDE INSTITUTIONS (LUNA). Annals of the Rheumatic Diseases, 2020, 79, 1493.1-1494.	0.5	0
382	Polypharmacy and Frailty in Chronic Kidney Disease. , 2020, , 223-237.		0
383	Tubulointerstitial Nephritis and Uveitis Caused by Sjögren Syndrome Without Dryness. Journal of Clinical Rheumatology, 2021, 27, S759-S760.	0.5	0
384	Multicentric Reticulohistiocytosis in a Patient with Hand Contracture. Internal Medicine, 2020, 59, 2337-2338.	0.3	0
385	Vasohibin-1 has β -tubulin deacylating activity in glomerular podocytes. Biochemical and Biophysical Research Communications, 2022, 599, 93-99.	1.0	0
386	Expression of the VLA family of integrins in the renal glomerulus. Japanese Journal of Nephrology, 1993, 35, 19-21.	0.0	0
387	The Efficacy of Rituximab in High-risk Renal Transplant Recipients. Acta Medica Okayama, 2016, 70, 295-7.	0.1	0
388	Alternative to Rituximab Therapy for a Patient with Ankylosing Spondylitis Who Was Unable to Continue Anti-TNF Therapy. Acta Medica Okayama, 2017, 71, 445-448.	0.1	0
389	Analysis of inflammatory cytokines and estimated glomerular filtration rate decline in Japanese patients with diabetic kidney disease: a pilot study. Biomarkers in Medicine, 2022, , .	0.6	0