

Jun Wada

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7883832/publications.pdf>

Version: 2024-02-01

389
papers

12,952
citations

28190

55
h-index

37111

96
g-index

394
all docs

394
docs citations

394
times ranked

15593
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Circulating GPIHBP1 levels and microvascular complications in patients with type 2 diabetes: A cross-sectional study. <i>Journal of Clinical Lipidology</i> , 2022, 16, 237-245. | 0.6 | 4 |
| 2 | Prevalence of Chronic Kidney Disease and Variation of Its Risk Factors by the Regions in Okayama Prefecture. <i>Journal of Personalized Medicine</i> , 2022, 12, 97. | 1.1 | 6 |
| 3 | Vasohibin-1 has α -tubulin deetyrosinating activity in glomerular podocytes. <i>Biochemical and Biophysical Research Communications</i> , 2022, 599, 93-99. | 1.0 | 0 |
| 4 | Tankyrase represses autoinflammation through the attenuation of TLR2 signaling. <i>Journal of Clinical Investigation</i> , 2022, 132, . | 3.9 | 6 |
| 5 | Glycoprotein nonmetastatic melanoma protein B regulates lysosomal integrity and lifespan of senescent cells. <i>Scientific Reports</i> , 2022, 12, 6522. | 1.6 | 24 |
| 6 | Potential Strategies for Kidney Regeneration With Stem Cells: An Overview. <i>Frontiers in Cell and Developmental Biology</i> , 2022, 10, 892356. | 1.8 | 4 |
| 7 | Analysis of inflammatory cytokines and estimated glomerular filtration rate decline in Japanese patients with diabetic kidney disease: a pilot study. <i>Biomarkers in Medicine</i> , 2022, , . | 0.6 | 0 |
| 8 | Effects of LDL apheresis on proteinuria in patients with diabetes mellitus, severe proteinuria, and dyslipidemia. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 1-8. | 0.7 | 5 |
| 9 | Current Status of Familial LCAT Deficiency in Japan. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, 28, 679-691. | 0.9 | 6 |
| 10 | Novel urinary glycan profiling by lectin array serves as the biomarkers for predicting renal prognosis in patients with IgA nephropathy. <i>Scientific Reports</i> , 2021, 11, 3394. | 1.6 | 9 |
| 11 | Association of glucocorticoid doses and emotional health in lupus low disease activity state (LLDAS): a cross-sectional study. <i>Arthritis Research and Therapy</i> , 2021, 23, 79. | 1.6 | 11 |
| 12 | A Vaspin α -HSPA1L complex protects proximal tubular cells from organelle stress in diabetic kidney disease. <i>Communications Biology</i> , 2021, 4, 373. | 2.0 | 7 |
| 13 | Lgals9 deficiency ameliorates obesity by modulating redox state of PRDX2. <i>Scientific Reports</i> , 2021, 11, 5991. | 1.6 | 4 |
| 14 | Acute Kidney Injury Caused by Evans Syndrome with Systemic Lupus Erythematosus and Systemic Sclerosis. <i>Internal Medicine</i> , 2021, 60, 1055-1060. | 0.3 | 0 |
| 15 | THE IMPACT OF BLOOD PRESSURE MANAGEMENT IN PATIENTS WITH CHRONIC KIDNEY DISEASE: A MULTICENTER PROSPECTIVE COHORT STUDY IN JAPAN. <i>Journal of Hypertension</i> , 2021, 39, e122-e123. | 0.3 | 0 |
| 16 | The resolution of immunofluorescent pathological images affects diagnosis for not only artificial intelligence but also human. <i>Journal of Nephropathology</i> , 2021, 10, e26-e26. | 0.1 | 3 |
| 17 | Fisetin Attenuates Lipopolysaccharide-Induced Inflammatory Responses in Macrophage. <i>BioMed Research International</i> , 2021, 2021, 1-8. | 0.9 | 11 |
| 18 | Orexin A Enhances Pro-Opiomelanocortin Transcription Regulated by BMP-4 in Mouse Corticotrope AtT20 Cells. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4553. | 1.8 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Endonuclease increases efficiency of osteoblast isolation from murine calvariae. <i>Scientific Reports</i> , 2021, 11, 8502. | 1.6 | 2 |
| 20 | RUNX2 Phosphorylation by Tyrosine Kinase ABL Promotes Breast Cancer Invasion. <i>Frontiers in Oncology</i> , 2021, 11, 665273. | 1.3 | 7 |
| 21 | Novel Urinary Glycan Biomarkers Predict Cardiovascular Events in Patients With Type 2 Diabetes: A Multicenter Prospective Study With 5-Year Follow Up (U-CARE Study 2). <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 668059. | 1.1 | 3 |
| 22 | ABO Blood Incompatibility Positively Affects Early Graft Function: Single-Center Retrospective Cohort Study. <i>Transplantation Proceedings</i> , 2021, 53, 1494-1500. | 0.3 | 1 |
| 23 | The effect of Humanity care methodology on improving empathy: a six-year longitudinal study of medical students in Japan. <i>BMC Medical Education</i> , 2021, 21, 316. | 1.0 | 4 |
| 24 | Feasible kidney donation with living marginal donors, including diabetes mellitus. <i>Immunity, Inflammation and Disease</i> , 2021, 9, 1061-1068. | 1.3 | 4 |
| 25 | Association of blood pressure and renal outcome in patients with chronic kidney disease; a post hoc analysis of FROM-J study. <i>Scientific Reports</i> , 2021, 11, 14990. | 1.6 | 5 |
| 26 | Successful deceased donor kidney transplantation to a recipient with a history of COVID-19 treatment. <i>Journal of Infection and Chemotherapy</i> , 2021, 27, 1097-1101. | 0.8 | 6 |
| 27 | Total vascular resistance, augmentation index, and augmentation pressure increase in patients with peripheral artery disease. <i>Medicine (United States)</i> , 2021, 100, e26931. | 0.4 | 2 |
| 28 | Kidney cyst infection through a fistula between bladder and retroperitoneal abscess in a polycystic kidney disease patient. <i>Nephrology</i> , 2021, , . | 0.7 | 0 |
| 29 | Upregulation of Mir342 in Diet-Induced Obesity Mouse and the Hypothalamic Appetite Control. <i>Frontiers in Endocrinology</i> , 2021, 12, 727915. | 1.5 | 4 |
| 30 | Kidney Outcomes Associated With SGLT2 Inhibitors Versus Other Glucose-Lowering Drugs in Real-world Clinical Practice: The Japan Chronic Kidney Disease Database. <i>Diabetes Care</i> , 2021, 44, 2542-2551. | 4.3 | 42 |
| 31 | Presence of decoy cells for 6 months on urine cytology efficiently predicts BK virus nephropathy in renal transplant recipients. <i>International Journal of Urology</i> , 2021, 28, 1240-1246. | 0.5 | 3 |
| 32 | Longitudinal observation of insulin secretory ability before and after the onset of immune checkpoint inhibitor-induced diabetes mellitus: A report of two cases. <i>Clinical Case Reports (discontinued)</i> , 2021, 9, e04574. | 0.2 | 3 |
| 33 | Commentary on Intraglomerular dysfunction predicts kidney failure in the type 2 diabetes. <i>Journal of Diabetes Investigation</i> , 2021, 12, 2124-2125. | 1.1 | 0 |
| 34 | Blood concentrations of tacrolimus upon conversion from rabeprazole to vonoprazan in renal transplant recipients: Correlation with cytochrome P450 gene polymorphisms. <i>Drug Metabolism and Pharmacokinetics</i> , 2021, 40, 100407. | 1.1 | 3 |
| 35 | Granulomatosis with polyangiitis with obstructive pneumonia progressing to hypertrophic pachymeningitis. <i>Medicine (United States)</i> , 2021, 100, e24028. | 0.4 | 5 |
| 36 | Sodium-Glucose Cotransporter 2 Inhibitors Work as a Regulator of Autophagic Activity in Overnutrition Diseases. <i>Frontiers in Pharmacology</i> , 2021, 12, 761842. | 1.6 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | MicroRNAs as Biomarkers for Nephrotic Syndrome. International Journal of Molecular Sciences, 2021, 22, 88. | 1.8 | 17 |
| 38 | Tubulointerstitial Nephritis and Uveitis Caused by Sjögren Syndrome Without Dryness. Journal of Clinical Rheumatology, 2021, 27, S759-S760. | 0.5 | 0 |
| 39 | Vasohibin-2 Aggravates Development of Ascending Aortic Aneurysms but not Abdominal Aortic Aneurysms nor Atherosclerosis in ApoE-Deficient Mice. American Journal of Hypertension, 2021, 34, 467-475. | 1.0 | 3 |
| 40 | Semaphorin3A inhibitor ameliorates renal fibrosis through the regulation of JNK signaling. American Journal of Physiology - Renal Physiology, 2021, 321, F740-F756. | 1.3 | 7 |
| 41 | Adipocyte-Specific Inhibition of Mir221/222 Ameliorates Diet-Induced Obesity Through Targeting Ddit4. Frontiers in Endocrinology, 2021, 12, 750261. | 1.5 | 9 |
| 42 | Senolytic vaccination improves normal and pathological age-related phenotypes and increases lifespan in progeroid mice. Nature Aging, 2021, 1, 1117-1126. | 5.3 | 87 |
| 43 | The hypoglycemia-prevention effect of sensor-augmented pump therapy with predictive low glucose management in Japanese patients with type 1 diabetes mellitus: a short-term study. Diabetology International, 2020, 11, 97-104. | 0.7 | 7 |
| 44 | A novel homoplasmic mitochondrial DNA mutation (m.13376T>C, p.I347T) of MELAS presenting characteristic medial temporal lobe atrophy. Journal of the Neurological Sciences, 2020, 408, 116460. | 0.3 | 1 |
| 45 | Simultaneous development of IgA vasculitis and eosinophilic granulomatosis with polyangiitis. Modern Rheumatology Case Reports, 2020, 4, 63-69. | 0.3 | 0 |
| 46 | Dynamin 1 is important for microtubule organization and stabilization in glomerular podocytes. FASEB Journal, 2020, 34, 16449-16463. | 0.2 | 14 |
| 47 | Low-dose rituximab induction therapy is effective in immunological high-risk renal transplantation without increasing cytomegalovirus infection. International Journal of Urology, 2020, 27, 1136-1142. | 0.5 | 2 |
| 48 | Tubulointerstitial Nephritis Cases With IgM-Positive Plasma Cells. Kidney International Reports, 2020, 5, 1576-1580. | 0.4 | 3 |
| 49 | Deep Learning Could Diagnose Diabetic Nephropathy with Renal Pathological Immunofluorescent Images. Diagnostics, 2020, 10, 466. | 1.3 | 19 |
| 50 | Risk of higher dose methotrexate for renal impairment in patients with rheumatoid arthritis. Scientific Reports, 2020, 10, 18715. | 1.6 | 10 |
| 51 | Dysfunction of CD8+PD-1+T cells in type 2 diabetes caused by the impairment of metabolism-immune axis. Scientific Reports, 2020, 10, 14928. | 1.6 | 28 |
| 52 | Adult kidney stem/progenitor cells contribute to regeneration through the secretion of trophic factors. Stem Cell Research, 2020, 46, 101865. | 0.3 | 6 |
| 53 | Nivolumab-induced IgA nephropathy in a patient with advanced gastric cancer. Medicine (United Tj ETQq1 1 0.784314 rgBT /Overloc | 0.4 | 11 |
| 54 | Semaphorin3A-Inhibitor Ameliorates Doxorubicin-Induced Podocyte Injury. International Journal of Molecular Sciences, 2020, 21, 4099. | 1.8 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Association of explanatory histological findings and urinary protein and serum creatinine levels at renal biopsy in lupus nephritis: a cross-sectional study. <i>BMC Nephrology</i> , 2020, 21, 208. | 0.8 | 5 |
| 56 | Recovery from hypoxemia and Hypercapnia following noninvasive pressure support ventilation in a patient with statin-associated necrotizing myopathy: a case report. <i>BMC Pulmonary Medicine</i> , 2020, 20, 156. | 0.8 | 3 |
| 57 | Targeting angiogenesis and lymphangiogenesis in kidney disease. <i>Nature Reviews Nephrology</i> , 2020, 16, 289-303. | 4.1 | 76 |
| 58 | Genetic Deletion of Vasohibin-2 Exacerbates Ischemia-Reperfusion-Induced Acute Kidney Injury. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4545. | 1.8 | 5 |
| 59 | The Protective Effect of Chlorogenic Acid on Vascular Senescence via the Nrf2/HO-1 Pathway. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4527. | 1.8 | 31 |
| 60 | Sodium Glucose Co-Transporter 2 Inhibitor Ameliorates Autophagic Flux Impairment on Renal Proximal Tubular Cells in Obesity Mice. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4054. | 1.8 | 21 |
| 61 | Podocytopathy as “stand-alone” involvement in systemic lupus erythematosus: a case report. <i>Lupus</i> , 2020, 29, 1148-1150. | 0.8 | 0 |
| 62 | Takayasu phlebitis. <i>Rheumatology</i> , 2020, 59, e131-e133. | 0.9 | 1 |
| 63 | Refractory Takayasu arteritis responding to the oral Janus kinase inhibitor, tofacitinib. <i>Rheumatology Advances in Practice</i> , 2020, 4, rkz050. | 0.3 | 17 |
| 64 | Immunomodulatory and Regenerative Effects of Mesenchymal Stem Cell-Derived Extracellular Vesicles in Renal Diseases. <i>International Journal of Molecular Sciences</i> , 2020, 21, 756. | 1.8 | 27 |
| 65 | Podocyte autophagy is associated with foot process effacement and proteinuria in patients with minimal change nephrotic syndrome. <i>PLoS ONE</i> , 2020, 15, e0228337. | 1.1 | 20 |
| 66 | Damage accrual related to pregnancies before and after diagnosis of systemic lupus erythematosus: a cross-sectional and nested case-control analysis from a lupus registry. <i>Lupus</i> , 2020, 29, 176-181. | 0.8 | 3 |
| 67 | Icodextrin Versus Glucose Solutions for the Once-Daily Long Dwell in Peritoneal Dialysis: An Enriched Systematic Review and Meta-analysis of Randomized Controlled Trials. <i>American Journal of Kidney Diseases</i> , 2020, 75, 830-846. | 2.1 | 48 |
| 68 | Conditions, pathogenesis, and progression of diabetic kidney disease and early decliner in Japan. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e000902. | 1.2 | 31 |
| 69 | Pembrolizumab-induced hypothyroidism caused reversible increased serum creatinine levels: a case report. <i>BMC Nephrology</i> , 2020, 21, 113. | 0.8 | 5 |
| 70 | Deletion of Mir223 Exacerbates Lupus Nephritis by Targeting S1pr1 in Fas ^{lpr} /lpr Mice. <i>Frontiers in Immunology</i> , 2020, 11, 616141. | 2.2 | 10 |
| 71 | Inhibition of interleukin-6 signaling attenuates aortitis, left ventricular hypertrophy and arthritis in interleukin-1 receptor antagonist deficient mice. <i>Clinical Science</i> , 2020, 134, 2771-2787. | 1.8 | 7 |
| 72 | AB0387â€¦TREATMENT STATUS FOR OSTEOPOROSIS IN PATIENTS WITH SYSTEMIC LUPUS ERYTHEMATOSUS: CROSS-SECTIONAL ANALYSIS FROM A LUPUS REGISTRY OF NATIONWIDE INSTITUTIONS (LUNA). <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 1493.1-1494. | 0.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Polypharmacy and Frailty in Chronic Kidney Disease. , 2020, , 223-237. | | 0 |
| 74 | Multicentric Reticulohistiocytosis in a Patient with Hand Contracture. Internal Medicine, 2020, 59, 2337-2338. | 0.3 | 0 |
| 75 | Robotic Renal Autotransplantation: A Feasibility Study in a Porcine Model. Acta Medica Okayama, 2020, 74, 53-58. | 0.1 | 1 |
| 76 | Risk Factors for Chronic Damage Accumulation Across Different Onset Eras in Systemic Lupus Erythematosus: A Cross-sectional Analysis of a Lupus Registry of Nationwide Institutions (LUNA). Acta Medica Okayama, 2020, 74, 191-198. | 0.1 | 1 |
| 77 | Thrombocytosis as a prognostic factor in polymyalgia rheumatica: characteristics determined from cluster analysis. Therapeutic Advances in Musculoskeletal Disease, 2019, 11, 1759720X1986482. | 1.2 | 3 |
| 78 | Capnocytophaga canimorsus peritonitis diagnosed by mass spectrometry in a diabetic patient undergoing peritoneal dialysis: a case report. BMC Nephrology, 2019, 20, 219. | 0.8 | 11 |
| 79 | Risk factors for cytomegalovirus infection in patients with antineutrophil cytoplasmic antibody-associated vasculitis. PLoS ONE, 2019, 14, e0218705. | 1.1 | 4 |
| 80 | HIV-associated Immune Complex Kidney Disease with C3-dominant Deposition Induced by HIV Infection after Treatment of IgA Nephropathy. Internal Medicine, 2019, 58, 3001-3007. | 0.3 | 5 |
| 81 | <p>Report of health checkup system for chronic kidney disease in general population in Okayama city: effect of health guidance intervention on chronic kidney disease outcome</p>. International Journal of Nephrology and Renovascular Disease, 2019, Volume 12, 143-152. | 0.8 | 5 |
| 82 | Urine 5MedC, a Marker of DNA Methylation, in the Progression of Chronic Kidney Disease. Disease Markers, 2019, 2019, 1-10. | 0.6 | 11 |
| 83 | Multiple nodular pulmonary amyloidosis in a patient with rheumatoid arthritis. Modern Rheumatology Case Reports, 2019, 3, 92-96. | 0.3 | 0 |
| 84 | Inhibitory Effects of Tofogliflozin on Cardiac Hypertrophy in Dahl Salt-Sensitive and Salt-Resistant Rats Fed a High-Fat Diet. International Heart Journal, 2019, 60, 728-735. | 0.5 | 23 |
| 85 | Renal tubular injury exacerbated by vasohibin-1 deficiency in a murine cisplatin-induced acute kidney injury model. American Journal of Physiology - Renal Physiology, 2019, 317, F264-F274. | 1.3 | 11 |
| 86 | Gut microbiome-derived phenyl sulfate contributes to albuminuria in diabetic kidney disease. Nature Communications, 2019, 10, 1835. | 5.8 | 173 |
| 87 | Combination of Renal Angioplasty and Angiotensin-converting-enzyme Inhibitor Can Reduce Proteinuria in Patients with Bilateral Renal Artery Disease. Internal Medicine, 2019, 58, 1917-1922. | 0.3 | 0 |
| 88 | Orexin A modulates prolactin production by regulating BMP-4 activity in rat pituitary lactotrope cells. Peptides, 2019, 113, 35-40. | 1.2 | 8 |
| 89 | Regulation of Cathepsin E gene expression by the transcription factor Kaiso in MRL/lpr mice derived CD4+ T cells. Scientific Reports, 2019, 9, 3054. | 1.6 | 10 |
| 90 | THU0310â€¦OPTIMAL INITIAL DOSE OF GLUCOCORTICOID FOR ELDERLY-ONSET ANCA ASSOCIATED VASCULITIS: SAFTY OUTOCOME ANALYSIS OF TWO NATIONWIDE, PROSPECTIVE, INCEPTION COHORT STUDIES., 2019, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | THU0175â€¦DOSE-DEPENDENT RISK OF METHOTREXATE FOR RENAL IMPAIRMENT IN PATIENTS WITH RHEUMATOID ARTHRITIS. , 2019, , . | | 0 |
| 92 | Cluster Analysis Using Antiâ€“Aminoacyl-tRNA Synthetases and SS-A/Ro52 antibodies in Patients With Polymyositis/Dermatomyositis. Journal of Clinical Rheumatology, 2019, 25, 246-251. | 0.5 | 9 |
| 93 | Parathyroid Lipoadenoma: A Pitfall in Preoperative Localization. Internal Medicine, 2019, 58, 1183-1184. | 0.3 | 5 |
| 94 | GPIHBP1 autoantibody syndrome during interferon Î²1a treatment. Journal of Clinical Lipidology, 2019, 13, 62-69. | 0.6 | 15 |
| 95 | Reply. Arthritis and Rheumatology, 2019, 71, 832-833. | 2.9 | 1 |
| 96 | The clinical efficacy of angiotensin II type1 receptor blockers on inflammatory markers in patients with hypertension: a multicenter randomized-controlled trial; MUSCAT-3 study. Biomarkers, 2019, 24, 255-261. | 0.9 | 7 |
| 97 | The relationship between repeated measurement of casual and 24-h urinary sodium-to-potassium ratio in patients with chronic kidney disease. Journal of Human Hypertension, 2019, 33, 286-297. | 1.0 | 7 |
| 98 | Lymphoproliferative disease in a patient with Takayasu arteritis and ulcerative colitis. Modern Rheumatology Case Reports, 2019, 3, 34-37. | 0.3 | 1 |
| 99 | Impaired mental health status in patients with chronic kidney disease is associated with estimated glomerular filtration rate decline. Nephrology, 2019, 24, 926-932. | 0.7 | 3 |
| 100 | Hemoptysis Originating from the Bronchial Artery in Takayasu Arteritis with Ulcerative Colitis. Internal Medicine, 2019, 58, 293-295. | 0.3 | 4 |
| 101 | Effect of an enhanced recovery after surgery protocol in patients undergoing pancreaticoduodenectomy: A randomized controlled trial. Clinical Nutrition, 2019, 38, 174-181. | 2.3 | 61 |
| 102 | Development of Hypertrophic Pachymeningitis in a Patient With Antineutrophil Cytoplasmic Antibodyâ€“Negative Eosinophilic Granulomatosis With Polyangiitis. Journal of Clinical Rheumatology, 2019, 25, e61-e61. | 0.5 | 10 |
| 103 | Cavernous Transformation and Granulomatous Epididymis in BehÃ“set Disease. Journal of Clinical Rheumatology, 2019, 25, e45-e47. | 0.5 | 1 |
| 104 | Exogenous Vasohibin-2 Exacerbates Angiotensin II-Induced Ascending Aortic Dilation in Mice. Circulation Reports, 2019, 1, 155-161. | 0.4 | 8 |
| 105 | Prominent Insulin Resistance in Congenital Generalized Lipoatrophy. , 2019, , 23-31. | | 0 |
| 106 | MON-485 Effects of Orexin A on Prolactin Production by Regulating BMP-4 Activity in Rat Pituitary Lactotrope Cells. Journal of the Endocrine Society, 2019, 3, . | 0.1 | 0 |
| 107 | V. Biomarkers for Predicting Development and Progression of DKD. The Journal of the Japanese Society of Internal Medicine, 2019, 108, 928-936. | 0.0 | 0 |
| 108 | Characteristic Analysis of Patients Visiting the Gender-Specific Outpatient Clinic for Women at Our Hospital. An Official Journal of the Japan Primary Care Association, 2019, 42, 141-149. | 0.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | The Aging Population and Research into Treatments for Abdominal Aortic Aneurysms. <i>Acta Medica Okayama</i> , 2019, 73, 475-477. | 0.1 | 1 |
| 110 | Contrast-enhanced Computed Tomography-Guided Percutaneous Cryoablation of Renal Cell Carcinoma in a Renal Allograft: First Case in Asia. <i>Acta Medica Okayama</i> , 2019, 73, 269-272. | 0.1 | 2 |
| 111 | A Patient with Type 3 Autoimmune Polyglandular Syndrome who Developed Systemic Lupus Erythematosus 8 years after the Diagnosis of Autoimmune Hepatitis. <i>Acta Medica Okayama</i> , 2019, 73, 367-372. | 0.1 | 1 |
| 112 | Cilostazol Attenuates Angiotensin II-Induced Abdominal Aortic Aneurysms but Not Atherosclerosis in Apolipoprotein E-Deficient Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018, 38, 903-912. | 1.1 | 44 |
| 113 | Role of <i>Lgals9</i> Deficiency in Attenuating Nephritis and Arthritis in BALB/c Mice in a Pristane-Induced Lupus Model. <i>Arthritis and Rheumatology</i> , 2018, 70, 1089-1101. | 2.9 | 26 |
| 114 | Refractory neuromyelitis optica spectrum disorder in systemic lupus erythematosus successfully treated with rituximab. <i>Lupus</i> , 2018, 27, 1374-1377. | 0.8 | 6 |
| 115 | Development of a novel estimation method for hemoglobin A1c using glycated albumin in type 2 diabetes mellitus patients with end-stage renal disease. <i>Diabetology International</i> , 2018, 9, 179-188. | 0.7 | 1 |
| 116 | Peripheral artery disease is associated with frailty in chronic hemodialysis patients. <i>Vascular</i> , 2018, 26, 425-431. | 0.4 | 17 |
| 117 | Estrogen-related receptor β is essential for maintaining mitochondrial integrity in cisplatin-induced acute kidney injury. <i>Biochemical and Biophysical Research Communications</i> , 2018, 498, 918-924. | 1.0 | 30 |
| 118 | The <i>KCNQ1</i> gene polymorphism as a shared genetic risk for rheumatoid arthritis and chronic periodontitis in Japanese adults: A pilot case-control study. <i>Journal of Periodontology</i> , 2018, 89, 315-324. | 1.7 | 9 |
| 119 | Anti-SS-A/Ro antibody positivity as a risk factor for relapse in patients with polymyositis/dermatomyositis. <i>Modern Rheumatology</i> , 2018, 28, 141-146. | 0.9 | 10 |
| 120 | High calcium enhances the expression of double-stranded RNA sensors and antiviral activity in epidermal keratinocytes. <i>Experimental Dermatology</i> , 2018, 27, 129-134. | 1.4 | 6 |
| 121 | Rationale and study design of a clinical trial to assess the effects of LDL apheresis on proteinuria in diabetic patients with severe proteinuria and dyslipidemia. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 591-596. | 0.7 | 1 |
| 122 | Impact of nocturnal blood pressure variability on renal arterioles. <i>Hypertension Research</i> , 2018, 41, 6-7. | 1.5 | 0 |
| 123 | Incretins modulate progesterone biosynthesis by regulating bone morphogenetic protein activity in rat granulosa cells. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2018, 178, 82-88. | 1.2 | 26 |
| 124 | Secretomes from Mesenchymal Stem Cells against Acute Kidney Injury: Possible Heterogeneity. <i>Stem Cells International</i> , 2018, 2018, 1-14. | 1.2 | 42 |
| 125 | An open-label pilot study on preventing glucocorticoid-induced diabetes mellitus with linagliptin. <i>Journal of Medical Case Reports</i> , 2018, 12, 288. | 0.4 | 4 |
| 126 | Antineutrophil cytoplasmic antibody-positive familial Mediterranean fever and hyperthyroidism. <i>Medicine (United States)</i> , 2018, 97, e13805. | 0.4 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Acquired partial lipodystrophy as graft-versus-host disease and treatment with metreleptin: two case reports. <i>Journal of Medical Case Reports</i> , 2018, 12, 368. | 0.4 | 8 |
| 128 | Diabetic nephropathy is associated with frailty in patients with chronic hemodialysis. <i>Geriatrics and Gerontology International</i> , 2018, 18, 1597-1602. | 0.7 | 20 |
| 129 | Progressive reduction of serum complement levels: a risk factor for relapse in patients with hypocomplementemia in systemic lupus erythematosus. <i>Lupus</i> , 2018, 27, 2093-2100. | 0.8 | 3 |
| 130 | Reply. <i>Arthritis and Rheumatology</i> , 2018, 70, 1531-1532. | 2.9 | 2 |
| 131 | Cardiovascular syndrome (Ortner syndrome) associated with secondary pulmonary arterial hypertension in a patient with mixed connective tissue disease. <i>Modern Rheumatology Case Reports</i> , 2018, 2, 54-58. | 0.3 | 1 |
| 132 | Chronic kidney disease is associated with carotid atherosclerosis and symptomatic ischaemic stroke. <i>Journal of International Medical Research</i> , 2018, 46, 3873-3883. | 0.4 | 25 |
| 133 | Urine Trefoil Factors as Prognostic Biomarkers in Chronic Kidney Disease. <i>BioMed Research International</i> , 2018, 2018, 1-11. | 0.9 | 14 |
| 134 | Endogenous Antiangiogenic Factors in Chronic Kidney Disease: Potential Biomarkers of Progression. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1859. | 1.8 | 21 |
| 135 | The Prevalence of Frailty and its Associated Factors in Japanese Hemodialysis Patients. , 2018, 9, 192. | | 55 |
| 136 | Renal expression of trefoil factor 3 mRNA in association with tubulointerstitial fibrosis in IgA nephropathy. <i>Nephrology</i> , 2018, 23, 855-862. | 0.7 | 19 |
| 137 | Deletion of pro-angiogenic factor vasohibin-2 ameliorates glomerular alterations in a mouse diabetic nephropathy model. <i>PLoS ONE</i> , 2018, 13, e0195779. | 1.1 | 16 |
| 138 | Identification of Novel Urinary Biomarkers for Predicting Renal Prognosis in Patients With Type 2 Diabetes by Glycan Profiling in a Multicenter Prospective Cohort Study: U-CARE Study 1. <i>Diabetes Care</i> , 2018, 41, 1765-1775. | 4.3 | 13 |
| 139 | Serum cystatin C is an independent biomarker associated with the renal resistive index in patients with chronic kidney disease. <i>PLoS ONE</i> , 2018, 13, e0193695. | 1.1 | 15 |
| 140 | Abdominal aortic aneurysm in aged population. <i>Aging</i> , 2018, 10, 3650-3651. | 1.4 | 35 |
| 141 | AB1322...Treatment response as a predictor for refractory disease and/or transition to rheumatoid arthritis in patients with polymyalgia rheumatica. , 2018, , . | | 0 |
| 142 | IgA Nephropathy Complicated with X-linked Thrombocytopenia. <i>Acta Medica Okayama</i> , 2018, 72, 301-307. | 0.1 | 1 |
| 143 | Melatonin regulates catecholamine biosynthesis by modulating bone morphogenetic protein and glucocorticoid actions. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2017, 165, 182-189. | 1.2 | 22 |
| 144 | Downregulation of miR-200a-3p, Targeting CtBP2 Complex, Is Involved in the Hypoproduction of IL-2 in Systemic Lupus Erythematosusâ€“Derived T Cells. <i>Journal of Immunology</i> , 2017, 198, 4268-4276. | 0.4 | 37 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Practical efficacy of olmesartan versus azilsartan in patients with hypertension. <i>Blood Pressure Monitoring</i> , 2017, 22, 59-67. | 0.4 | 6 |
| 146 | Anti-high Mobility Group Box 1 Antibody Ameliorates Albuminuria in MRL/lpr Lupus-Prone Mice. <i>Molecular Therapy - Methods and Clinical Development</i> , 2017, 6, 31-39. | 1.8 | 15 |
| 147 | Regulatory role of melatonin and BMP-4 in prolactin production by rat pituitary lactotrope GH3 cells. <i>Peptides</i> , 2017, 94, 19-24. | 1.2 | 7 |
| 148 | Nodular lesions in diabetic nephropathy: Collagen staining and renal prognosis. <i>Diabetes Research and Clinical Practice</i> , 2017, 127, 187-197. | 1.1 | 22 |
| 149 | Primary peritoneal carcinosarcoma in a dialysis patient. <i>Nephrology</i> , 2017, 22, 925-925. | 0.7 | 0 |
| 150 | Arterial Stiffness is an Independent Risk Factor for Anemia After Percutaneous Native Kidney Biopsy. <i>Kidney and Blood Pressure Research</i> , 2017, 42, 284-293. | 0.9 | 11 |
| 151 | Reprogramming of metabolism in immune-mediated cells. <i>Diabetology International</i> , 2017, 8, 244-247. | 0.7 | 5 |
| 152 | Serum-inducible protein (IP)-10 is a disease progression-related marker for non-alcoholic fatty liver disease. <i>Hepatology International</i> , 2017, 11, 115-124. | 1.9 | 9 |
| 153 | Salt and sugar: Bad company. <i>Journal of Diabetes Investigation</i> , 2017, 8, 32-33. | 1.1 | 1 |
| 154 | Prognostic factors of methotrexate-associated lymphoproliferative disorders associated with rheumatoid arthritis and plausible application of biological agents. <i>Modern Rheumatology</i> , 2017, 27, 773-777. | 0.9 | 23 |
| 155 | Sustained Tubulointerstitial Inflammation in Kidney with Severe Leptospirosis. <i>Internal Medicine</i> , 2017, 56, 1179-1184. | 0.3 | 16 |
| 156 | Occurrence of Dermatomyositis Immediately after Mastectomy Subsequent to Severe Chemotherapeutic Drug Eruption. <i>Internal Medicine</i> , 2017, 56, 3379-3383. | 0.3 | 7 |
| 157 | Azathioprine Intolerance in Japanese Patients with Antineutrophil Cytoplasmic Antibody-associated Vasculitis. <i>Internal Medicine</i> , 2017, 56, 1645-1650. | 0.3 | 2 |
| 158 | The level of urinary semaphorin3A is associated with disease activity in patients with minimal change nephrotic syndrome. <i>International Journal of Nephrology and Renovascular Disease</i> , 2017, Volume 10, 167-174. | 0.8 | 5 |
| 159 | Antiangiogenic Therapy for Diabetic Nephropathy. <i>BioMed Research International</i> , 2017, 2017, 1-12. | 0.9 | 47 |
| 160 | The Successful Treatment of Refractory Polyarteritis Nodosa Using Infliximab. <i>Internal Medicine</i> , 2017, 56, 1435-1438. | 0.3 | 12 |
| 161 | Central Diabetes Insipidus in Refractory Antineutrophil Cytoplasmic Antibody-associated Vasculitis. <i>Internal Medicine</i> , 2017, 56, 2943-2948. | 0.3 | 6 |
| 162 | A retrospective observational study of glucocorticoid-induced diabetes mellitus with IgA nephropathy treated with tonsillectomy plus methylprednisolone pulse therapy. <i>PLoS ONE</i> , 2017, 12, e0178018. | 1.1 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Paratubular basement membrane insudative lesions predict renal prognosis in patients with type 2 diabetes and biopsy-proven diabetic nephropathy. PLoS ONE, 2017, 12, e0183190. | 1.1 | 14 |
| 164 | The effects of non-surgical periodontal treatment on glycemic control, oxidative stress balance and quality of life in patients with type 2 diabetes: A randomized clinical trial. PLoS ONE, 2017, 12, e0188171. | 1.1 | 41 |
| 165 | Immunohistochemistry of Vasohibin-2 in Human Kidney Disease : Implications in Impaired Glucose Tolerance and Reduced Renal Function. Acta Medica Okayama, 2017, 71, 369-380. | 0.1 | 6 |
| 166 | Alternative to Rituximab Therapy for a Patient with Ankylosing Spondylitis Who Was Unable to Continue Anti-TNF Therapy. Acta Medica Okayama, 2017, 71, 445-448. | 0.1 | 0 |
| 167 | Risk Factors for the Requirement of Antenatal Insulin Treatment in Gestational Diabetes Mellitus. Journal of Diabetes Research, 2016, 2016, 1-6. | 1.0 | 20 |
| 168 | Chronic Kidney Disease Is Positively and Diabetes Mellitus Is Negatively Associated with Abdominal Aortic Aneurysm. PLoS ONE, 2016, 11, e0164015. | 1.1 | 15 |
| 169 | <i>CDH13</i> Polymorphisms are Associated with Adiponectin Levels and Metabolic Syndrome Traits Independently of Visceral Fat Mass. Journal of Atherosclerosis and Thrombosis, 2016, 23, 309-319. | 0.9 | 14 |
| 170 | Bilateral Abducens Nerve Palsy due to Idiopathic Intracranial Hypertension as an Initial Manifestation of Systemic Lupus Erythematosus. Internal Medicine, 2016, 55, 991-994. | 0.3 | 8 |
| 171 | The possible involvement of intestine-derived IgA1: a case of IgA nephropathy associated with Crohn's disease. BMC Nephrology, 2016, 17, 122. | 0.8 | 18 |
| 172 | Inhibition of SGLT2 alleviates diabetic nephropathy by suppressing high glucose-induced oxidative stress in type 1 diabetic mice. Pharmacology Research and Perspectives, 2016, 4, e00239. | 1.1 | 67 |
| 173 | ANGPTL2 activity in cardiac pathologies accelerates heart failure by perturbing cardiac function and energy metabolism. Nature Communications, 2016, 7, 13016. | 5.8 | 46 |
| 174 | Insufficiency of phosphatidylethanolamine N-methyltransferase is risk for lean non-alcoholic steatohepatitis. Scientific Reports, 2016, 6, 21721. | 1.6 | 42 |
| 175 | Development of intracerebral hemorrhage in the short-term clinical course of a patient with microscopic polyangiitis without neurological symptoms at diagnosis: an autopsy case. CEN Case Reports, 2016, 5, 173-178. | 0.5 | 6 |
| 176 | Antiobesity Action of ACAM by Modulating the Dynamics of Cell Adhesion and Actin Polymerization in Adipocytes. Diabetes, 2016, 65, 1255-1267. | 0.3 | 15 |
| 177 | The efficacy of add-on tacrolimus for minor flare in patients with systemic lupus erythematosus: a retrospective study. Lupus, 2016, 25, 54-60. | 0.8 | 13 |
| 178 | Innate immunity in diabetes and diabetic nephropathy. Nature Reviews Nephrology, 2016, 12, 13-26. | 4.1 | 305 |
| 179 | Acute idiopathic blue fingers: a young man with Achenbach's syndrome. BMJ Case Reports, 2016, 2016, bcr2016214491. | 0.2 | 13 |
| 180 | Mitochondrial Dynamics and Mitochondrial Dysfunction in Diabetes. Acta Medica Okayama, 2016, 70, 151-8. | 0.1 | 82 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Identification of the adipokine 'vaspin' and its significance in metabolic syndrome. Okayama Igakkai Zasshi, 2016, 128, 103-109. | 0.0 | 0 |
| 182 | The Efficacy of Rituximab in High-risk Renal Transplant Recipients. Acta Medica Okayama, 2016, 70, 295-7. | 0.1 | 0 |
| 183 | Study about the Efficacy of Metformin to Immune Function in Cancer Patients. Acta Medica Okayama, 2016, 70, 327-30. | 0.1 | 2 |
| 184 | <i>>ADIPOQ</i> polymorphisms are associated with insulin resistance in Japanese women. Endocrine Journal, 2015, 62, 513-521. | 0.7 | 5 |
| 185 | Beneficial impact of Gpmb and its significance as a biomarker in nonalcoholic steatohepatitis. Scientific Reports, 2015, 5, 16920. | 1.6 | 55 |
| 186 | Autoimmune pancreatitis and minimal change nephrotic syndrome: an unusual association?. Nephrology, 2015, 20, 225-226. | 0.7 | 2 |
| 187 | Identification of Circulating miR-101, miR-375 and miR-802 as Biomarkers for Type 2 Diabetes. Metabolism: Clinical and Experimental, 2015, 64, 489-497. | 1.5 | 141 |
| 188 | Risk factors for the development of glucocorticoid-induced diabetes mellitus. Diabetes Research and Clinical Practice, 2015, 108, 273-279. | 1.1 | 49 |
| 189 | Translocase of inner mitochondrial membrane 44 alters the mitochondrial fusion and fission dynamics and protects from type 2 diabetes. Metabolism: Clinical and Experimental, 2015, 64, 677-688. | 1.5 | 20 |
| 190 | Anti-albuminuric effects of spironolactone in patients with type 2 diabetic nephropathy: a multicenter, randomized clinical trial. Clinical and Experimental Nephrology, 2015, 19, 1098-1106. | 0.7 | 49 |
| 191 | Structural design and synthesis of arylalkynyl amide-type peroxisome proliferator-activated receptor β (PPAR β)-selective antagonists based on the helix12-folding inhibition hypothesis. European Journal of Medicinal Chemistry, 2015, 90, 53-67. | 2.6 | 23 |
| 192 | Cognitive and affective functions in diabetic patients associated with diabetes-related factors, white matter abnormality and aging. European Journal of Neurology, 2015, 22, 313-321. | 1.7 | 21 |
| 193 | Nuclear Hormone Receptor Expression in Mouse Kidney and Renal Cell Lines. PLoS ONE, 2014, 9, e85594. | 1.1 | 13 |
| 194 | Pemt Deficiency Ameliorates Endoplasmic Reticulum Stress in Diabetic Nephropathy. PLoS ONE, 2014, 9, e92647. | 1.1 | 16 |
| 195 | Long-Term Treatment with the Sodium Glucose Cotransporter 2 Inhibitor, Dapagliflozin, Ameliorates Glucose Homeostasis and Diabetic Nephropathy in db/db Mice. PLoS ONE, 2014, 9, e100777. | 1.1 | 271 |
| 196 | Sarcoid-like lung granulomas in a hemodialysis patient treated with a dipeptidyl peptidase-4 inhibitor. CKJ: Clinical Kidney Journal, 2014, 7, 182-185. | 1.4 | 7 |
| 197 | Serum vaspin levels are associated with physical activity or physical fitness in Japanese: a pilot study. Environmental Health and Preventive Medicine, 2014, 19, 200-206. | 1.4 | 4 |
| 198 | Effect of vildagliptin, a dipeptidyl peptidase 4 inhibitor, on cardiac hypertrophy induced by chronic beta-adrenergic stimulation in rats. Cardiovascular Diabetology, 2014, 13, 43. | 2.7 | 54 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Metallothionein deficiency exacerbates diabetic nephropathy in streptozotocin-induced diabetic mice. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 306, F105-F115. | 1.3 | 20 |
| 200 | Factors associated with remission and/or regression of microalbuminuria in type 2 diabetes mellitus. <i>Acta Medica Okayama</i> , 2014, 68, 235-41. | 0.1 | 5 |
| 201 | Telmisartan Attenuates Diabetic Nephropathy by Suppressing Oxidative Stress in db/db Mice. <i>Nephron Experimental Nephrology</i> , 2013, 121, e97-e108. | 2.4 | 26 |
| 202 | Serum galectin-9 levels are elevated in the patients with type 2 diabetes and chronic kidney disease. <i>BMC Nephrology</i> , 2013, 14, 23. | 0.8 | 52 |
| 203 | Visceral Adipose Tissue-derived Serine Proteinase Inhibitor Inhibits Apoptosis of Endothelial Cells as a Ligand for the Cell-Surface GRP78/Voltage-dependent Anion Channel Complex. <i>Circulation Research</i> , 2013, 112, 771-780. | 2.0 | 72 |
| 204 | Current status of the treatment of microscopic polyangiitis and granulomatosis with polyangiitis in Japan. <i>Clinical and Experimental Nephrology</i> , 2013, 17, 51-58. | 0.7 | 39 |
| 205 | Inflammation and the pathogenesis of diabetic nephropathy. <i>Clinical Science</i> , 2013, 124, 139-152. | 1.8 | 600 |
| 206 | The effects of telmisartan treatment on the abdominal fat depot in patients with metabolic syndrome and essential hypertension: Abdominal fat Depot Intervention Program of Okayama (ADIPO). <i>Diabetes and Vascular Disease Research</i> , 2013, 10, 93-96. | 0.9 | 30 |
| 207 | rs206936 is associated with body mass index in obese Japanese women. <i>Endocrine Journal</i> , 2013, 60, 991-1000. | 0.7 | 16 |
| 208 | Long-term effect of cinacalcet hydrochloride on abdominal aortic calcification in patients on hemodialysis with secondary hyperparathyroidism. <i>International Journal of Nephrology and Renovascular Disease</i> , 2013, 7, 25. | 0.8 | 13 |
| 209 | Urinary angiotensinogen is a marker for tubular injuries in patients with type 2 diabetes. <i>International Journal of Nephrology and Renovascular Disease</i> , 2013, 6, 233. | 0.8 | 8 |
| 210 | Replication Study of 15 Recently Published Loci for Body Fat Distribution in the Japanese Population. <i>Journal of Atherosclerosis and Thrombosis</i> , 2013, 20, 336-350. | 0.9 | 16 |
| 211 | Urinary Fetuin-A Is a Novel Marker for Diabetic Nephropathy in Type 2 Diabetes Identified by Lectin Microarray. <i>PLoS ONE</i> , 2013, 8, e77118. | 1.1 | 50 |
| 212 | Cell cycle abnormality in metabolic syndrome and nuclear receptors as an emerging therapeutic target. <i>Acta Medica Okayama</i> , 2013, 67, 129-34. | 0.1 | 5 |
| 213 | Serum Vaspin Concentrations Are Closely Related to Insulin Resistance, and rs77060950 at SERPINA12 Genetically Defines Distinct Group with Higher Serum Levels in Japanese Population. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E1202-E1207. | 1.8 | 57 |
| 214 | Activation of Liver X Receptor Inhibits Osteopontin and Ameliorates Diabetic Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2012, 23, 1835-1846. | 3.0 | 49 |
| 215 | Galectin-9 and T Cell Immunoglobulin Mucin-3 Pathway Is a Therapeutic Target for Type 1 Diabetes. <i>Endocrinology</i> , 2012, 153, 612-620. | 1.4 | 78 |
| 216 | A Case of Type 2 Diabetes and Metastatic Liver Cancer Exhibiting Hypercholesterolemia with Abnormal Lipoproteins. <i>Internal Medicine</i> , 2012, 51, 619-623. | 0.3 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Case of emphysematous cholecystitis in a patient with type 2 diabetes mellitus associated with schizophrenia. <i>Journal of Diabetes Investigation</i> , 2012, 3, 534-535. | 1.1 | 7 |
| 218 | The serum vaspin levels are reduced in Japanese chronic hemodialysis patients. <i>BMC Nephrology</i> , 2012, 13, 163. | 0.8 | 13 |
| 219 | Genetic variations in the CYP17A1 and NT5C2 genes are associated with a reduction in visceral and subcutaneous fat areas in Japanese women. <i>Journal of Human Genetics</i> , 2012, 57, 46-51. | 1.1 | 38 |
| 220 | Vaspin Is an Adipokine Ameliorating ER Stress in Obesity as a Ligand for Cell-Surface GRP78/MTJ-1 Complex. <i>Diabetes</i> , 2012, 61, 2823-2832. | 0.3 | 108 |
| 221 | Association between type 2 diabetes genetic susceptibility loci and visceral and subcutaneous fat area as determined by computed tomography. <i>Journal of Human Genetics</i> , 2012, 57, 305-310. | 1.1 | 23 |
| 222 | The therapeutic potential of synthetic human atrial natriuretic peptide in nephrotic syndrome: a randomized controlled trial. <i>International Journal of Nephrology and Renovascular Disease</i> , 2012, 5, 91. | 0.8 | 2 |
| 223 | RXR antagonism induces G ₀ /G ₁ cell cycle arrest and ameliorates obesity by up-regulating the p53-p21 ^{Cip1} pathway in adipocytes. <i>Journal of Pathology</i> , 2012, 226, 784-795. | 2.1 | 19 |
| 224 | Hydrogen-rich water prevents progression of nonalcoholic steatohepatitis and accompanying hepatocarcinogenesis in mice. <i>Hepatology</i> , 2012, 56, 912-921. | 3.6 | 104 |
| 225 | Impact of circulating vaspin levels on metabolic variables in elderly twins. <i>Diabetologia</i> , 2012, 55, 530-532. | 2.9 | 14 |
| 226 | RXR antagonism induces G ₀ /G ₁ cell cycle arrest and ameliorates obesity by up-regulating p53-p21 ^{Cip1} pathway in adipocytes. <i>Okayama Igakkai Zasshi</i> , 2012, 124, 97-100. | 0.0 | 0 |
| 227 | Computed tomography analysis of the association between the SH2B1 rs7498665 single-nucleotide polymorphism and visceral fat area. <i>Journal of Human Genetics</i> , 2011, 56, 716-719. | 1.1 | 24 |
| 228 | Discovery of Genes Related to Diabetic Nephropathy in Various Animal Models by Current Techniques. <i>Contributions To Nephrology</i> , 2011, 169, 161-174. | 1.1 | 16 |
| 229 | Intercellular adhesion molecule-1 plays a critical role in glomerulosclerosis after subtotal nephrectomy. <i>Clinical and Experimental Nephrology</i> , 2011, 15, 212-219. | 0.7 | 2 |
| 230 | P-Selectin Glycoprotein Ligand-1 Deficiency Is Protective Against Obesity-Related Insulin Resistance. <i>Diabetes</i> , 2011, 60, 189-199. | 0.3 | 33 |
| 231 | High Glucose Increases Metallothionein Expression in Renal Proximal Tubular Epithelial Cells. <i>Experimental Diabetes Research</i> , 2011, 2011, 1-8. | 3.8 | 30 |
| 232 | Activation of Peroxisome Proliferator-Activated Receptor γ Inhibits Streptozotocin-Induced Diabetic Nephropathy Through Anti-Inflammatory Mechanisms in Mice. <i>Diabetes</i> , 2011, 60, 960-968. | 0.3 | 64 |
| 233 | Association of variations in the FTO, SLC3 and MTMR9 genes with metabolic syndrome in a Japanese population. <i>Journal of Human Genetics</i> , 2011, 56, 647-651. | 1.1 | 69 |
| 234 | Icodextrin Increases Technique Survival Rate in Peritoneal Dialysis Patients with Diabetic Nephropathy by Improving Body Fluid Management: A Randomized Controlled Trial. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1337-1344. | 2.2 | 77 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Two novel mutations of lecithin:cholesterol acyltransferase (LCAT) gene and the influence of APOE genotypes on clinical manifestations. CKJ: Clinical Kidney Journal, 2011, 4, 299-302. | 1.4 | 5 |
| 236 | Emphysematous cystitis in a patient with type 2 diabetes mellitus. Acta Medica Okayama, 2011, 65, 129-33. | 0.1 | 10 |
| 237 | Involvement of MAPKs in ICAM-1 expression in glomerular endothelial cells in diabetic nephropathy. Acta Medica Okayama, 2011, 65, 247-57. | 0.1 | 16 |
| 238 | The macrophage is a key factor in renal injuries caused by glomerular hyperfiltration. Acta Medica Okayama, 2011, 65, 81-9. | 0.1 | 11 |
| 239 | The Usefulness of Super-Selective Computed Tomography Angiography (CTA) for Diagnosing and Localizing a Small Insulinoma. Internal Medicine, 2010, 49, 1983-1986. | 0.3 | 5 |
| 240 | In Vivo Delivery of Gremlin siRNA Plasmid Reveals Therapeutic Potential against Diabetic Nephropathy by Recovering Bone Morphogenetic Protein-7. PLoS ONE, 2010, 5, e11709. | 1.1 | 55 |
| 241 | Effects of icodextrin peritoneal dialysis solution on the peritoneal membrane in the STZ-induced diabetic rat model with partial nephrectomy. Nephrology Dialysis Transplantation, 2010, 25, 1479-1488. | 0.4 | 16 |
| 242 | Polymorphisms in NRXN3, TFAP2B, MSRA, LYPLAL1, FTO and MC4R and their effect on visceral fat area in the Japanese population. Journal of Human Genetics, 2010, 55, 738-742. | 1.1 | 36 |
| 243 | Comparison of Insulin Detemir and Insulin Glargine on Glycemic Variability in Patients with Type 1 and Type 2 Diabetes. Experimental and Clinical Endocrinology and Diabetes, 2010, 118, 320-324. | 0.6 | 16 |
| 244 | Peramivir for Severe Influenza Infection in a Patient with Diabetic Nephropathy. American Journal of Respiratory and Critical Care Medicine, 2010, 182, 1209-1210. | 2.5 | 11 |
| 245 | Insufficient control of morning home blood pressure in Japanese patients with hypertension associated with diabetes mellitus. Journal of Diabetes Investigation, 2010, 1, 266-272. | 1.1 | 1 |
| 246 | Association between obesity and polymorphisms in SEC16B, TMEM18, GNPDA2, BDNF, FAIM2 and MC4R in a Japanese population. Journal of Human Genetics, 2009, 54, 727-731. | 1.1 | 115 |
| 247 | Screening of 336 single-nucleotide polymorphisms in 85 obesity-related genes revealed McKusick's Kaufman syndrome gene variants are associated with metabolic syndrome. Journal of Human Genetics, 2009, 54, 230-235. | 1.1 | 7 |
| 248 | Endothelial barrier protection by FTY720 under hyperglycemic condition: involvement of focal adhesion kinase, small GTPases, and adherens junction proteins. American Journal of Physiology - Cell Physiology, 2009, 297, C945-C954. | 2.1 | 11 |
| 249 | Historical chronology of basic and clinical research in diabetic nephropathy and contributions of Japanese scientists. Clinical and Experimental Nephrology, 2009, 13, 405-414. | 0.7 | 10 |
| 250 | Enhanced interaction between focal adhesion and adherens junction proteins: Involvement in sphingosine 1-phosphate-induced endothelial barrier enhancement. Microvascular Research, 2009, 77, 304-313. | 1.1 | 79 |
| 251 | Variations in the FTO gene are associated with severe obesity in the Japanese. Journal of Human Genetics, 2008, 53, 546-553. | 1.1 | 219 |
| 252 | INSIG2 gene rs7566605 polymorphism is associated with severe obesity in Japanese. Journal of Human Genetics, 2008, 53, 857-862. | 1.1 | 43 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Glycated albumin levels predict long-term survival in diabetic patients undergoing haemodialysis. <i>Nephrology</i> , 2008, 13, 278-283. | 0.7 | 85 |
| 254 | Bilateral dystonia in type 1 diabetes: a case report. <i>Journal of Medical Case Reports</i> , 2008, 2, 352. | 0.4 | 8 |
| 255 | Procollagen C-proteinase enhancer-1 (PCPE-1) interacts with β 2-microglobulin (β 2-m) and may help initiate β 2-m amyloid fibril formation in connective tissues. <i>Matrix Biology</i> , 2008, 27, 211-219. | 1.5 | 12 |
| 256 | Comparison of serum uric acid levels between Japanese with and without metabolic syndrome. <i>Diabetes Research and Clinical Practice</i> , 2008, 80, e1-e5. | 1.1 | 27 |
| 257 | Vaspin: a novel serpin with insulin-sensitizing effects. <i>Expert Opinion on Investigational Drugs</i> , 2008, 17, 327-333. | 1.9 | 142 |
| 258 | Diabetic Nephropathy: Mechanisms of Renal Disease Progression. <i>Experimental Biology and Medicine</i> , 2008, 233, 4-11. | 1.1 | 502 |
| 259 | Rap1b GTPase Ameliorates Glucose-Induced Mitochondrial Dysfunction. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 2293-2301. | 3.0 | 67 |
| 260 | Collectrin Is Involved in the Development of Salt-Sensitive Hypertension by Facilitating the Membrane Trafficking of Apical Membrane Proteins via Interaction With Soluble <i>N</i> -Ethylmaleimide-Sensitive Factor Attachment Protein Receptor Complex. <i>Circulation</i> , 2008, 118, 2146-2155. | 1.6 | 26 |
| 261 | Edaravone mimics sphingosine-1-phosphate-induced endothelial barrier enhancement in human microvascular endothelial cells. <i>American Journal of Physiology - Cell Physiology</i> , 2007, 293, C1523-C1531. | 2.1 | 7 |
| 262 | Thiazolidinedione ameliorates renal injury in experimental diabetic rats through anti-inflammatory effects mediated by inhibition of NF- κ B activation. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 292, F1141-F1150. | 1.3 | 185 |
| 263 | Functional Single-Nucleotide Polymorphisms in the Secretogranin III (SCG3) Gene that Form Secretory Granules with Appetite-Related Neuropeptides Are Associated with Obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 1145-1154. | 1.8 | 40 |
| 264 | Changes of gene expression profiles in macrophages stimulated by angiotensin II α Angiotensin II induces MCP-2 through AT1-receptor. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2007, 8, 45-50. | 1.0 | 25 |
| 265 | Association of single-nucleotide polymorphisms in MTMR9 gene with obesity. <i>Human Molecular Genetics</i> , 2007, 16, 3017-3026. | 1.4 | 51 |
| 266 | Macrophage Scavenger Receptor-A α -Deficient Mice Are Resistant Against Diabetic Nephropathy Through Amelioration of Microinflammation. <i>Diabetes</i> , 2007, 56, 363-372. | 0.3 | 86 |
| 267 | Hemophagocytic Syndrome Associated with Fatal Venocclusive Disease in the Liver. <i>Internal Medicine</i> , 2007, 46, 495-500. | 0.3 | 6 |
| 268 | Collectrin, a homologue of ACE2, its transcriptional control and functional perspectives. <i>Biochemical and Biophysical Research Communications</i> , 2007, 363, 1-5. | 1.0 | 20 |
| 269 | Urinary PGDS levels are associated with vascular injury in type 2 diabetes patients. <i>Diabetes Research and Clinical Practice</i> , 2007, 76, 358-367. | 1.1 | 31 |
| 270 | Comparison of ventilatory threshold and exercise habits between Japanese men with and without metabolic syndrome. <i>Diabetes Research and Clinical Practice</i> , 2007, 77, 314-319. | 1.1 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | The Role for HNF-1 β -Targeted Collectrin in Maintenance of Primary Cilia and Cell Polarity in Collecting Duct Cells. <i>PLoS ONE</i> , 2007, 2, e414. | 1.1 | 48 |
| 272 | Comparison of muscle strength between Japanese men with and without metabolic syndrome. <i>Acta Medica Okayama</i> , 2007, 61, 99-102. | 0.1 | 15 |
| 273 | Linkage between oxygen uptake at ventilatory threshold and muscle strength in subjects with and without metabolic syndrome. <i>Acta Medica Okayama</i> , 2007, 61, 255-9. | 0.1 | 4 |
| 274 | Re-evaluation of waist circumference in metabolic syndrome: a comparison between Japanese men and women. <i>Acta Medica Okayama</i> , 2007, 61, 167-9. | 0.1 | 5 |
| 275 | Relationship between Metabolic Syndrome and Proteinuria in the Japanese Population. <i>Internal Medicine</i> , 2006, 45, 599-603. | 0.3 | 14 |
| 276 | Relationship between Metabolic Syndrome and Cigarette Smoking in the Japanese Population. <i>Internal Medicine</i> , 2006, 45, 1039-1043. | 0.3 | 53 |
| 277 | Elevated Serum Monocyte Chemoattractant Protein-1 and Chronic Inflammation in Overweight Subjects. <i>Obesity</i> , 2006, 14, 799-811. | 1.5 | 36 |
| 278 | Therapeutic Approach for Diabetic Nephropathy Using Gene Delivery of Translocase of Inner Mitochondrial Membrane 44 by Reducing Mitochondrial Superoxide Production. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 1090-1101. | 3.0 | 67 |
| 279 | Thiazolidinediones Ameliorate Diabetic Nephropathy via Cell Cycle-Dependent Mechanisms. <i>Diabetes</i> , 2006, 55, 1666-1677. | 0.3 | 93 |
| 280 | The application of synthetic hANP in diabetic nephropathy with nephrotic syndrome. <i>Diabetes Care</i> , 2006, 29, 172-3. | 4.3 | 2 |
| 281 | Identification of adipocyte adhesion molecule (ACAM), a novel CTX gene family, implicated in adipocyte maturation and development of obesity. <i>Biochemical Journal</i> , 2005, 387, 343-353. | 1.7 | 49 |
| 282 | Pathological Roles of Advanced Glycation End Product Receptors SR-A and CD36. <i>Annals of the New York Academy of Sciences</i> , 2005, 1043, 671-675. | 1.8 | 33 |
| 283 | Renal-specific oxidoreductase biphasic expression under high glucose ambience during fetal versus neonatal development. <i>Kidney International</i> , 2005, 68, 1670-1683. | 2.6 | 12 |
| 284 | Erythromycin ameliorates renal injury via anti-inflammatory effects in experimental diabetic rats. <i>Diabetologia</i> , 2005, 48, 2402-2411. | 2.9 | 39 |
| 285 | Hyperglycemia: its imminent effects on mammalian nephrogenesis. <i>Pediatric Nephrology</i> , 2005, 20, 858-866. | 0.9 | 30 |
| 286 | Serum Interleukin-18 Levels Are Associated With Nephropathy and Atherosclerosis in Japanese Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2005, 28, 2890-2895. | 4.3 | 187 |
| 287 | Gene Delivery of Tim44 Reduces Mitochondrial Superoxide Production and Ameliorates Neointimal Proliferation of Injured Carotid Artery in Diabetic Rats. <i>Diabetes</i> , 2005, 54, 2882-2890. | 0.3 | 41 |
| 288 | Visceral adipose tissue-derived serine protease inhibitor: A unique insulin-sensitizing adipocytokine in obesity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 10610-10615. | 3.3 | 602 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 289 | Cell Biology of Diabetic Kidney Disease. <i>Nephron Experimental Nephrology</i> , 2005, 101, e100-e110. | 2.4 | 11 |
| 290 | Galectin-9 Inhibits Glomerular Hypertrophy in db/db Diabetic Mice via Cell-Cycle-Dependent Mechanisms. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 3222-3234. | 3.0 | 40 |
| 291 | Methotrexate Prevents Renal Injury in Experimental Diabetic Rats via Anti-Inflammatory Actions. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 3326-3338. | 3.0 | 78 |
| 292 | Modulation of renal-specific oxidoreductase/myo-inositol oxygenase by high-glucose ambience. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 17952-17957. | 3.3 | 53 |
| 293 | Long-term use of vitamin E-coated polysulfone membrane reduces oxidative stress markers in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 2775-2782. | 0.4 | 80 |
| 294 | The HNF-1 target Collectrin controls insulin exocytosis by SNARE complex formation. <i>Cell Metabolism</i> , 2005, 2, 373-384. | 7.2 | 141 |
| 295 | Clinical features of non-diabetic renal diseases in patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2005, 69, 237-242. | 1.1 | 108 |
| 296 | Sulfated Hyaluronic Acid, a Potential Selectin Inhibitor, Ameliorates Experimentally Induced Crescentic Glomerulonephritis. <i>Nephron Experimental Nephrology</i> , 2005, 99, e26-e32. | 2.4 | 5 |
| 297 | Cerebroside Sulfotransferase Deficiency Ameliorates L-selectin-dependent Monocyte Infiltration in the Kidney after Ureteral Obstruction. <i>Journal of Biological Chemistry</i> , 2004, 279, 2085-2090. | 1.6 | 41 |
| 298 | Intravenous Vitamin D Therapy Reduces PTH-(1-84)/Large C Fragments Ratio in Chronic Hemodialysis Patients. <i>Nephron Clinical Practice</i> , 2004, 98, c93-c100. | 2.3 | 3 |
| 299 | The Critical Role of Src Homology Domain 2-Containing Tyrosine Phosphatase-1 in Recombinant Human Erythropoietin Hyporesponsive Anemia in Chronic Hemodialysis Patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 3215-3224. | 3.0 | 25 |
| 300 | Changes in serum leptin concentrations in overweight Japanese men after exercise. <i>Diabetes, Obesity and Metabolism</i> , 2004, 6, 332-337. | 2.2 | 40 |
| 301 | The role of adrenomedullin and receptors in glomerular hyperfiltration in streptozotocin-induced diabetic rats. <i>Kidney International</i> , 2004, 65, 540-550. | 2.6 | 30 |
| 302 | Multicentric Castleman's disease associated with glomerular microangiopathy and MPGN-like lesion: does vascular endothelial cell-derived growth factor play causative or protective roles in renal injury?. <i>American Journal of Kidney Diseases</i> , 2004, 43, e1.1-e1.7. | 2.1 | 44 |
| 303 | Update of extracellular matrix, its receptors, and cell adhesion molecules in mammalian nephrogenesis. <i>American Journal of Physiology - Renal Physiology</i> , 2004, 286, F202-F215. | 1.3 | 75 |
| 304 | Glomerular cell apoptosis in human lupus nephritis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2003, 443, 67-77. | 1.4 | 36 |
| 305 | Perturbation of autocrine/paracrine loops of burst-forming units of erythroid-derived cells in rHuEPO-hyporesponsive hemodialysis patients. <i>American Journal of Kidney Diseases</i> , 2003, 41, 624-636. | 2.1 | 4 |
| 306 | Imprinted mesodermal specific transcript (MEST) and H19 genes in renal development and diabetes. <i>Kidney International</i> , 2003, 63, 1658-1670. | 2.6 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | Serum bFGF levels are reduced in Japanese overweight men and restored by a 6-month exercise education. <i>International Journal of Obesity</i> , 2003, 27, 1325-1331. | 1.6 | 23 |
| 308 | Pathogenesis of IgA nephropathy. <i>Seminars in Nephrology</i> , 2003, 23, 556-563. | 0.6 | 32 |
| 309 | Successful treatment of necrotizing fasciitis associated with diabetic nephropathy. <i>Diabetes Research and Clinical Practice</i> , 2003, 60, 213-216. | 1.1 | 9 |
| 310 | Pelvic lymphocyst infection associated with maternally inherited diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2003, 61, 137-141. | 1.1 | 6 |
| 311 | Daily exercise lowers blood pressure and reduces visceral adipose tissue areas in overweight Japanese men. <i>Diabetes Research and Clinical Practice</i> , 2003, 62, 149-157. | 1.1 | 35 |
| 312 | HMG-CoA reductase inhibitor ameliorates diabetic nephropathy by its pleiotropic effects in rats. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 265-272. | 0.4 | 128 |
| 313 | Intercellular Adhesion Molecule-1-Deficient Mice Are Resistant Against Renal Injury After Induction of Diabetes. <i>Diabetes</i> , 2003, 52, 2586-2593. | 0.3 | 275 |
| 314 | Gene Regulation of Aldose-, Aldehyde- and a Renal Specific Oxido Reductase (RSOR) in the Pathobiology of Diabetes Mellitus. <i>Current Medicinal Chemistry</i> , 2003, 10, 1399-1406. | 1.2 | 9 |
| 315 | Remission and Regression of Diabetic Nephropathy. <i>Hypertension Research</i> , 2003, 26, 515-519. | 1.5 | 27 |
| 316 | Isolation and Functional Analysis of Mouse UbA52 Gene and Its Relevance to Diabetic Nephropathy. <i>Journal of Biological Chemistry</i> , 2002, 277, 29953-29962. | 1.6 | 23 |
| 317 | Protective effect of a novel and selective inhibitor of inducible nitric oxide synthase on experimental crescentic glomerulonephritis in WKY rats. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 2117-2121. | 0.4 | 13 |
| 318 | Relevance of extracellular matrix and its receptors in mammalian nephrogenesis revealed by metanephric organ culture system. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 75-77. | 0.4 | 6 |
| 319 | Cyanotic congenital heart disease associated with glomerulomegaly and focal segmental glomerulosclerosis: remission of nephrotic syndrome with angiotensin converting enzyme inhibitor. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 144-147. | 0.4 | 17 |
| 320 | Relationship between reduced serum IGF-I levels and accumulation of visceral fat in Japanese men. <i>International Journal of Obesity</i> , 2002, 26, 361-369. | 1.6 | 45 |
| 321 | Identification of developmentally regulated mesodermal-specific transcript in mouse embryonic metanephros. <i>American Journal of Physiology - Renal Physiology</i> , 2002, 282, F953-F965. | 1.3 | 11 |
| 322 | Renal Gene Expression in Embryonic and Newborn Diabetic Mice. <i>Nephron Experimental Nephrology</i> , 2002, 10, 130-138. | 2.4 | 7 |
| 323 | Minimal Change Nephrotic Syndrome Developing during Postoperative Interferon-Beta Therapy for Malignant Melanoma. <i>Nephron</i> , 2002, 90, 498-500. | 0.9 | 22 |
| 324 | Relevance of renal-specific oxidoreductase in tubulogenesis during mammalian nephron development. <i>American Journal of Physiology - Renal Physiology</i> , 2002, 282, F752-F762. | 1.3 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 325 | Beraprost sodium, prostacyclin analogue, attenuates glomerular hyperfiltration and glomerular macrophage infiltration by modulating ecNOS expression in diabetic rats. <i>Diabetes Research and Clinical Practice</i> , 2002, 57, 149-161. | 1.1 | 29 |
| 326 | Daily walking reduces visceral adipose tissue areas and improves insulin resistance in Japanese obese subjects. <i>Diabetes Research and Clinical Practice</i> , 2002, 58, 101-107. | 1.1 | 86 |
| 327 | Angiocentric immunoproliferative lesions of the lung associated with diffuse renal involvement. <i>American Journal of Kidney Diseases</i> , 2002, 39, e12.1-e12.6. | 2.1 | 0 |
| 328 | Gene expression and identification of gene therapy targets in diabetic nephropathy. <i>Kidney International</i> , 2002, 61, S73-S78. | 2.6 | 29 |
| 329 | Preventive effect of sulphated colominic acid on P-selectin-dependent infiltration of macrophages in experimentally induced crescentic glomerulonephritis. <i>Clinical and Experimental Immunology</i> , 2002, 129, 43-53. | 1.1 | 19 |
| 330 | A case of congenital generalized lipodystrophy with lipoatrophic diabetes developing anti-insulin antibodies. <i>Diabetic Medicine</i> , 2002, 19, 794-795. | 1.2 | 7 |
| 331 | Therapeutic effect of sulphated hyaluronic acid, a potential selectin-blocking agent, on experimental progressive mesangial proliferative glomerulonephritis. <i>Journal of Pathology</i> , 2002, 198, 407-414. | 2.1 | 13 |
| 332 | STATUS OF GLUCOSE TRANSPORTERS IN THE MAMMALIAN KIDNEY AND RENAL DEVELOPMENT. <i>Renal Failure</i> , 2001, 23, 301-310. | 0.8 | 32 |
| 333 | Nitric oxide system is involved in glomerular hyperfiltration in Japanese normo- and micro-albuminuric patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2001, 53, 149-159. | 1.1 | 49 |
| 334 | RELEVANCE OF ALDO-KETO REDUCTASE FAMILY MEMBERS TO THE PATHOBIOLOGY OF DIABETIC NEPHROPATHY AND RENAL DEVELOPMENT. <i>Renal Failure</i> , 2001, 23, 311-320. | 0.8 | 15 |
| 335 | Ultrastructure of Glomerular Basement Membrane in Active Heymann Nephritis Rats Revealed by Tissue-Negative Staining Method. <i>American Journal of Nephrology</i> , 2001, 21, 249-255. | 1.4 | 2 |
| 336 | Identification of up-regulated Ras-like GTPase, Rap1b, by suppression subtractive hybridization. <i>Kidney International</i> , 2001, 60, 2129-2141. | 2.6 | 16 |
| 337 | Gene expression profile in streptozotocin-induced diabetic mice kidneys undergoing glomerulosclerosis. <i>Kidney International</i> , 2001, 59, 1363-1373. | 2.6 | 64 |
| 338 | Collectrin, a Collecting Duct-specific Transmembrane Glycoprotein, Is a Novel Homolog of ACE2 and Is Developmentally Regulated in Embryonic Kidneys. <i>Journal of Biological Chemistry</i> , 2001, 276, 17132-17139. | 1.6 | 211 |
| 339 | Galectins, galactoside-binding mammalian lectins: clinical application of multi-functional proteins. <i>Acta Medica Okayama</i> , 2001, 55, 11-7. | 0.1 | 12 |
| 340 | Malignant Hypertension with a Rare Complication of Pulmonary Alveolar Hemorrhage. <i>American Journal of Nephrology</i> , 2000, 20, 64-67. | 1.4 | 21 |
| 341 | Efficacy of galectins in the amelioration of nephrotoxic serum nephritis in Wistar Kyoto rats. <i>Kidney International</i> , 2000, 58, 1941-1952. | 2.6 | 80 |
| 342 | Expression characteristics and relevance of sodium glucose cotransporter-1 in mammalian renal tubulogenesis. <i>American Journal of Physiology - Renal Physiology</i> , 2000, 279, F765-F777. | 1.3 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 343 | Successful use of cyclosporin A for the treatment of acute interstitial pneumonitis associated with rheumatoid arthritis. <i>Rheumatology</i> , 2000, 39, 1422-1424. | 0.9 | 29 |
| 344 | Re-evaluation of exercise prescription for Japanese type 2 diabetic patients by ventilatory threshold. <i>Diabetes Research and Clinical Practice</i> , 2000, 50, 109-115. | 1.1 | 41 |
| 345 | Clinical evaluation of muscle strength in 20-79-years-old obese Japanese. <i>Diabetes Research and Clinical Practice</i> , 2000, 48, 15-21. | 1.1 | 63 |
| 346 | Familial interstitial nephritis with progressive renal failure. <i>American Journal of Kidney Diseases</i> , 2000, 36, e25.1-e25.5. | 2.1 | 4 |
| 347 | Identification of a renal-specific oxido-reductase in newborn diabetic mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 9896-9901. | 3.3 | 51 |
| 348 | Identification of genes specifically expressed in the accumulated visceral adipose tissue of OLETF rats. <i>Journal of Lipid Research</i> , 2000, 41, 1615-1622. | 2.0 | 99 |
| 349 | Identification of genes specifically expressed in the accumulated visceral adipose tissue of OLETF rats. <i>Journal of Lipid Research</i> , 2000, 41, 1615-22. | 2.0 | 78 |
| 350 | Fatal pancreatitis associated with systemic amyloidosis in a rheumatoid arthritis patient. <i>Journal of Medicine</i> , 2000, 31, 303-10. | 0.1 | 3 |
| 351 | Increased Urinary Excretion of Macrophage-Colony-Stimulating Factor (M-CSF) in Patients with IgA Nephropathy: Tonsil Stimulation Enhances Urinary M-CSF Excretion. <i>Nephron</i> , 1999, 81, 264-270. | 0.9 | 6 |
| 352 | Role of membrane-type matrix metalloproteinase 1 (MT-1-MMP), MMP-2, and its inhibitor in nephrogenesis. <i>American Journal of Physiology - Renal Physiology</i> , 1999, 277, F934-F947. | 1.3 | 32 |
| 353 | Tubulointerstitial nephritis antigen: An extracellular matrix protein that selectively regulates tubulogenesis vs. glomerulogenesis during mammalian renal development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 11323-11328. | 3.3 | 33 |
| 354 | Screening for genes up-regulated in 5/6 nephrectomized mouse kidney. <i>Kidney International</i> , 1999, 56, 549-558. | 2.6 | 50 |
| 355 | Advanced glycation end products-cytokine-nitric oxide sequence pathway in the development of diabetic nephropathy: aminoguanidine ameliorates the overexpression of tumour necrosis factor- α and inducible nitric oxide synthase in diabetic rat glomeruli. <i>Diabetologia</i> , 1999, 42, 878-886. | 2.9 | 152 |
| 356 | L-selectin and its ligands mediate infiltration of mononuclear cells into kidney interstitium after ureteric obstruction. , 1999, 188, 93-99. | | 38 |
| 357 | Differential Distribution of Insulin-Like Growth Factor-1 and Insulin-Like Growth Factor Binding Proteins in Experimental Diabetic Rat Kidney. <i>Nephron</i> , 1999, 81, 317-323. | 0.9 | 17 |
| 358 | Signaling Transduction Pathway of Angiotensin II in Human Mesangial Cells: Mediation of Focal Adhesion and GTPase Activating Proteins. <i>Biochemical and Biophysical Research Communications</i> , 1999, 257, 234-238. | 1.0 | 15 |
| 359 | Integrins Mediate the Inhibitory Effect of Focal Adhesion on Angiotensin II-Induced p44/42 Mitogen-Activated Protein (MAP) Kinase Activity in Human Mesangial Cells. <i>Biochemical and Biophysical Research Communications</i> , 1999, 261, 820-823. | 1.0 | 2 |
| 360 | Cloning of Rat Fibrillin-2 cDNA and Its Role in Branching Morphogenesis of Embryonic Lung. <i>Developmental Biology</i> , 1999, 212, 229-242. | 0.9 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 361 | Novel approaches to unravel the genesis of glomerulosclerosis by new methodologies in molecular biology and molecular genetics. <i>Nephrology Dialysis Transplantation</i> , 1999, 14, 2551-2553. | 0.4 | 5 |
| 362 | Increased expression of endothelial cell nitric oxide synthase (ecNOS) in afferent and glomerular endothelial cells is involved in glomerular hyperfiltration of diabetic nephropathy. <i>Diabetologia</i> , 1998, 41, 1426-1434. | 2.9 | 153 |
| 363 | Therapeutic effects of prostacyclin analog on crescentic glomerulonephritis of rat. <i>Kidney International</i> , 1998, 53, 1314-1320. | 2.6 | 33 |
| 364 | Cloning of murine membrane-type-1-matrix metalloproteinase (MT-1-MMP) and its metanephric developmental regulation with respect to MMP-2 and its inhibitor. <i>Kidney International</i> , 1998, 54, 131-142. | 2.6 | 35 |
| 365 | Ultrastructure of mesangial type III collagen deposition in a patient with IgA nephropathy. <i>American Journal of Kidney Diseases</i> , 1998, 32, 146-152. | 2.1 | 2 |
| 366 | A Case of Membranous Nephropathy Associated with Psoriasis vulgaris. <i>Nephron</i> , 1998, 80, 111-112. | 0.9 | 9 |
| 367 | Deposition of Mannan Binding Protein and Mannan Binding Protein-Mediated Complement Activation in the Glomeruli of Patients with IgA Nephropathy. <i>Nephron</i> , 1998, 80, 408-413. | 0.9 | 64 |
| 368 | Characterization of mammalian translocase of inner mitochondrial membrane (Tim44) isolated from diabetic newborn mouse kidney. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 144-149. | 3.3 | 67 |
| 369 | Fatal Hyperammonemia in a Patient with Systemic Lupus Erythematosus.. <i>Internal Medicine</i> , 1998, 37, 700-703. | 0.3 | 9 |
| 370 | Relevance of extracellular matrix, its receptors, and cell adhesion molecules in mammalian nephrogenesis. <i>American Journal of Physiology - Renal Physiology</i> , 1998, 275, F467-F477. | 1.3 | 20 |
| 371 | Isolation of rat fibrillin-1 cDNA and its relevance in metanephric development. <i>American Journal of Physiology - Renal Physiology</i> , 1998, 275, F710-F723. | 1.3 | 10 |
| 372 | Identification and Characterization of Galectin-9, a Novel β -Galactoside-binding Mammalian Lectin. <i>Journal of Biological Chemistry</i> , 1997, 272, 6078-6086. | 1.6 | 294 |
| 373 | Representational difference analysis of cDNA of genes expressed in embryonic kidney. <i>Kidney International</i> , 1997, 51, 1629-1638. | 2.6 | 36 |
| 374 | Role of extracellular matrix, growth factors and proto-oncogenes in metanephric development. <i>Kidney International</i> , 1997, 52, 589-606. | 2.6 | 73 |
| 375 | Developmental regulation and partial-length cloning of tubulointerstitial nephritis antigen of murine metanephros. <i>Kidney International</i> , 1997, 52, 620-627. | 2.6 | 15 |
| 376 | Developmental regulation, expression, and apoptotic potential of galectin-9, a beta-galactoside binding lectin.. <i>Journal of Clinical Investigation</i> , 1997, 99, 2452-2461. | 3.9 | 242 |
| 377 | Bcl-2 expression and apoptosis in nephrotoxic nephritis. <i>Experimental Nephrology</i> , 1997, 5, 481-9. | 0.4 | 7 |
| 378 | Comparative Role of Phosphotyrosine Kinase Domains of c-ros and c-ret Protooncogenes in Metanephric Development with Respect to Growth Factors and Matrix Morphogens. <i>Developmental Biology</i> , 1996, 178, 133-148. | 0.9 | 57 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 379 | The Critical Role of Intercellular Adhesion Molecule-1 in Masugi Nephritis in Rats. <i>Nephron</i> , 1996, 73, 264-272. | 0.6 | 18 |
| 380 | Cloning of mouse integrin alphaV cDNA and role of the alphaV-related matrix receptors in metanephric development.. <i>Journal of Cell Biology</i> , 1996, 132, 1161-1176. | 2.3 | 69 |
| 381 | D-glucose-induced dysmorphogenesis of embryonic kidney.. <i>Journal of Clinical Investigation</i> , 1996, 98, 2478-2488. | 3.9 | 54 |
| 382 | Cloning of mouse c-ros renal cDNA, its role in development and relationship to extracellular matrix glycoproteins. <i>Kidney International</i> , 1995, 48, 1646-1659. | 2.6 | 28 |
| 383 | Distribution of extracellular matrix receptors in various forms of glomerulonephritis. <i>American Journal of Kidney Diseases</i> , 1995, 25, 680-688. | 2.1 | 54 |
| 384 | Localization of Fibril/Microfibril and Basement Membrane Collagens in Diabetic Glomerulosclerosis in Type 2 Diabetes. <i>Diabetic Medicine</i> , 1994, 11, 304-311. | 1.2 | 30 |
| 385 | Trophic effect of insulin-like growth factor-I on metanephric development: relationship to proteoglycans. <i>European Journal of Cell Biology</i> , 1994, 65, 378-91. | 1.6 | 16 |
| 386 | Distribution and relevance of insulin-like growth factor-I receptor in metanephric development. <i>Kidney International</i> , 1993, 44, 1242-1250. | 2.6 | 46 |
| 387 | Cloning of cDNA for the alpha subunit of mouse insulin-like growth factor I receptor and the role of the receptor in metanephric development.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 10360-10364. | 3.3 | 61 |
| 388 | Expression of the VLA family of integrins in the renal glomerulus. <i>Japanese Journal of Nephrology</i> , 1993, 35, 19-21. | 0.0 | 0 |
| 389 | A case of neutro-Behcet's disease started with diplopia.. <i>Japanese Journal of Clinical Immunology</i> , 1991, 14, 463-468. | 0.0 | 0 |