

Mingfu Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7884256/publications.pdf>

Version: 2024-02-01

258
papers

12,013
citations

23544

58
h-index

43868

91
g-index

261
all docs

261
docs citations

261
times ranked

13263
citing authors

#	ARTICLE	IF	CITATIONS
1	Antioxidative Phenolic Compounds from Sage (<i>Salvia officinalis</i>). <i>Journal of Agricultural and Food Chemistry</i> , 1998, 46, 4869-4873.	2.4	528
2	Analysis of Antioxidative Phenolic Compounds in Artichoke (<i>Cynara scolymus</i> L.). <i>Journal of Agricultural and Food Chemistry</i> , 2003, 51, 601-608.	2.4	391
3	2,2-Diphenyl-1-picrylhydrazyl Radical-Scavenging Active Components from <i>Polygonum multiflorum</i> Thunb.. <i>Journal of Agricultural and Food Chemistry</i> , 1999, 47, 2226-2228.	2.4	233
4	Overexpression of <i>Arabidopsis</i> Acyl-CoA Binding Protein ACBP3 Promotes Starvation-Induced and Age-Dependent Leaf Senescence. <i>Plant Cell</i> , 2010, 22, 1463-1482.	3.1	225
5	Cinnamon Bark Proanthocyanidins as Reactive Carbonyl Scavengers To Prevent the Formation of Advanced Glycation Endproducts. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 1907-1911.	2.4	208
6	Naturally occurring inhibitors against the formation of advanced glycation end-products. <i>Food and Function</i> , 2011, 2, 289.	2.1	208
7	Inhibitory effect of mung bean extract and its constituents vitexin and isovitexin on the formation of advanced glycation endproducts. <i>Food Chemistry</i> , 2008, 106, 475-481.	4.2	194
8	The effects of grape seed extract fortification on the antioxidant activity and quality attributes of bread. <i>Food Chemistry</i> , 2010, 119, 49-53.	4.2	182
9	Determination of isoflavones in red clover and related species by high-performance liquid chromatography combined with ultraviolet and mass spectrometric detection. <i>Journal of Chromatography A</i> , 2003, 1016, 195-209.	1.8	171
10	Functional characterization of key structural genes in rice flavonoid biosynthesis. <i>Planta</i> , 2008, 228, 1043-1054.	1.6	160
11	Dietary oxyresveratrol prevents parkinsonian mimetic 6-hydroxydopamine neurotoxicity. <i>Free Radical Biology and Medicine</i> , 2008, 45, 1019-1026.	1.3	159
12	Evaluation of Resveratrol Derivatives as Potential Antioxidants and Identification of a Reaction Product of Resveratrol and 2,2-Diphenyl-1-picrylhydrazyl Radical. <i>Journal of Agricultural and Food Chemistry</i> , 1999, 47, 3974-3977.	2.4	156
13	Alisol B, a Novel Inhibitor of the Sarcoplasmic/Endoplasmic Reticulum Ca ²⁺ ATPase Pump, Induces Autophagy, Endoplasmic Reticulum Stress, and Apoptosis. <i>Molecular Cancer Therapeutics</i> , 2010, 9, 718-730.	1.9	136
14	Enhanced Antioxidant Activity for Apple Juice Fermented with <i>Lactobacillus plantarum</i> ATCC14917. <i>Molecules</i> , 2019, 24, 51.	1.7	130
15	Tyrosinase inhibitors from paper mulberry (<i>Broussonetia papyrifera</i>). <i>Food Chemistry</i> , 2008, 106, 529-535.	4.2	124
16	Tyrosinase Inhibitory Constituents from the Roots of <i>Morus nigra</i> : A Structure-Activity Relationship Study. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 5368-5373.	2.4	117
17	Isolation of tyrosinase inhibitors from <i>Artocarpus heterophyllus</i> and use of its extract as antibrowning agent. <i>Molecular Nutrition and Food Research</i> , 2008, 52, 1530-1538.	1.5	110
18	Chiro-Inositol-Enriched Tartary Buckwheat Bran Extract Lowers the Blood Glucose Level in KK-A ^y Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 10027-10031.	2.4	110

#	ARTICLE	IF	CITATIONS
19	Protective Capacity of Resveratrol, a Natural Polyphenolic Compound, against Deoxynivalenol-Induced Intestinal Barrier Dysfunction and Bacterial Translocation. <i>Chemical Research in Toxicology</i> , 2016, 29, 823-833.	1.7	109
20	Triterpene Glycosides from <i>Cimicifuga racemosa</i> . <i>Journal of Natural Products</i> , 2000, 63, 905-910.	1.5	104
21	Quantification of Protodioscin and Rutin in Asparagus Shoots by LC/MS and HPLC Methods. <i>Journal of Agricultural and Food Chemistry</i> , 2003, 51, 6132-6136.	2.4	104
22	Antidiabetic Activity of Mung Bean Extracts in Diabetic KK-A ^y Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 8869-8873.	2.4	104
23	Thermal Degradation of Sulforaphane in Aqueous Solution. <i>Journal of Agricultural and Food Chemistry</i> , 1999, 47, 3121-3123.	2.4	103
24	Heterocyclic amines: Chemistry and health. <i>Molecular Nutrition and Food Research</i> , 2006, 50, 1150-1170.	1.5	102
25	Inhibitory activities of dietary phenolic compounds on heterocyclic amine formation in both chemical model system and beef patties. <i>Molecular Nutrition and Food Research</i> , 2007, 51, 969-976.	1.5	102
26	Antioxidant and Antiglycation Activity of Selected Dietary Polyphenols in a Cookie Model. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 1643-1648.	2.4	102
27	Available technologies on improving the stability of polyphenols in food processing. <i>Food Frontiers</i> , 2021, 2, 109-139.	3.7	98
28	Positive and negative effects of polyphenol incorporation in baked foods. <i>Food Chemistry</i> , 2019, 284, 90-99.	4.2	95
29	Polysaccharides from Marine Enteromorpha: Structure and function. <i>Trends in Food Science and Technology</i> , 2020, 99, 11-20.	7.8	92
30	Novel Trisaccharide Fatty Acid Ester Identified from the Fruits of <i>Morinda citrifolia</i> (Noni). <i>Journal of Agricultural and Food Chemistry</i> , 1999, 47, 4880-4882.	2.4	88
31	Identification of flavone phytoalexins and a pathogen-inducible flavone synthase II gene (SbFNSII) in sorghum. <i>Journal of Experimental Botany</i> , 2010, 61, 983-994.	2.4	88
32	Antioxidative Phenolic Glycosides from Sage (<i>Salvia officinalis</i>). <i>Journal of Natural Products</i> , 1999, 62, 454-456.	1.5	87
33	Natural Polyphenols as Direct Trapping Agents of Lipid Peroxidation-Derived Acrolein and 4-Hydroxy-trans-2-nonenal. <i>Chemical Research in Toxicology</i> , 2009, 22, 1721-1727.	1.7	86
34	Inhibition of heterocyclic amine formation by water-soluble vitamins in Maillard reaction model systems and beef patties. <i>Food Chemistry</i> , 2012, 133, 760-766.	4.2	86
35	LC/LV/ESI-MS Analysis of Isoflavones in Edamame and Tofu Soybeans. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 2763-2769.	2.4	85
36	Protective effects of pinostilbene, a resveratrol methylated derivative, against 6-hydroxydopamine-induced neurotoxicity in SH-SY5Y cells. <i>Journal of Nutritional Biochemistry</i> , 2010, 21, 482-489.	1.9	85

#	ARTICLE	IF	CITATIONS
37	The <i>Arabidopsis acbp1acbp2</i> double mutant lacking acyl-CoA-binding proteins ACBP1 and ACBP2 is embryo lethal. <i>New Phytologist</i> , 2010, 186, 843-855.	3.5	85
38	Structural changes of starch subjected to microwave heating: A review from the perspective of dielectric properties. <i>Trends in Food Science and Technology</i> , 2020, 99, 593-607.	7.8	85
39	Chemopreventive effects of some popular phytochemicals on human colon cancer: a review. <i>Food and Function</i> , 2018, 9, 4548-4568.	2.1	82
40	Inhibition of acrylamide formation by vitamins in model reactions and fried potato strips. <i>Food Chemistry</i> , 2009, 116, 34-39.	4.2	77
41	Inhibitory Effect of Fruit Extracts on the Formation of Heterocyclic Amines. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 10359-10365.	2.4	75
42	Chemistry and antioxidative factors in rosemary and sage. <i>BioFactors</i> , 2000, 13, 161-166.	2.6	74
43	Determination of the Predominant Catechins in <i>Acacia catechu</i> by Liquid Chromatography/Electrospray Ionization-Mass Spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 3219-3224.	2.4	73
44	Apigenin and its methylglyoxal-adduct inhibit advanced glycation end products-induced oxidative stress and inflammation in endothelial cells. <i>Biochemical Pharmacology</i> , 2019, 166, 231-241.	2.0	73
45	Tyrosinase inhibition constituents from the roots of <i>Morus australis</i> . <i>Fä-toterapÄ-Äç</i> , 2012, 83, 1008-1013.	1.1	72
46	Effect of rosmarinic acid and carnosic acid on AGEs formation in vitro. <i>Food Chemistry</i> , 2017, 221, 1057-1061.	4.2	70
47	Molecular Dissection of the Pathogen-Inducible 3-Deoxyanthocyanidin Biosynthesis Pathway in <i>Sorghum</i> . <i>Plant and Cell Physiology</i> , 2010, 51, 1173-1185.	1.5	69
48	Inhibition of mutagenic PhIP formation by epigallocatechin gallate via scavenging of phenylacetaldehyde. <i>Molecular Nutrition and Food Research</i> , 2009, 53, 716-725.	1.5	68
49	Identification of reaction products of (â)-epigallocatechin, (â)-epigallocatechin gallate and pyrogallol with 2,2-diphenyl-1-picrylhydrazyl radical. <i>Food Chemistry</i> , 2001, 73, 345-349.	4.2	67
50	Activities of hydrocolloids as inhibitors of acrylamide formation in model systems and fried potato strips. <i>Food Chemistry</i> , 2010, 121, 424-428.	4.2	66
51	Acrolein scavengers: Reactivity, mechanism and impact on health. <i>Molecular Nutrition and Food Research</i> , 2011, 55, 1375-1390.	1.5	64
52	Fermentation alters antioxidant capacity and polyphenol distribution in selected edible legumes. <i>International Journal of Food Science and Technology</i> , 2016, 51, 875-884.	1.3	64
53	Dynamic changes in phytochemical composition and antioxidant capacity in green and black mung bean (<i>Vigna radiata</i>) sprouts. <i>International Journal of Food Science and Technology</i> , 2016, 51, 2090-2098.	1.3	64
54	Trapping of Phenylacetaldehyde as a Key Mechanism Responsible for Naringenin's Inhibitory Activity in Mutagenic 2-Amino-1-methyl-6-phenylimidazo [4,5-b]Pyridine Formation. <i>Chemical Research in Toxicology</i> , 2008, 21, 2026-2034.	1.7	63

#	ARTICLE	IF	CITATIONS
55	Past achievements, current status and future perspectives of studies on 3-hydroxy-3-methylglutaryl-CoA synthase (HMGs) in the mevalonate (MVA) pathway. <i>Plant Cell Reports</i> , 2014, 33, 1005-1022.	2.8	63
56	Marine-derived bioactive compounds with anti-obesity effect: A review. <i>Journal of Functional Foods</i> , 2016, 21, 372-387.	1.6	60
57	8-phenylethenyl)quercetin from onion/beef soup induces autophagic cell death in colon cancer cells through ERK activation. <i>Molecular Nutrition and Food Research</i> , 2017, 61, 1600437.	1.5	60
58	Isolation and Structural Elucidation of Two New Glycosides from Sage (<i>Salvia officinalis</i> L.). <i>Journal of Agricultural and Food Chemistry</i> , 2000, 48, 235-238.	2.4	59
59	Inhibitory Mechanism of Naringenin against Carcinogenic Acrylamide Formation and Nonenzymatic Browning in Maillard Model Reactions. <i>Chemical Research in Toxicology</i> , 2009, 22, 1483-1489.	1.7	59
60	Inhibitory effects of microalgal extracts on the formation of advanced glycation endproducts (AGEs). <i>Food Chemistry</i> , 2010, 120, 261-267.	4.2	59
61	Feruloylated Oligosaccharides from Maize Bran Modulated the Gut Microbiota in Rats. <i>Plant Foods for Human Nutrition</i> , 2016, 71, 123-128.	1.4	59
62	Bioactive compounds, health benefits, and industrial applications of Tartary buckwheat (<i>Fagopyrum tataricum</i>). <i>Critical Reviews in Food Science and Nutrition</i> , 2023, 63, 657-673.	5.4	59
63	Volatile Compounds Generated from Thermal Degradation of N-Acetylglucosamine. <i>Journal of Agricultural and Food Chemistry</i> , 1998, 46, 3207-3209.	2.4	58
64	Inhibition of cell transformation by resveratrol and its derivatives: differential effects and mechanisms involved. <i>Oncogene</i> , 2003, 22, 2143-2150.	2.6	58
65	Antitumor activity of 3,5,4-trimethoxystilbene in COLO 205 cells and xenografts in SCID mice. <i>Molecular Carcinogenesis</i> , 2008, 47, 184-196.	1.3	58
66	Nutraceuticals and their preventive or potential therapeutic value in Parkinson's disease. <i>Nutrition Reviews</i> , 2012, 70, 373-386.	2.6	58
67	Microwave irradiation promotes aggregation behavior of myosin through conformation changes. <i>Food Hydrocolloids</i> , 2019, 96, 11-19.	5.6	58
68	Identification and characterization of molecular targets of natural products by mass spectrometry. <i>Mass Spectrometry Reviews</i> , 2010, 29, 126-155.	2.8	57
69	Furanosquiterpenoids of <i>Commiphora myrrha</i> . <i>Journal of Natural Products</i> , 2001, 64, 1460-1462.	1.5	56
70	Oxyresveratrol as an Antibrowning Agent for Cloudy Apple Juices and Fresh-Cut Apples. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 2604-2610.	2.4	56
71	Validation of an accelerated solvent extraction liquid chromatography-tandem mass spectrometry method for Pacific ciguatoxin-1 in fish flesh and comparison with the mouse neuroblastoma assay. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 400, 3165-3175.	1.9	56
72	Green tea polyphenol epigallocatechin-3-gallate improves epithelial barrier function by inducing the production of antimicrobial peptide pBD-1 and pBD-2 in monolayers of porcine intestinal epithelial IPEC-J2 cells. <i>Molecular Nutrition and Food Research</i> , 2016, 60, 1048-1058.	1.5	56

#	ARTICLE	IF	CITATIONS
73	Beneficial Effects of Cinnamon Proanthocyanidins on the Formation of Specific Advanced Glycation Endproducts and Methylglyoxal-Induced Impairment on Glucose Consumption. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 6692-6696.	2.4	55
74	Tumor microenvironment-induced structure changing drug/gene delivery system for overcoming delivery-associated challenges. <i>Journal of Controlled Release</i> , 2020, 323, 203-224.	4.8	55
75	Natural products attenuate PI3K/Akt/mTOR signaling pathway: A promising strategy in regulating neurodegeneration. <i>Phytomedicine</i> , 2021, 91, 153664.	2.3	55
76	Accumulation of Isoflavone Genistin in Transgenic Tomato Plants Overexpressing a Soybean Isoflavone Synthase Gene. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 5655-5661.	2.4	54
77	2,3,4,5-Pentamethoxytrans-stilbene, a resveratrol derivative, inhibits colitis-associated colorectal carcinogenesis in mice. <i>British Journal of Pharmacology</i> , 2010, 160, 1352-1361.	2.7	54
78	A pro-drug of the green tea polyphenol ($\hat{\sim}$)-epigallocatechin-3-gallate (EGCG) prevents differentiated SH-SY5Y cells from toxicity induced by 6-hydroxydopamine. <i>Neuroscience Letters</i> , 2010, 469, 360-364.	1.0	53
79	Characterization of tyrosinase inhibitors in the twigs of <i>Cudrania tricuspidata</i> and their structure-activity relationship study. <i>FÄ-toterapÄ-Äç</i> , 2013, 84, 242-247.	1.1	53
80	Novel Glycosides from Noni (<i>Morinda citrifolia</i>). <i>Journal of Natural Products</i> , 2000, 63, 1182-1183.	1.5	52
81	Analysis of Artemisinin in <i>Artemisia annua</i> L. by LC-MS with Selected Ion Monitoring. <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 7010-7013.	2.4	52
82	Chemical Components and Tyrosinase Inhibitors from the Twigs of <i>Artocarpus heterophyllus</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 6649-6655.	2.4	52
83	4-Methoxyresveratrol Alleviated AGE-Induced Inflammation via RAGE-Mediated NF- $\hat{\imath}$ B and NLRP3 Inflammasome Pathway. <i>Molecules</i> , 2018, 23, 1447.	1.7	51
84	Characterization of Antiproliferative Activity Constituents from <i>Artocarpus heterophyllus</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 5519-5527.	2.4	50
85	Improved fruit $\hat{\imath}$ -tocopherol, carotenoid, squalene and phytosterol contents through manipulation of <i>Brassica juncea</i> 3-HYDROXY-3-METHYLGLUTARYL-COA SYNTHASE 1 in transgenic tomato. <i>Plant Biotechnology Journal</i> , 2018, 16, 784-796.		50
86	The multifunctional roles of flavonoids against the formation of advanced glycation end products (AGEs) and AGEs-induced harmful effects. <i>Trends in Food Science and Technology</i> , 2020, 103, 333-347.	7.8	50
87	Neuroprotective Phytochemicals in Experimental Ischemic Stroke: Mechanisms and Potential Clinical Applications. <i>Oxidative Medicine and Cellular Longevity</i> , 2021, 2021, 1-45.	1.9	50
88	Effects of Fruit Extracts on the Formation of Acrylamide in Model Reactions and Fried Potato Crisps. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 309-312.	2.4	49
89	Antiaging Effects of Astaxanthin-Rich Alga <i>Haematococcus pluvialis</i> on Fruit Flies under Oxidative Stress. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 7800-7804.	2.4	48
90	Protective effect of rosmarinic acid and carnolic acid against streptozotocin-induced oxidation, glycation, inflammation and microbiota imbalance in diabetic rats. <i>Food and Function</i> , 2018, 9, 851-860.	2.1	48

#	ARTICLE	IF	CITATIONS
91	Nano-sized zinc oxide and silver, but not titanium dioxide, induce innate and adaptive immunity and antiviral response in differentiated THP-1 cells. <i>Nanotoxicology</i> , 2017, 11, 936-951.	1.6	47
92	Inhibitory effects of selected dietary flavonoids on the formation of total heterocyclic amines and 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PhIP) in roast beef patties and in chemical models. <i>Food and Function</i> , 2016, 7, 1057-1066.	2.1	46
93	Application of near-infrared spectroscopy in quality control and determination of adulteration of african essential oils. <i>Phytochemical Analysis</i> , 2006, 17, 121-128.	1.2	45
94	6- <i>C</i> -(<i>E</i> -phenylethenyl)-Naringenin Suppresses Colorectal Cancer Growth by Inhibiting Cyclooxygenase-1. <i>Cancer Research</i> , 2014, 74, 243-252.	0.4	45
95	Analysis of antioxidant activity and antioxidant constituents of Chinese toon. <i>Journal of Functional Foods</i> , 2009, 1, 253-259.	1.6	44
96	Release properties of tannic acid from hydrogen bond driven antioxidative cellulose nanofibrous films. <i>International Journal of Biological Macromolecules</i> , 2016, 91, 68-74.	3.6	44
97	Antiglycation activity of lipophilized epigallocatechin gallate (EGCG) derivatives. <i>Food Chemistry</i> , 2016, 190, 1022-1026.	4.2	44
98	Benefits, deleterious effects and mitigation of methylglyoxal in foods: A critical review. <i>Trends in Food Science and Technology</i> , 2021, 107, 201-212.	7.8	44
99	Astaxanthin is responsible for antiglycoxidative properties of microalga <i>Chlorella zofingiensis</i> . <i>Food Chemistry</i> , 2011, 126, 1629-1635.	4.2	43
100	Ferulic acid alleviates the symptoms of diabetes in obese rats. <i>Journal of Functional Foods</i> , 2014, 9, 141-147.	1.6	43
101	Genistein Ameliorates Non-alcoholic Fatty Liver Disease by Targeting the Thromboxane A ₂ Pathway. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 5853-5859.	2.4	43
102	Naringenin, a common flavanone, inhibits the formation of AGEs in bread and attenuates AGEs-induced oxidative stress and inflammation in RAW264.7 cells. <i>Food Chemistry</i> , 2018, 269, 35-42.	4.2	43
103	Protective actions of microalgae against endogenous and exogenous advanced glycation endproducts (AGEs) in human retinal pigment epithelial cells. <i>Food and Function</i> , 2011, 2, 251.	2.1	42
104	Novel roles of hydrocolloids in foods: Inhibition of toxic maillard reaction products formation and attenuation of their harmful effects. <i>Trends in Food Science and Technology</i> , 2021, 111, 706-715.	7.8	42
105	Phenolic tyrosinase inhibitors from the stems of <i>Cudrania cochinchinensis</i> . <i>Food and Function</i> , 2011, 2, 259.	2.1	41
106	Arabidopsis acyl-CoA-binding protein ACBP6 localizes in the phloem and affects jasmonate composition. <i>Plant Molecular Biology</i> , 2016, 92, 717-730.	2.0	41
107	Determination of proanthocyanidins in fresh grapes and grape products using liquid chromatography with mass spectrometric detection. <i>Rapid Communications in Mass Spectrometry</i> , 2005, 19, 2062-2068.	0.7	40
108	<i>Lactobacillus plantarum</i> WCFS1 Fermentation Differentially Affects Antioxidant Capacity and Polyphenol Content in Mung bean (<i>Vigna radiata</i>) and Soya Bean (<i>Glycine max</i>) Milks. <i>Journal of Food Processing and Preservation</i> , 2017, 41, e12944.	0.9	40

#	ARTICLE	IF	CITATIONS
109	Antioxidative Properties and Chemical Changes of Quercetin in Fish Oil: Quercetin Reacts with Free Fatty Acids to Form Its Ester Derivatives. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 1057-1067.	2.4	40
110	The role of emerging micro-scale vegetables in human diet and health benefits—an updated review based on microgreens. <i>Food and Function</i> , 2021, 12, 1914-1932.	2.1	40
111	Pterostilbene inhibited advanced glycation end products (AGEs)-induced oxidative stress and inflammation by regulation of RAGE/MAPK/NF- κ B in RAW264.7 cells. <i>Journal of Functional Foods</i> , 2018, 40, 272-279.	1.6	39
112	Antioxidant activity of plant extracts on the inhibition of citral off-odor formation. <i>Molecular Nutrition and Food Research</i> , 2004, 48, 308-317.	1.5	38
113	Trapping Effects of Green and Black Tea Extracts on Peroxidation-Derived Carbonyl Substances of Seal Blubber Oil. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 1065-1069.	2.4	38
114	Protein oxidation in muscle-based products: Effects on physicochemical properties, quality concerns, and challenges to food industry. <i>Food Research International</i> , 2022, 157, 111322.	2.9	38
115	Iridoid Glycosides from the Leaves of <i>Morinda citrifolia</i> . <i>Journal of Natural Products</i> , 2001, 64, 799-800.	1.5	37
116	2,3,4,5-Pentamethoxy-trans-stilbene, a resveratrol derivative, is a potent inducer of apoptosis in colon cancer cells via targeting microtubules. <i>Biochemical Pharmacology</i> , 2009, 78, 1224-1232.	2.0	37
117	6-C-(E-phenylethenyl)naringenin induces cell growth inhibition and cytoprotective autophagy in colon cancer cells. <i>European Journal of Cancer</i> , 2016, 68, 38-50.	1.3	37
118	A comprehensive review on secondary metabolites and health-promoting effects of edible lichen. <i>Journal of Functional Foods</i> , 2021, 80, 104283.	1.6	37
119	Chemoprevention of Colorectal Cancer by Artocarpin, a Dietary Phytochemical from <i>Artocarpus heterophyllus</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 3474-3480.	2.4	36
120	Determination of Proanthocyanidins in Grape Products by Liquid Chromatography/Mass Spectrometric Detection under Low Collision Energy. <i>Analytical Chemistry</i> , 2003, 75, 2440-2444.	3.2	35
121	Proteomic modification in gills and brains of medaka fish (<i>Oryzias melastigma</i>) after exposure to a sodium channel activator neurotoxin, brevetoxin-1. <i>Aquatic Toxicology</i> , 2011, 104, 211-217.	1.9	35
122	The colorants, antioxidants, and toxicants from nonenzymatic browning reactions and the impacts of dietary polyphenols on their thermal formation. <i>Food and Function</i> , 2015, 6, 345-355.	2.1	35
123	Dietary polyphenols as photoprotective agents against UV radiation. <i>Journal of Functional Foods</i> , 2017, 30, 108-118.	1.6	35
124	Analytical methods to determine phytoestrogenic compounds. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004, 812, 325-355.	1.2	35
125	Preparation of steppogenin and ascorbic acid, vitamin E, butylated hydroxytoluene oil-in-water microemulsions: Characterization, stability, and antibrowning effects for fresh apple juice. <i>Food Chemistry</i> , 2017, 224, 11-18.	4.2	34
126	The effect of <i>Perilla frutescens</i> leaf extracts on the quality of surimi fish balls. <i>Food Science and Nutrition</i> , 2019, 7, 2083-2090.	1.5	34

#	ARTICLE	IF	CITATIONS
127	Dietary polyphenols for managing cancers: What have we ignored?. Trends in Food Science and Technology, 2020, 101, 150-164.	7.8	34
128	Phloretin and its methylglyoxal adduct: Implications against advanced glycation end products-induced inflammation in endothelial cells. Food and Chemical Toxicology, 2019, 129, 291-300.	1.8	33
129	Pepper fragrant essential oil (PFEO) and functionalized MCM41 nanoparticles: formation, characterization, and bactericidal activity. Journal of the Science of Food and Agriculture, 2019, 99, 5168-5175.	1.7	33
130	Bioactive Substances of Plant Origin. , 2015, , 967-1008.		30
131	Acetophenone Glycosides from Thyme (<i>Thymus vulgaris</i> L.). Journal of Agricultural and Food Chemistry, 1999, 47, 1911-1914.	2.4	29
132	Chemical Components in Noni Fruits and Leaves (<i>Morinda citrifolia</i> L.). ACS Symposium Series, 2001, , 134-150.	0.5	29
133	Impacts of selected dietary polyphenols on caramelization in model systems. Food Chemistry, 2013, 141, 3451-3458.	4.2	29
134	Inhibitory effects of some hydrocolloids on the formation of heterocyclic amines in roast beef. Food Hydrocolloids, 2020, 108, 106073.	5.6	29
135	Preventive potential and mechanism of dietary polyphenols on the formation of heterocyclic aromatic amines. Food Frontiers, 2020, 1, 134-151.	3.7	29
136	A New Unusual Iridoid with Inhibition of Activator Protein-1 (AP-1) from the Leaves of <i>Morinda citrifolia</i> L.. Organic Letters, 2001, 3, 1307-1309.	2.4	28
137	Transgenic Tobacco Overexpressing Brassica juncea HMG-CoA Synthase 1 Shows Increased Plant Growth, Pod Size and Seed Yield. PLoS ONE, 2014, 9, e98264.	1.1	28
138	Treatment of proteins with dietary polyphenols lowers the formation of AGEs and AGE-induced toxicity. Food and Function, 2014, 5, 2656-2661.	2.1	28
139	Impact of resveratrol, epicatechin and rosmarinic acid on fluorescent AGEs and cytotoxicity of cookies. Journal of Functional Foods, 2018, 40, 44-50.	1.6	28
140	Polyphenols and neurodegenerative diseases: focus on neuronal regeneration. Critical Reviews in Food Science and Nutrition, 2022, 62, 3421-3436.	5.4	28
141	The functional ingredients of quinoa (<i>Chenopodium quinoa</i>) and physiological effects of consuming quinoa: A review. Food Frontiers, 2021, 2, 329-356.	3.7	28
142	Two C21-steroidal glycosides isolated from <i>Cynanchum stauntonii</i> . Phytochemistry, 1999, 52, 1351-1355.	1.4	27
143	Citrifolinin , a new unusual iridoid with inhibition of Activator Protein-1 (AP-1) from the leaves of noni (<i>Morinda citrifolia</i> L.). Tetrahedron Letters, 2001, 42, 1823-1825.	0.7	27
144	Cynarin-Rich Sunflower (<i>Helianthus annuus</i>) Sprouts Possess Both Antiglycative and Antioxidant Activities. Journal of Agricultural and Food Chemistry, 2012, 60, 3260-3265.	2.4	27

#	ARTICLE	IF	CITATIONS
145	Unraveling the inhibitory effect of dihydromyricetin on heterocyclic aromatic amines formation. <i>Journal of the Science of Food and Agriculture</i> , 2018, 98, 1988-1994.	1.7	27
146	Characterization of phospholipids from Pacific saury (<i>Cololabis saira</i>) viscera and their neuroprotective activity. <i>Food Bioscience</i> , 2018, 24, 120-126.	2.0	27
147	Neuroprotective effect of cajaninstilbene acid against cerebral ischemia and reperfusion damages by activating AMPK/Nrf2 pathway. <i>Journal of Advanced Research</i> , 2021, 34, 199-210.	4.4	27
148	Inhibitory effect of selected hydrocolloids on 2-amino-1-methyl-6-phenylimidazo [4,5-b]pyridine (PhIP) formation in chemical models and beef patties. <i>Journal of Hazardous Materials</i> , 2021, 402, 123486.	6.5	27
149	Quercetin Inhibited the Formation of Lipid Oxidation Products in Thermally Treated Soybean Oil by Trapping Intermediates. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 3479-3488.	2.4	27
150	ISOLATION AND IDENTIFICATION OF ANTIOXIDATIVE FLAVONOID GLYCOSIDES FROM THYME (<i>THYMUS</i>) Tj ETQq0 0.0 rgBT /Qverlock 1	0.9	26
151	3,3,4,5,5-pentahydroxy-trans-stilbene, a resveratrol derivative, induces apoptosis in colorectal carcinoma cells via oxidative stress. <i>European Journal of Pharmacology</i> , 2010, 637, 55-61.	1.7	26
152	A phenylacetaldehyde-flavonoid adduct, 8-C-(E-phenylethenyl)-norartocarpetin, exhibits intrinsic apoptosis and MAPK pathways-related anticancer potential on HepG2, SMMC-7721 and QGY-7703. <i>Food Chemistry</i> , 2016, 197, 1085-1092.	4.2	26
153	Pterostilbene and 4-Methoxyresveratrol Inhibited Lipopolysaccharide-Induced Inflammatory Response in RAW264.7 Macrophages. <i>Molecules</i> , 2018, 23, 1148.	1.7	26
154	Cycloartane Triterpene Saponins from the Roots of <i>Cimicifuga foetida</i> . <i>Journal of Natural Products</i> , 2001, 64, 627-629.	1.5	25
155	The apple dihydrochalcone phloretin suppresses growth and improves chemosensitivity of breast cancer cells via inhibition of cytoprotective autophagy. <i>Food and Function</i> , 2021, 12, 177-190.	2.1	25
156	Steroidal saponins and ecdysterone from <i>Asparagus filicinus</i> and their cytotoxic activities. <i>Steroids</i> , 2010, 75, 734-739.	0.8	24
157	Early developmental toxicity of saxitoxin on medaka (<i>Oryzias melastigma</i>) embryos. <i>Toxicol</i> , 2014, 77, 16-25.	0.8	24
158	Inhibitory effects of oxyresveratrol and cyanomaclurin on adipogenesis of 3T3-L1 cells. <i>Journal of Functional Foods</i> , 2015, 15, 207-216.	1.6	24
159	Identification of key umami-related compounds in Yangtze <i>Coilia ectenes</i> by combining electronic tongue analysis with sensory evaluation. <i>RSC Advances</i> , 2016, 6, 45689-45695.	1.7	24
160	Neuroprotective Potential of Mung Bean (<i>Vigna radiata</i> L.) Polyphenols in Alzheimer's Disease: A Review. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 11554-11571.	2.4	24
161	The effect of quercetin on diabetic nephropathy (DN): a systematic review and meta-analysis of animal studies. <i>Food and Function</i> , 2022, 13, 4789-4803.	2.1	24
162	In vitro attenuation of acrolein-induced toxicity by phloretin, a phenolic compound from apple. <i>Food Chemistry</i> , 2012, 135, 1762-1768.	4.2	23

#	ARTICLE	IF	CITATIONS
163	Photoprotective Effects of Oxyresveratrol and Kuwanon O on DNA Damage Induced by UVA in Human Epidermal Keratinocytes. <i>Chemical Research in Toxicology</i> , 2015, 28, 541-548.	1.7	23
164	Comparison of the Fatty Acid and Triglyceride Profiles of Big Eye Tuna (<i>Thunnus obesus</i>), Atlantic salmon (<i>Salmo salar</i>) and Bighead Carp (<i>Aristichthys nobilis</i>) Heads. <i>Molecules</i> , 2019, 24, 3983.	1.7	23
165	Effects of quercetin and cinnamaldehyde on the nutrient release from beef into soup during stewing process. <i>LWT - Food Science and Technology</i> , 2020, 131, 109712.	2.5	23
166	Oxyresveratrol Supplementation to C57bl/6 Mice Fed with a High-Fat Diet Ameliorates Obesity-Associated Symptoms. <i>Nutrients</i> , 2017, 9, 147.	1.7	22
167	Impact and inhibitory mechanism of phenolic compounds on the formation of toxic Maillard reaction products in food. <i>Frontiers of Agricultural Science and Engineering</i> , 2018, 5, 321.	0.9	22
168	Alisol B 23-acetate induces autophagic-dependent apoptosis in human colon cancer cells via ROS generation and JNK activation. <i>Oncotarget</i> , 2017, 8, 70239-70249.	0.8	22
169	Identification of the antiglycative components of Hong Dou Shan (<i>Taxus chinensis</i>) leaf tea. <i>Food Chemistry</i> , 2019, 297, 124942.	4.2	21
170	Oxyresveratrol and trans-dihydromorin from the twigs of <i>Cudrania tricuspidata</i> as hypopigmenting agents against melanogenesis. <i>Journal of Functional Foods</i> , 2015, 13, 375-383.	1.6	20
171	Rice protein radicals: growth and stability under microwave treatment. <i>RSC Advances</i> , 2016, 6, 97825-97831.	1.7	20
172	Isolation and Structural Elucidation of Aroma Constituents Bound as Glycosides from Sage (<i>Salvia officinalis</i>). <i>Journal of Agricultural and Food Chemistry</i> , 1998, 46, 2509-2511.	2.4	19
173	Diversity in Antioxidant Capacity, Phenolic Contents, and Flavonoid Contents of 42 Edible Beans from China. <i>Cereal Chemistry</i> , 2017, 94, 291-297.	1.1	19
174	High Salt Intake Attenuates Breast Cancer Metastasis to Lung. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 3386-3392.	2.4	19
175	Dietary Lactate Supplementation Protects against Obesity by Promoting Adipose Browning in Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 14841-14849.	2.4	19
176	DHA-rich marine microalga <i>Schizochytrium mangrovei</i> possesses anti-ageing effects on <i>Drosophila melanogaster</i> . <i>Journal of Functional Foods</i> , 2013, 5, 888-896.	1.6	18
177	Dielectric loss mediated promotion of microwave heating in the Maillard reaction. <i>LWT - Food Science and Technology</i> , 2019, 101, 559-566.	2.5	18
178	The occurrence and stability of Maillard reaction products in various traditional Chinese sauces. <i>Food Chemistry</i> , 2021, 342, 128319.	4.2	18
179	Microwave vacuum evaporation as a potential technology to concentrate sugar solutions: A study based on dielectric spectroscopy. <i>Journal of Food Engineering</i> , 2021, 294, 110414.	2.7	18
180	Quantification of nepetalactones in catnip (<i>Nepeta cataria</i> L.) by HPLC coupled with ultraviolet and mass spectrometric detection. <i>Phytochemical Analysis</i> , 2007, 18, 157-160.	1.2	17

#	ARTICLE	IF	CITATIONS
181	Sulfur-containing constituents and one 1H-pyrrole-2-carboxylic acid derivative from pineapple [<i>Ananas comosus</i> (L.) Merr.] fruit. <i>Phytochemistry</i> , 2010, 71, 2046-2051.	1.4	17
182	Dietary Phenolics as Reactive Carbonyl Scavengers: Potential Impact on Human Health and Mechanism of Action. <i>Journal of Traditional and Complementary Medicine</i> , 2013, 3, 139-141.	1.5	17
183	Dihydromyricetin as a Functional Additive to Enhance Antioxidant Capacity and Inhibit the Formation of Thermally Induced Food Toxicants in a Cookie Model. <i>Molecules</i> , 2018, 23, 2184.	1.7	17
184	Development of cancer immunotherapy based on PD-1/PD-L1 pathway blockade. <i>RSC Advances</i> , 2019, 9, 33903-33911.	1.7	17
185	Isolation, Identification, and Immunomodulatory Effect of a Peptide from <i>Pseudostellaria heterophylla</i> Protein Hydrolysate. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 12259-12270.	2.4	17
186	The antiglycative effect of apple flowers in fructose/glucose-BSA models and cookies. <i>Food Chemistry</i> , 2020, 330, 127170.	4.2	17
187	Lipophilized apigenin derivatives produced during the frying process as novel antioxidants. <i>Food Chemistry</i> , 2022, 379, 132178.	4.2	17
188	Two Novel β -Carboline Compounds from the Maillard Reaction between Xylose and Tryptophan. <i>Journal of Agricultural and Food Chemistry</i> , 1999, 47, 48-50.	2.4	16
189	Anti-Inflammatory Effect of an Apigenin-Maillard Reaction Product in Macrophages and Macrophage-Endothelial Cocultures. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-12.	1.9	16
190	6-C-(E-Phenylethenyl)Naringenin Attenuates the Stemness of Hepatocellular Carcinoma Cells by Suppressing Wnt/ β -Catenin Signaling. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 13939-13947.	2.4	16
191	Oral administration of EGCG solution equivalent to daily achievable dosages of regular tea drinkers effectively suppresses miR483-3p induced metastasis of hepatocellular carcinoma cells in mice. <i>Food and Function</i> , 2021, 12, 3381-3392.	2.1	16
192	Impact of phloretin and phloridzin on the formation of Maillard reaction products in aqueous models composed of glucose and L-lysine or its derivatives. <i>Food and Function</i> , 2012, 3, 178-186.	2.1	15
193	Brosimone I, an isoprenoid-substituted flavonoid, induces cell cycle G ₁ phase arrest and apoptosis through ROS-dependent endoplasmic reticulum stress in HCT116 human colon cancer cells. <i>Food and Function</i> , 2019, 10, 2729-2738.	2.1	15
194	Advances in smart delivery of food bioactive compounds using stimuli-responsive carriers: Responsive mechanism, contemporary challenges, and prospects. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021, 20, 5449-5488.	5.9	15
195	Induction of Apoptosis by 1-(2-Hydroxy-5-methylphenyl)-3-phenyl-1,3-propanedione through Reactive Oxygen Species Production, GADD153 Expression, and Caspases Activation in Human Epidermoid Carcinoma Cells. <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 9039-9049.	2.4	14
196	Effects of melamine on the Maillard reaction between lactose and phenylalanine. <i>Food Chemistry</i> , 2010, 119, 1-6.	4.2	14
197	Full-time response of starch subjected to microwave heating. <i>Scientific Reports</i> , 2017, 7, 3967.	1.6	14
198	Fabrication of chia (<i>Salvia hispanica</i> L.) seed oil nanoemulsions using different emulsifiers. <i>Journal of Food Processing and Preservation</i> , 2018, 42, e13416.	0.9	14

#	ARTICLE	IF	CITATIONS
199	Hesperetin, a dietary flavonoid, inhibits AGEs-induced oxidative stress and inflammation in RAW264.7 cells. <i>Journal of Functional Foods</i> , 2021, 81, 104480.	1.6	14
200	Antibrowning activity of MRPs in enzyme and fresh-cut apple slice models. <i>Food Chemistry</i> , 2008, 109, 379-385.	4.2	13
201	Effect of Salt Addition Time on the Nutritional Profile of Thunnus obesus Head Soup and the Formation of Micro/Nano-Sized Particle Structure. <i>Molecules</i> , 2019, 24, 4447.	1.7	13
202	Natural polyphenols alleviated lipid peroxidation-induced modification on BSA. <i>Journal of Functional Foods</i> , 2013, 5, 355-361.	1.6	12
203	Application of response surface methodology to optimize the production of antimicrobial metabolites by <i>Micromonospora</i> Y15. <i>Biotechnology and Biotechnological Equipment</i> , 2017, 31, 1016-1025.	0.5	12
204	A comparison of mutagenic PhIP and beneficial 8-(6-ethylphenylethenyl)quercetin and 6-(6-ethylphenylethenyl)quercetin formation under microwave and conventional heating. <i>Food and Function</i> , 2018, 9, 3853-3859.	2.1	12
205	Tricoumaroylspermidine from rose exhibits inhibitory activity against ethanol-induced apoptosis in HepG2 cells. <i>Food and Function</i> , 2021, 12, 5892-5902.	2.1	12
206	Direct Trapping of Acrylamide as a Key Mechanism for Niacin's Inhibitory Activity in Carcinogenic Acrylamide Formation. <i>Chemical Research in Toxicology</i> , 2010, 23, 802-807.	1.7	11
207	The depigmenting effect of natural resorcinol type polyphenols Kuwanon O and Sanggenon T from the roots of <i>Morus australis</i> . <i>Journal of Ethnopharmacology</i> , 2017, 195, 196-203.	2.0	11
208	Pinosylin provides neuroprotection against cerebral ischemia and reperfusion injury through enhancing PINK1/Parkin mediated mitophagy and Nrf2 pathway. <i>Journal of Functional Foods</i> , 2020, 71, 104019.	1.6	11
209	CHEMICAL COMPONENTS AND ANTIOXIDANT ACTIVITY OF THE VOLATILE OIL FROM CASSIA TORA L. SEED PREPARED BY SUPERCRITICAL FLUID EXTRACTION. <i>Journal of Food Lipids</i> , 2007, 14, 411-423.	0.9	10
210	Non-additive response of starch systems in different hydration states: A study of microwave-absorbing properties. <i>Innovative Food Science and Emerging Technologies</i> , 2017, 44, 103-108.	2.7	10
211	Protective effect of Perilla (<i>Perilla frutescens</i>) leaf essential oil on the quality of a surimi-based food. <i>Journal of Food Processing and Preservation</i> , 2018, 42, e13540.	0.9	10
212	Morin decreases acrolein-induced cell injury in normal human hepatocyte cell line LO2. <i>Journal of Functional Foods</i> , 2020, 75, 104234.	1.6	10
213	Caffeic acid assists microwave heating to inhibit the formation of mutagenic and carcinogenic PhIP. <i>Food Chemistry</i> , 2020, 317, 126447.	4.2	10
214	Mechanistic Antidiabetic Potential of Astaxanthin: An Update on Preclinical and Clinical Evidence. <i>Molecular Nutrition and Food Research</i> , 2021, , 2100252.	1.5	10
215	Chitosan and flavonoid glycosides are promising combination partners for enhanced inhibition of heterocyclic amine formation in roast beef. <i>Food Chemistry</i> , 2022, 375, 131859.	4.2	10
216	Inhibitory effects of some hydrocolloids on the formation of N-(carboxymethyl) lysine and N-(carboxyethyl) lysine in chemical models and fish patties. <i>LWT - Food Science and Technology</i> , 2022, 162, 113431.	2.5	10

#	ARTICLE	IF	CITATIONS
217	Inhibitory Activities of Some Vitamins on the Formation of Cholesterol Oxidation Products in Beef Patties. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 8471-8476.	2.4	9
218	Preparation, Characterization, and Preliminary Antibrowning Evaluations of Norartocarpetin Microemulsions. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 1615-1621.	2.4	9
219	Do non-thermal effects exist in microwave heating of glucose aqueous solutions? Evidence from molecular dynamics simulations. <i>Food Chemistry</i> , 2022, 375, 131677.	4.2	9
220	IDENTIFICATION OF THERMAL DECOMPOSITION PRODUCTS OF CARNOSOL, AN ANTIOXIDANT IN ROSEMARY AND SAGE. <i>Journal of Food Lipids</i> , 1999, 6, 173-179.	0.9	8
221	Schisandra chinensis: Chemistry and Analysis. ACS Symposium Series, 2003, , 234-246.	0.5	8
222	Puerarin inhibited 3-chloropropane-1,2-diol fatty acid esters formation by reacting with glycidol and glycidyl esters. <i>Food Chemistry</i> , 2021, 358, 129843.	4.2	8
223	Bioactive Substances of Animal Origin. , 2015, , 1009-1033.		8
224	Reversing tumor immunosuppressive microenvironment via targeting codelivery of CpG ODNs/PD-L1 peptide antagonists to enhance the immune checkpoint blockade-based anti-tumor effect. <i>European Journal of Pharmaceutical Sciences</i> , 2022, 168, 106044.	1.9	8
225	Dietary phenolic-type Nrf2-activators: implications in the control of toxin-induced hepatic disorders. <i>Food and Function</i> , 2022, 13, 5480-5497.	2.1	8
226	Effect of acrolein, a lipid oxidation product, on the formation of the heterocyclic aromatic amine 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PhIP) in model systems and roasted tilapia fish patties. <i>Food Chemistry: X</i> , 2022, 14, 100315.	1.8	8
227	Lingulatusin, two epimers of an unusual linear diterpene from aster lingulatus in honour of professor G. H. Neil Towers 75th birthday. <i>Phytochemistry</i> , 1998, 49, 609-612.	1.4	7
228	Studies on the Chemical Constituents of Loquat Leaves (<i>Eriobotrya japonica</i>). ACS Symposium Series, 2003, , 292-306.	0.5	7
229	Intraspecific Variation in Quality Control Parameters, Polyphenol Profile, and Antioxidant Activity in Wild Populations of <i>Lippia multiflora</i> from Ghana. ACS Symposium Series, 2006, , 126-142.	0.5	7
230	Use of capillary electrophoresis to evaluate protective effects of methylglyoxal scavengers on the activity of creatine kinase. <i>Journal of Separation Science</i> , 2008, 31, 2846-2851.	1.3	7
231	Effect and mechanism of pyridoxamine on the lipid peroxidation and stability of polyunsaturated fatty acids in beef patties. <i>Journal of the Science of Food and Agriculture</i> , 2016, 96, 3418-3423.	1.7	7
232	Microwave treatment regulates the free volume of rice starch. <i>Scientific Reports</i> , 2019, 9, 3876.	1.6	7
233	Effects of the Deacetylation Degree of Chitosan on 2-Amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PhIP) Formation in Chemical Models and Beef Patties. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 13933-13941.	2.4	7
234	Improving the activity of endoglucanase I (EGI) from <i>Saccharomyces cerevisiae</i> by DNA shuffling. <i>RSC Advances</i> , 2017, 7, 46246-46256.	1.7	6

#	ARTICLE	IF	CITATIONS
235	Fe ³⁺ -Coordinated Multifunctional Elastic Nanoplatform for Effective in Vivo Gene Transfection. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 3453-3464.	4.0	6
236	Evaluation of antioxidative capacity and lipidomics profiling of big eye tuna (<i>Thunnus obesus</i>) head soup with different colloidal particle size. <i>International Journal of Food Science and Technology</i> , 2020, 55, 3254-3266.	1.3	6
237	Pterostilbene Improves Insulin Resistance Caused by Advanced Glycation End Products (AGEs) in Hepatocytes and Mice. <i>Molecular Nutrition and Food Research</i> , 2021, 65, e2100321.	1.5	6
238	Dual Effects of Phloretin and Phloridzin on the Glycation Induced by Methylglyoxal in Model Systems. <i>Chemical Research in Toxicology</i> , 2011, 24, 1304-1311.	1.7	5
239	Epigallocatechin Gallate and Caffeine Prevent DNA Adduct Formation and Interstrand Cross-Links Induced by Acrolein and Crotonaldehyde. <i>Journal of Food Biochemistry</i> , 2015, 39, 725-732.	1.2	5
240	Antiglycative and anti-inflammatory effects of lipophilized tyrosol derivatives. <i>Food Production Processing and Nutrition</i> , 2020, 2, .	1.1	5
241	Dielectric determination of glucose solutions under microwave fields via a novel molecular dynamics simulation approach. <i>Journal of Food Engineering</i> , 2022, 316, 110844.	2.7	5
242	Effect of Acrolein, a Lipid Oxidation Product, on the Formation of the Heterocyclic Aromatic Amine 2-Amino-3,8-dimethylimidazo[4,5-f]quinoxaline (MeIQx) in Model Systems and Roast Salmon Patties. <i>Journal of Agricultural and Food Chemistry</i> , 2022, 70, 5887-5895.	2.4	5
243	Chemistry, Quality, and Functional Properties of Grains of Paradise (<i>Aframomum melegueta</i>), a Rediscovered Spice. <i>ACS Symposium Series</i> , 2008, , 100-113.	0.5	4
244	Simultaneous determination of three phytoecdysteroids in the roots of four medicinal plants from the genus <i>Asparagus</i> by HPLC. <i>Phytochemical Analysis</i> , 2009, 20, 58-63.	1.2	4
245	6-C-(E-Phenylethenyl)-naringenin, a Styryl Flavonoid, Inhibits Advanced Glycation End Product-Induced Inflammation by Upregulation of Nrf2. <i>Journal of Agricultural and Food Chemistry</i> , 2022, 70, 3842-3851.	2.4	4
246	Method Development for Monitoring Seal Blubber Oil Oxidation Based on Propanal and Malondialdehyde Formation. <i>ACS Symposium Series</i> , 2007, , 125-139.	0.5	3
247	Oligostilbenes from <i>Gnetum</i> Species and Anticarcinogenic and Antiinflammatory Activities of Oligostilbenes. <i>ACS Symposium Series</i> , 2008, , 36-58.	0.5	3
248	A Review on the Laboratory Investigations and Epidemiological Studies of Black and Pu-Erh Tea. <i>ACS Symposium Series</i> , 2008, , 144-159.	0.5	3
249	High-performance liquid chromatographic determination of creatine kinase activity influenced by methylglyoxal. <i>Biomedical Chromatography</i> , 2009, 23, 170-174.	0.8	3
250	Japonicone V, a sesquiterpene lactone derivative from the flowers of <i>Inula japonica</i> , inhibits hepatitis E virus replication by targeting virus-associated autophagy. <i>Journal of Functional Foods</i> , 2020, 65, 103755.	1.6	3
251	Effect of big eye tuna (<i>Thunnus obesus</i>) head soup with different colloidal particle size on TG and TC deposition in FFA-exposed HepG2 cells. <i>Food Science and Nutrition</i> , 2021, 9, 1143-1151.	1.5	3
252	Instrumental Analysis of Popular Botanical Products in the U.S. Market. <i>ACS Symposium Series</i> , 2006, , 25-38.	0.5	1

#	ARTICLE	IF	CITATIONS
253	Abstract 4573: 6-C-(E-phenylethenyl)-naringenin suppresses colorectal cancer growth by inhibiting cyclooxygenase-1. , 2015, , .		1
254	Processâ€­induced healthâ€­promoting substances in foods. Food Reviews International, 1999, 15, 473-501.	4.3	0
255	Honeybush Tea: Chemical and Pharmacological Analyses. ACS Symposium Series, 2005, , 118-128.	0.5	0
256	Furan: A Food-borne Flavor Carcinogen. Special Publication - Royal Society of Chemistry, 2013, , 3-18.	0.0	0
257	Review on Chemical Analysis and Formation Mechanism of Cholesterol Oxidation Products. Special Publication - Royal Society of Chemistry, 2013, , 231-242.	0.0	0
258	Abstract 1252: 6-c-(e-phenylethenyl)-naringenin suppresses colorectal cancer growth by inhibiting cyclooxygenase-1. , 2014, , .		0