
## Irene Maier

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7885306/publications.pdf Version: 2024-02-01



IDENE MAIED

#	Article	IF	CITATIONS
1	Cyanovirin-N Binds Viral Envelope Proteins at the Low-Affinity Carbohydrate Binding Site without Direct Virus Neutralization Ability. Molecules, 2021, 26, 3621.	3.8	8
2	Microbiota-associated molecular genotoxicity. Aging, 2021, 13, 19948-19949.	3.1	0
3	Dissecting Differential Complex Behavioral Responses to Simulated Space Radiation Exposures. Radiation Research, 2021, 197, .	1.5	9
4	Particle Radiation Side-Effects: Intestinal Microbiota Composition Shapes Interferon-Î <sup>3</sup> -Induced Osteo-Immunogenicity. Radiation Research, 2021, 197, 184-192.	1.5	2
5	Intestinal bacterial indicator phylotypes associate with impaired DNA double-stranded break sensors but augmented skeletal bone micro-structure. Carcinogenesis, 2020, 41, 483-489.	2.8	4
6	Mannosylated hemagglutinin peptides bind cyanovirin-N independent of disulfide-bonds in complementary binding sites. RSC Advances, 2020, 10, 11079-11087.	3.6	2
7	Chemopreventive Metabolites Are Correlated with a Change in Intestinal Microbiota Measured in A-T Mice and Decreased Carcinogenesis. PLoS ONE, 2016, 11, e0151190.	2.5	14
8	Evidence from Animal Models: Is a Restricted or Conventional Intestinal Microbiota Composition Predisposing to Risk for High-LET Radiation Injury?. Radiation Research, 2015, 183, 589-593.	1.5	8
9	Intestinal Microbiota Reduces Genotoxic Endpoints Induced By High-Energy Protons. Radiation Research, 2014, 181, 45-53.	1.5	26
10	Intestinal Bacteria Modify Lymphoma Incidence and Latency by Affecting Systemic Inflammatory State, Oxidative Stress, and Leukocyte Genotoxicity. Cancer Research, 2013, 73, 4222-4232.	0.9	68
11	Antigenicity of heat-treated and trypsin-digested milk samples studied by an optical immunochip biosensor. Monatshefte FÃ1⁄4r Chemie, 2009, 140, 921-929.	1.8	4
12	Optical Resonance-Enhanced Absorption-Based Near-Field Immunochip Biosensor for Allergen Detection. Analytical Chemistry, 2008, 80, 2694-2703.	6.5	63
13	A â€~gold cluster-linked immunosorbent assay': Optical near-field biosensor chip for the detection of allergenic β-lactoglobulin in processed milk matrices. Journal of Biotechnology, 2007, 130, 385-388.	3.8	29
14	Absolute Quantitation of β-Lactoglobulin by Protein Liquid Chromatographyâ^'Mass Spectrometry and Its Application to Different Milk Products. Analytical Chemistry, 2007, 79, 5165-5172.	6.5	52
15	Investigation of the Lactosylation of Whey Proteins by Liquid Chromatographyâ~'Mass Spectrometry. Journal of Agricultural and Food Chemistry, 2006, 54, 8874-8882.	5.2	66
16	Changes in peptic digestibility of bovine β-lactoglobulin as a result of food processing studied by capillary electrophoresis and immunochemical methods. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2006, 841, 160-167.	2.3	31