

Congbin Fan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7885671/publications.pdf>

Version: 2024-02-01

96
papers

2,819
citations

172207

29
h-index

214527

47
g-index

96
all docs

96
docs citations

96
times ranked

2102
citing authors

#	ARTICLE	IF	CITATIONS
1	A dual-functional chemical sensor for the detection of Cu ²⁺ and Cd ²⁺ based on the photochromic diarylethene. <i>Tetrahedron</i> , 2022, 104, 132583.	1.0	7
2	A high selective chemosensor for detection of Al ³⁺ based on diarylethene with a hydrazide unit. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2022, 425, 113718.	2.0	5
3	Recent research progress of red-emitting/near-infrared fluorescent probes for biothiols. <i>New Journal of Chemistry</i> , 2022, 46, 10995-11020.	1.4	19
4	A diarylethene-based fluorescent chemosensor for highly selective recognition of Zn ²⁺ and its application. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2022, 431, 114011.	2.0	6
5	A self-assembly lanthanide nanoparticle for ratiometric fluorescence determination of alkaline phosphatase activity. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2022, 432, 114054.	2.0	7
6	A novel fluorescent sensor for Al ³⁺ and Zn ²⁺ based on a new europium complex with a 1,10-phenanthroline ligand. <i>Journal of Rare Earths</i> , 2021, 39, 460-468.	2.5	27
7	A highly selective sequential recognition probe for Zn ²⁺ and HSO ₄ [~] /H ₂ PO ₄ [~] based on a diarylethene chemosensor. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021, 246, 119052.	2.0	25
8	A novel full symmetric diarylethene-based ratiometric fluorescent sensor for lysine and the application for a logic circuit. <i>Luminescence</i> , 2021, 36, 691-697.	1.5	10
9	A highly selective diarylethene fluorescence sensor of aluminum ion and its application. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2021, 405, 112958.	2.0	8
10	A H ₂ O-induced fluorescence turn-on diarylethene derivative and its fluorescent sensing Al ³⁺ . <i>Microchemical Journal</i> , 2021, 163, 105887.	2.3	12
11	Europium(III) complex fluorescent sensor for dual channel recognition of Sn ²⁺ and Cu ²⁺ ions in water. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021, 250, 119373.	2.0	21
12	A Novel Diarylethene-rhodamine Unit Based Chemosensor for Fluorimetric and Colorimetric Detection of Hg ²⁺ . <i>Journal of Fluorescence</i> , 2021, 31, 1513-1523.	1.3	12
13	Pyromellitic diimide-based luminophors: Tunable aggregation-induced emission (AIE) and reversible mechanofluorochromism characteristics. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2021, 417, 113344.	2.0	4
14	A highly sensitive fluorescent sensor for Cd ²⁺ and Zn ²⁺ based on diarylethene with a pyrene unit. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2020, 227, 117581.	2.0	57
15	Selective rhodamine-based probe for detecting Hg ²⁺ and its application as test strips and cell staining. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2020, 390, 112302.	2.0	20
16	1,10-Phenanthroline decorated with substituent groups forming europium(III) complexes: synthesis, crystal structure, photoluminescence properties and their bioimaging in living cells. <i>Journal of Coordination Chemistry</i> , 2020, 73, 2311-2327.	0.8	4
17	Amino-functionalized copper-based metal-organic frameworks for highly selective and sensitive detection of hypochlorite. <i>New Journal of Chemistry</i> , 2020, 44, 19753-19758.	1.4	15
18	A photochromic diarylethene-functionalized fluorescent probe for Cd ²⁺ and Zn ²⁺ detections. <i>Tetrahedron</i> , 2020, 76, 131618.	1.0	20

#	ARTICLE	IF	CITATIONS
19	A ratiometric and colorimetric fluorescent probe for the detection of mercury ion based on rhodamine and quinoline- <i>b</i> -benzothiazole conjugated dyad. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2020, 400, 112657.	2.0	24
20	Naked-eye detection of Cu (II) and Fe (III) based on a Schiff Base Ruthenium complex with nicotinohydrazide. <i>Applied Organometallic Chemistry</i> , 2020, 34, e5841.	1.7	12
21	A new multi-functional fluorescent mercuric ion sensor based on diarylethene with triazole-linked rhodamine B unit. <i>Tetrahedron</i> , 2020, 76, 131393.	1.0	13
22	Thiophene-containing tetraphenylethene derivatives with different aggregation-induced emission (AIE) and mechanofluorochromic characteristics. <i>RSC Advances</i> , 2019, 9, 24338-24343.	1.7	13
23	Hg ²⁺ -selective ratiometric and colorimetric probe based on dansyl-rhodamine and its staining function in cell imaging. <i>Luminescence</i> , 2019, 34, 911-917.	1.5	5
24	Bifunctional probe for Cu ²⁺ /Al ³⁺ based on a diarylethene with a 4, 5-[bis-(5-ethylacetate-yl)-2-thienyl]-1H-imidazole unit. <i>Tetrahedron</i> , 2019, 75, 130708.	1.0	3
25	1,8-Naphthalimide-Based Highly Emissive Luminophors with Various Mechanofluorochromism and Aggregation-Induced Characteristics. <i>ACS Omega</i> , 2019, 4, 14324-14332.	1.6	25
26	Diarylethene-based fluorescent and colorimetric chemosensor for the selective detection of Al ³⁺ and CN ⁻ . <i>Dyes and Pigments</i> , 2019, 164, 257-266.	2.0	50
27	Aggregation-induced emission (AIE)-active highly emissive novel carbazole-based dyes with various solid-state fluorescence and reversible mechanofluorochromism characteristics. <i>Dyes and Pigments</i> , 2019, 164, 390-397.	2.0	50
28	Aggregation-induced emission enhancement (AIEE)-active tetraphenylethene (TPE)-based chemosensor for Hg ²⁺ with solvatochromism and cell imaging characteristics. <i>RSC Advances</i> , 2019, 9, 11865-11869.	1.7	34
29	Bifunctional Cu ²⁺ /Fe ³⁺ Probe with Independent Signal Outputs Based on a Photochromic Diarylethene with a Dansylhydrazine Unit. <i>ACS Omega</i> , 2019, 4, 6597-6606.	1.6	17
30	A ratiometric and colorimetric probe for detecting Hg ²⁺ based on naphthalimide-rhodamine and its staining function in cell imaging. <i>RSC Advances</i> , 2019, 9, 11664-11669.	1.7	20
31	A turn-on fluorescence sensor for the highly selective detection of Al ³⁺ based on diarylethene and its application on test strips. <i>RSC Advances</i> , 2019, 9, 10395-10404.	1.7	26
32	A colorimetric and ratiometric fluorescent sensor for sequentially detecting Cu ²⁺ and arginine based on a coumarin-rhodamine B derivative and its application for bioimaging. <i>RSC Advances</i> , 2019, 9, 6643-6649.	1.7	25
33	A solvent-dependent chemosensor for fluorimetric detection of Hg ²⁺ and colorimetric detection of Cu ²⁺ based on a new diarylethene with a rhodamine B unit. <i>RSC Advances</i> , 2019, 9, 42155-42162.	1.7	15
34	A new highly selective diarylethene with near-infrared fluorochrome unit for sequential detection of copper ion. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019, 211, 322-329.	2.0	7
35	Iridium (III) complex-based fluorescent probe for detection of thiophenols and its application in water samples. <i>Dyes and Pigments</i> , 2019, 163, 138-144.	2.0	19
36	A new "turn-on" fluorescent chemosensor for Zn ²⁺ based on a diarylethene derivative and its practical applications. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2019, 371, 248-254.	2.0	39

#	ARTICLE	IF	CITATIONS
37	New Bifunctional Diarylethene Sensor for Multianalyte Detection and Al ³⁺ Imaging in Live Cells. <i>ACS Omega</i> , 2019, 4, 309-319.	1.6	26
38	Highly sensitive and selective turn-on fluorescent sensor for dual recognition of Cu ²⁺ and CN ⁻ based on a methylquinoline derivative. <i>Dyes and Pigments</i> , 2018, 149, 764-773.	2.0	36
39	Bipyridine-based aggregation-induced phosphorescent emission (AIPE)-active gold(I) complex with reversible phosphorescent mechanochromism and self-assembly characteristics. <i>Dyes and Pigments</i> , 2018, 152, 54-59.	2.0	39
40	A novel fluorescence "turn-on" sensor based on a photochromic diarylethene for the selective detection of Al(III). <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018, 196, 303-310.	2.0	14
41	A highly selective diarylethene chemosensor for colorimetric detection of CN ⁻ and fluorescent relay-detection of Al ³⁺ /Cr ³⁺ . <i>Dyes and Pigments</i> , 2018, 151, 22-27.	2.0	71
42	A new diarylethene-derived probe for colorimetric sensing of Cu(II) and fluorometric sensing of Cu(II) and Zn(II): Photochromism and High Selectivity. <i>Sensors and Actuators B: Chemical</i> , 2018, 266, 603-613.	4.0	48
43	A colorimetric and fluorescent chemosensor for Hg ²⁺ based on a photochromic diarylethene with a quinoline unit. <i>RSC Advances</i> , 2018, 8, 39854-39864.	1.7	15
44	An "off-on" sensor for sequential detection of Cu ²⁺ and hydrogen sulfide based on a naphthalimide-rhodamine B derivative and its application in dual-channel cell imaging. <i>RSC Advances</i> , 2018, 8, 33121-33128.	1.7	17
45	Aggregation-induced emission enhancement (AIEE)-active mechanofluorochromic tetraphenylethene derivative bearing a rhodamine unit. <i>Tetrahedron Letters</i> , 2018, 59, 4416-4419.	0.7	17
46	A new sensitive symmetric fluorescein-linked diarylethene chemosensor for Hg ²⁺ detection. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2018, 367, 465-470.	2.0	11
47	A new fluorescent and colorimetric chemosensor for Al ³⁺ and F ⁻ /CN ⁻ based on a julolidine unit and its bioimaging in living cells. <i>RSC Advances</i> , 2018, 8, 31113-31120.	1.7	41
48	A new fluorescence sensor based on diarylethene with a N'-(quinolin-8-ylmethylene)benzohydrazide group for Zn ²⁺ detection. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2018, 364, 32-39.	2.0	13
49	A highly selective fluorescent probe for detection of Cd ²⁺ and HSO ₃ ⁻ based on photochromic diarylethene with a triazole-bridged coumarin-quinoline group. <i>RSC Advances</i> , 2018, 8, 22786-22798.	1.7	27
50	Copper-Catalyzed Diversity-Oriented Synthesis (DOS) of 4-Amino-2 <i>H</i> -chromen-2-imines: Application of Kemp Elimination toward O-Heterocycles. <i>ACS Omega</i> , 2018, 3, 8160-8168.	1.6	10
51	A highly selective fluorescence switch for Cu ²⁺ and Fe ³⁺ based on a new diarylethene with a triazole-linked rhodamine 6G unit. <i>Tetrahedron</i> , 2018, 74, 4390-4399.	1.0	28
52	Triphenylamine, carbazole or tetraphenylethylene-based gold(I) complexes: Tunable solid-state room-temperature phosphorescence and various mechanochromic luminescence characteristics. <i>Dyes and Pigments</i> , 2018, 159, 499-505.	2.0	38
53	1,8-Naphthalimide-based highly emissive luminogen with reversible mechanofluorochromism and good cell imaging characteristics. <i>Tetrahedron Letters</i> , 2018, 59, 3600-3604.	0.7	13
54	A fluorescent chemosensor for Sn ²⁺ and Cu ²⁺ based on a carbazole-containing diarylethene. <i>RSC Advances</i> , 2017, 7, 9833-9839.	1.7	55

#	ARTICLE	IF	CITATIONS
55	Highly emissive carbazole-based gold(Au^{I}) complex with a long room-temperature phosphorescence lifetime and self-reversible mechanochromism characteristics. <i>RSC Advances</i> , 2017, 7, 15112-15115.	1.7	21
56	A fluorescent sensor based on a diarylethene-rhodamine derivative for sequentially detecting Cu^{2+} and arginine and its application in keypad lock. <i>Sensors and Actuators B: Chemical</i> , 2017, 247, 26-35.	4.0	51
57	A fluorescent sensor for Al^{3+} based on a photochromic diarylethene with a hydrazinobenzothiazole Schiff base unit. <i>Tetrahedron Letters</i> , 2017, 58, 1390-1394.	0.7	23
58	A diarylethene-based fluorescence sensor for the sequential recognition of mercury and cysteine. <i>RSC Advances</i> , 2017, 7, 20591-20596.	1.7	17
59	Carbazole-based aggregation-induced emission (AIE)-active gold(I) complex: Persistent room-temperature phosphorescence, reversible mechanochromism and vapochromism characteristics. <i>Dyes and Pigments</i> , 2017, 143, 409-415.	2.0	87
60	A highly selective fluorescent chemosensor for Fe^{3+} based on a new diarylethene with a rhodamine 6G unit. <i>RSC Advances</i> , 2017, 7, 29827-29834.	1.7	34
61	A highly selective fluorescent sensor for Cd^{2+} based on a new diarylethene with a 1,8-naphthyridine unit. <i>Dyes and Pigments</i> , 2017, 139, 208-217.	2.0	36
62	A highly selective and sensitive fluorescent chemosensor for Zn^{2+} based on a diarylethene derivative. <i>RSC Advances</i> , 2017, 7, 50188-50194.	1.7	29
63	Effects of aromatic stabilization energies of aryl rings of symmetrical diarylethenes. <i>Tetrahedron</i> , 2017, 73, 6479-6485.	1.0	3
64	Cyanobenzene-containing tetraphenylethene derivatives with aggregation-induced emission and self-recovering mechanofluorochromic characteristics. <i>RSC Advances</i> , 2017, 7, 43845-43848.	1.7	25
65	A multi-functional hydrazinobenzothiazole-based diarylethene derivative: Highly efficient discrimination cadmium ion from zinc ion and near-infrared absorption detection of hydroxide ion. <i>Dyes and Pigments</i> , 2017, 146, 305-315.	2.0	16
66	A colorimetric and fluorescent sensor for Cu^{2+} and F^{-} based on a diarylethene with a 1,8-naphthalimide Schiff base unit. <i>Sensors and Actuators B: Chemical</i> , 2017, 239, 295-303.	4.0	154
67	Substituent effect in the photochromism of two isomeric asymmetric diarylethenes having pyrrole and thiophene units. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2017, 173, 257-263.	2.0	8
68	A diarylethene-based fluorescent chemosensor for the sequential recognition of Fe^{3+} and cysteine. <i>RSC Advances</i> , 2016, 6, 34748-34753.	1.7	35
69	A fluorescent probe for Cd^{2+} based on a diarylethene with pyridinepiperazine-linked hydroxyquinoline group. <i>Tetrahedron</i> , 2016, 72, 3213-3220.	1.0	29
70	A novel diarylethene-based fluorescent switch with a carboxamidoquinoline unit for sensing of $\text{Zn}(\text{II})$ ion. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2016, 330, 22-29.	2.0	23
71	A highly sensitive fluorescent sensor for Al^{3+} and Zn^{2+} based on a diarylethene salicylhydrazide Schiff base derivative and its bioimaging in live cells. <i>New Journal of Chemistry</i> , 2016, 40, 8579-8586.	1.4	63
72	A highly selective fluorescent probe for Cd^{2+} and Zn^{2+} based on a new diarylethene with quinoline-benzimidazole conjugated system. <i>Tetrahedron Letters</i> , 2016, 57, 5205-5210.	0.7	22

#	ARTICLE	IF	CITATIONS
73	A new fluorescent sensor for Zn ²⁺ based on diarylethene with a 4-diethylamino-salicylaldehyde Schiff base unit. <i>Journal of Physical Organic Chemistry</i> , 2016, 29, 421-429.	0.9	17
74	A new multi-addressable molecular switch based on a photochromic diarylethene with a thieno-imidazole unit. <i>Tetrahedron Letters</i> , 2016, 57, 1877-1881.	0.7	19
75	Recent advances in diarylethene-based multi-responsive molecular switches. <i>Journal of Materials Chemistry C</i> , 2016, 4, 3075-3093.	2.7	201
76	A highly selective fluorescent chemosensor for Cu ²⁺ based on a new diarylethene with triazole-linked fluorescein. <i>Tetrahedron</i> , 2016, 72, 985-991.	1.0	20
77	A highly selective and sensitive ratiometric fluorescent chemosensor for Zn ²⁺ based on diarylethene with a benzyl-linked 8-aminoquinoline-2-aminomethylpyridine unit. <i>Dyes and Pigments</i> , 2016, 126, 121-130.	2.0	45
78	Multi-functional ion sensor based on a photochromic diarylethene with a 1 <i>H</i> -imidazo [4,5- <i>f</i>] [1,10] phenanthroline unit. <i>Luminescence</i> , 2015, 30, 1290-1296.	1.5	14
79	A Highly Selective Chemosensor for Cu ²⁺ Based on a Diarylethene Linking an Aminoquinoline Unit. <i>Chinese Journal of Chemistry</i> , 2015, 33, 1310-1316.	2.6	14
80	Effects of Aromatic Stabilization Energies on Photochromism of New Asymmetrical Azaindole-Containing Diarylethenes. <i>Chinese Journal of Chemistry</i> , 2015, 33, 785-791.	2.6	6
81	A colorimetric fluorescent sensor for Cr ³⁺ based on a novel diarylethene with a naphthalimide-rhodamine B group. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2015, 303-304, 59-66.	2.0	19
82	A highly selective fluorescence sensor for Zn ²⁺ and Cu ²⁺ based on diarylethene with a piperazine-linked amidoquinoline unit. <i>Journal of Materials Chemistry C</i> , 2015, 3, 4023-4029.	2.7	83
83	A new multi-addressable molecular switch based on a photochromic diarylethene with a 6-aryl[1,2- <i>c</i>]quinazoline unit. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015, 138, 441-446.	2.0	11
84	A multi-addressable molecular switch based on a novel diarylethene with an imidazo [4,5- <i>f</i>] [1,10] phenanthroline unit. <i>Journal of Physical Organic Chemistry</i> , 2014, 27, 183-190.	0.9	18
85	Multi-addressable fluorescent switch based on a photochromic diarylethene with triazole-bridged methylquinoline group. <i>Dyes and Pigments</i> , 2014, 103, 82-88.	2.0	50
86	A highly selective ratiometric fluorescent chemosensor for Hg ²⁺ based on a new diarylethene with a stilbene-linked terpyridine unit. <i>Dyes and Pigments</i> , 2014, 107, 38-44.	2.0	44
87	Multiaddressing Fluorescence Switch Based on a New Photochromic Diarylethene with a Triazole-Linked Rhodamine B Unit. <i>Journal of Physical Chemistry C</i> , 2014, 118, 7010-7017.	1.5	79
88	Photochromism of a novel asymmetrical diarylethene with a (formyloxyethoxy)ethyl-linked naphthalimide moiety. <i>Journal of Physical Organic Chemistry</i> , 2014, 27, 764-769.	0.9	5
89	Novel sensitive sensors for Cu ²⁺ and optical switching of photochromic dithienylethene derivatives. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2014, 294, 44-53.	2.0	26
90	Enhancement of cyclization quantum yields of perfluorodiarylethenes via weak intramolecular interactions. <i>Chemical Communications</i> , 2013, 49, 8036.	2.2	49

#	ARTICLE	IF	CITATIONS
91	Multi-addressable molecular switches based on a new diarylethene salicylal Schiff base derivative. <i>Journal of Materials Chemistry C</i> , 2013, 1, 4726.	2.7	107
92	A sensitive sensor for Cu(II) based on a novel diarylethene with a bipyridyl moiety. <i>Tetrahedron Letters</i> , 2013, 54, 5791-5794.	0.7	22
93	The effect of the formyl group position upon asymmetric isomeric diarylethenes bearing a naphthalene moiety. <i>Beilstein Journal of Organic Chemistry</i> , 2012, 8, 1018-1026.	1.3	15
94	Synthesis, photophysical and iron-sensing properties of terpyridyl-based triphenylamine derivatives. <i>Dyes and Pigments</i> , 2012, 95, 757-767.	2.0	24
95	A new photoinduced fluorescent switch based on a photochromic diarylethene with a rhodamine fluorophore. <i>Dyes and Pigments</i> , 2012, 94, 416-422.	2.0	30
96	Fluorescent probes for Al(III) and Cr(III) based on a photochromic diarylethene bearing a fluorescent rhodamine unit. <i>Mikrochimica Acta</i> , 2011, 174, 329-336.	2.5	30