List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/788584/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Accumulation of perfluoroalkyl substances in human tissues. Environment International, 2013, 59, 354-362.	10.0	401
2	Concentrations of Arsenic, Cadmium, Mercury, and Lead in Common Foods and Estimated Daily Intake by Children, Adolescents, Adults, and Seniors of Catalonia, Spain. Journal of Agricultural and Food Chemistry, 2003, 51, 838-842.	5.2	384
3	Levels of PAHs in soil and vegetation samples from Tarragona County, Spain. Environmental Pollution, 2004, 132, 1-11.	7.5	364
4	Human exposure to per- and polyfluoroalkyl substances (PFAS) through drinking water: A review of the recent scientific literature. Environmental Research, 2019, 177, 108648.	7.5	315
5	Polybrominated Diphenyl Ethers (PBDEs) in Foodstuffs:Â Human Exposure through the Diet. Journal of Agricultural and Food Chemistry, 2003, 51, 3191-3195.	5.2	304
6	Benefits and risks of fish consumption. Toxicology, 2007, 230, 219-226.	4.2	297
7	Human exposure to PBDE and critical evaluation of health hazards. Archives of Toxicology, 2015, 89, 335-356.	4.2	289
8	Reproductive and developmental toxicity of natural and depleted uranium: a review. Reproductive Toxicology, 2001, 15, 603-609.	2.9	263
9	Assessing water quality in rivers with fuzzy inference systems: A case study. Environment International, 2006, 32, 733-742.	10.0	260
10	Polycyclic aromatic hydrocarbons (PAH) in foods and estimated PAH intake by the population of Catalonia, Spain: Temporal trend. Environment International, 2010, 36, 424-432.	10.0	251
11	Metalâ€induced developmental toxicity in mammals: A review. Journal of Toxicology and Environmental Health - Part A: Current Issues, 1994, 42, 123-141.	2.3	244
12	Levels of PCDD/PCDFs and PCBs in edible marine species and human intake: A literature review. Environment International, 2007, 33, 397-405.	10.0	243
13	Daily Intake of Arsenic, Cadmium, Mercury, and Lead by Consumption of Edible Marine Species. Journal of Agricultural and Food Chemistry, 2006, 54, 6106-6112.	5.2	242
14	Human Exposure to Perfluorinated Chemicals through the Diet: Intake of Perfluorinated Compounds in Foods from the Catalan (Spain) Market. Journal of Agricultural and Food Chemistry, 2008, 56, 1787-1794.	5.2	242
15	Effects of air pollutants on the transmission and severity of respiratory viral infections. Environmental Research, 2020, 187, 109650.	7.5	241
16	Metal pollution of soils and vegetation in an area with petrochemical industry. Science of the Total Environment, 2004, 321, 59-69.	8.0	239
17	Vanadium and Tungsten Derivatives as Antidiabetic Agents. Biological Trace Element Research, 2002, 88, 097-112.	3.5	224
18	Polycyclic Aromatic Hydrocarbons in Foods: Human Exposure through the Diet in Catalonia, Spain. Journal of Food Protection, 2003, 66, 2325-2331.	1.7	220

#	Article	IF	CITATIONS
19	Per- and Polyfluoroalkyl Substances (PFASs) in Food and Human Dietary Intake: A Review of the Recent Scientific Literature. Journal of Agricultural and Food Chemistry, 2017, 65, 533-543.	5.2	219
20	Health risks of dietary exposure to perfluorinated compounds. Environment International, 2012, 40, 187-195.	10.0	215
21	Domestic waste composting facilities: A review of human health risks. Environment International, 2009, 35, 382-389.	10.0	192
22	Vanadium: A review of the reproductive and developmental toxicity. Reproductive Toxicology, 1996, 10, 175-182.	2.9	191
23	Concentrations of polybrominated diphenyl ethers, hexachlorobenzene and polycyclic aromatic hydrocarbons in various foodstuffs before and after cooking. Food and Chemical Toxicology, 2009, 47, 709-715.	3.6	186
24	A literature review on the safety assessment of genetically modified plants. Environment International, 2011, 37, 734-742.	10.0	185
25	Effects of Various Cooking Processes on the Concentrations of Arsenic, Cadmium, Mercury, and Lead in Foods. Journal of Agricultural and Food Chemistry, 2008, 56, 11262-11269.	5.2	181
26	Influence of airborne transmission of SARS-CoV-2 on COVID-19 pandemic. A review. Environmental Research, 2020, 188, 109861.	7.5	174
27	Levels of metals in soils of AlcalÃ; de Henares, Spain. Environment International, 2002, 28, 159-164.	10.0	172
28	Human Exposure to Arsenic, Cadmium, Mercury, and Lead from Foods in Catalonia, Spain: Temporal Trend. Biological Trace Element Research, 2011, 142, 309-322.	3.5	172
29	Human health risks due to exposure to inorganic and organic chemicals from textiles: A review. Environmental Research, 2019, 168, 62-69.	7.5	170
30	Evolution of the dietary exposure to polycyclic aromatic hydrocarbons in Catalonia, Spain. Food and Chemical Toxicology, 2008, 46, 3163-3171.	3.6	161
31	Metal concentrations in surface water and sediments from Pardo River, Brazil: Human health risks. Environmental Research, 2014, 133, 149-155.	7.5	161
32	Polybrominated diphenyl ethers in food and human dietary exposure: A review of the recent scientific literature. Food and Chemical Toxicology, 2012, 50, 238-249.	3.6	160
33	Long-term amendment of Spanish soils with sewage sludge: Effects on soil functioning. Agriculture, Ecosystems and Environment, 2012, 158, 41-48.	5.3	148
34	Carcinogenicity of consumption of red meat and processed meat: A review of scientific news since the IARC decision. Food and Chemical Toxicology, 2017, 105, 256-261.	3.6	148
35	Climate change and environmental concentrations of POPs: A review. Environmental Research, 2015, 143, 177-185.	7.5	143
36	Human dietary exposure to polycyclic aromatic hydrocarbons: A review of the scientific literature. Food and Chemical Toxicology, 2015, 86, 144-153.	3.6	142

#	Article	IF	CITATIONS
37	Meat consumption: Which are the current global risks? A review of recent (2010–2020) evidences. Food Research International, 2020, 137, 109341.	6.2	140
38	Biomonitoring perfluorinated compounds in Catalonia, Spain: concentrations and trends in human liver and milk samples. Environmental Science and Pollution Research, 2010, 17, 750-758.	5.3	137
39	Dietary Intake of Arsenic, Cadmium, Mercury, and Lead by the Population of Catalonia, Spain. Biological Trace Element Research, 2008, 125, 120-132.	3.5	136
40	Perfluorinated chemicals in blood of residents in Catalonia (Spain) in relation to age and gender: A pilot study. Environment International, 2007, 33, 616-623.	10.0	135
41	Human exposure to PBDEs through the diet in Catalonia, Spain: Temporal trend. Toxicology, 2008, 248, 25-32.	4.2	134
42	Levels of perfluorochemicals in water samples from Catalonia, Spain: is drinking water a significant contribution to human exposure?. Environmental Science and Pollution Research, 2008, 15, 614-619.	5.3	131
43	Levels of metals, PCBs, PCNs and PAHs in soils of a highly industrialized chemical/petrochemical area: Temporal trend. Chemosphere, 2007, 66, 267-276.	8.2	129
44	Daily intake of polychlorinated dibenzo-p-dioxins/polychlorinated dibenzofurans (PCDD/PCDFs) in foodstuffs consumed in Tarragona, Spain: a review of recent studies (2001–2003) on human PCDD/PCDF exposure through the diet. Environmental Research, 2005, 97, 1-9.	7.5	127
45	Concentrations of PCDD/PCDFs and PCBs in fish and seafood from the Catalan (Spain) market: Estimated human intake. Environment International, 2007, 33, 170-175.	10.0	127
46	Contamination of inert surfaces by SARS-CoV-2: Persistence, stability and infectivity. A review. Environmental Research, 2021, 193, 110559.	7.5	127
47	Exposure to perfluorinated compounds in Catalonia, Spain, through consumption of various raw and cooked foodstuffs, including packaged food. Food and Chemical Toxicology, 2009, 47, 1577-1583.	3.6	123
48	Acute toxicity of vanadium compounds in rats and mice. Toxicology Letters, 1984, 23, 227-231.	0.8	121
49	Omega-3 fatty acids and the benefits of fish consumption: Is all that glitters gold?. Environment International, 2007, 33, 993-998.	10.0	118
50	Human exposure to dioxins through the diet in Catalonia, Spain: carcinogenic and non-carcinogenic risk. Chemosphere, 2003, 50, 1193-1200.	8.2	117
51	Human exposure to polybrominated diphenyl ethers through the diet. Journal of Chromatography A, 2004, 1054, 321-326.	3.7	117
52	Pollutants emitted by a cement plant: health risks for the population living in the neighborhood. Environmental Research, 2004, 95, 198-206.	7.5	116
53	Heavy metals in untreated/treated urban effluent and sludge from a biological wastewater treatment plant. Environmental Science and Pollution Research, 2007, 14, 483-9.	5.3	116
54	Nutrients and Chemical Pollutants in Fish and Shellfish. Balancing Health Benefits and Risks of Regular Fish Consumption. Critical Reviews in Food Science and Nutrition, 2016, 56, 979-988.	10.3	116

#	Article	IF	CITATIONS
55	Intake of chemical contaminants through fish and seafood consumption by children of Catalonia, Spain: Health risks. Food and Chemical Toxicology, 2007, 45, 1968-1974.	3.6	113
56	Significant decreasing trend in human dietary exposure to PCDD/PCDFs and PCBs in Catalonia, Spain. Toxicology Letters, 2008, 178, 117-126.	0.8	111
57	Air concentrations of PCDD/Fs, PCBs and PCNs using active and passive air samplers. Chemosphere, 2008, 70, 1637-1643.	8.2	111
58	Per- and polyfluorinated compounds (PFCs) in house dust and indoor air in Catalonia, Spain: Implications for human exposure. Environment International, 2012, 39, 172-180.	10.0	111
59	Multi-compartmental environmental surveillance of a petrochemical area: Levels of micropollutants. Environment International, 2009, 35, 227-235.	10.0	110
60	Reproductive and developmental toxicity of aluminum: A review. Neurotoxicology and Teratology, 1995, 17, 515-521.	2.4	109
61	Acute toxicity of uranium in rats and mice. Bulletin of Environmental Contamination and Toxicology, 1987, 39, 168-174.	2.7	108
62	Influence of Cooking Processes on the Concentrations of Toxic Metals and Various Organic Environmental Pollutants in Food: A Review of the Published Literature. Critical Reviews in Food Science and Nutrition, 2010, 51, 29-37.	10.3	108
63	Human dietary exposure to perfluoroalkyl substances in Catalonia, Spain. Temporal trend. Food Chemistry, 2012, 135, 1575-1582.	8.2	106
64	Positive association between outdoor air pollution and the incidence and severity of COVID-19. A review of the recent scientific evidences. Environmental Research, 2022, 203, 111930.	7.5	106
65	Exposure to heavy metals and PCDD/Fs by the population living in the vicinity of a hazardous waste landfill in Catalonia, Spain: Health risk assessment. Environment International, 2009, 35, 1034-1039.	10.0	105
66	Environmental monitoring of PCDD/Fs and metals in the vicinity of a cement plant after using sewage sludge as a secondary fuel. Chemosphere, 2009, 74, 1502-1508.	8.2	104
67	Long-term environmental monitoring of persistent organic pollutants and metals in a chemical/petrochemical area: Human health risks. Environmental Pollution, 2011, 159, 1769-1777.	7.5	104
68	Air quality, health impacts and burden of disease due to air pollution (PM10, PM2.5, NO2 and O3): Application of AirQ+ model to the Camp de Tarragona County (Catalonia, Spain). Science of the Total Environment, 2020, 703, 135538.	8.0	102
69	Occurrence of halogenated flame retardants in commercial seafood species available in European markets. Food and Chemical Toxicology, 2017, 104, 35-47.	3.6	101
70	Toxicology of vanadium compounds in diabetic rats: The action of chelating agents on vanadium accumulation. Molecular and Cellular Biochemistry, 1995, 153, 233-240.	3.1	99
71	Prevention by chelating agents of metal-induced developmental toxicity. Reproductive Toxicology, 1995, 9, 105-113.	2.9	99
72	ACCUMULATION OF METALS IN AUTOPSY TISSUES OF SUBJECTS LIVING IN TARRAGONA COUNTY, SPAIN. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2001, 36, 1767-1786.	1.7	99

#	Article	IF	CITATIONS
73	Relationships between trace element concentrations in chorionic tissue of placenta and umbilical cord tissue: Potential use as indicators for prenatal exposure. Environment International, 2013, 60, 106-111.	10.0	97
74	Human Exposure to Metals Through the Diet in Tarragona, Spain: Temporal Trend. Biological Trace Element Research, 2005, 104, 193-202.	3.5	96
75	Levels of PCDD/Fs, PCBs, and PCNs in Soils and Vegetation in an Area with Chemical and Petrochemical Industries. Environmental Science & Technology, 2004, 38, 1960-1969.	10.0	93
76	Levels of Perfluorinated Chemicals in Municipal Drinking Water from Catalonia, Spain: Public Health Implications. Archives of Environmental Contamination and Toxicology, 2009, 57, 631-638.	4.1	93
77	Human health risks of formaldehyde indoor levels: An issue of concern. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2016, 51, 357-363.	1.7	93
78	Melatonin reduces oxidative stress and increases gene expression in the cerebral cortex and cerebellum of aluminumâ€exposed rats. Journal of Pineal Research, 2005, 39, 129-136.	7.4	92
79	Pro-oxidant activity of aluminum in the rat hippocampus: gene expression of antioxidant enzymes after melatonin administration. Free Radical Biology and Medicine, 2005, 38, 104-111.	2.9	90
80	UV-filters and musk fragrances in seafood commercialized in Europe Union: Occurrence, risk and exposure assessment. Environmental Research, 2018, 161, 399-408.	7.5	90
81	Mercury in hair for a child population from Tarragona Province, Spain. Science of the Total Environment, 1996, 193, 143-148.	8.0	88
82	The use of Monte-Carlo simulation techniques for risk assessment: study of a municipal waste incinerator. Chemosphere, 2001, 43, 787-799.	8.2	88
83	Human exposure to trace elements through the skin by direct contact with clothing: Risk assessment. Environmental Research, 2015, 140, 308-316.	7.5	88
84	Oral vanadium administration to streptozotocin-diabetic rats has marked negative side-effects which are independent of the form of vanadium used. Toxicology, 1991, 66, 279-287.	4.2	87
85	Levels of Polychlorinated Biphenyls in Foods from Catalonia, Spain: Estimated Dietary Intake. Journal of Food Protection, 2003, 66, 479-484.	1.7	86
86	Assessment of the temporal trend of the dietary exposure to PCDD/Fs and PCBs in Catalonia, over Spain: Health risks. Food and Chemical Toxicology, 2012, 50, 399-408.	3.6	86
87	Water quality analysis in rivers with non-parametric probability distributions and fuzzy inference systems: Application to the Cauca River, Colombia. Environment International, 2013, 52, 17-28.	10.0	86
88	Impact of reduction of lead in gasoline on the blood and hair lead levels in the population of Tarragona Province, Spain, 1990–1995. Science of the Total Environment, 1996, 184, 203-209.	8.0	85
89	PCDDs and PCDFs in food samples from Catalonia, Spain. An assessment of dietary intake. Chemosphere, 1999, 38, 3517-3528.	8.2	85
90	Polybrominated diphenyl ethers detected in human adipose tissue from Spain. Chemosphere, 1999, 39, 2271-2278.	8.2	85

#	Article	IF	CITATIONS
91	Long-term study of environmental levels of dioxins and furans in the vicinity of a municipal solid waste incinerator. Environment International, 2006, 32, 397-404.	10.0	85
92	Effects of oral aluminum exposure on behavior and neurogenesis in a transgenic mouse model of Alzheimer's disease. Experimental Neurology, 2008, 214, 293-300.	4.1	85
93	Toxicity Studies of Genetically Modified Plants: A Review of the Published Literature. Critical Reviews in Food Science and Nutrition, 2007, 47, 721-733.	10.3	84
94	Human Exposure to Perfluorinated Compounds in Catalonia, Spain: Contribution of Drinking Water and Fish and Shellfish. Journal of Agricultural and Food Chemistry, 2012, 60, 4408-4415.	5.2	84
95	Aluminum and other metals in Alzheimer's disease: A review of potential therapy with chelating agents. Journal of Alzheimer's Disease, 2006, 10, 331-341.	2.6	83
96	Safety assessment of GM plants: An updated review of the scientific literature. Food and Chemical Toxicology, 2016, 95, 12-18.	3.6	83
97	Concurrent Exposure to Perfluorooctane Sulfonate and Restraint Stress during Pregnancy in Mice: Effects on Postnatal Development and Behavior of the Offspring. Toxicological Sciences, 2007, 98, 589-598.	3.1	82
98	Oxidative stress as a mechanism underlying sulfasalazine-induced toxicity. Expert Opinion on Drug Safety, 2011, 10, 253-263.	2.4	81
99	Dioxin and dibenzofuran concentrations in blood of a general population from Tarragona, Spain. Chemosphere, 1999, 38, 1123-1133.	8.2	80
100	Improved strategies to counter the COVID-19 pandemic: Lockdowns vs. primary and community healthcare. Toxicology Reports, 2021, 8, 1-9.	3.3	80
101	Dietary Intake of Metals by the Population of Tarragona County (Catalonia, Spain): Results from a Duplicate Diet Study. Biological Trace Element Research, 2012, 146, 420-425.	3.5	79
102	Effects of exposure to BDE-99 on oxidative status of liver and kidney in adult rats. Toxicology, 2010, 271, 51-56.	4.2	78
103	Relationship between pollutant content and ecotoxicity of sewage sludges from Spanish wastewater treatment plants. Science of the Total Environment, 2012, 425, 99-109.	8.0	78
104	Human exposure to environmental pollutants after a tire landfill fire in Spain: Health risks. Environment International, 2016, 97, 37-44.	10.0	78
105	Concentrations of PCDD/Fs, PCBs and PBDEs in breast milk of women from Catalonia, Spain: A follow-up study. Environment International, 2009, 35, 607-613.	10.0	77
106	Occurrence of environmental pollutants in foodstuffs: A review of organic vs. conventional food. Food and Chemical Toxicology, 2019, 125, 370-375.	3.6	77
107	Developmental toxicity of metal chelating agents. Reproductive Toxicology, 1998, 12, 499-510.	2.9	76
108	Assessing anxiety in C57BL/6J mice: A pharmacological characterization of the open-field and light/dark tests. Journal of Pharmacological and Toxicological Methods, 2014, 69, 108-114.	0.7	76

#	Article	IF	CITATIONS
109	Behavioral effects in adult mice exposed to perfluorooctane sulfonate (PFOS). Toxicology, 2007, 242, 123-129.	4.2	75
110	POP accumulation in the food chain: Integrated risk model for sewage sludge application in agricultural soils. Environment International, 2010, 36, 577-583.	10.0	74
111	The impact of climate change on water provision under a low flow regime: A case study of the ecosystems services in the Francoli river basin. Journal of Hazardous Materials, 2013, 263, 224-232.	12.4	74
112	Changes in body burden of mercury, lead, arsenic, cadmium and selenium in infants during early lactation in comparison with placental transfer. Ecotoxicology and Environmental Safety, 2012, 84, 179-184.	6.0	73
113	PBPK modeling for PFOS and PFOA: Validation with human experimental data. Toxicology Letters, 2014, 230, 244-251.	0.8	73
114	Cobalt in the Environment and Its Toxicological Implications. Reviews of Environmental Contamination and Toxicology, 1989, 108, 105-132.	1.3	72
115	Exposure to PBDEs and PCDEs Associated with the Consumption of Edible Marine Species. Environmental Science & Technology, 2006, 40, 4394-4399.	10.0	72
116	Polychlorinated Naphthalenes in Foods:Â Estimated Dietary Intake by the Population of Catalonia, Spain. Environmental Science & Technology, 2003, 37, 2332-2335.	10.0	71
117	Oxidative stress status and RNA expression in hippocampus of an animal model of Alzheimer's disease after chronic exposure to aluminum. Hippocampus, 2010, 20, 218-225.	1.9	71
118	Dietary intake of lead and cadmium from foods in Tarragons Province, Spain. Bulletin of Environmental Contamination and Toxicology, 1991, 46, 320-328.	2.7	70
119	Aluminum-induced pro-oxidant effects in rats: protective role of exogenous melatonin. Journal of Pineal Research, 2003, 35, 32-39.	7.4	70
120	Novel approach for assessing heavy metal pollution and ecotoxicological status of rivers by means of passive sampling methods. Environment International, 2011, 37, 671-677.	10.0	70
121	Co-occurrence of musk fragrances and UV-filters in seafood and macroalgae collected in European hotspots. Environmental Research, 2015, 143, 65-71.	7.5	69
122	The effects of uranium on reproduction, gestation, and postnatal survival in mice. Ecotoxicology and Environmental Safety, 1989, 17, 291-296.	6.0	68
123	Health risks of dietary intake of environmental pollutants by elite sportsmen and sportswomen. Food and Chemical Toxicology, 2005, 43, 1713-1721.	3.6	68
124	Sulfasalazine induced oxidative stress: A possible mechanism of male infertility. Reproductive Toxicology, 2009, 27, 35-40.	2.9	68
125	Partial replacement of fossil fuel in a cement plant: Risk assessment for the population living in the neighborhood. Science of the Total Environment, 2010, 408, 5372-5380.	8.0	68
126	Influence of chronic exposure to uranium on male reproduction in mice. Fundamental and Applied Toxicology, 1991, 16, 821-829.	1.8	67

#	Article	IF	CITATIONS
127	Use of sewage sludge as secondary fuel in a cement plant: human health risks. Environment International, 2011, 37, 105-111.	10.0	67
128	Vanadium compounds for the treatment of human diabetes mellitus: A scientific curiosity? A review of thirty years of research. Food and Chemical Toxicology, 2016, 95, 137-141.	3.6	67
129	Concentrations of nine bisphenol analogues in food purchased from Catalonia (Spain): Comparison of canned and non-canned foodstuffs. Food and Chemical Toxicology, 2020, 136, 110992.	3.6	67
130	Vanadium and diabetes. What about vanadium toxicity?. , 2000, 203, 185-187.		66
131	Human Exposure to Polychlorinated Naphthalenes and Polychlorinated Diphenyl Ethers from Foods in Catalonia, Spain: Temporal Trend. Environmental Science & Technology, 2008, 42, 4195-4201.	10.0	66
132	Human biomonitoring to evaluate exposure to toxic and essential trace elements during pregnancy. Part A. concentrations in maternal blood, urine and cord blood Environmental Research, 2019, 177, 108599.	7.5	66
133	Assessment of the pro-oxidant activity of uranium in kidney and testis of rats. Toxicology Letters, 2006, 167, 152-161.	0.8	65
134	Exposure to Polycyclic Aromatic Hydrocarbons through Consumption of Edible Marine Species in Catalonia, Spain. Journal of Food Protection, 2006, 69, 2493-2499.	1.7	65
135	Assessment of baseline levels of PCDD/F in soils in the neighbourhood of a new hazardous waste incinerator in Catalonia, Spain. Chemosphere, 1997, 35, 1947-1958.	8.2	64
136	Main components and human health risks assessment of PM10, PM2.5, and PM1 in two areas influenced by cement plants. Atmospheric Environment, 2015, 120, 109-116.	4.1	64
137	The developmental toxicity of uranium in mice. Toxicology, 1989, 55, 143-152.	4.2	63
138	Maternal and developmental toxicity of manganese in the mouse. Toxicology Letters, 1993, 69, 45-52.	0.8	63
139	PCDD/F concentrations in milk of nonoccupationally exposed women living in southern Catalonia, Spain. Chemosphere, 1999, 38, 995-1004.	8.2	63
140	Vanadium treatment of diabetic Sprague-Dawley rats results in tissue vanadium accumulation and pro-oxidant effects. Toxicology, 1993, 83, 115-130.	4.2	62
141	Polychlorinated naphthalenes in animal aquatic species and human exposure through the diet: a review. Journal of Chromatography A, 2004, 1054, 327-334.	3.7	62
142	Human health risks of petroleum-contaminated groundwater. Environmental Science and Pollution Research, 2008, 15, 278-288.	5.3	62
143	Influence of Age on Aluminum-Induced Neurobehavioral Effects and Morphological Changes in Rat Brain. NeuroToxicology, 2002, 23, 775-781.	3.0	61
144	Developmental toxicity of vanadium in mice after oral administration. Journal of Applied Toxicology, 1990, 10, 181-186.	2.8	60

#	Article	IF	CITATIONS
145	Zinc and copper levels in serum and urine: relationship to biological, habitual and environmental factors. Science of the Total Environment, 1994, 148, 67-72.	8.0	60
146	Concurrent exposure to aluminum and stress during pregnancy in rats: Effects on postnatal development and behavior of the offspring. Neurotoxicology and Teratology, 2005, 27, 565-574.	2.4	60
147	Toxic emissions from crematories: A review. Environment International, 2010, 36, 131-137.	10.0	60
148	Combined action of uranium and stress in the rat. Toxicology Letters, 2005, 158, 186-195.	0.8	59
149	Health risks of the occupational exposure to microbiological and chemical pollutants in a municipal waste organic fraction treatment plant. International Journal of Hygiene and Environmental Health, 2009, 212, 661-669.	4.3	59
150	Short-term toxicity studies of vanadium in rats. Journal of Applied Toxicology, 1985, 5, 418-421.	2.8	58
151	Developmental toxicity evaluation of oral aluminum in rats: Influence of citrate. Neurotoxicology and Teratology, 1991, 13, 323-328.	2.4	58
152	Influence of some dietary constituents on aluminum absorption and retention in rats. Kidney International, 1991, 39, 598-601.	5.2	58
153	Trace Element Pollution of Soils Collected near a Municipal Solid Waste Incinerator: Human Health Risk. Bulletin of Environmental Contamination and Toxicology, 1997, 59, 861-867.	2.7	58
154	Risk Assessment of Metals from Consuming Vegetables, Fruits and Rice Grown on Soils Irrigated with Waters of the Ebro River in Catalonia, Spain. Biological Trace Element Research, 2008, 123, 66-79.	3.5	58
155	Oral exposure to silver nanoparticles increases oxidative stress markers in the liver of male rats and deregulates the insulin signalling pathway and p53 and cleaved caspase 3 protein expression. Food and Chemical Toxicology, 2018, 115, 398-404.	3.6	58
156	Embryotoxic and teratogenic effects of aluminum nitrate in rats upon oral administration. Teratology, 1988, 38, 253-257.	1.6	57
157	Reproductive Toxicology of Aluminum in Male Mice. Fundamental and Applied Toxicology, 1995, 25, 45-51.	1.8	57
158	Benefits and risks of fish consumption. Toxicology, 2007, 230, 227-233.	4.2	57
159	Quantification of eight bisphenol analogues in blood and urine samples of workers in a hazardous waste incinerator. Environmental Research, 2019, 176, 108576.	7.5	57
160	Health Risks of GM Foods: Many Opinions but Few Data. Science, 2000, 288, 1748-1749.	12.6	56
161	Biological monitoring of metals and organic substances in hazardous-waste incineration workers. International Archives of Occupational and Environmental Health, 2002, 75, 500-506.	2.3	56
162	Monitoring PCDD/Fs, PCBs and metals in the ambient air of an industrial area of Catalonia, Spain. Chemosphere, 2008, 73, 990-998.	8.2	56

#	Article	IF	CITATIONS
163	Human exposure to PCDD/Fs and PCBs through consumption of fish and seafood in Catalonia (Spain): Temporal trend. Food and Chemical Toxicology, 2015, 81, 28-33.	3.6	56
164	Carcinogenicity of consumption of red and processed meat: What about environmental contaminants?. Environmental Research, 2016, 145, 109-115.	7.5	56
165	Evaluating the environmental impact of an old municipal waste incinerator: PCDD/F levels in soil and vegetation samples. Journal of Hazardous Materials, 2000, 76, 1-12.	12.4	55
166	Interactions in developmental toxicology: Concurrent exposure to perfluorooctane sulfonate (PFOS) and stress in pregnant mice. Toxicology Letters, 2006, 164, 81-89.	0.8	55
167	Health risks for the population living in the vicinity of an Integrated Waste Management Facility: Screening environmental pollutants. Science of the Total Environment, 2015, 518-519, 363-370.	8.0	55
168	Health risk assessment of emissions of dioxins and furans from a municipal waste incinerator: comparison with other emission sources. Environment International, 2004, 30, 481-489.	10.0	54
169	Metal Concentrations in Hair and Cognitive Assessment in an Adolescent Population. Biological Trace Element Research, 2005, 104, 215-222.	3.5	54
170	Behavioral effects and oxidative status in brain regions of adult rats exposed to BDE-99. Toxicology Letters, 2010, 194, 1-7.	0.8	54
171	Health risks for the population living near petrochemical industrial complexes. 2. Adverse health outcomes other than cancer. Science of the Total Environment, 2020, 730, 139122.	8.0	54
172	Reproductive toxicity evaluation of vanadium in male mice. Toxicology, 1993, 80, 199-206.	4.2	53
173	Polychlorinated diphenyl ethers (PCDEs): Environmental levels, toxicity and human exposure. Environment International, 2006, 32, 121-127.	10.0	53
174	A neural-fuzzy approach to classify the ecological status in surface waters. Environmental Pollution, 2007, 148, 634-641.	7.5	53
175	Monitoring Metals in Blood and Hair of the Population Living Near a Hazardous Waste Incinerator: Temporal Trend. Biological Trace Element Research, 2009, 128, 191-199.	3.5	53
176	Temporal trends in the levels of metals, PCDD/Fs and PCBs in the vicinity of a municipal solid waste incinerator. Preliminary assessment of human health risks. Waste Management, 2015, 43, 168-175.	7.4	53
177	Effects of air pollution on the potential transmission and mortality of COVID-19: A preliminary case-study in Tarragona Province (Catalonia, Spain). Environmental Research, 2021, 192, 110315.	7.5	53
178	WHAT WE KNOW AND WHAT WE NEED TO KNOW ABOUT DEVELOPMENTAL ALUMINUM TOXICITY. Journal of Toxicology and Environmental Health - Part A: Current Issues, 1996, 48, 585-598.	2.3	52
179	Monitoring metals in the vicinity of a municipal waste incinerator: temporal variation in soils and vegetation. Science of the Total Environment, 1999, 226, 157-164.	8.0	52
180	Effects of BDE-99 on hormone homeostasis and biochemical parameters in adult male rats. Food and Chemical Toxicology, 2010, 48, 2206-2211.	3.6	52

#	Article	IF	CITATIONS
181	Lead in children's hair, as related to exposure in Tarragona Province, Spain. Science of the Total Environment, 1991, 104, 167-173.	8.0	51
182	The effect of age on aluminum retention in rats. Toxicology, 1997, 116, 1-8.	4.2	51
183	Trends in the Levels of Metals in Soils and Vegetation Samples Collected Near a Hazardous Waste Incinerator. Archives of Environmental Contamination and Toxicology, 2005, 49, 290-298.	4.1	51
184	Environmental monitoring of metals, PCDD/Fs and PCBs as a complementary tool of biological surveillance to assess human health risks. Chemosphere, 2010, 80, 1183-1189.	8.2	51
185	Human Exposure to Metals: Levels in Autopsy Tissues of Individuals Living Near a Hazardous Waste Incinerator. Biological Trace Element Research, 2014, 159, 15-21.	3.5	51
186	Acute Toxicity Studies of Aluminium Compounds: Antidotal Efficacy of Several Chelating Agents. Basic and Clinical Pharmacology and Toxicology, 1987, 60, 280-283.	0.0	50
187	Subchronic oral toxicity of zinc in rats. Bulletin of Environmental Contamination and Toxicology, 1988, 41, 36-43.	2.7	50
188	Dietary intake of copper, chromium and zinc in Tarragona Province, Spain. Science of the Total Environment, 1993, 132, 3-10.	8.0	50
189	Atmospheric deposition of PCDD/Fs near an old municipal solid waste incinerator: levels in soil and vegetation. Chemosphere, 2000, 40, 593-600.	8.2	50
190	Influence of UV-B Radiation and Temperature on Photodegradation of PAHs: Preliminary Results. Journal of Atmospheric Chemistry, 2006, 55, 241-252.	3.2	50
191	Aluminum exposure through the diet: Metal levels in AβPP transgenic mice, a model for Alzheimer's disease. Toxicology, 2008, 249, 214-219.	4.2	50
192	Climate change impact on the PAH photodegradation in soils: Characterization and metabolites identification. Environment International, 2016, 89-90, 155-165.	10.0	50
193	Concentrations of lead and cadmium in edible vegetables from Tarragona Province, Spain. Science of the Total Environment, 1990, 95, 61-67.	8.0	49
194	Pro-oxidant effects in the brain of rats concurrently exposed to uranium and stress. Toxicology, 2007, 236, 82-91.	4.2	49
195	Volatile organic compounds and bioaerosols in the vicinity of a municipal waste organic fraction treatment plant. Human health risks. Environmental Science and Pollution Research, 2012, 19, 96-104.	5.3	49
196	Oral subchronic exposure to silver nanoparticles in rats. Food and Chemical Toxicology, 2016, 92, 177-187.	3.6	49
197	Effects of oral exposure to silver nanoparticles on the sperm of rats. Reproductive Toxicology, 2016, 60, 133-139.	2.9	49
198	PCDD/F levels in the neighbourhood of a municipal solid waste incinerator after introduction of technical improvements in the facility. Environment International, 2002, 28, 19-27.	10.0	48

#	Article	IF	CITATIONS
199	Concentrations of polychlorinated biphenyls (PCBs) and polybrominated diphenyl ethers (PBDEs) in milk of women from Catalonia, Spain. Chemosphere, 2007, 67, S295-S300.	8.2	48
200	SARS-CoV-2 and other pathogenic microorganisms in the environment. Environmental Research, 2021, 201, 111606.	7.5	48
201	Environmental Impact and Human Health Risks of Polychlorinated Dibenzo-p-dioxins and Dibenzofurans in the Vicinity of a New Hazardous Waste Incinerator:Â A Case Study. Environmental Science & Technology, 2006, 40, 61-66.	10.0	47
202	Influence of maternal restraint stress on the long-lasting effects induced by prenatal exposure to perfluorooctane sulfonate (PFOS) in mice. Toxicology Letters, 2007, 171, 162-170.	0.8	47
203	Monitoring Environmental Pollutants in the Vicinity of a Cement Plant: A Temporal Study. Archives of Environmental Contamination and Toxicology, 2011, 60, 372-384.	4.1	47
204	In vitro tests to assess toxic effects of airborne PM10 samples. Correlation with metals and chlorinated dioxins and furans. Science of the Total Environment, 2013, 443, 791-797.	8.0	47
205	Evaluation of the Perinatal and Postnatal Effects of Uranium in Mice upon Oral Administration. Archives of Environmental Health, 1989, 44, 395-398.	0.4	46
206	Effectiveness of chelation therapy with time after acute uranium intoxication. Fundamental and Applied Toxicology, 1990, 14, 88-95.	1.8	46
207	Environmental versus dietary exposure to POPs and metals: A probabilistic assessment of human health risks. Journal of Environmental Monitoring, 2010, 12, 681-688.	2.1	46
208	Adulthood dietary exposure to a common pesticide leads to an obese-like phenotype and a diabetic profile in apoE3 mice. Environmental Research, 2015, 142, 169-176.	7.5	46
209	Polyvinyl pyrrolidone-coated silver nanoparticles in a human lung cancer cells: time- and dose-dependent influence over p53 and caspase-3 protein expression and epigenetic effects. Archives of Toxicology, 2017, 91, 651-666.	4.2	46
210	Embryotoxicity and teratogenicity of uranium in mice following subcutaneous administration of uranyl acetate. Biological Trace Element Research, 1993, 36, 109-118.	3.5	45
211	Congener profiles of PCDD/Fs in soil and vegetation samples collected near to a municipal waste incinerator. Chemosphere, 2001, 43, 517-524.	8.2	45
212	Health Risk Assessment of PCDD/PCDF Exposure for the Population Living in the Vicinity of a Municipal Waste Incinerator. Archives of Environmental Contamination and Toxicology, 2002, 43, 461-465.	4.1	45
213	Definition and GIS-based characterization of an integral risk index applied to a chemical/petrochemical area. Chemosphere, 2006, 64, 1526-1535.	8.2	45
214	Metal levels in sugar cane (Saccharum spp.) samples from an area under the influence of a municipal landfill and a medical waste treatment system in Brazil. Environment International, 2006, 32, 52-57.	10.0	45
215	Inferences over the sources and processes affecting polycyclic aromatic hydrocarbons in the atmosphere derived from measured data. Science of the Total Environment, 2010, 408, 2387-2393.	8.0	45
216	Influence of Maternal Stress on the Effects of Prenatal Exposure to Methylmercury and Arsenic on Postnatal Development and Behavior in Mice: A Preliminary Evaluation. Physiology and Behavior, 1997, 61, 455-459.	2.1	44

#	Article	IF	CITATIONS
217	PCDD/F and metal concentrations in soil and herbage samples collected in the vicinity of a cement plant. Chemosphere, 2002, 48, 209-217.	8.2	44
218	Exposure to Metals through the Consumption of Fish and Seafood by the Population Living Near the Ebro River in Catalonia, Spain: Health Risks. Human and Ecological Risk Assessment (HERA), 2008, 14, 780-795.	3.4	44
219	Amyloid β Peptide Levels Increase in Brain of AβPP Swedish Mice after Exposure to Chlorpyrifos. Current Alzheimer Research, 2011, 8, 732-740.	1.4	44
220	Human exposure to polycyclic aromatic hydrocarbons (PAHs) using data from a duplicate diet study in Catalonia, Spain. Food and Chemical Toxicology, 2012, 50, 4103-4108.	3.6	44
221	Placental transfer and levels of mercury, selenium, vitamin E, and docosahexaenoic acid in maternal and umbilical cord blood. Environment International, 2018, 111, 309-315.	10.0	44
222	Levels of PCDD/Fs, PCBs and PBDEs in breast milk of women living in the vicinity of a hazardous waste incinerator: Assessment of the temporal trend. Chemosphere, 2013, 93, 1533-1540.	8.2	43
223	Oral bioaccessibility of arsenic, mercury and methylmercury in marine species commercialized in Catalonia (Spain) and health risks for the consumers. Food and Chemical Toxicology, 2015, 86, 34-40.	3.6	43
224	Comparison of the effectiveness of several chelators after single administration on the toxicity, excretion and distribution of cobalt. Archives of Toxicology, 1986, 58, 278-281.	4.2	42
225	Application of Self-Organizing Maps for PCDD/F Pattern Recognition of Environmental and Biological Samples to Evaluate the Impact of a Hazardous Waste Incinerator. Environmental Science & Technology, 2010, 44, 3162-3168.	10.0	42
226	Perinatal exposure to BDE-99 causes learning disorders and decreases serum thyroid hormone levels and BDNF gene expression in hippocampus in rat offspring. Toxicology, 2013, 308, 122-128.	4.2	42
227	Trace elements in skin-contact clothes and migration to artificial sweat: Risk assessment of human dermal exposure. Textile Reseach Journal, 2017, 87, 726-738.	2.2	42
228	Human exposure to brominated flame retardants through the consumption of fish and shellfish in Tarragona County (Catalonia, Spain). Food and Chemical Toxicology, 2017, 104, 48-56.	3.6	42
229	Dietary intake of arsenic, cadmium, mercury and lead by the population of Catalonia, Spain: Analysis of the temporal trend. Food and Chemical Toxicology, 2019, 132, 110721.	3.6	42
230	Adverse health effects for populations living near waste incinerators with special attention to hazardous waste incinerators. A review of the scientific literature. Environmental Research, 2020, 187, 109631.	7.5	42
231	The role of outdoor and indoor air quality in the spread of SARS-CoV-2: Overview and recommendations by the research group on COVID-19 and particulate matter (RESCOP commission). Environmental Research, 2022, 211, 113038.	7.5	42
232	Developmental toxicity evaluation of orthovanadate in the mouse. Biological Trace Element Research, 1991, 30, 219-226.	3.5	41
233	Dioxin and dibenzofuran concentrations in adipose tissue of a general population from Tarragona, Spain. Chemosphere, 1999, 38, 2475-2487.	8.2	41
234	Levels of metals and organic substances in blood and urine of workers at a new hazardous waste incinerator. International Archives of Occupational and Environmental Health, 2001, 74, 263-269.	2.3	41

#	Article	IF	CITATIONS
235	Nephrotoxicity of Simultaneous Exposure to Mercury and Uranium in Comparison to Individual Effects of These Metals in Rats. Biological Trace Element Research, 2001, 84, 139-154.	3.5	41
236	Dietary intake of hexachlorobenzene in Catalonia, Spain. Science of the Total Environment, 2004, 322, 63-70.	8.0	41
237	Human exposure to polychlorinated naphthalenes through the consumption of edible marine species. Chemosphere, 2007, 66, 1107-1113.	8.2	41
238	Environmental levels of PCDD/Fs and metals around a cement plant in Catalonia, Spain, before and after alternative fuel implementation. Assessment of human health risks. Science of the Total Environment, 2014, 485-486, 121-129.	8.0	41
239	Prenatal exposure to PFOS and PFOA in a pregnant women cohort of Catalonia, Spain. Environmental Research, 2019, 175, 384-392.	7.5	41
240	Health risks for the population living near petrochemical industrial complexes. 1. Cancer risks: A review of the scientific literature. Environmental Research, 2020, 186, 109495.	7.5	41
241	Evaluation of the oral toxicity of uranium in a 4-week drinking-water study in rats. Bulletin of Environmental Contamination and Toxicology, 1989, 42, 935-941.	2.7	40
242	Treatment of Experimental Acute Uranium Poisoning by Chelating Agents. Basic and Clinical Pharmacology and Toxicology, 1989, 64, 247-251.	0.0	40
243	Improvement of Glucose Homeostasis by Oral Vanadyl or Vanadate Treatment in Diabetic Rats is Accompanied by Negative Side Effects. Basic and Clinical Pharmacology and Toxicology, 1991, 68, 249-253.	0.0	40
244	Monitoring internal exposure to metals and organic substances in workers at a hazardous waste incinerator after 3 years of operation. Toxicology Letters, 2003, 146, 83-91.	0.8	40
245	Monitoring dioxins and furans in a population living near a hazardous waste incinerator: levels in breast milk. Chemosphere, 2004, 57, 43-49.	8.2	40
246	Levels of dioxins and furans in plasma of nonoccupationally exposed subjects living near a hazardous waste incinerator. Journal of Exposure Science and Environmental Epidemiology, 2005, 15, 29-34.	3.9	40
247	Impaired Spatial Learning and Unaltered Neurogenesis in a Transgenic Model of Alzheimers Disease After Oral Aluminum Exposure. Current Alzheimer Research, 2010, 7, 401-408.	1.4	40
248	Influence of various cooking processes on the concentrations of PCDD/PCDFs, PCBs and PCDEs in foods. Food Control, 2010, 21, 178-185.	5.5	40
249	What we know and what we need to know about the origin of SARS-CoV-2. Environmental Research, 2021, 200, 111785.	7.5	40
250	Influence of chelating agents on the toxicity, distribution and excretion of vanadium in mice. Journal of Applied Toxicology, 1986, 6, 337-341.	2.8	39
251	Seasonal surveillance of airborne PCDD/Fs, PCBs and PCNs using passive samplers to assess human health risks. Science of the Total Environment, 2014, 466-467, 733-740.	8.0	39
252	Photodegradation of polycyclic aromatic hydrocarbons in soils under a climate change base scenario. Chemosphere, 2016, 148, 495-503.	8.2	39

#	Article	IF	CITATIONS
253	Concentrations of dioxins and furans in breast milk of women living near a hazardous waste incinerator in Catalonia, Spain. Environment International, 2019, 125, 334-341.	10.0	39
254	PCDD/F concentrations in soil and vegetation in the vicinity of a municipal waste incinerator after a pronounced decrease in the emissions of PCDD/Fs from the facility. Chemosphere, 2001, 43, 217-226.	8.2	38
255	Monitoring Metals in the Population Living in the Vicinity of a Hazardous Waste Incinerator: Concentrations in Autopsy Tissues. Biological Trace Element Research, 2005, 106, 041-050.	3.5	38
256	Aluminum, restraint stress and aging: Behavioral effects in rats after 1 and 2 years of aluminum exposure. Toxicology, 2006, 218, 112-124.	4.2	38
257	Dietary exposure to PCDD/PCDFs by individuals living near a hazardous waste incinerator in Catalonia, Spain: Temporal trend. Chemosphere, 2008, 70, 1588-1595.	8.2	38
258	Evaluation of the protective role of melatonin on the behavioral effects of aluminum in a mouse model of Alzheimer's disease. Toxicology, 2009, 265, 49-55.	4.2	38
259	Behavioral effects of PNU-282987, an alpha7 nicotinic receptor agonist, in mice. Behavioural Brain Research, 2011, 216, 341-348.	2.2	38
260	Two Decades of Environmental Surveillance in the Vicinity of a Waste Incinerator: Human Health Risks Associated with Metals and PCDD/Fs. Archives of Environmental Contamination and Toxicology, 2015, 69, 241-253.	4.1	38
261	Mercury speciation and selenium in toothed-whale muscles. Environmental Research, 2015, 143, 55-61.	7.5	38
262	Significance of fingernail and toenail mercury concentrations as biomarkers for prenatal methylmercury exposure in relation to segmental hair mercury concentrations. Environmental Research, 2015, 136, 289-294.	7.5	38
263	Health risks of environmental exposure to metals and herbicides in the Pardo River, Brazil. Environmental Science and Pollution Research, 2017, 24, 20160-20172.	5.3	38
264	Assessment of the developmental toxicity of deferoxamine in mice. Archives of Toxicology, 1995, 69, 467-471.	4.2	37
265	Levels of 3/Fs in soil samples in the vicinity of a municipal solid waste incinerator. Chemosphere, 1998, 37, 2127-2137.	8.2	37
266	Effect of age on vanadium nephrotoxicity in rats. Toxicology Letters, 1999, 105, 75-82.	0.8	37
267	Monitoring Metals in the Population Living in the Vicinity of a Hazardous Waste Incinerator: Levels in Hair of School Children. Biological Trace Element Research, 2005, 104, 203-214.	3.5	37
268	Melatonin reduces uranium-induced nephrotoxicity in rats. Journal of Pineal Research, 2007, 43, 87-95.	7.4	37
269	Health risks of human exposure to chemical contaminants through egg consumption: A review. Food Research International, 2014, 56, 159-165.	6.2	37
270	Concentrations of trace elements and PCDD/Fs around a municipal solid waste incinerator in Girona (Catalonia, Spain). Human health risks for the population living in the neighborhood. Science of the Total Environment, 2018, 630, 34-45.	8.0	37

#	Article	IF	CITATIONS
271	Mercury concentrations in marine species from the coastal area of Tarragona Province, Spain. Dietary intake of mercury through fish and seafood consumption. Science of the Total Environment, 1994, 156, 269-273.	8.0	36
272	The Effect of Maternal Restraint on Developmental Toxicity of Aluminum in Mice. Neurotoxicology and Teratology, 1998, 20, 651-656.	2.4	36
273	Effects of Vanadium on Activity and Learning in Rats. Physiology and Behavior, 1998, 63, 345-350.	2.1	36
274	Human Health Risks of Dioxins for Populations Living Near Modern Municipal Solid Waste Incinerators. Reviews on Environmental Health, 2002, 17, 135-47.	2.4	36
275	Probabilistic human health risk of PCDD/F exposure: a socioeconomic assessment. Journal of Environmental Monitoring, 2004, 6, 926.	2.1	36
276	Human Health Risks Derived from Dietary Exposure to Toxic Metals in Catalonia, Spain: Temporal Trend. Biological Trace Element Research, 2014, 162, 26-37.	3.5	36
277	Concentration Profiles of Metals in Breast Milk, Drinking Water, and Soil: Relationship Between Matrices. Biological Trace Element Research, 2014, 160, 116-122.	3.5	36
278	Chronic exposure to aluminum and melatonin through the diet: Neurobehavioral effects in a transgenic mouse model of Alzheimer disease. Food and Chemical Toxicology, 2014, 69, 320-329.	3.6	36
279	Exposure of the population of Catalonia (Spain) to musk fragrances through seafood consumption: Risk assessment. Environmental Research, 2015, 143, 116-122.	7.5	36
280	Human biomonitoring to evaluate exposure to toxic and essential trace elements during pregnancy. Part B: Predictors of exposure. Environmental Research, 2020, 182, 109108.	7.5	36
281	Bisphenol A analogues (BPS and BPF) present a greater obesogenic capacity in 3T3-L1 cell line. Food and Chemical Toxicology, 2020, 140, 111298.	3.6	36
282	Effects of maternal stress on methylmercury-induced developmental toxicity in mice. Physiology and Behavior, 1995, 58, 979-983.	2.1	35
283	A design of two simple models to predict PCDD/F concentrations in vegetation and soils. Chemosphere, 2002, 46, 1393-1402.	8.2	35
284	Patterns of PCDDs and PCDFs in human milk and food and their characterization by artificial neural networks. Chemosphere, 2004, 54, 1375-1382.	8.2	35
285	PCDD/F and non-ortho PCB concentrations in adipose tissue of individuals living in the vicinity of a hazardous waste incinerator. Chemosphere, 2004, 57, 357-364.	8.2	35
286	Combined action of uranium and stress in the rat. Toxicology Letters, 2005, 158, 176-185.	0.8	35
287	Modification of an environmental surveillance program to monitor PCDD/Fs and metals around a municipal solid waste incinerator. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2009, 44, 1343-1352.	1.7	35
288	Dietary intake of polychlorinated dibenzo-p-dioxins and dibenzofurans (PCDD/Fs) by a population living in the vicinity of a hazardous waste incinerator. Assessment of the temporal trend. Environment International, 2012, 50, 22-30.	10.0	35

#	Article	IF	CITATIONS
289	Monitoring PAHs in the petrochemical area of Tarragona County, Spain: comparing passive air samplers with lichen transplants. Environmental Science and Pollution Research, 2017, 24, 11890-11900.	5.3	35
290	Solar radiation as a swift pathway for PAH photodegradation: A field study. Science of the Total Environment, 2017, 581-582, 530-540.	8.0	35
291	Silicon Reduces Aluminum Accumulation in Rats: Relevance to the Aluminum Hypothesis of Alzheimer Disease. Alzheimer Disease and Associated Disorders, 1998, 12, 83-87.	1.3	34
292	Baseline levels of PCDD/Fs in soil and herbage samples collected in the vicinity of a new hazardous waste incinerator in Catalonia, Spain. Chemosphere, 2002, 46, 1343-1350.	8.2	34
293	Concentrations of polycyclic aromatic hydrocarbons and trace elements in Arctic soils: A case-study in Svalbard. Environmental Research, 2017, 159, 202-211.	7.5	34
294	Concentrations of environmental organic contaminants in meat and meat products and human dietary exposure: A review. Food and Chemical Toxicology, 2017, 107, 20-26.	3.6	34
295	Temporal variation of PCDD/F concentrations in vegetation samples collected in the vicinity of a municipal waste incinerator (1996–1997). Science of the Total Environment, 1998, 218, 175-183.	8.0	33
296	Effects of prenatal exposure to manganese on postnatal development and behavior in mice:. Neurotoxicology and Teratology, 2002, 24, 219-225.	2.4	33
297	Human Exposure to Polychlorinated Diphenyl Ethers through the Diet in Catalonia, Spain. Journal of Agricultural and Food Chemistry, 2004, 52, 1769-1772.	5.2	33
298	Concentrations of PCDD/PCDFs in plasma of subjects living in the vicinity of a hazardous waste incinerator: Follow-up and modeling validation. Chemosphere, 2008, 73, 901-906.	8.2	33
299	Lipid peroxidation and antioxidant status in kidney and liver of rats treated with sulfasalazine. Toxicology, 2009, 256, 152-156.	4.2	33
300	Dietary Exposure to Metals by Individuals Living Near a Hazardous Waste Incinerator in Catalonia, Spain: Temporal Trend. Biological Trace Element Research, 2009, 131, 245-254.	3.5	33
301	BDE-99 deregulates BDNF, Bcl-2 and the mRNA expression of thyroid receptor isoforms in rat cerebellar granular neurons. Toxicology, 2011, 290, 305-311.	4.2	33
302	High cancer risks by exposure to PCDD/Fs in the neighborhood of an Integrated Waste Management Facility. Science of the Total Environment, 2017, 607-608, 63-68.	8.0	33
303	Citric, malic and succinic acids as possible alternatives to deferoxamine in aluminum toxicity. Journal of Toxicology: Clinical Toxicology, 1988, 26, 67-79.	1.5	32
304	Developmental toxicity of cobalt in the rat. Journal of Toxicology and Environmental Health - Part A: Current Issues, 1988, 24, 193-200.	2.3	32
305	Age-related effects of aluminum ingestion on brain aluminum accumulation and behavior in rats. Life Sciences, 1996, 58, 1387-1395.	4.3	32
306	Interactions in Developmental Toxicology: Effects of Concurrent Exposure to Lead, Organic Mercury, and Arsenic in Pregnant Mice. Archives of Environmental Contamination and Toxicology, 2002, 42, 93-98.	4.1	32

#	Article	IF	CITATIONS
307	A fuzzy expert system for soil characterization. Environment International, 2008, 34, 950-958.	10.0	32
308	Estimating the environmental impact of micro-pollutants in the low Ebro River (Spain): An approach based on screening toxicity with Vibrio fischeri. Chemosphere, 2008, 72, 715-721.	8.2	32
309	Chronic exposure to chlorpyrifos triggered body weight increase and memory impairment depending on human apoE polymorphisms in a targeted replacement mouse model. Physiology and Behavior, 2015, 144, 37-45.	2.1	32
310	Health risk/benefit information for consumers of fish and shellfish: FishChoice, a new online tool. Food and Chemical Toxicology, 2017, 104, 79-84.	3.6	32
311	Risk assessment of methylmercury in five European countries considering the national seafood consumption patterns. Food and Chemical Toxicology, 2017, 104, 26-34.	3.6	32
312	Selecting mixtures on the basis of dietary exposure and hazard data: application to pesticide exposure in the European population in relation to steatosis. International Journal of Hygiene and Environmental Health, 2019, 222, 291-306.	4.3	32
313	Concentrations of arsenic and vanadium in environmental and biological samples collected in the neighborhood of petrochemical industries: A review of the scientific literature. Science of the Total Environment, 2021, 771, 145149.	8.0	32
314	Long-term exposure to PM10 above WHO guidelines exacerbates COVID-19 severity and mortality. Environment International, 2022, 158, 106930.	10.0	32
315	PCDD/Fs in Soil Samples Collected in the Vicinity of a Municipal Solid Waste Incinerator: Human Health Risks. Archives of Environmental Contamination and Toxicology, 1997, 33, 239-246.	4.1	31
316	Spatial distribution and temporal variation of metals in the vicinity of a municipal solid waste incinerator after a modernization of the flue gas cleaning systems of the facility. Science of the Total Environment, 2002, 284, 205-214.	8.0	31
317	Behavioral effects of adult rats concurrently exposed to high doses of oral manganese and restraint stress. Toxicology, 2005, 211, 59-69.	4.2	31
318	Behavioral phenotype and BDNF differences related to apoE isoforms and sex in young transgenic mice. Experimental Neurology, 2012, 237, 116-125.	4.1	31
319	Risk assessment due to dermal exposure of trace elements and indigo dye in jeans: Migration to artificial sweat. Environmental Research, 2019, 172, 310-318.	7.5	31
320	Emerging and legacy flame retardants in indoor air and dust samples of Tarragona Province (Catalonia, Spain). Science of the Total Environment, 2022, 806, 150494.	8.0	31
321	Mixture of environmental pollutants in breast milk from a Spanish cohort of nursing mothers. Environment International, 2022, 166, 107375.	10.0	31
322	Comparative aluminium mobilizing actions of deferoxamine and four 3-hydroxypyrid-4-ones in aluminium-loaded rats. Toxicology, 1998, 130, 175-181.	4.2	30
323	Application of cattle manure as fertilizer in pastureland: Estimating the incremental risk due to metal accumulation employing a multicompartment model. Environment International, 2006, 32, 724-732.	10.0	30
324	Cost–benefit analysis of using sewage sludge as alternative fuel in a cement plant: a case study. Environmental Science and Pollution Research, 2009, 16, 322-328.	5.3	30

#	Article	IF	CITATIONS
325	Levels of metals and PCDD/Fs in the vicinity of a cement plant: Assessment of human health risks. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2011, 46, 1075-1084.	1.7	30
326	Impaired retention in AÎ ² PP Swedish mice six months after oral exposure to chlorpyrifos. Food and Chemical Toxicology, 2014, 72, 289-294.	3.6	30
327	Principles of Pharmacology and Toxicology Also Govern Effects of Chemicals on the Endocrine System. Toxicological Sciences, 2015, 146, 11-15.	3.1	30
328	Levels of PCDD/Fs in foodstuffs in Tarragona County (Catalonia, Spain): Spectacular decrease in the dietary intake of PCDD/Fs in the last 20 years. Food and Chemical Toxicology, 2018, 121, 109-114.	3.6	30
329	Metal pollution of soil, plants, feed and food in the Niger Delta, Nigeria: Health risk assessment through meat and fish consumption. Environmental Research, 2021, 198, 111273.	7.5	30
330	Lack of teratogenicity of aluminum hydroxide in mice. Life Sciences, 1989, 45, 243-247.	4.3	29
331	Oral silicon supplementation: an effective therapy for preventing oral aluminum absorption and retention in mammals. Nutrition Reviews, 2011, 69, 41-51.	5.8	29
332	Seasonal characterization and dosimetry-assisted risk assessment of indoor particulate matter (PM10-2.5, PM2.5-0.25, and PM0.25) collected in different schools. Environmental Research, 2019, 175, 287-296.	7.5	29
333	Comparative Effects of Several Chelating Agents on the Toxicity, Distribution and Excretion of Aluminium. Human Toxicology, 1988, 7, 259-262.	0.9	28
334	Autopsy tissues as biological monitors of human exposure to environmental pollutants. A case study: Concentrations of metals and PCDD/Fs in subjects living near a hazardous waste incinerator. Environmental Research, 2017, 154, 269-274.	7.5	28
335	The effects of some essential and toxic metals/metalloids in COVID-19: A review. Food and Chemical Toxicology, 2021, 152, 112161.	3.6	28
336	Chelating agents in the treatment of acute vanadyl sulphate intoxication in mice. Toxicology, 1990, 62, 203-211.	4.2	27
337	Effect of ascorbic acid on gastrointestinal aluminium absorption. Lancet, The, 1991, 338, 1467.	13.7	27
338	PCDD/PCDF congener profiles in soil and herbage samples collected in the vicinity of a municipal waste incinerator before and after pronounced reductions of PCDD/PCDF emissions from the facility. Chemosphere, 2002, 49, 153-159.	8.2	27
339	Partitioning total variance in risk assessment: Application to a municipal solid waste incinerator. Environmental Modelling and Software, 2009, 24, 247-261.	4.5	27
340	Apolipoprotein E (APOE) genotype and the pesticide chlorpyrifos modulate attention, motivation and impulsivity in female mice in the 5-choice serial reaction time task. Food and Chemical Toxicology, 2016, 92, 224-235.	3.6	27
341	Environmental impact and human health risks of air pollutants near a large chemical/petrochemical complex: Case study in Tarragona, Spain. Science of the Total Environment, 2021, 787, 147550.	8.0	27
342	Polychlorinated dibenzo-p-dioxins and dibenzofurans (PCDD/Fs) in food and human dietary intake: An update of the scientific literature. Food and Chemical Toxicology, 2021, 157, 112585.	3.6	27

#	Article	IF	CITATIONS
343	Meso-2,3-dimercaptosuccinic acid (DMSA) affects maternal and fetal copper metabolism in Swiss mice. Toxicology, 1992, 72, 27-40.	4.2	26
344	Aluminium Distribution and Excretion: A Comparative Study of a Number of Chelating Agents in Rats. Basic and Clinical Pharmacology and Toxicology, 1998, 82, 295-300.	0.0	26
345	Annual variation in the levels of metals and PCDD/PCDFs in soil and herbage samples collected near a cement plant. Environment International, 2003, 29, 415-421.	10.0	26
346	Baseline levels of bioaerosols and volatile organic compounds around a municipal waste incinerator prior to the construction of a mechanical-biological treatment plant. Waste Management, 2009, 29, 2454-2461.	7.4	26
347	Combined effects of perfluorooctane sulfonate (PFOS) and maternal restraint stress on hypothalamus adrenal axis (HPA) function in the offspring of mice. Toxicology and Applied Pharmacology, 2010, 243, 13-18.	2.8	26
348	Gestational Exposure to BDE-99 Produces Toxicity Through Upregulation of CYP Isoforms and ROS Production in the Fetal Rat Liver. Toxicological Sciences, 2012, 127, 296-302.	3.1	26
349	Long-term monitoring of dioxins and furans near a municipal solid waste incinerator: human health risks. Waste Management and Research, 2012, 30, 908-916.	3.9	26
350	Biomonitoring of Trace Elements in Hair of Schoolchildren Living Near a Hazardous Waste Incinerator—A 20 Years Follow-Up. Toxics, 2019, 7, 52.	3.7	26
351	Protection of mice against the lethal effects of sodium metavanadate: A quantitative comparison of a number of chelating agents. Toxicology Letters, 1985, 26, 95-99.	0.8	25
352	Antidotes for zinc intoxication in mice. Archives of Toxicology, 1988, 61, 321-323.	4.2	25
353	Lack of Maternal and Developmental Toxicity in Mice Given High Doses of Aluminium Hydroxide and Ascorbic Acid During Gestation. Basic and Clinical Pharmacology and Toxicology, 1994, 74, 236-239.	0.0	25
354	Levels of metals in soils and vegetation in the vicinity of a municipal solid waste incinerator. Toxicological and Environmental Chemistry, 1996, 56, 119-132.	1.2	25
355	Effects of Aluminium on the Mineral Metabolism of Rats in Relation to Age. Basic and Clinical Pharmacology and Toxicology, 1997, 80, 11-17.	0.0	25
356	Air-vegetation transfer of PCDD/PCDFs: An assessment of field data and implications for modeling. Environmental Pollution, 2006, 142, 143-150.	7.5	25
357	Effects on the reproductive system of young male rats of subcutaneous exposure to n-butylparaben. Food and Chemical Toxicology, 2017, 106, 47-57.	3.6	25
358	Role of Melatonin in Aluminum-Related Neurodegenerative Disorders: a Review. Biological Trace Element Research, 2019, 188, 60-67.	3.5	25
359	APOE genotype and postnatal chlorpyrifos exposure modulate gut microbiota and cerebral short-chain fatty acids in preweaning mice. Food and Chemical Toxicology, 2020, 135, 110872.	3.6	25
360	Effects of vanadium on reproduction, gestation, parturition and lactation in rats upon oral administration. Life Sciences, 1986, 39, 819-824.	4.3	24

#	Article	IF	CITATIONS
361	Effectiveness of sodium 4,5-dihydroxybenzene-1,3-disulfonate (Tiron) in protecting against uranium-induced developmental toxicity in mice. Toxicology, 1993, 79, 149-156.	4.2	24
362	Monitoring PCDD/Fs and other organic substances in workers of a hazardous waste incinerator: A case study. Chemosphere, 2007, 67, 574-581.	8.2	24
363	Monitoring Metals near a Hazardous Waste Incinerator. Temporal Trend in Soils and Herbage. Bulletin of Environmental Contamination and Toxicology, 2007, 79, 130-134.	2.7	24
364	Human Health Risk Assessment for Environmental Exposure to Metals in the Catalan Stretch of the Ebro River, Spain. Human and Ecological Risk Assessment (HERA), 2009, 15, 604-623.	3.4	24
365	Long term effects of murine postnatal exposure to decabromodiphenyl ether (BDE-209) on learning and memory are dependent upon APOE polymorphism and age. Neurotoxicology and Teratology, 2013, 40, 17-27.	2.4	24
366	Chemical Contamination of Water and Sediments in the Pardo River, São Paulo, Brazil. Procedia Engineering, 2016, 162, 230-237.	1.2	24
367	Application of the Multimedia Urban Model to estimate the emissions and environmental fate of PAHs in Tarragona County, Catalonia, Spain. Science of the Total Environment, 2016, 573, 1622-1629.	8.0	24
368	Monitoring dioxins and furans in plasma of individuals living near a hazardous waste incinerator: Temporal trend after 20 years. Environmental Research, 2019, 173, 207-211.	7.5	24
369	Obesogenic effects of chlorpyrifos and its metabolites during the differentiation of 3T3-L1 preadipocytes. Food and Chemical Toxicology, 2020, 137, 111171.	3.6	24
370	Acute zinc intoxication: comparison of the antidotal efficacy of several chelating agents. Veterinary and Human Toxicology, 1988, 30, 224-8.	0.3	24
371	Levels of microplastics and their characteristics in molluscs from North-West Mediterranean Sea: Human intake. Marine Pollution Bulletin, 2022, 181, 113843.	5.0	24
372	Lead and cadmium concentrations in marine organisms from the tarragona coastal waters, Spain. Bulletin of Environmental Contamination and Toxicology, 1990, 44, 784-789.	2.7	23
373	Comparative effects of the chelators sodium 4,5-dihydroxybenzene-1,3-disulfonate (Tiron) and diethylenetriaminepentaacetic acid (DTPA) on acute uranium nephrotoxicity in rats. Toxicology, 1997, 118, 49-59.	4.2	23
374	PCDD/F Levels in the Vicinity of an Old Municipal Solid Waste Incinerator: Temporal Variation in Soils. Archives of Environmental Contamination and Toxicology, 1999, 36, 377-383.	4.1	23
375	Interactions of Caffeine and Restraint Stress During Pregnancy in Mice. Experimental Biology and Medicine, 2002, 227, 779-785.	2.4	23
376	Biomonitoring of co-exposure to bisphenols by consumers of canned foodstuffs. Environment International, 2020, 140, 105760.	10.0	23
377	Effect of day of exposure on the developmental toxicity of manganese in mice. Veterinary and Human Toxicology, 1996, 38, 7-9.	0.3	23
378	Developmental toxicity of subcutaneously administered meso-2,3-dimercaptosuccinic acid in mice. Fundamental and Applied Toxicology, 1988, 11, 715-722.	1.8	22

#	Article	IF	CITATIONS
379	Treatment of acute lead intoxication. A quantitative comparison of a number of chelating agents. Archives of Environmental Contamination and Toxicology, 1990, 19, 185-189.	4.1	22
380	Urinary cadmium levels during pregnancy and postpartum. Biological Trace Element Research, 1996, 53, 205-212.	3.5	22
381	Interactions in developmental toxicology: Combined action of restraint stress, caffeine, and aspirin in pregnant mice. Teratology, 2001, 63, 144-151.	1.6	22
382	Restraint stress does not enhance the uranium-induced developmental and behavioral effects in the offspring of uranium-exposed male rats. Toxicology, 2005, 215, 69-79.	4.2	22
383	Exposure of pregnant rats to uranium and restraint stress: Effects on postnatal development and behavior of the offspring. Toxicology, 2006, 228, 323-332.	4.2	22
384	Human Dietary Exposure to Hexachlorobenzene in Catalonia, Spain. Journal of Food Protection, 2008, 71, 2148-2152.	1.7	22
385	Levels of metals and organic substances in workers at a hazardous waste incinerator: a follow-up study. International Archives of Occupational and Environmental Health, 2009, 82, 519-528.	2.3	22
386	Human Health Risk Assessment of Environmental Exposure to Organochlorine Compounds in the Catalan Stretch of the Ebro River, Spain. Bulletin of Environmental Contamination and Toxicology, 2009, 83, 662-667.	2.7	22
387	Integrated Risk Index of Chemical Aquatic Pollution (IRICAP): Case studies in Iberian rivers. Journal of Hazardous Materials, 2013, 263, 187-196.	12.4	22
388	A PBPK model to estimate PCDD/F levels in adipose tissue: Comparison with experimental values of residents near a hazardous waste incinerator. Environment International, 2014, 73, 150-157.	10.0	22
389	Neurodevelopmental effects of decabromodiphenyl ether (BDE-209) in APOE transgenic mice. Neurotoxicology and Teratology, 2014, 46, 10-17.	2.4	22
390	Traffic-related air pollution biomonitoring with Tradescantia pallida (Rose) Hunt. cv. purpurea Boom in Brazil. Environmental Monitoring and Assessment, 2015, 187, 39.	2.7	22
391	Size-distribution of airborne polycyclic aromatic hydrocarbons and other organic source markers in the surroundings of a cement plant powered with alternative fuels. Science of the Total Environment, 2016, 550, 1057-1064.	8.0	22
392	Control of some aspects of cis-platinum nephrotoxicity. Archives of Toxicology, 1986, 59, 167-171.	4.2	21
393	Oral <i>meso</i> â€2, 3â€dimercaptosuccinic acid in pregnant spragueâ€dawley rats: Teratogenicity and alterations in mineral metabolism. I. Teratological evaluation. Journal of Toxicology and Environmental Health - Part A: Current Issues, 1990, 30, 181-190.	2.3	21
394	Evaluation of the efficacy of various chelating agents on urinary excretion and tissue distribution of vanadium in rats. Toxicology Letters, 1991, 57, 227-234.	0.8	21
395	Cadmium, chromium, copper, and zinc in rice and rice field soil from southern Catalonia, Spain. Bulletin of Environmental Contamination and Toxicology, 1994, 53, 54-60.	2.7	21
396	Behavioral Effects of Aluminum in Mice: Influence of Restraint Stress. Neuropsychobiology, 1999, 40, 142-149.	1.9	21

#	Article	IF	CITATIONS
397	Environmental impact of a new hazardous waste incinerator in Catalonia, Spain: PCDD/PCDF levels in herbage samples. Chemosphere, 2002, 48, 187-193.	8.2	21
398	Levels of chemical and microbiological pollutants in the vicinity of a waste incineration plant and human health risks: Temporal trends. Chemosphere, 2011, 84, 1476-1483.	8.2	21
399	Individual housing and handling procedures modify anxiety levels of Tg2576 mice assessed in the zero maze test. Physiology and Behavior, 2012, 107, 187-191.	2.1	21
400	Concentrations of Metals in Soils in the Neighborhood of a Hazardous Waste Incinerator: Assessment of the Temporal Trends. Biological Trace Element Research, 2012, 149, 435-442.	3.5	21
401	Integrated study of metal behavior in Mediterranean stream ecosystems: A case-study. Journal of Hazardous Materials, 2013, 263, 122-130.	12.4	21
402	High occurrence of heavy metal tolerance genes in bacteria isolated from wastewater: A new concern?. Environmental Research, 2021, 196, 110352.	7.5	21
403	The action of chelating agents in experimental uranium intoxication in mice: Variations with structure and time of administration. Fundamental and Applied Toxicology, 1992, 19, 350-357.	1.8	20
404	Comparative Aluminium Mobilizing Actions of Several Chelators in Aluminium-Loaded Uraemic Rats. Human and Experimental Toxicology, 1994, 13, 135-139.	2.2	20
405	Relative efficacy of chelating agents on excretion and tissue distribution of manganese in mice. Journal of Applied Toxicology, 1995, 15, 285-288.	2.8	20
406	Evaluation of the protective activity of deferiprone, an aluminum chelator, on aluminum-induced developmental toxicity in mice. Teratology, 2000, 62, 86-92.	1.6	20
407	Monitoring Temporal Trends in Environmental Levels of Polychlorinated Dibenzo-p-dioxins and Dibenzofurans: Results From a 10-Year Surveillance Program of a Hazardous Waste Incinerator. Archives of Environmental Contamination and Toxicology, 2010, 59, 521-531.	4.1	20
408	Protective Role of Melatonin on Oxidative Stress Status and RNA Expression in Cerebral Cortex and Cerebellum of Al²PP Transgenic Mice After Chronic Exposure to Aluminum. Biological Trace Element Research, 2010, 135, 220-232.	3.5	20
409	Influence of the uncertainty in the validation of PBPK models: A case-study for PFOS and PFOA. Regulatory Toxicology and Pharmacology, 2016, 77, 230-239.	2.7	20
410	Postnatal chlorpyrifos exposure and apolipoprotein E (APOE) genotype differentially affect cholinergic expression and developmental parameters in transgenic mice. Food and Chemical Toxicology, 2018, 118, 42-52.	3.6	20
411	Main components of PM10 in an area influenced by a cement plant in Catalonia, Spain: Seasonal and daily variations. Environmental Research, 2018, 165, 201-209.	7.5	20
412	Learning, memory and the expression of cholinergic components in mice are modulated by the pesticide chlorpyrifos depending upon age at exposure and apolipoprotein E (APOE) genotype. Archives of Toxicology, 2019, 93, 693-707.	4.2	20
413	meso-2,3-Dimercaptosuccinic acid and prevention of arsenite embryotoxicity and teratogenicity in the mouse. Fundamental and Applied Toxicology, 1991, 17, 314-320.	1.8	19
414	Embryotoxic and teratogenic effects of intraperitoneally administered metavanadate in mice. Journal of Toxicology and Environmental Health - Part A: Current Issues, 1992, 37, 47-56.	2.3	19

#	Article	IF	CITATIONS
415	Developmental toxicity evaluation of gallium nitrate in mice. Archives of Toxicology, 1992, 66, 188-192.	4.2	19
416	Chromium, copper, and zinc concentrations in edible vegetables grown in Tarragona Province, Spain. Bulletin of Environmental Contamination and Toxicology, 1993, 50, 514-21.	2.7	19
417	Variability of blood lead levels in an urban population in relation to drinking and smoking habits. Science of the Total Environment, 1993, 138, 23-29.	8.0	19
418	Developmental toxicity evaluation of monoisoamyl <i>meso</i> â€2,3â€dimercaptosuccinate in mice. Journal of Toxicology and Environmental Health - Part A: Current Issues, 1994, 42, 443-450.	2.3	19
419	Effects of chronic lead and cadmium exposure on blood pressure in occupationally exposed workers. Biological Trace Element Research, 1994, 41, 269-278.	3.5	19
420	Influence of Citric, Ascorbic and Lactic Acids on the Gastrointestinal Absorption of Aluminum in Uremic Rats. Nephron, 1994, 66, 108-109.	1.8	19
421	Chelation therapy in aluminum-loaded rats: influence of age. Toxicology, 1999, 137, 161-168.	4.2	19
422	Temporal variation of PCDD/PCDF levels in environmental samples collected near an old municipal waste incinerator. Environmental Monitoring and Assessment, 2001, 69, 175-193.	2.7	19
423	Temporal Trends in Metal Concentrations in Soils and Herbage Collected Near a Municipal Waste Incinerator: Human Health Risks. Human and Ecological Risk Assessment (HERA), 2007, 13, 457-472.	3.4	19
424	Analysis of Bacteria, Parasites, and Heavy Metals in Lettuce (Lactuca sativa) and Rocket Salad (Eruca) Tj ETQqO Trace Element Research, 2010, 134, 342-351.) 0 rgBT /C 3.5	Overlock 10 Tf 19
425	PCDD/Fs in Plasma of Individuals Living Near a Hazardous Waste Incinerator. A Comparison of Measured Levels and Estimated Concentrations by PBPK Modeling. Environmental Science & Technology, 2013, 47, 5971-5978.	10.0	19
426	Bioinspired Porous ZnO Nanomaterials from Fungal Polysaccharides: Advanced Materials with Unprecedented Low Toxicityin Vitrofor Human Cells. ACS Sustainable Chemistry and Engineering, 2015, 3, 2716-2725.	6.7	19
427	Implications of mercury concentrations in umbilical cord tissue in relation to maternal hair segments as biomarkers for prenatal exposure to methylmercury. Environmental Research, 2016, 149, 282-287.	7.5	19
428	Postnatal exposure to chlorpyrifos produces long-term effects on spatial memory and the cholinergic system in mice in a sex- and APOE genotype-dependent manner. Food and Chemical Toxicology, 2018, 122, 1-10.	3.6	19
429	The effects of aluminium ingestion on reproduction and postnatal survival in rats. Life Sciences, 1987, 41, 1127-1131.	4.3	18
430	Tiron administration minimizes the toxicity of vanadate but not its insulin mimetic properties in diabetic rats. Life Sciences, 1992, 50, 1311-1317.	4.3	18
431	Prevention by Tiron (sodium 4,5-dihydroxybenzene-1,3-disulfonate) of vanadate-induced developmental toxicity in mice. Teratology, 1993, 48, 133-138.	1.6	18
432	Prevention by sodium 4,5-dihydroxybenzene1,3-disulfonate (tiron) of vanadium-induced behavioral toxicity in rats. Biological Trace Element Research, 1999, 69, 249-259.	3.5	18

#	Article	IF	CITATIONS
433	Flow analysis of PCDD/Fs for Tarragona Province, Spain. Environmental Science and Pollution Research, 2001, 8, 91-94.	5.3	18
434	Influence of Maternal Stress on Uranium-Induced Developmental Toxicity in Rats. Experimental Biology and Medicine, 2003, 228, 1072-1077.	2.4	18
435	Applicability of a Neuroprobabilistic Integral Risk Index for the Environmental Management of Polluted Areas: A Case Study. Risk Analysis, 2008, 28, 271-286.	2.7	18
436	Aluminum Concentrations in Water of Elderly People's Houses and Retirement Homes and Its Relation with Elderly Health. Bulletin of Environmental Contamination and Toxicology, 2009, 83, 565-569.	2.7	18
437	Body burden monitoring of dioxins and other organic substances in workers at a hazardous waste incinerator. International Journal of Hygiene and Environmental Health, 2013, 216, 728-734.	4.3	18
438	Dietary intake of trace elements by the population of Catalonia (Spain): results from a total diet study. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2015, 32, 1-8.	2.3	18
439	Attentional performance, impulsivity, and related neurotransmitter systems in apoE2, apoE3, and apoE4 female transgenic mice. Psychopharmacology, 2016, 233, 295-308.	3.1	18
440	Essential and toxic elements in human milk concentrate with human milk lyophilizate: A preclinical study. Environmental Research, 2020, 188, 109733.	7.5	18
441	Effectiveness of some chelating agents on distribution and excretion of vanadium in rats after prolonged oral administration. Journal of Applied Toxicology, 1991, 11, 195-198.	2.8	17
442	Evaluation of the effect of temperature, pH, and bioproduction on Hg concentration in sediments, water, molluscs and algae of the delta of the Ebro river. Science of the Total Environment, 1993, 134, 117-125.	8.0	17
443	Effects of Oral Aluminum on Essential Trace Elements Metabolism During Pregnancy. Biological Trace Element Research, 2001, 79, 67-81.	3.5	17
444	Monitoring PCDD/Fs in Soil and Herbage Samples Collected Near a Hazardous Waste Incinerator: Health Risks for the Population Living Nearby. Human and Ecological Risk Assessment (HERA), 2007, 13, 1255-1270.	3.4	17
445	Exposure to hexachlorobenzene through fish and seafood consumption in Catalonia, Spain. Science of the Total Environment, 2008, 389, 289-295.	8.0	17
446	Mercury and docosahexaenoic acid levels in maternal and cord blood in relation to segmental maternal hair mercury concentrations at parturition. Environment International, 2012, 44, 112-117.	10.0	17
447	Home textile as a potential pathway for dermal exposure to trace elements: assessment of health risks. Journal of the Textile Institute, 2017, 108, 1966-1974.	1.9	17
448	Renal and hepatic effects following neonatal exposure to low doses of Bisphenol-A and 137 Cs. Food and Chemical Toxicology, 2018, 114, 270-277.	3.6	17
449	Multi-component determination of atmospheric semi-volatile organic compounds in soils and vegetation from Tarragona County, Catalonia, Spain. Science of the Total Environment, 2018, 631-632, 1138-1152.	8.0	17
450	Trace element concentrations in breast cancer patients. Breast, 2018, 42, 142-149.	2.2	17

#	Article	IF	CITATIONS
451	Effect of various dietary constituents on gastrointestinal absorption of aluminum from drinking water and diet. Research Communications in Chemical Pathology and Pharmacology, 1993, 79, 377-80.	0.2	17
452	Oral <i>meso</i> â€2,3â€dimercaptosuccinic acid in pregnant spragueâ€dawley rats: Teratogenicity and alterations in mineral metabolism. II. Effect on mineral metabolism. Journal of Toxicology and Environmental Health - Part A: Current Issues, 1990, 30, 191-197.	2.3	16
453	Amelioration by BAL (2,3-dimercapto-1-propanol) and DMPS (Sodium 2,3-dimercapto-1-propanesulfonic) Tj ETQq1 274-281.	1 0.7843 6.0	14 rgBT /Ov 16
454	Influence of Maternal Stress on Metal-Induced Pre- and Postnatal Effects in Mammals: A Review. Biological Trace Element Research, 2004, 98, 193-208.	3.5	16
455	Behavioral effects of oral subacute exposure to BDE-209 in young adult mice: A preliminary study. Food and Chemical Toxicology, 2012, 50, 707-712.	3.6	16
456	A concurrent neuro-fuzzy inference system for screening the ecological risk in rivers. Environmental Science and Pollution Research, 2012, 19, 983-999.	5.3	16
457	Physiologically based pharmacokinetic modeling of perfluoroalkyl substances in the human body. Toxicological and Environmental Chemistry, 2015, 97, 814-827.	1.2	16
458	Partial replacement of fossil fuels in a cement plant: Assessment of human health risks by metals, metalloids and PCDD/Fs. Environmental Research, 2018, 167, 191-197.	7.5	16
459	Dietary exposure to total and inorganic arsenic via rice and rice-based products consumption. Food and Chemical Toxicology, 2020, 141, 111420.	3.6	16
460	Cadmium in hair of school children living in Tarragona Province, Spain. Biological Trace Element Research, 1991, 28, 147-155.	3.5	15
461	Evaluation of the protective activity of 2,3-dimercaptopropanol and sodium 2,3-dimercaptopropane-1-sulfonate on methylmercury-induced developmental toxicity in mice. Archives of Environmental Contamination and Toxicology, 1994, 26, 64-68.	4.1	15
462	Levels of PCDD/F in adipose tissue on non-occupationally exposed subjects living near a hazardous waste incinerator in Catalonia, Spain. Chemosphere, 2009, 74, 1471-1476.	8.2	15
463	Human health risk assessment of environmental and dietary exposure to natural radionuclides in the Catalan stretch of the Ebro River, Spain. Environmental Monitoring and Assessment, 2011, 175, 455-468.	2.7	15
464	Monitoring Environmental Levels of Trace Elements near a Hazardous Waste Incinerator. Biological Trace Element Research, 2011, 144, 1419-1429.	3.5	15
465	Human Dietary Exposure to Uranium in Catalonia, Spain. Biological Trace Element Research, 2013, 152, 1-8.	3.5	15
466	Behavioral effects in mice of postnatal exposure to low-doses of 137-cesium and bisphenol A. Toxicology, 2016, 340, 10-16.	4.2	15
467	Characterization and risk assessment of total suspended particles (TSP) and fine particles (PM2.5) in a rural transformational e-waste recycling region of Southern China. Science of the Total Environment, 2019, 692, 432-440.	8.0	15
468	Human exposure to trace elements, aromatic amines and formaldehyde in swimsuits: Assessment of the health risks. Environmental Research, 2020, 181, 108951.	7.5	15

#	Article	IF	CITATIONS
469	Levels of phthalates and bisphenol in toys from Brazilian markets: Migration rate into children's saliva and daily exposure. Science of the Total Environment, 2022, 828, 154486.	8.0	15
470	Maternal and developmental toxicity of low doses of cytosine arabinoside in mice. Teratology, 1991, 44, 379-384.	1.6	14
471	Effects of meso-2,3-Dimercaptosuccinic Acid (DMSA) on Methyl Mercury-Induced Teratogenesis in Mice. Ecotoxicology and Environmental Safety, 1993, 26, 33-39.	6.0	14
472	Evaluation of the reproductive toxicity of gallium nitrate in mice. Food and Chemical Toxicology, 1993, 31, 847-851.	3.6	14
473	Monitoring dioxins and furans in the vicinity of an old municipal waste incinerator after pronounced reductions of the atmospheric emissions. Journal of Environmental Monitoring, 2002, 4, 395-399.	2.1	14
474	Dietary Exposure to Organochlorine Compounds in Tarragona Province (Catalonia, Spain): Health Risks. Human and Ecological Risk Assessment (HERA), 2010, 16, 588-602.	3.4	14
475	Perinatal Exposure to BDE-99 Causes Decreased Protein Levels of Cyclin D1 via GSK3Î ² Activation and Increased ROS Production in Rat Pup Livers. Toxicological Sciences, 2014, 137, 491-498.	3.1	14
476	Neurobehavioral effects of concurrent exposure to cesium-137 and paraquat during neonatal development in mice. Toxicology, 2015, 329, 73-79.	4.2	14
477	Integrated risk index for seafood contaminants (IRISC): Pilot study in five European countries. Environmental Research, 2015, 143, 109-115.	7.5	14
478	Characterization of airborne particles and cytotoxicity to a human lung cancer cell line in Guangzhou, China. Environmental Research, 2021, 196, 110953.	7.5	14
479	Human biomonitoring of bisphenol A along pregnancy: An exposure reconstruction of the EXHES-Spain cohort. Environmental Research, 2021, 196, 110941.	7.5	14
480	The use of chelating agents in the treatment of aluminum overload. Journal of Toxicology: Clinical Toxicology, 1989, 27, 355-367.	1.5	13
481	Lead concentration and I_f -aminolevulinic acid dehydratase activity in the blood of the general population of Tarragona Province, Spain. Science of the Total Environment, 1992, 116, 253-259.	8.0	13
482	Concentrations of some essential elements in the brain of aluminum-exposed rats in relation to the age of exposure. Archives of Gerontology and Geriatrics, 1997, 24, 287-294.	3.0	13
483	Lack of Protective Effects of Dietary Silicon on Aluminiumâ€Induced Maternal and Developmental Toxicity in Mice. Basic and Clinical Pharmacology and Toxicology, 1999, 85, 1-6.	0.0	13
484	Prenatal Effects of Caffeine and Restraint Stress in Mice. Proceedings of the Society for Experimental Biology and Medicine, 1999, 220, 106-111.	1.8	13
485	Age-Related Differences on Aluminium Mobilization by Chelating Agents in Aluminium-Loaded Uraemic Rats. Basic and Clinical Pharmacology and Toxicology, 2000, 87, 33-38.	0.0	13
486	Public Fear of Dioxins from Modern Municipal Waste Incinerators Is Not Justified. Environmental Health Perspectives, 2002, 110, A288-9.	6.0	13

#	Article	IF	CITATIONS
487	Recognition Memory and β-amyloid Plaques in Adult Tg2576 Mice are not Modified After Oral Exposure to Aluminum. Alzheimer Disease and Associated Disorders, 2012, 26, 179-185.	1.3	13
488	Estimation of the daily intake of hexachlorobenzene from food consumption by the population of Catalonia, Spain: Health risks. Food Control, 2012, 23, 198-202.	5.5	13
489	Assessing anxiety in C57BL/6J mice: A pharmacological characterization of the zero maze test. Journal of Pharmacological and Toxicological Methods, 2013, 68, 275-283.	0.7	13
490	Formaldehyde: A chemical of concern in the vicinity of MBT plants of municipal solid waste. Environmental Research, 2014, 133, 27-35.	7.5	13
491	Thyroid hormones and fear learning but not anxiety are affected in adult apoE transgenic mice exposed postnatally to decabromodiphenyl ether (BDE-209). Physiology and Behavior, 2014, 133, 81-91.	2.1	13
492	Long-Term Environmental Surveillance and Health Risks of Metals and PCDD/Fs Around a Cement Plant in Catalonia, Spain. Human and Ecological Risk Assessment (HERA), 2015, 21, 514-532.	3.4	13
493	Alternative Fuel Implementation in a Cement Plant: Human Health Risks and Economical Valuation. Archives of Environmental Contamination and Toxicology, 2016, 71, 473-484.	4.1	13
494	New mechanistic insights on the metabolic-disruptor role of chlorpyrifos in apoE mice: a focus on insulin- and leptin-signalling pathways. Archives of Toxicology, 2018, 92, 1717-1728.	4.2	13
495	Trace Elements and Paraoxonase-1 Activity in Lower Extremity Artery Disease. Biological Trace Element Research, 2018, 186, 74-84.	3.5	13
496	Brain methylmercury uptake in fetal, neonate, weanling, and adult rats. Environmental Research, 2018, 167, 15-20.	7.5	13
497	Concentrations of PCDD/Fs in the neighborhood of a hazardous waste incinerator: human health risks. Environmental Science and Pollution Research, 2018, 25, 26470-26481.	5.3	13
498	The Role of Iron Oxide on the Photodegradation of Polycyclic Aromatic Hydrocarbons: Characterization and Toxicity. Polycyclic Aromatic Compounds, 2020, 40, 524-534.	2.6	13
499	Concentrations of polycyclic aromatic hydrocarbons in samples of soil, feed and food collected in the Niger Delta region, Nigeria: A probabilistic human health risk assessment. Environmental Research, 2021, 202, 111619.	7.5	13
500	Motor and Anxiety Effects of PNU-282987, An Alpha7 Nicotinic Receptor Agonist, and Stress in an Animal Model of Alzheimer's Disease. Current Alzheimer Research, 2013, 10, 516-523.	1.4	13
501	Concurrent ingestion of lactate and aluminum can result in developmental toxicity in mice. Research Communications in Chemical Pathology and Pharmacology, 1992, 77, 95-106.	0.2	13
502	Evaluation of the maternal and developmental toxicity of aluminum from high doses of aluminum hydroxide in rats. Veterinary and Human Toxicology, 1990, 32, 545-8.	0.3	13
503	Influence of maternal restraint stress on arsenic-induced pre- and postnatal alterations in mice. Cognitive, Affective and Behavioral Neuroscience, 1996, 24, 227-234.	1.3	13
504	Relative efficacy of chelating agents as antidotes for acute gallium nitrate intoxication. Archives of Toxicology, 1987, 59, 382-383.	4.2	12

#	Article	IF	CITATIONS
505	Effectiveness of chelation therapy with time after acute vanadium intoxication. Journal of Applied Toxicology, 1988, 8, 439-444.	2.8	12
506	The removal of strontium from the mouse by chelating agents. Archives of Environmental Contamination and Toxicology, 1989, 18, 612-616.	4.1	12
507	Comparison of the effectiveness of 2,3-dimercaptopropanol (BAL) andmeso-2,3-dimercaptosuccinic acid (DMSA) as protective agents against mercuric chloride-induced nephrotoxicity in rats. Biological Trace Element Research, 1998, 63, 1-10.	3.5	12
508	Human exposure to dioxins and furans. Environmental Science and Pollution Research, 2002, 9, 241-249.	5.3	12
509	Balancing health benefits and chemical risks associated to dietary habits: RIBEFOOD, a new Internet resource. Toxicology, 2008, 244, 242-248.	4.2	12
510	Role of Deferoxamine on Enzymatic Stress Markers in an Animal Model of Alzheimer's Disease After Chronic Aluminum Exposure. Biological Trace Element Research, 2011, 141, 232-245.	3.5	12
511	Behavior of Metals, Pathogen Parasites, and Indicator Bacteria in Sewage Effluents During Biological Treatment by Activated Sludge. Biological Trace Element Research, 2011, 143, 1193-1201.	3.5	12
512	Mechanochemically synthesized Ag-based nanohybrids with unprecedented low toxicity in biomedical applications. Environmental Research, 2017, 154, 204-211.	7.5	12
513	Serum concentrations of trace elements and their relationships with paraoxonase-1 in morbidly obese women. Journal of Trace Elements in Medicine and Biology, 2018, 48, 8-15.	3.0	12
514	Metals risk assessment for children's health in water and particulate matter in a southeastern Brazilian city. Environmental Research, 2019, 177, 108623.	7.5	12
515	Consumers' acceptance of an online tool with personalized health risk-benefit communication about seafood consumption. Food and Chemical Toxicology, 2020, 144, 111573.	3.6	12
516	Human exposure to trace elements and PCDD/Fs around a hazardous waste landfill in Catalonia (Spain). Science of the Total Environment, 2020, 710, 136313.	8.0	12
517	Respiratory viruses in foods and their potential transmission through the diet: A review of the literature. Environmental Research, 2021, 195, 110826.	7.5	12
518	Exposure of pregnant mice to aluminum and restraint stress: Effects on postnatal development and behavior of the offspring. Cognitive, Affective and Behavioral Neuroscience, 1999, 27, 521-529.	1.3	12
519	PARENTERAL CITRIC ACID FOR ALUMINIUM INTOXICATION. Lancet, The, 1988, 332, 1362-1363.	13.7	11
520	Housing of pregnant rats in metabolism cages: Maternal and developmental effects. Experimental and Toxicologic Pathology, 1994, 46, 303-306.	2.1	11
521	Radiofrequency-induced carcinogenesis: cellular calcium homeostasis changes as a triggering factor. International Journal of Radiation Biology, 2005, 81, 205-209.	1.8	11
522	Mechanisms involved in oxidative stress regulation. Food and Chemical Toxicology, 2013, 61, 1-2.	3.6	11

#	Article	IF	CITATIONS
523	A Support Tool for Air Pollution Health Risk Management in Emerging Countries: A Case in Brazil. Human and Ecological Risk Assessment (HERA), 2014, 20, 1406-1424.	3.4	11
524	Temporal trend in the levels of polycyclic aromatic hydrocarbons emitted in a big tire landfill fire in Spain: Risk assessment for human health. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2018, 53, 222-229.	1.7	11
525	Concentrations of PCDD/Fs in Human Blood: A Review of Data from the Current Decade. International Journal of Environmental Research and Public Health, 2019, 16, 3566.	2.6	11
526	Mercury speciation in preserved historical sludge: Potential risk from sludge contained within reclaimed land of Minamata Bay, Japan. Environmental Research, 2020, 180, 108668.	7.5	11
527	Human exposure to synthetic endocrine disrupting chemicals (S-EDCs) is generally negligible as compared to natural compounds with higher or comparable endocrine activity: how to evaluate the risk of the S-EDCs?. Archives of Toxicology, 2020, 94, 2549-2557.	4.2	11
528	Comparative effects of repeated parenteral administration of several chelators on the distribution and excretion of cobalt. Research Communications in Chemical Pathology and Pharmacology, 1988, 60, 225-33.	0.2	11
529	Comparison of antidotal efficacy of chelating agents upon acute toxicity of Co(II) in mice. Research Communications in Chemical Pathology and Pharmacology, 1985, 50, 305-8.	0.2	11
530	Evaluation of the developmental toxicity of 2,3-dimercapto-1-propanesulfonate (DMPS) in mice. Effect on mineral metabolism. Toxicology, 1990, 62, 311-320.	4.2	10
531	Effects of Some Chelating Agents on Urinary Copper Excretion by the Rat. Chemical Research in Toxicology, 1995, 8, 942-948.	3.3	10
532	Placental effects of lead in mice. Placenta, 1996, 17, 371-376.	1.5	10
533	Fetal aluminum accumulation. , 1998, 58, 225-226.		10
534	TOXIC AND CARCINOGENIC EFFECTS OF PARENTERAL AND PERCUTANEOUS ATP AND ITS IRON COMPLEX. Drug and Chemical Toxicology, 2002, 25, 267-279.	2.3	10
535	Effects of an Alpha7 Nicotinic Receptor Agonist and Stress on Spatial Memory in an Animal Model of Alzheimer's Disease. BioMed Research International, 2013, 2013, 1-8.	1.9	10
536	Biomonitoring of Trace Elements in Subjects Living Near a Hazardous Waste Incinerator: Concentrations in Autopsy Tissues. Toxics, 2020, 8, 11.	3.7	10
537	Temporal trend of the dietary exposure to metals/metalloids: A case study in Tarragona County, Spain. Food Research International, 2021, 147, 110469.	6.2	10
538	Effects of meso-2,3-dimercaptosuccinic acid (DMSA) on the teratogenicity of sodium arsenate in mice. Bulletin of Environmental Contamination and Toxicology, 1991, 47, 682-688.	2.7	9
539	Assessment of the protective activity of monisoamyl meso-2,3-dimercaptosuccinate against methylmercury-induced maternal and embryo/fetal toxicity in mice. Toxicology, 1996, 106, 93-97.	4.2	9
540	Temporal variation in metal concentrations in soils and vegetation in the vicinity of a municipal solid waste incinerator. Toxicological and Environmental Chemistry, 1999, 71, 63-73.	1.2	9

#	Article	IF	CITATIONS
541	Health Risk Map of a Petrochemical Complex through GIS-Fuzzy Integration of Air Pollution Monitoring Data. Human and Ecological Risk Assessment (HERA), 2011, 17, 873-891.	3.4	9
542	Human Health Effects of Genetically Modified (GM) Plants: Risk and Perception. Human and Ecological Risk Assessment (HERA), 2011, 17, 535-537.	3.4	9
543	Levels of Metals in Hair in Childhood: Preliminary Associations with Neuropsychological Behaviors. Toxics, 2014, 2, 1-16.	3.7	9
544	Concentrations of metals and PCDD/Fs and human health risks in the vicinity of a hazardous waste landfill: A follow-up study. Human and Ecological Risk Assessment (HERA), 2016, 22, 519-531.	3.4	9
545	Environmental trends of metals and PCDD/Fs around a cement plant after alternative fuel implementation: human health risk assessment. Environmental Sciences: Processes and Impacts, 2017, 19, 917-927.	3.5	9
546	Stable and episodic/bolus patterns of methylmercury exposure on mercury accumulation and histopathologic alterations in the nervous system. Environmental Research, 2017, 152, 446-453.	7.5	9
547	Exposure to chlorpyrifos at different ages triggers APOE genotype-specific responses in social behavior, body weight and hypothalamic gene expression. Environmental Research, 2019, 178, 108684.	7.5	9
548	Oxidative stress in testes of rats exposed to n-butylparaben. Food and Chemical Toxicology, 2019, 131, 110573.	3.6	9
549	Dietary exposure to metals by adults living near a hazardous waste incinerator in Catalonia, Spain: temporal trend. Trace Elements and Electrolytes, 2015, 32, 133-141.	0.1	9
550	Occurrence and dietary intake of food processing contaminants (FPCs) in Catalonia, Spain. Journal of Food Composition and Analysis, 2022, 106, 104272.	3.9	9
551	Variability in the embryotoxicity and fetotoxicity of vanadate with the day of exposure. Veterinary and Human Toxicology, 1993, 35, 1-3.	0.3	9
552	Environmental Concentrations of Metals in the Catalan Stretch of the Ebro River, Spain: Assessment of Temporal Trends. Biological Trace Element Research, 2015, 163, 48-57.	3.5	8
553	Behavioural effects of <scp>PNU</scp> â€282987 and stress in an animal model of <scp>A</scp> lzheimer's disease. Psychogeriatrics, 2017, 17, 33-42.	1.2	8
554	Environmental exposure to low-doses of ionizing radiation. Effects on early nephrotoxicity in mice. Environmental Research, 2017, 156, 291-296.	7.5	8
555	Hemodialysis Water Parameters as Predisposing Factors for Anemia in Patients in Dialytic Treatment: Application of Mixed Regression Models. Biological Trace Element Research, 2019, 190, 30-37.	3.5	8
556	Maternal exposure to mixtures of dienestrol, linuron and flutamide. Part I: Feminization effects on male rat offspring. Food and Chemical Toxicology, 2020, 139, 111256.	3.6	8
557	Human exposure to synthetic endocrine disrupting chemicals (S-EDCs) is generally negligible as compared to natural compounds with higher or comparable endocrine activity. How to evaluate the risk of the S-EDCs?. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2020, 83, 485-494.	2.3	8
558	Trace Elements in Blood of the Population Living near a Hazardous Waste Incinerator in Catalonia, Spain. Biological Trace Element Research, 2020, 198, 37-45.	3.5	8

#	Article	IF	CITATIONS
559	Scientific evidence on the origin of SARS-CoV-2. Environmental Research, 2021, 201, 111542.	7.5	8
560	Response to "The Path Forward on Endocrine Disruptors Requires Focus― Toxicological Sciences, 2016, 149, 273-4.	3.1	8
561	Toxic effects of vanadium in streptozotocin-treated rats after administration of vanadate to normalize blood glucose levels. Diabetologia, 1990, 33, 62-63.	6.3	7
562	Relationship Between Reduction in Food Intake and Amelioration of Hyperglycemia by Oral Vanadate in STZ-Induced Diabetic Rats. Diabetes, 1994, 43, 1267-1267.	0.6	7
563	Metal-induced developmental toxicity in mammals. , 1997, , 395-414.		7
564	Assessment of PAH loss in passive air samplers by the effect of temperature. Atmospheric Pollution Research, 2016, 7, 142-146.	3.8	7
565	Oral exposure of rats to dienestrol during gestation and lactation: Effects on the reproductive system of male offspring. Food and Chemical Toxicology, 2019, 128, 193-201.	3.6	7
566	Editorial of the VSI "Environmental, ecological and public health considerations regarding coronaviruses, other viruses, and other microorganisms potentially causing pandemic diseases― Environmental Research, 2021, 192, 110322.	7.5	7
567	Social injustice in environmental health: A call for fortitude. Environmental Research, 2021, 194, 110675.	7.5	7
568	The EU chemicals strategy for sustainability: in support of the BfR position. Archives of Toxicology, 2021, 95, 3133-3136.	4.2	7
569	FishChoice 2.0: Information on health benefits / risks and sustainability for seafood consumers. Food and Chemical Toxicology, 2021, 155, 112387.	3.6	7
570	Contamination by Coal Dust in the Neighborhood of the Tarragona Harbor (Catalonia, Spain): A Preliminary Study. The Open Atmospheric Science Journal, 2018, 12, 14-20.	0.5	7
571	Environmental Pollution and Human Health Risks near a Hazardous Waste Landfill. Temporal Trends. Journal of Risk Analysis and Crisis Response (JRACR), 2012, 2, 13.	0.3	7
572	Sex and Exposure to Postnatal Chlorpyrifos Influence the Epigenetics of Feeding-Related Genes in a Transgenic APOE Mouse Model: Long-Term Implications on Body Weight after a High-Fat Diet. International Journal of Environmental Research and Public Health, 2021, 18, 184.	2.6	7
573	Embryotoxic effects of sodium metavanadate administered to rats during organogenesis. Revista EspaA±ola De FisiologAa, 1987, 43, 223-7.	0.0	7
574	Effects of oral aluminum administration on perinatal and postnatal development in rats. Research Communications in Chemical Pathology and Pharmacology, 1987, 57, 129-32.	0.2	7
575	Early-Life Exposure to Formaldehyde through Clothing. Toxics, 2022, 10, 361.	3.7	7
576	Effects of oral meso-2, 3-dimercaptosucinic acid (DMSA) administration on late gestation and postnatal development in the mouse. Life Sciences, 1990, 47, 1745-1750.	4.3	6

#	Article	IF	CITATIONS
577	Reproductive Toxicology of Aluminum in Male Mice. Toxicological Sciences, 1995, 25, 45-51.	3.1	6
578	Cost-benefit analysis as a tool for decision making in environmental projects. Environmental Science and Pollution Research, 2004, 11, 307-312.	5.3	6
579	Air Passive Sampling for the Screening of Inhalation Risks of POPs Near an Incineration Plant. Human and Ecological Risk Assessment (HERA), 2013, 19, 620-634.	3.4	6
580	Integrating three tools for the environmental assessment of the Pardo River, Brazil. Environmental Monitoring and Assessment, 2015, 187, 569.	2.7	6
581	Metals in biological tissues of the population living near a hazardous waste incinerator in Catalonia, Spain: Two decades of follow-up. Environmental Research, 2019, 176, 108578.	7.5	6
582	Concentrations of trace elements in the hair of children living near a hazardous waste incinerator in Catalonia, Spain. Trace Elements and Electrolytes, 2015, 32, 43-51.	0.1	6
583	Human dietary exposure to metals in the Niger delta region, Nigeria: Health risk assessment. Environmental Research, 2022, 207, 112234.	7.5	6
584	Essential and Non-essential Trace Elements in Milks and Plant-Based Drinks. Biological Trace Element Research, 2022, 200, 4524-4533.	3.5	6
585	Developmental toxicity evaluation of tiron (sodium 4,5-dihydroxybenzene-1,3-disulfonate) in mice. Research Communications in Chemical Pathology and Pharmacology, 1991, 73, 97-106.	0.2	6
586	Oral vanadate and Tiron in treatment of diabetes mellitus in rats: improvement of glucose homeostasis and negative side-effects. Veterinary and Human Toxicology, 1993, 35, 495-500.	0.3	6
587	Effectiveness of Chelation Therapy with Time after Acute Uranium Intoxication. Toxicological Sciences, 1990, 14, 88-95.	3.1	5
588	Evaluation of the developmental effects on mice after prenatal, or pre- and postnatal exposure to 2,3-dimercaptopropane-1-sulfonic acid (DMPS). Life Sciences, 1990, 46, 1287-1292.	4.3	5
589	Prenatal Effects of Caffeine and Restraint Stress in Mice. Experimental Biology and Medicine, 1999, 220, 106-111.	2.4	5
590	Metal Concentrations in Soil in the Vicinity of a Municipal Solid Waste Landfill with a Deactivated Medical Waste Incineration Plant, Ribeir�0 Preto, Brazil. Bulletin of Environmental Contamination and Toxicology, 2004, 73, 575-82.	2.7	5
591	Melatonin does not modify the concentration of different metals in AÎ ² PP transgenic mice. Food and Chemical Toxicology, 2014, 70, 252-259.	3.6	5
592	Exposure to low doses of 137cesium and nicotine during postnatal development modifies anxiety levels, learning, and spatial memory performance in mice. Food and Chemical Toxicology, 2016, 97, 82-88.	3.6	5
593	Decreasing temporal trends of polychlorinated dibenzo-p-dioxins and dibenzofurans in adipose tissue from residents near a hazardous waste incinerator. Science of the Total Environment, 2021, 751, 141844.	8.0	5
594	Humic substances and living systems: Impact on environmental and human health. Environmental Research, 2021, 194, 110726.	7.5	5

#	Article	IF	CITATIONS
595	Human exposure to synthetic endocrine disrupting chemicals (S-EDCs) is generally negligible as compared to natural compounds with higher or comparable endocrine activity. How to evaluate the risk of the S-EDCs?. Chemico-Biological Interactions, 2020, 326, 109099.	4.0	5
596	Human exposure to synthetic endocrine disrupting chemicals (S-EDCs) is generally negligible as compared to natural compounds with higher or comparable endocrine activity. How to evaluate the risk of the S-EDCs?. Toxicology in Vitro, 2020, 67, 104861.	2.4	5
597	Adverse effects of aluminium-chelating compounds for clinical use. Toxicological Reviews, 1996, 15, 145-65.	0.4	5
598	A study of trophic structure, physiological condition and mercury biomagnification in swordfish (Xiphias gladius): Evidence of unfavourable conditions for the swordfish population in the Western Mediterranean. Marine Pollution Bulletin, 2022, 176, 113411.	5.0	5
599	Influence of Chronic Exposure to Uranium on Male Reproduction in Mice. Toxicological Sciences, 1991, 16, 821-829.	3.1	4
600	Evaluation of health risks caused by radio frequency accelerated carcinogenesis: the importance of processes driven by the calcium ion signal. European Journal of Cancer Prevention, 2006, 15, 191-195.	1.3	4
601	APOE genetic background and sex confer different vulnerabilities to postnatal chlorpyrifos exposure and modulate the response to cholinergic drugs. Behavioural Brain Research, 2019, 376, 112195.	2.2	4
602	The effects of repeated parenteral administration of chelating agents on the distribution and excretion of uranium. Research Communications in Chemical Pathology and Pharmacology, 1989, 64, 161-4.	0.2	4
603	Acute aluminium intoxication: a study of the efficacy of several antidotal treatments in mice. Research Communications in Chemical Pathology and Pharmacology, 1986, 53, 93-104.	0.2	4
604	Evaluation of the effects of chelation therapy with time following strontium exposure to mice. Archives of Environmental Contamination and Toxicology, 1991, 21, 612-620.	4.1	3
605	Numerical iterative methods for Markovian dependability and performability models: new results and a comparison. Performance Evaluation, 2000, 39, 99-125.	1.2	3
606	Lack of Experimental Studies on Human Transmission of BSE in Relation with the Consumption of Specified Risk Materials (SRM): The Case of the Milk. Preventive Medicine, 2002, 34, 655-656.	3.4	3
607	Intake of red and processed meat on the incidence of cancer: Are the risks really relevant?. Food and Chemical Toxicology, 2019, 134, 110884.	3.6	3
608	Trends of Polychlorinated Compounds in the Surroundings of a Municipal Solid Waste Incinerator in Mataró (Catalonia, Spain): Assessing Health Risks. Toxics, 2020, 8, 111.	3.7	3
609	Maternal exposure to mixtures of dienestrol, linuron and flutamide. Part II: Endocrine-related gene expression assessment on male offspring rat testes. Food and Chemical Toxicology, 2020, 144, 111603.	3.6	3
610	Concentrations of toxic elements (As, Cd, Hg and Pb) in cow milk: A review of the recent scientific literature. International Journal of Dairy Technology, 2021, 74, 277-285.	2.8	3
611	Dietary exposure to potentially toxic elements through sushi consumption in Catalonia, Spain. Food and Chemical Toxicology, 2021, 153, 112285.	3.6	3
612	New research on water, waste and energy management, with special focus on antibiotics and priority pollutants. Environmental Research, 2021, 201, 111582.	7.5	3

#	Article	IF	CITATIONS
613	New research on reduction and/or elimination of hazardous substances in the design, manufacture and application of chemical products. Environmental Research, 2021, 201, 111601.	7.5	3
614	Health Risks of Environmental Exposure to PCDD/Fs near a Hazardous Waste Incinerator in Catalonia, Spain. Journal of Risk Analysis and Crisis Response (JRACR), 2013, 3, 77.	0.3	3
615	Acute toxicity of gallium in rats and mice. Journal De Toxicologie Clinique Et Expérimentale, 1987, 7, 411-8.	0.3	3
616	The effects of EDTA in acute cobalt intoxication in rats. Toxicological European Research Recherche Européenne En Toxicologie, 1983, 5, 251-5.	0.0	3
617	Repeated Intraperitoneal Administration of Chelating Agents in Removal of Cesium from Mice. Bulletin of Environmental Contamination and Toxicology, 1998, 61, 289-296.	2.7	2
618	Concurrent administration of d-penicillamine and zinc has no advantages over the use of either single agent on copper excretion in the rat. Toxicology, 1998, 126, 195-201.	4.2	2
619	Does living close to a petrochemical complex increase the adverse psychological effects of the COVID-19 lockdown?. PLoS ONE, 2021, 16, e0249058.	2.5	2
620	Uranium, Reproductive Effects. , 1993, , 705-711.		2
621	Call for Papers on potential toxic effects of COVID-19 vaccines. Food and Chemical Toxicology, 2022, 160, 112809.	3.6	2
622	Administration of vanadyl sulfate by gavage does not normalize blood glucose levels in streptozotocin-induced diabetic rats. Research Communications in Chemical Pathology and Pharmacology, 1992, 75, 369-72.	0.2	2
623	Developmental toxicity of cyclohexanediaminetetraacetic acid (CDTA) in mice. Research Communications in Chemical Pathology and Pharmacology, 1994, 83, 329-40.	0.2	2
624	Effects of monoisoamyl meso-2,3-dimercaptosuccinate on arsenite-induced maternal and developmental toxicity in mice. Research Communications in Molecular Pathology and Pharmacology, 1995, 89, 389-400.	0.2	2
625	Influence of several antidotal treatments on the distribution and excretion of strontium. Journal of Environmental Science and Health Part A: Environmental Science and Engineering, 1992, 27, 1103-1114.	0.1	1
626	Iron-Radiofrequency Synergism in Lymphomagenesis. Immunopharmacology and Immunotoxicology, 2006, 28, 175-183.	2.4	1
627	Aluminum, calcium ion and radiofrequency synergism in acceleration of lymphomagenesis. Immunopharmacology and Immunotoxicology, 2009, 31, 358-362.	2.4	1
628	What are "Negative Findings―from Research Investigations?. Human and Ecological Risk Assessment (HERA), 2013, 19, 1-3.	3.4	1
629	Climate Change and Cement Plants: Health Risks of Partial Replacement of Fossil Fuel. Human and Ecological Risk Assessment (HERA), 2013, 19, 837-839.	3.4	1
630	Reply. Journal of Pharmacological and Toxicological Methods, 2014, 69, 208-209.	0.7	1

#	Article	IF	CITATIONS
631	Human exposure to synthetic endocrine disrupting chemicals (S-EDCs) is generally negligible as compared to natural compounds with higher or comparable endocrine activity. How to evaluate the risk of the S-EDCs?. Toxicology Letters, 2020, 331, 259-264.	0.8	1
632	Human exposure to synthetic endocrine disrupting chemicals (S-EDCs) is generally negligible as compared to natural compounds with higher or comparable endocrine activity. How to evaluate the risk of the S-EDCs?. Environmental Toxicology and Pharmacology, 2020, 78, 103396.	4.0	1
633	Human exposure to synthetic endocrine disrupting chemicals (S-EDCs) is generally negligible as compared to natural compounds with higher or comparable endocrine activity. How to evaluate the risk of the S-EDCs?. Food and Chemical Toxicology, 2020, 142, 111349.	3.6	1
634	Total Diet Studies in Catalonia, Spain. , 2013, , 385-388.		1
635	When the boundaries between science and politics are blurred. Toxicology Reports, 2020, 7, 1607.	3.3	1
636	Framework for risk assessment of PFAS utilizing experimental studies and in-silico models. Environmental Research, 2022, 208, 112722.	7.5	1
637	The effects of repeated administration of various chelating agents on the removal of strontium from the mouse. Veterinary and Human Toxicology, 1991, 33, 121-4.	0.3	1
638	Effect of chelating agents on tissue distribution and excretion of strontium following semichronic strontium ingestion. Research Communications in Chemical Pathology and Pharmacology, 1991, 71, 243-6.	0.2	1
639	The removal of zinc from the mouse by polyamincarboxylic acids (CDTA and DTPA) following semichronic zinc ingestion. Veterinary and Human Toxicology, 1988, 30, 524-7.	0.3	1
640	Adverse effects of potential agents for the treatment of Alzheimer's disease: a review. Toxicological Reviews, 1995, 14, 101-15.	0.4	1
641	meso-2, 3-Dimercaptosuccinic Acid and Prevention of Arsenite Embryotoxicity and Teratogenicity in the Mouse. Toxicological Sciences, 1991, 17, 314-320.	3.1	Ο
642	The Action of Chelating Agents in Experimental Uranium Intoxication in Mice: Variations with Structure and Time of Administration. Toxicological Sciences, 1992, 19, 350-357.	3.1	0
643	Comparative Efficacy of Several Potential Treatments for Copper Mobilization in Copper-Overloaded Rats. Biological Trace Element Research, 2000, 74, 127-140.	3.5	Ο
644	Metals in the environment: design of HRA Heavy Metals, an online system for assessing human health risks. International Journal of Environment and Health, 2010, 4, 355.	0.3	0
645	Announcement of HERA's Papers of Year 2011. Human and Ecological Risk Assessment (HERA), 2012, 18, 225-228.	3.4	0
646	Introduction of the use of software for the detection of plagiarism. Food and Chemical Toxicology, 2012, 50, 2255.	3.6	0
647	The need for proper chemical characterization of test substances in papers submitted to Food and Chemical Toxicology, 2012, 50, 2589-2590.	3.6	0
648	Announcement of HERA's Papers of Year 2012. Human and Ecological Risk Assessment (HERA), 2013, 19, 577-578.	3.4	0

#	Article	IF	CITATIONS
649	Announcement of HERA's Papers of Year 2013. Human and Ecological Risk Assessment (HERA), 2014, 20, 887-888.	3.4	0
650	Best Paper of Year 2015. Environmental Research, 2017, 152, A1.	7.5	0
651	Environmental levels and human health risks of metals and PCDD/Fs near cement plants co-processing alternative fuels in Catalonia, NE Spain: a mini-review. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2021, 56, 379-385.	1.7	0
652	Critique of the "Comment―etitled "Pyrethroid exposure: Not so harmless after all―by Demeneix et al. (2020) published in the lancet diabetes endocrinology. Toxicology Letters, 2021, 340, 1-3.	0.8	0
653	Toxicology of vanadium compounds in diabetic rats: The action of chelating agents on vanadium accumulation. , 1995, , 233-240.		0
654	Development and Aluminium Experimental Toxicity. , 1998, , 140-153.		0
655	Consumers' acceptance of an online tool with personalized health risk-benefit communication about seafood consumption (Preprint). JMIR Formative Research, 0, , .	1.4	0