
Jose Martin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/788807/publications.pdf Version: 2024-02-01



LOSE MADTIN

#	Article	IF	CITATIONS
1	Made-up mouths with preen oil reveal genetic and phenotypic conditions of starling nestlings. Behavioral Ecology, 2022, 33, 494-503.	2.2	3
2	Ultrastructural morphological features of the hair in a sexual signal: the dark ventral patch of male red deer. Journal of Zoology, 2021, 313, 66-75.	1.7	0
3	Offspring and adult chemosensory recognition by an amphisbaenian reptile may allow maintaining familiar links in the fossorial environment. PeerJ, 2021, 9, e10780.	2.0	6
4	Going underground: short- and long-term movements may reveal the fossorial spatial ecology of an amphisbaenian. Movement Ecology, 2021, 9, 14.	2.8	11
5	Maternal and personal information mediates the use of social cues about predation risk. Behavioral Ecology, 2021, 32, 518-528.	2.2	3
6	Sex and age, but not blood parasite infection nor habitat, affect the composition of the uropygial gland secretions in European blackbirds. Journal of Avian Biology, 2021, 52, .	1.2	10
7	The dark-ventral-patch of male red deer, a sexual signal that conveys the degree of involvement in rutting behavior. BMC Zoology, 2021, 6, .	1.0	3
8	Chemical cues may allow a fossorial amphisbaenian reptile to avoid extremely saline soils when selecting microhabitats. Journal of Arid Environments, 2021, 188, 104452.	2.4	6
9	Relationships between soil pollution by heavy metals and melaninâ€dependent coloration of a fossorial amphisbaenian reptile. Integrative Zoology, 2021, , .	2.6	7
10	Effects of a group-living experience on the antipredator responses of individual tadpoles. Animal Behaviour, 2021, 180, 93-99.	1.9	8
11	Foraging decisions of rock lizards may be dependent both on current rival assessment and dear enemy recognition. Behavioural Processes, 2021, 192, 104494.	1.1	0
12	Lack of evidence of vertical transmission of Karyolysus blood parasites in Iberian green lizards (Lacerta schreiberi). International Journal for Parasitology: Parasites and Wildlife, 2021, 16, 95-98.	1.5	1
13	Prey quantity discrimination and social experience affect foraging decisions of rock lizards. Behavioral Ecology and Sociobiology, 2021, 75, 1.	1.4	0
14	Soil pollution by heavy metals correlates with levels of faecal glucocorticoid metabolites of a fossorial amphisbaenian reptile. , 2021, 9, coab085.		5
15	Variation in field body temperature and total evaporative water loss along an environmental gradient in a diurnal ectotherm. Journal of Zoology, 2020, 310, 221-231.	1.7	15
16	Immune challenge of mating effort: steroid hormone profile, dark ventral patch and parasite burden in relation to intrasexual competition in male Iberian red deer. Integrative Zoology, 2020, 15, 262-275.	2.6	16
17	Cracking the chemical code: European common lizards (Zootoca vivipara) respond to an hexane soluble predator kairomone. Biochemical Systematics and Ecology, 2020, 93, 104161.	1.3	2
18	Sexually dichromatic coloration of female Iberian green lizards correlates with health state and reproductive investment. Behavioral Ecology and Sociobiology, 2020, 74, 1.	1.4	7

#	Article	IF	CITATIONS
19	Ain't going down without a fight: state-and environment-dependence of antipredator defensive aggressive personalities in Carpetan rock lizard. Behavioral Ecology and Sociobiology, 2020, 74, 1.	1.4	2
20	Chemical signal divergence among populations influences behavioral discrimination in the whiptail lizard Aspidoscelis lineattissimus (squamata: teiidae). Behavioral Ecology and Sociobiology, 2020, 74, 1.	1.4	5
21	How to maintain underground social relationships? Chemosensory sex, partner and self recognition in a fossorial amphisbaenian. PLoS ONE, 2020, 15, e0237188.	2.5	13
22	Linking behavioral thermoregulation, boldness, and individual state in male Carpetan rock lizards. Ecology and Evolution, 2020, 10, 10230-10241.	1.9	8
23	Niche occupancy of two (congeneric) skinks in an islands environment. Amphibia - Reptilia, 2020, 41, 337-347.	0.5	0
24	Proteins from femoral gland secretions of male rock lizards Iberolacerta cyreni allow self—but not individual—recognition of unfamiliar males. Behavioral Ecology and Sociobiology, 2020, 74, 1.	1.4	9
25	Mosquitoes are attracted by the odour of Plasmodium-infected birds. International Journal for Parasitology, 2020, 50, 569-575.	3.1	28
26	Dietary vitamin D in female rock lizards induces condition-transfer effects in their offspring. Behavioral Ecology, 2020, 31, 633-640.	2.2	2
27	Testosterone and the dark ventral patch of male red deer: the role of the social environment. Die Naturwissenschaften, 2020, 107, 18.	1.6	10
28	Rapid and repeated divergence of animal chemical signals in an island introduction experiment. Journal of Animal Ecology, 2020, 89, 1458-1467.	2.8	12
29	Male rock lizards may compensate reproductive costs of an immune challenge affecting sexual signals. Behavioral Ecology, 2020, 31, 1017-1030.	2.2	4
30	Trait differences among discrete morphs of a color polymorphic lizard, <i>Podarcis erhardii</i> . PeerJ, 2020, 8, e10284.	2.0	15
31	Chemical characterization of the lipids in femoral gland secretions of wild male tegu lizards, Salvator merianae (Squamata, Teiidae) in comparison with captive-bred males. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2020, 75, 443-449.	1.4	1
32	Chemosensory discrimination of male age by femalePsammodromus algiruslizards based on femoral secretions and feces. Ethology, 2019, 125, 802-809.	1.1	8
33	Roads and urban areas as physiological stressors of spiny-tailed lizards, Uromastyx acanthinura. Journal of Arid Environments, 2019, 170, 103997.	2.4	7
34	Relationship between oxidative stress and sexual coloration of lizards depends on thermal habitat. Die Naturwissenschaften, 2019, 106, 55.	1.6	5
35	The intensity of male-male competition may affect chemical scent constituents in the dark ventral patch of male Iberian red deer. PLoS ONE, 2019, 14, e0221980.	2.5	11
36	Lizard calls convey honest information on body size and bite performance: a role in predator deterrence?. Behavioral Ecology and Sociobiology, 2019, 73, 1.	1.4	8

#	Article	IF	CITATIONS
37	Possible reproductive benefits to female Carpetan rock lizards of pre-sensory bias towards chemical signals. Biological Journal of the Linnean Society, 2019, 127, 787-799.	1.6	4
38	Seasonal and interpopulational phenotypic variation in morphology and sexual signals of Podarcis liolepis lizards. PLoS ONE, 2019, 14, e0211686.	2.5	8
39	Maternal diet affects juvenile Carpetan rock lizard performance and personality. Ecology and Evolution, 2019, 9, 14476-14488.	1.9	11
40	Habitat type influences parasite load in Algerian Psammodromus (Psammodromus algirus) lizards. Canadian Journal of Zoology, 2019, 97, 172-180.	1.0	20
41	Evidence of character displacement in microhabitat use between two tropical sympatric Holcosus lizard species (Reptilia, Teiidae). Animal Biodiversity and Conservation, 2019, , 379-388.	0.5	0
42	Sexual selection and the chemical signal design of lacertid lizards. Zoological Journal of the Linnean Society, 2018, 183, 458-458.	2.3	1
43	Increased temperature disrupts chemical communication in some species but not others: The importance of local adaptation and distribution. Ecology and Evolution, 2018, 8, 1031-1042.	1.9	6
44	Sexual selection and the chemical signal design of lacertid lizards. Zoological Journal of the Linnean Society, 2018, 183, 445-457.	2.3	18
45	How to tackle chemical communication? Relative proportions versus semiquantitative determination of compounds in lizard chemical secretions. Ecology and Evolution, 2018, 8, 2032-2040.	1.9	11
46	ls It Worth the Risk? Food Deprivation Effects on Tadpole Anti-Predatory Responses. Evolutionary Biology, 2018, 45, 67-74.	1.1	10
47	Environmental conditions shape the chemical signal design of lizards. Functional Ecology, 2018, 32, 566-580.	3.6	45
48	Molecular evidence for host–parasite co-speciation between lizards and Schellackia parasites. International Journal for Parasitology, 2018, 48, 709-718.	3.1	21
49	Freshwater turtles reveal personality traits in their antipredatory behaviour. Behavioural Processes, 2018, 157, 142-147.	1.1	15
50	Phylogenetic relationships of the Chalcides skink species from the Chafarinas Islands with those from mainland North Africa. Biochemical Systematics and Ecology, 2017, 71, 187-192.	1.3	2
51	Leaf extracts from an exotic tree affect responses to chemical cues in the palmate newt, Lissotriton helveticus. Animal Behaviour, 2017, 127, 243-251.	1.9	9
52	The effect of growth rate and ageing on colour variation of European pond turtles. Die Naturwissenschaften, 2017, 104, 49.	1.6	4
53	Heterogeneous tempo and mode of evolutionary diversification of compounds in lizard chemical signals. Ecology and Evolution, 2017, 7, 1286-1296.	1.9	18
54	Urban habitats can affect body size and body condition but not immune response in amphibians. Urban Ecosystems, 2017, 20, 1331-1338.	2.4	28

#	Article	IF	CITATIONS
55	Variations in chemical sexual signals of Psammodromus algirus lizards along an elevation gradient may reflect altitudinal variation in microclimatic conditions. Die Naturwissenschaften, 2017, 104, 16.	1.6	7
56	Food and vitamin D3 availability affects lizard personalities: an experiment. Behavioral Ecology and Sociobiology, 2017, 71, 1.	1.4	15
57	Urbanization affects refuge use and habituation to predators in a polymorphic lizard. Animal Behaviour, 2017, 123, 359-367.	1.9	22
58	The Role of Diet in Shaping the Chemical Signal Design of Lacertid Lizards. Journal of Chemical Ecology, 2017, 43, 902-910.	1.8	14
59	Macroevolutionary diversification of glands for chemical communication in squamate reptiles. Scientific Reports, 2017, 7, 9288.	3.3	32
60	Dietary constraints can preclude the expression of an honest chemical sexual signal. Scientific Reports, 2017, 7, 6073.	3.3	19
61	Immune challenged male Iberian green lizards may increase the expression of some sexual signals if they have supplementary vitamin E. Behavioral Ecology and Sociobiology, 2017, 71, 1.	1.4	4
62	Prevalence and genetic diversity of blood parasite mixed infections in Spanish terrapins, <i>Mauremys leprosa</i> . Parasitology, 2017, 144, 1449-1457.	1,5	15
63	Environmental drivers of growth rates in Guadarrama wall lizards: a reciprocal transplant experiment. Biological Journal of the Linnean Society, 2017, 122, 340-350.	1.6	12
64	Fossorial and durophagous: implications of molluscivory for head size and bite capacity in a burrowing worm lizard. Journal of Zoology, 2017, 301, 193-205.	1.7	18
65	Fast, sensitive, and selective gas chromatography tandem mass spectrometry method for the target analysis of chemical secretions from femoral glands in lizards. Journal of Chromatography A, 2017, 1514, 110-119.	3.7	2
66	Interpopulational and seasonal variation in the chemical signals of the lizard <i>Gallotia galloti</i> . PeerJ, 2017, 5, e3992.	2.0	5
67	Random Sampling of Squamate Reptiles in Spanish Natural Reserves Reveals the Presence of Novel Adenoviruses in Lacertids (Family Lacertidae) and Worm Lizards (Amphisbaenia). PLoS ONE, 2016, 11, e0159016.	2.5	11
68	Blood Parasite Infection Intensity Covaries with Riskâ€Taking Personality in Male Carpetan Rock Lizards (<i>Iberolacerta cyreni</i>). Ethology, 2016, 122, 355-363.	1.1	18
69	Differences in males' chemical signals between genetic lineages of the lizard Psammodromus algirus promote male intrasexual recognition and aggression but not female mate preferences. Behavioral Ecology and Sociobiology, 2016, 70, 1657-1668.	1.4	11
70	Absence of haemoparasite infection in the fossorial amphisbaenian <i>Trogonophis wiegmanni</i> . Parasitology, 2016, 143, 1433-1436.	1.5	1
71	Genders matters: Sexual differences in chemical signals of Liolaemus wiegmannii lizards (Iguania,) Tj ETQq1 1	0.784314 rg 1.3	gBT /Overlock 14
72	Predator–prey distance and latency to flee from an immobile predator: functional relationship and importance. Environmental Epigenetics, 2016, 62, 117-122.	1.8	5

#	Article	IF	CITATIONS
73	Chemical signals in desert lizards: Are femoral gland secretions of male and female spiny-tailed lizards, Uromastyx aegyptia microlepis adapted to arid conditions?. Journal of Arid Environments, 2016, 127, 192-198.	2.4	11
74	Interspecific differences in chemical composition of femoral gland secretions between two closely related wall lizard species, Podarcis bocagei and Podarcis carbonelli. Biochemical Systematics and Ecology, 2016, 64, 105-110.	1.3	15
75	Phylogenetic relationships of Isospora, Lankesterella, and Caryospora species (Apicomplexa:) Tj ETQq1 1 0.78431	4 rgBT /Ov 1.8	erlock 10 Ti
76	Melaninâ€Based Coloration Covaries with Hiding and Exploratory Behavior in Male Spanish Terrapins. Ethology, 2016, 122, 30-36.	1.1	7
77	Arboreal and fossorial reptiles. , 2016, , 139-153.		10
78	Lipophilic compounds in femoral secretions of males and females of the El Hierro giant lizard Gallotia simonyi (Lacertidae). Biochemical Systematics and Ecology, 2015, 61, 286-292.	1.3	7
79	Experience may allow increasing accuracy of the innate chemosensory recognition of snake predators by Iberian wall lizards. Behavioral Ecology and Sociobiology, 2015, 69, 1565-1572.	1.4	7
80	Dorsal pattern polymorphism in female Iberian wall lizards: differences in morphology, dorsal coloration, immune response, and reproductive investment. Biological Journal of the Linnean Society, 2015, 116, 352-363.	1.6	18
81	Basking Activity is Modulated by Health State but is Constrained by Conspicuousness to Predators in Male Spanish Terrapins. Ethology, 2015, 121, 335-344.	1.1	10
82	Phylogeny of the reptilian <i>Eimeria</i> : are <i>Choleoeimeria</i> and <i>Acroeimeria</i> valid generic names?. Zoologica Scripta, 2015, 44, 684-692.	1.7	18
83	Interpopulational Variations in Sexual Chemical Signals of Iberian Wall Lizards May Allow Maximizing Signal Efficiency under Different Climatic Conditions. PLoS ONE, 2015, 10, e0131492.	2.5	27
84	Escape strategy of Schreiber's green lizards (Lacerta schreiberi) is determined by environment but notÂseasonÂorÂsex. Behaviour, 2015, 152, 1527-1542.	0.8	3
85	Altitudinally divergent adult phenotypes in Iberian wall lizards are not driven by egg differences or hatchling growth rates. Oecologia, 2015, 177, 357-366.	2.0	9
86	Condition-dependent chemosignals in reproductive behavior of lizards. Hormones and Behavior, 2015, 68, 14-24.	2.1	65
87	Natural and anthropogenic alterations of the soil affect body condition of the fossorial amphisbaenian Trogonophis wiegamnni in North Africa. Journal of Arid Environments, 2015, 122, 30-36.	2.4	15
88	Occurrence and ecological aspects of the two-fingered skink <i>Chalcides mauritanicus</i> in the Chafarinas Islands in North Africa. African Journal of Herpetology, 2015, 64, 67-79.	0.9	3
89	Reproductive state affects hiding behaviour under risk of predation but not exploratory activity of female Spanish terrapins. Behavioural Processes, 2015, 111, 90-96.	1.1	8

90 Hiding time in refuge. , 2015, , 227-262.

Jose Martin

#	Article	IF	CITATIONS
91	Microgeographical Variations in Coloration of Male Iberian Wall Lizards May Be Related to Habitat and Climatic Conditions. Advances in Zoology, 2014, 2014, 1-11.	0.2	2
92	Honest sexual signaling in turtles: experimental evidence of a trade-off between immune response and coloration in red-eared sliders Trachemys scripta elegans. Die Naturwissenschaften, 2014, 101, 803-811.	1.6	23
93	Chemosensory Prey Detection by the Amphisbaenian <i>Trogonophis wiegmanni</i> . Journal of Herpetology, 2014, 48, 514-517.	0.5	13
94	Is the reaction to chemical cues of predators affected by age or experience in fire salamanders (Salamandra salamandra)?. Amphibia - Reptilia, 2014, 35, 189-196.	0.5	6
95	Conspicuous blue tails, dorsal pattern morphs and escape behaviour in hatchling Iberian wall lizards (<i>Podarcis hispanicus</i>). Biological Journal of the Linnean Society, 2014, 113, 1094-1106.	1.6	23
96	What are carotenoids signaling? Immunostimulatory effects of dietary vitamin E, but not of carotenoids, in Iberian green lizards. Die Naturwissenschaften, 2014, 101, 1107-1114.	1.6	14
97	Relative contribution of dietary carotenoids and vitamin E to visual and chemical sexual signals of male Iberian green lizards: an experimental test. Behavioral Ecology and Sociobiology, 2014, 68, 571-581.	1.4	35
98	Chemical polymorphism in male femoral gland secretions matches polymorphic coloration in common wall lizards (Podarcis muralis). Chemoecology, 2014, 24, 67-78.	1.1	37
99	Interâ€individual Variation in Antipredator Hiding Behavior of Spanish Terrapins Depends on Sex, Size, and Coloration. Ethology, 2014, 120, 742-752.	1.1	23
100	A new sexual signal in rutting male red deer: Age related chemical scent constituents in the belly black spot. Mammalian Biology, 2014, 79, 362-368.	1.5	22
101	Chemosensory assessment of rival body size is based on chemosignal concentration in male Spanish terrapins. Behavioral Ecology and Sociobiology, 2014, 68, 2005-2012.	1.4	5
102	Adaptive forgetting in Iberian green frog tadpoles (Pelophylax perezi): Learned irrelevance and latent inhibition may avoid predator misidentification Journal of Comparative Psychology (Washington, D) Tj ETQq0 0	0 ng/BT/Ov	ve rlo ck 10 Tf
103	Diet selection by the threatened Chafarinas' skink <i>Chalcides parallelus</i> in North Africa. African Journal of Herpetology, 2013, 62, 78-89.	0.9	8
104	Fossorial life does not constrain diet selection in the amphisbaenian <i><scp>T</scp>rogonophis wiegmanni</i> . Journal of Zoology, 2013, 291, 226-233.	1.7	24
105	Head coloration reflects health state in the red-eared slider Trachemys scripta elegans. Behavioral Ecology and Sociobiology, 2013, 67, 153-162.	1.4	19
106	Effects of global warming on sensory ecology of rock lizards: increased temperatures alter the efficacy of sexual chemical signals. Functional Ecology, 2013, 27, 1332-1340.	3.6	54
107	Sexually dichromatic coloration reflects size and immunocompetence in female Spanish terrapins, Mauremys leprosa. Die Naturwissenschaften, 2013, 100, 1137-1147.	1.6	22
108	Differences in Thermal Biology Between Two Morphologically Distinct Populations of Iberian Wall Lizards Inhabiting Different Environments. Annales Zoologici Fennici, 2013, 50, 225-236.	0.6	14

#	Article	IF	CITATIONS
109	Inter-island variation in femoral secretions of the Balearic lizard, Podarcis lilfordi (Lacertidae). Biochemical Systematics and Ecology, 2013, 50, 121-128.	1.3	15
110	Responses of female rock lizards to multiple scent marks of males: Effects of male age, male density and scent over-marking. Behavioural Processes, 2013, 94, 109-114.	1.1	18
111	Boldness and body size of male Spanish terrapins affect their responses to chemical cues of familiar and unfamiliar males. Behavioral Ecology and Sociobiology, 2013, 67, 541-548.	1.4	22
112	Effects of Microhabitatâ€Dependent Predation Risk on Vigilance during Intermittent Locomotion in <i><scp>P</scp>sammodromus algirus</i> Lizards. Ethology, 2013, 119, 316-324.	1.1	12
113	Soil characteristics determine microhabitat selection of the fossorial amphisbaenian <i><scp>T</scp>rogonophis wiegmanni</i> . Journal of Zoology, 2013, 290, 265-272.	1.7	28
114	Lipophilic compounds in femoral secretions of male collared lizards, Crotaphytus bicinctores (Iguania, Crotaphytidae). Biochemical Systematics and Ecology, 2013, 47, 5-10.	1.3	14
115	Chemical Compounds from the Preanal Gland Secretions of the Male Tree Agama (Acanthocercus) Tj ETQq1 1 0 68, 253-258.	.784314 rg 1.4	BT /Overlock 0
116	Flexibility in feeding behaviour may compensate for morphological constraints of fossoriality in the amphisbaenian Blanus cinereus. Amphibia - Reptilia, 2013, 34, 241-247.	0.5	3
117	Female mate choice based on pheromone content may inhibit reproductive isolation between distinct populations of Iberian wall lizards. Environmental Epigenetics, 2013, 59, 210-220.	1.8	23
118	Chemical Compounds from the Preanal Gland Secretions of the Male Tree Agama (Acanthocercus) Tj ETQq0 0 0 68, 0253.	rgBT /Over 1.4	lock 10 Tf 50 5
119	Chemical compounds from the preanal gland secretions of the male tree agama (Acanthocercus) Tj ETQq1 1 0.7 68, 253-8.	784314 rgB 1.4	BT /Overlock O
120	Latency to flee from an immobile predator: effects of predation risk and cost of immobility for the prey. Behavioral Ecology, 2012, 23, 790-797.	2.2	24
121	Chemosensory Exploration of Male Scent by Female Rock Lizards Result from Multiple Chemical Signals of Males. Chemical Senses, 2012, 37, 47-54.	2.0	22
122	Differences in Chemical Sexual Signals May Promote Reproductive Isolation and Cryptic Speciation between Iberian Wall Lizard Populations. International Journal of Evolutionary Biology, 2012, 2012, 1-13.	1.0	32
123	Effects of body temperature on righting performance of native and invasive freshwater turtles: Consequences for competition. Physiology and Behavior, 2012, 108, 28-33.	2.1	17
124	Conspecific alarm cues, but not predator cues alone, determine antipredator behavior of larval southern marbled newts, Triturus pygmaeus. Acta Ethologica, 2012, 15, 211-216.	0.9	11
125	Sexual Dimorphism in the North African AmphisbaenianTrogonophis wiegmanni. Journal of Herpetology, 2012, 46, 338-341.	0.5	18
126	Species Recognition by Chemical Cues in Neotropical Snakes. Copeia, 2012, 2012, 472-477.	1.3	1

#	Article	IF	CITATIONS
127	Supplementation of Male Pheromone on Rock Substrates Attracts Female Rock Lizards to the Territories of Males: A Field Experiment. PLoS ONE, 2012, 7, e30108.	2.5	35
128	Discrimination of conspecifics' chemicals may allow Spanish terrapins to find better partners and avoid competitors. Animal Behaviour, 2012, 83, 1107-1113.	1.9	25
129	Feeding status and basking requirements of freshwater turtles in an invasion context. Physiology and Behavior, 2012, 105, 1208-1213.	2.1	17
130	Interpopulational variation in chemosensory responses to selected steroids from femoral secretions of male lizards, Podarcis hispanica, mirrors population differences in chemical signals. Chemoecology, 2012, 22, 65-73.	1.1	20
131	Is the <i>Podarcis muralis</i> lizard left-eye lateralised when exploring a new environment?. Laterality, 2011, 16, 240-255.	1.0	13
132	Structure of a Population of the Amphisbaenian Trogonophis wiegmanni in North Africa. Herpetologica, 2011, 67, 250-257.	0.4	16
133	Chemical Constituents of the Femoral Gland Secretions of Male Tegu Lizards (Tupinambis merianae) (Family Teiidae). Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2011, 66, 434-440.	1.4	7
134	Pheromones and Reproduction in Reptiles. , 2011, , 141-167.		14
135	Aggressive interactions during feeding between native and invasive freshwater turtles. Biological Invasions, 2011, 13, 1387-1396.	2.4	60
136	Male Iberian rock lizards may reduce the costs of fighting by scent matching of the resource holders. Behavioral Ecology and Sociobiology, 2011, 65, 1891-1898.	1.4	35
137	Individual variation in behavioural plasticity: direct and indirect effects of boldness, exploration and sociability on habituation to predators in lizards. Proceedings of the Royal Society B: Biological Sciences, 2011, 278, 266-273.	2.6	115
138	Uncertainty about future predation risk modulates monitoring behavior from refuges in lizards. Behavioral Ecology, 2011, 22, 218-223.	2.2	16
139	Social aggregation behaviour in the North African amphisbaenianTrogonophis wiegmanni. African Journal of Herpetology, 2011, 60, 171-176.	0.9	15
140	Pheromones and Reproduction in Reptiles. , 2011, , 141-167.		4
141	Vitamin E Supplementation Increases the Attractiveness of Males' Scent for Female European Green Lizards. PLoS ONE, 2011, 6, e19410.	2.5	52
142	Risk level of chemical cues determines retention of recognition of new predators in Iberian green frog tadpoles. Behavioral Ecology and Sociobiology, 2010, 64, 1117-1123.	1.4	35
143	Habituation to low-risk predators improves body condition in lizards. Behavioral Ecology and Sociobiology, 2010, 64, 1937-1945.	1.4	44
144	Multimodal sexual signals in male ocellated lizards Lacerta lepida: vitamin E in scent and green coloration may signal male quality in different sensory channels. Die Naturwissenschaften, 2010, 97, 545-553.	1.6	36

Jose Martin

#	Article	IF	CITATIONS
145	Competitive interactions during basking between native and invasive freshwater turtle species. Biological Invasions, 2010, 12, 2141-2152.	2.4	57
146	Predator recognition of native but not invasive turtle predators by naÃ ⁻ ve anuran tadpoles. Animal Behaviour, 2010, 80, 461-466.	1.9	78
147	Differences in chemical signals may explain species recognition between an island lizard, Podarcis atrata, and related mainland lizards, P. hispanica. Biochemical Systematics and Ecology, 2010, 38, 521-528.	1.3	32
148	Chemical scent constituents in feces of wild Iberian wolves (Canis lupus signatus). Biochemical Systematics and Ecology, 2010, 38, 1096-1102.	1.3	52
149	Body condition does not predict immunocompetence of western pond turtles in altered versus natural habitats. Animal Conservation, 2010, 13, 256-264.	2.9	38
150	Lateralization When Monitoring Predators in the Wild: A Left Eye Control in the Common Wall Lizard (<i>Podarcis muralis</i>). Ethology, 2010, 116, 1226-1233.	1.1	39
151	Thermal constraints of refuge use by Schreiber's green lizards, Lacerta schreiberi. Behaviour, 2010, 147, 275-284.	0.8	13
152	Chemosensory species recognition may reduce the frequency of hybridization between native and introduced lizards. Canadian Journal of Zoology, 2010, 88, 73-80.	1.0	27
153	Non-lethal effects of predators on body growth and health state of juvenile lizards, Psammdromus algirus. Physiology and Behavior, 2010, 100, 332-339.	2.1	8
154	Condition-Dependent Pheromone Signaling by Male Rock Lizards: More Oily Scents Are More Attractive. Chemical Senses, 2010, 35, 253-262.	2.0	51
155	Lateralization in the escape behaviour of the common wall lizard (Podarcis muralis). Behavioural Brain Research, 2010, 207, 1-6.	2.2	61
156	Antipredator behavior in blackbirds: habituation complements risk allocation. Behavioral Ecology, 2009, 20, 371-377.	2.2	104
157	Lipophilic Compounds from the Femoral Gland Secretions of Male Hungarian Green Lizards, Lacerta viridis. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2009, 64, 434-440.	1.4	18
158	Potential Chemosignals Associated with Male Identity in the Amphisbaenian Blanus cinereus. Chemical Senses, 2009, 34, 479-486.	2.0	24
159	Conspicuousness-dependent antipredatory behavior may counteract coloration differences in Iberian rock lizards. Behavioral Ecology, 2009, 20, 362-370.	2.2	32
160	Chemical Polymorphism and Chemosensory Recognition between Iberolacerta monticola Lizard Color Morphs. Chemical Senses, 2009, 34, 723-731.	2.0	20
161	Temporal patterns of predation risk affect antipredator behaviour allocationby Iberian rock lizards. Animal Behaviour, 2009, 77, 1261-1266.	1.9	21
162	When to run from an ambush predator: balancing crypsis benefits with costs of fleeing in lizards. Animal Behaviour, 2009, 78, 1011-1018.	1.9	52

#	Article	IF	CITATIONS
163	Lipids in femoral gland secretions of male lizards, Psammodromus hispanicus. Biochemical Systematics and Ecology, 2009, 37, 304-307.	1.3	17
164	Immune challenge affects sexual coloration of male Iberian wall lizards. Journal of Experimental Zoology, 2009, 311A, 96-104.	1.2	33
165	Learning, memorizing and apparent forgetting of chemical cues from new predators by Iberian green frog tadpoles. Animal Cognition, 2009, 12, 745-750.	1.8	40
166	Interspecific differences in chemosensory responses of freshwater turtles: consequences for competition between native and invasive species. Biological Invasions, 2009, 11, 431-440.	2.4	50
167	Interspecific differences in heat exchange rates may affect competition between introduced and native freshwater turtles. Biological Invasions, 2009, 11, 1755-1765.	2.4	28
168	Immune activation affects chemical sexual ornaments of male Iberian wall lizards. Die Naturwissenschaften, 2009, 96, 65-69.	1.6	36
169	Multiple color signals may reveal multiple messages in male Schreiber's green lizards, Lacerta schreiberi. Behavioral Ecology and Sociobiology, 2009, 63, 1743-1755.	1.4	70
170	Female sensory bias may allow honest chemical signaling by male Iberian rock lizards. Behavioral Ecology and Sociobiology, 2008, 62, 1927-1934.	1.4	27
171	Parasites and health affect multiple sexual signals in male common wall lizards, Podarcis muralis. Die Naturwissenschaften, 2008, 95, 293-300.	1.6	65
172	Discrimination of conspecific faecal chemicals and spatial decisions in juvenile Iberian rock lizards (Lacerta monticola). Acta Ethologica, 2008, 11, 26-33.	0.9	17
173	Increased predation risk modifies lizard scentâ€mark chemicals. Journal of Experimental Zoology, 2008, 309A, 427-433.	1.2	11
174	Interspecific Differences in Responses to Predation Risk May Confer Competitive Advantages to Invasive Freshwater Turtle Species. Ethology, 2008, 114, 115-123.	1.1	61
175	Chemical composition of femoral secretions of oviparous and viviparous types of male common lizards Lacerta vivipara. Biochemical Systematics and Ecology, 2008, 36, 539-544.	1.3	38
176	Crossâ€species testing of 27 preâ€existing microsatellites in <i>Podarcis gaigeae</i> and <i>Podarcis hispanica</i> (Squamata: Lacertidae). Molecular Ecology Resources, 2008, 8, 1367-1370.	4.8	8
177	To run or to fly: low cost versus low risk escape strategies in blackbirds. Behaviour, 2008, 145, 1125-1138.	0.8	24
178	Intersexual differences in chemosensory responses to selected lipids reveal different messages conveyed by femoral secretions of male Iberian rock lizards. Amphibia - Reptilia, 2008, 29, 572-578.	0.5	12
179	Avoidance responses to scents of snakes that pose different risks of predation by adult natterjack toads, Bufo calamita. Canadian Journal of Zoology, 2008, 86, 928-932.	1.0	8
180	Refuge use: A conflict between avoiding predation and losing mass in lizards. Physiology and Behavior, 2007, 90, 334-343.	2.1	66

#	Article	IF	CITATIONS
181	Habitat deterioration affects body condition of lizards: A behavioral approach with Iberolacerta cyreni lizards inhabiting ski resorts. Biological Conservation, 2007, 135, 77-85.	4.1	69
182	Habitat deterioration affects antipredatory behavior, body condition, and parasite load of female <i>Psammodromus algirus</i> lizards. Canadian Journal of Zoology, 2007, 85, 743-751.	1.0	24
183	Familiarity modulates social tolerance between male lizards, <i>Lacerta monticola</i> , with size asymmetry. Ethology Ecology and Evolution, 2007, 19, 69-76.	1.4	9
184	Scent may signal fighting ability in male Iberian rock lizards. Biology Letters, 2007, 3, 125-127.	2.3	76
185	Pregnant female lizardsIberolacerta cyreni adjust refuge use to decrease thermal costs for their body condition and cell-mediated immune response. Journal of Experimental Zoology, 2007, 307A, 106-112.	1.2	12
186	Status-signalling chemical badges in male Iberian rock lizards. Functional Ecology, 2007, 21, 568-576.	3.6	93
187	Iberian green frog tadpoles may learn to recognize novel predators from chemical alarm cues of conspecifics. Animal Behaviour, 2007, 74, 447-453.	1.9	59
188	Effects of testosterone supplementation on chemical signals of male Iberian wall lizards: consequences for female mate choice. Behavioral Ecology and Sociobiology, 2007, 61, 1275-1282.	1.4	22
189	Chemical ornaments of male lizards Psammodromus algirus may reveal their parasite load and health state to females. Behavioral Ecology and Sociobiology, 2007, 62, 173-179.	1.4	72
190	Copulatory plugs do not assure high first male fertilisation success: sperm displacement in a lizard. Behavioral Ecology and Sociobiology, 2007, 62, 281-288.	1.4	16
191	Natural oak forest vs. ancient pine plantations: lizard microhabitat use may explain the effects of ancient reforestations on distribution and conservation of Iberian lizards. Biodiversity and Conservation, 2007, 16, 3409-3422.	2.6	31
192	Nature-based tourism as a form of predation risk affects body condition and health state of Podarcis muralis lizards. Biological Conservation, 2006, 131, 402-409.	4.1	100
193	Lipids in the Femoral Gland Secretions of Male Schreiber's Green Lizards, Lacerta schreiberi. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2006, 61, 763-768.	1.4	29
194	Can Wall Lizards Combine Chemical and Visual Cues to Discriminate Predatory from Non-Predatory Snakes Inside Refuges?. Ethology, 2006, 112, 478-484.	1.1	37
195	Links between male quality, male chemical signals, and female mate choice in Iberian Rock Lizards. Functional Ecology, 2006, 20, 1087-1096.	3.6	110
196	Reliable Signaling By Chemical Cues Of Male Traits And Health State In Male Lizards, Lacerta monticola. Journal of Chemical Ecology, 2006, 32, 473-488.	1.8	110
197	Anti-Predator Behavioral Responses of Mosquito Pupae to Aerial Predation Risk. Journal of Insect Behavior, 2006, 19, 373-381.	0.7	21
198	Roles of male residence and relative size in the social behavior of Iberian rock lizards, Lacerta monticola. Behavioral Ecology and Sociobiology, 2006, 59, 762-769.	1.4	32

#	Article	IF	CITATIONS
199	Femoral secretions and copulatory plugs convey chemical information about male identity and dominance status in Iberian rock lizards (Lacerta monticola). Behavioral Ecology and Sociobiology, 2006, 60, 166-174.	1.4	33
200	Health-dependent vulnerability to predation affects escape responses of unguarded chinstrap penguin chicks. Behavioral Ecology and Sociobiology, 2006, 60, 778-784.	1.4	35
201	Interpopulational differences in chemical composition and chemosensory recognition of femoral gland secretions of male lizards Podarcis hispanica: implications for sexual isolation in a species complex. Chemoecology, 2006, 16, 31-38.	1.1	63
202	Age-related variation in lipophilic chemical compounds from femoral gland secretions of male lizards Psammodromus algirus. Biochemical Systematics and Ecology, 2006, 34, 691-697.	1.3	42
203	Collective detection in escape responses of temporary groups of Iberian green frogs. Behavioral Ecology, 2006, 17, 222-226.	2.2	26
204	Chemosensory Responses by Female Iberian Wall Lizards, Podarcis Hispanica to Selected Lipids Found in Femoral Gland Secretions of Males. Journal of Herpetology, 2006, 40, 556-561.	0.5	19
205	Hatching order and size-dependent mortality in relation to brood sex ratio composition in chinstrap penguins. Behavioral Ecology, 2006, 17, 772-778.	2.2	23
206	Predator, but not conspecific, chemical cues influence pond selection by recently metamorphosed Iberian green frogs, Rana perezi. Canadian Journal of Zoology, 2006, 84, 1295-1299.	1.0	11
207	Vitamin D supplementation increases the attractiveness of males' scent for female Iberian rock lizards. Proceedings of the Royal Society B: Biological Sciences, 2006, 273, 2619-2624.	2.6	79
208	Natural oak forest vs. ancient pine plantations: lizard microhabitat use may explain the effects of ancient reforestations on distribution and conservation of Iberian lizards. , 2006, , 167-180.		0
209	Age Related Differences in Lipophilic Compounds Found in Femoral Gland Secretions of Male Spiny-footed Lizards, Acanthodactylus erythrurus. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2005, 60, 915-920.	1.4	31
210	Wall Lizards Modulate Refuge Use through Continuous Assessment of Predation Risk Level. Ethology, 2005, 111, 207-219.	1.1	30
211	Sources of individual shy–bold variations in antipredator behaviour of male Iberian rock lizards. Animal Behaviour, 2005, 69, 1-9.	1.9	211
212	When to come out from your own shell: risk-sensitive hiding decisions in terrapins. Behavioral Ecology and Sociobiology, 2005, 57, 405-411.	1.4	32
213	Prevalence and intensity of haemogregarine blood parasites and their mite vectors in the common wall lizard, Podarcis muralis. Parasitology Research, 2005, 96, 378-381.	1.6	65
214	Prevalence and intensity of blood and intestinal parasites in a field population of a Mediterranean lizard, Lacerta lepida. Parasitology Research, 2005, 96, 413-417.	1.6	39
215	Intersexual Differences in Chemical Composition of Precloacal Gland Secretions of the Amphisbaenian Blanus cinereus. Journal of Chemical Ecology, 2005, 31, 2913-2921.	1.8	28
216	Chemical Compounds from Femoral Gland Secretions of Male Iberian Rock Lizards, Lacerta monticola cyreni. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2005, 60, 632-636.	1.4	54

#	Article	IF	CITATIONS
217	Effects of habitat-related visibility on escape decisions of the Spanish Terrapin Mauremys leprosa. Amphibia - Reptilia, 2005, 26, 557-561.	0.5	15
218	Female Iberian wall lizards prefer male scents that signal a better cell-mediated immune response. Biology Letters, 2005, 1, 404-406.	2.3	97
219	Factors affecting escape behavior of Iberian green frogs (Rana perezi). Canadian Journal of Zoology, 2005, 83, 1189-1194.	1.0	52
220	Chemosensory Recognition of Its Lizard Prey by the Ambush Smooth Snake, Coronella austriaca. Journal of Herpetology, 2004, 38, 451-454.	0.5	12
221	The Role of Lateral Blue Spots in Intrasexual Relationships Between Male Iberian Rock-Lizards, Lacerta monticola. Ethology, 2004, 110, 543-561.	1.1	37
222	The Ontogeny of Spatio-Temporal Tactics and Social Relationships of Adult Male Iberian Rock Lizards,Lacerta monticola. Ethology, 2004, 110, 1001-1019.	1.1	36
223	Wall lizards combine chemical and visual cues of ambush snake predators to avoid overestimating risk inside refuges. Animal Behaviour, 2004, 67, 647-653.	1.9	94
224	Detection and Discrimination of Conspecific Scents by the Anguid Slow-Worm Anguis fragilis. Journal of Chemical Ecology, 2004, 30, 1565-1573.	1.8	15
225	Double gametocyte infections in apicomplexan parasites of birds and reptiles. Parasitology Research, 2004, 94, 155-7.	1.6	13
226	Prevalence and intensity of haemogregarinid blood parasites in a population of the Iberian rock lizard, Lacerta monticola. Parasitology Research, 2004, 94, 290-293.	1.6	52
227	Balancing predation risk, social interference, and foraging opportunities in backswimmers, Notonecta maculata. Acta Ethologica, 2004, 6, 59-63.	0.9	9
228	Factors affecting the escape behaviour of juvenile chinstrap penguins, Pygoscelis antarctica, in response to human disturbance. Polar Biology, 2004, 27, 775-781.	1.2	27
229	Trade-offs in the choice of refuges by common wall lizards: do thermal costs affect preferences for predator-free refuges?. Canadian Journal of Zoology, 2004, 82, 897-901.	1.0	14
230	Chemosensory predator recognition induces defensive behavior in the slow-worm (Anguis fragilis). Canadian Journal of Zoology, 2004, 82, 510-515.	1.0	16
231	Chemosensory Recognition and Behavioral Responses of Wall Lizards, Podarcis muralis, to Scents of Snakes that Pose Different Risks of Predation. Copeia, 2004, 2004, 691-696.	1.3	32
232	Iberian Rock Lizards (Lacerta monticola) Assess Short-Term Changes in Predation Risk Level When Deciding Refuge Use Journal of Comparative Psychology (Washington, D C: 1983), 2004, 118, 280-286.	0.5	19
233	Thermal dependence of chemical assessment of predation risk affects the ability of wall lizards, Podarcis muralis, to avoid unsafe refuges. Physiology and Behavior, 2004, 82, 913-918.	2.1	9
234	Chemosensory cues allow male lizards Psammodromus algirus to override visual concealment of sexual identity by satellite males. Behavioral Ecology and Sociobiology, 2003, 54, 218-224.	1.4	36

#	Article	IF	CITATIONS
235	Loss of mating opportunities influences refuge use in the Iberian rock lizard, Lacerta monticola. Behavioral Ecology and Sociobiology, 2003, 54, 505-510.	1.4	67
236	Responses of female lizards, Lacerta monticola , to males' chemical cues reflect their mating preference for older males. Behavioral Ecology and Sociobiology, 2003, 55, 73-79.	1.4	90
237	When to Come Out from a Refuge: Balancing Predation Risk and Foraging Opportunities in an Alpine Lizard. Ethology, 2003, 109, 77-87.	1.1	83
238	Differential Avoidance Responses to Chemical Cues from Familiar and Unfamiliar Conspecifics by Male Iberian Rock Lizards (Lacerta monticola). Journal of Herpetology, 2003, 37, 583-585.	0.5	28
239	Ontogenetic variation in antipredator behavior of Iberian rock lizards (Lacerta monticola): effects of body-size-dependent thermal-exchange rates and costs of refuge use. Canadian Journal of Zoology, 2003, 81, 1131-1137.	1.0	58
240	Fossorial life constrains microhabitat selection of the amphisbaenian Trogonophis wiegmanni. Canadian Journal of Zoology, 2003, 81, 1839-1844.	1.0	22
241	Risk Level and Thermal Costs Affect the Choice of Escape Strategy and Refuge Use in the Wall Lizard, Podarcis muralis. Copeia, 2003, 2003, 899-905.	1.3	27
242	Changes in the Escape Responses of the Lizard Acanthodactylus erythrurus under Persistent Predatory Attacks. Copeia, 2003, 2003, 408-413.	1.3	53
243	SIMULTANEOUS RISKS AND DIFFERENCES AMONG INDIVIDUAL PREDATORS AFFECT REFUGE USE BY A LIZARD, LACERTA MONTICOLA. Behaviour, 2003, 140, 27-41.	0.8	34
244	Body temperature regulation in the amphisbaenian Trogonophis wiegmanni. Canadian Journal of Zoology, 2002, 80, 42-47.	1.0	27
245	The effect of Mediterranean dehesa management on lizard distribution and conservation. Biological Conservation, 2002, 108, 213-219.	4.1	62
246	Effects of female presence on intrasexual aggression in male lizards,Podarcis hispanicus. Aggressive Behavior, 2002, 28, 491-498.	2.4	7
247	Pheromone-mediated intrasexual aggression in male lizards,Podarcis hispanicus. Aggressive Behavior, 2002, 28, 154-163.	2.4	40
248	Chemical rival recognition decreases aggression levels in male Iberian wall lizards, Podarcis hispanica. Behavioral Ecology and Sociobiology, 2002, 51, 461-465.	1.4	95
249	Symmetry, male dominance and female mate preferences in the Iberian rock lizard, Lacerta monticola. Behavioral Ecology and Sociobiology, 2002, 52, 342-347.	1.4	110
250	Locomotor capacity and dominance in male lizards Lacerta monticola: a trade-off between survival and reproductive success?. Biological Journal of the Linnean Society, 2002, 77, 201-209.	1.6	91
251	Hindlimb Asymmetry Reduces Escape Performance in the LizardPsammodromus algirus. Physiological and Biochemical Zoology, 2001, 74, 619-624.	1.5	53
252	Fighting rules and rival recognition reduce costs of aggression in male lizards, Podarcis hispanica. Behavioral Ecology and Sociobiology, 2001, 49, 111-116.	1.4	109

Jose Martin

#	Article	IF	CITATIONS
253	Chemosensory discrimination of familiar and unfamiliar conspecifics by lizards: implications of field spatial relationships between males. Behavioral Ecology and Sociobiology, 2001, 50, 128-133.	1.4	92
254	Are fleeing â€noisy" lizards signalling to predators?. Acta Ethologica, 2001, 3, 95-100.	0.9	7
255	Pheromonal Recognition of Females Takes Precedence over the Chromatic Cue in Male Iberian Wall Lizards Podarcis hispanica. Ethology, 2001, 107, 901-912.	1.1	57
256	Chemosensory predator recognition induces specific defensive behaviours in a fossorial amphisbaenian. Animal Behaviour, 2001, 62, 259-264.	1.9	33
257	Camouflage and escape decisions in the common chameleon Chamaeleo chamaeleon. Biological Journal of the Linnean Society, 2001, 72, 547-554.	1.6	67
258	Effects of Conspecific Chemical Cues on Settlement and Retreat-Site Selection of Male Lizards Lacerta monticola. Journal of Herpetology, 2001, 35, 681.	0.5	19
259	Discrimination of Femoral Gland Secretions from Familiar and Unfamiliar Conspecifics by Male Iberian Rock-Lizards, Lacerta monticola. Journal of Herpetology, 2001, 35, 346.	0.5	41
260	Repeated predatory attacks and multiple decisions to come out from a refuge in an alpine lizard. Behavioral Ecology, 2001, 12, 386-389.	2.2	45
261	Seasonal changes in activity and spatial and social relationships of the Iberian rock lizard, <i>Lacerta monticola</i> . Canadian Journal of Zoology, 2001, 79, 1965-1971.	1.0	16
262	Costs of Refuge Use Affect Escape Decisions of Iberian Rock Lizards Lacerta monticola. Ethology, 2000, 106, 483-492.	1.1	49
263	Size-Dependent Chemosensory Responses to Familiar and Unfamiliar Conspecific Faecal Pellets by the Iberian Rock-Lizard, Lacerta monticola. Ethology, 2000, 106, 1115-1128.	1.1	52
264	Conspecific Chemical Cues Influence Pond Selection by Male NewtsTriturus boscai. Copeia, 2000, 2000, 874-878.	1.3	17
265	Chemoreception, symmetry and mate choice in lizards. Proceedings of the Royal Society B: Biological Sciences, 2000, 267, 1265-1269.	2.6	137
266	Fleeing to unsafe refuges: effects of conspicuousness and refuge safety on the escape decisions of the lizard Psammodromus algirus. Canadian Journal of Zoology, 2000, 78, 265-270.	1.0	64
267	Social status of male Iberian rock lizards (Lacerta monticola) influences their activity patterns during the mating season. Canadian Journal of Zoology, 2000, 78, 1105-1109.	1.0	19
268	Site familiarity affects antipredator behavior of the amphisbaenian <i>Blanus cinereus</i> . Canadian Journal of Zoology, 2000, 78, 2142-2146.	1.0	15
269	Site familiarity affects antipredator behavior of the amphisbaenian <i>Blanus cinereus</i> . Canadian Journal of Zoology, 2000, 78, 2142-2146.	1.0	9
270	Fleeing to unsafe refuges: effects of conspicuousness and refuge safety on the escape decisions of the lizard <i>Psammodromus algirus</i> . Canadian Journal of Zoology, 2000, 78, 265-270.	1.0	39

#	Article	IF	CITATIONS
271	Social status of male Iberian rock lizards (<i>Lacerta monticola</i>) influences their activity patterns during the mating season. Canadian Journal of Zoology, 2000, 78, 1105-1109.	1.0	6
272	When to come out from a refuge: risk-sensitive and state-dependent decisions in an alpine lizard. Behavioral Ecology, 1999, 10, 487-492.	2.2	195
273	An Experimental Test of the Costs of Antipredatory Refuge Use in the Wall Lizard, Podarcis muralis. Oikos, 1999, 84, 499.	2.7	113
274	Nuptial Coloration and Mate Guarding Affect Escape Decisions of Male Lizards Psammodromus algirus. Ethology, 1999, 105, 439-447.	1.1	54
275	Social costs and development of nuptial coloration in male Psammodromus algirus lizards: an experiment. Behavioral Ecology, 1999, 10, 396-400.	2.2	81
276	Effects of tail loss on the movement patterns of the lizard,Psammodromus algirus. Functional Ecology, 1998, 12, 794-802.	3.6	95
277	Soil temperature, rock selection, and the thermal ecology of the amphisbaenian reptile <i>Blanus cinereus</i> . Canadian Journal of Zoology, 1998, 76, 673-679.	1.0	35
278	Shifts in Microhabitat Use by the Lizard Psammodromus algirus: Responses to Seasonal Changes in Vegetation Structure. Copeia, 1998, 1998, 780.	1.3	32
279	Iberian Rock Lizards (Lacerta monticola cyreni) Assess Conspecific Information Using Composite Signals from Faecal Pellets. Ethology, 1998, 104, 809-820.	1.1	51
280	Tail Loss Affects Prey Capture 'Decisions' in the Lizard Psammodromus algirus. Journal of Herpetology, 1997, 31, 292.	0.5	20
281	Testosterone supplementation in subordinate, small male lizards: consequences for aggressiveness, color development, and parasite load. Behavioral Ecology, 1997, 8, 135-139.	2.2	54
282	Microhabitat selection by the Iberian rock lizard Lacerta monticola: Effects on density and spatial distribution of individuals. Biological Conservation, 1997, 79, 303-307.	4.1	56
283	Testosterone stress does not increase asymmetry of a hormonally mediated sexual ornament in a lizard. Behavioral Ecology and Sociobiology, 1997, 41, 171-176.	1.4	16
284	Avian Predation on a Large Lizard (Lacerta lepida) Found at Low Population Densities in Mediterranean Habitats: An Analysis of Bird Diets. Copeia, 1996, 1996, 722.	1.3	35
285	The escape response of juvenile Psammodromus algirus lizards Journal of Comparative Psychology (Washington, D C: 1983), 1996, 110, 187-192.	0.5	42
286	Haematology and Plasma Chemistry of Male Lizards, Psammodromus algirus. Effects of Testosterone Treatment. Comparative Haematology International, 1996, 6, 102-106.	0.5	11
287	The cost of producing a sexual signal: testosterone increases the susceptibility of male lizards to ectoparasitic infestation. Behavioral Ecology, 1996, 7, 145-150.	2.2	201
288	Effects of Recent Feeding on Locomotor Performance of Juvenile Psammodromus Algirus Lizards. Functional Ecology, 1996, 10, 390.	3.6	23

#	Article	IF	CITATIONS
289	Long-Term Effect of Tail Loss on Home-Range Size and Access to Females in Male Lizards (Psammodromus algirus). Copeia, 1996, 1996, 208.	1.3	32
290	Effects of Tail Loss on Activity Patterns of Rock-Lizards, Lacerta monticola. Copeia, 1995, 1995, 984.	1.3	35
291	Escape Behaviour of Juvenile Psammodromus Algirus Lizards: Constraint of or Compensation for Limitations in Body Size?. Behaviour, 1995, 132, 181-192.	0.8	60
292	Adjustment of basking postures in the high-altitude Iberian rock lizard (Lacerta monticola). Canadian Journal of Zoology, 1995, 73, 1065-1068.	1.0	35
293	Influence of habitat structure on the escape tactics of the lizard <i>Psammodromus algirus</i> . Canadian Journal of Zoology, 1995, 73, 129-132.	1.0	128
294	Tail loss reduces home range size and access to females in male lizards, Psammodromus algirus. Behavioral Ecology, 1995, 6, 382-387.	2.2	87
295	Responses by amphisbaenianBlanus cinereus to chemicals from prey or potentially harmful ant species. Journal of Chemical Ecology, 1994, 20, 1113-1119.	1.8	30
296	Tail loss reduces mating success in the Iberian rock-lizard, Lacerta monticola. Behavioral Ecology and Sociobiology, 1993, 32, 185.	1.4	122
297	Tail Loss and Foraging Tactics of the Iberian Rock-Lizard, Lacerta monticola. Oikos, 1993, 66, 318.	2.7	57
298	Thermoregulatory Behaviour of Rock Lizards in Response To Tail Loss. Behaviour, 1993, 124, 123-136.	0.8	57
299	Tail Loss Consequences on Habitat Use by the Iberian Rock Lizard, Lacerta monticola. Oikos, 1992, 65, 328.	2.7	83
300	Basking and Antipredator Behaviour in a High Altitude Lizard: Implications of Heatâ€exchange Rate. Ethology, 1992, 92, 143-154.	1.1	119
301	Microhabitat Selection of the Amphisbaenian Blanus cinereus. Copeia, 1991, 1991, 1142.	1.3	43
302	Field body temperatures of the amphisbaenid lizard Blanus cinereus. Amphibia - Reptilia, 1990, 11, 87-96.	0.5	27
303	The personality of escape. , 0, , 385-404.		1
304	Improved nutritional status may promote an "asset protection―reproductive strategy in male rock lizards. Behavioral Ecology, 0, , .	2.2	1
305	Evolutionary and biogeographical support for species-specific proteins in lizard chemical signals. Biological Journal of the Linnean Society, 0, , .	1.6	7
306	Interference competition between native Iberian turtles and the exotic Trachemys scripta. Basic and Applied Herpetology, 0, , .	0.0	7