

Kiyoshi Kanie

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7888245/kiyoshi-kanie-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

122
papers

3,088
citations

28
h-index

52
g-index

136
ext. papers

3,374
ext. citations

4.7
avg, IF

4.99
L-index

#	Paper	IF	Citations
122	Development of Synthetic Route for Fe-substituted MWW-type Zeolites Using Mechanochemical Method. <i>Journal of the Japan Petroleum Institute</i> , 2022 , 65, 67-77	1	0
121	Transcription-induced formation of paired Al sites in high-silica CHA-type zeolite framework using Al-rich amorphous aluminosilicate. <i>Chemical Communications</i> , 2021 , 57, 13301-13304	5.8	4
120	Organic-Inorganic Dual-Coated TiO ₂ Nanoparticles for Regulation of Photocatalytic Activity. <i>Materials Transactions</i> , 2021 , 62, 1739-1744	1.3	
119	Simple Liquid-Phase Synthesis of Cobalt Carbide (Co ₂ C) Nanoparticles and Their Use as Durable Electrocatalysts. <i>Materials Transactions</i> , 2021 , 62, 1632-1638	1.3	
118	Magnetorheological Fluids with Surface-Modified Iron Oxide Magnetic Particles with Controlled Size and Shape. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 20581-20588	9.5	4
117	A nanoparticle-mist deposition method: fabrication of high-performance ITO flexible thin films under atmospheric conditions. <i>Scientific Reports</i> , 2021 , 11, 10584	4.9	2
116	Highly anisotropic thermal conductivity of mesogenic epoxy resin film through orientation control. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 51396	2.9	3
115	Mechanochemical Route for Preparation of MFI-Type Zeolites Containing Highly Dispersed and Small Ce Species and Catalytic Application to Low-Temperature Oxidative Coupling of Methane. <i>Industrial & Engineering Chemistry Research</i> , 2021 , 60, 10101-10111	3.9	3
114	Water-Dispersible Fe ₃ O ₄ Nanoparticles Modified with Controlled Numbers of Carboxyl Moieties for Magnetic Induction Heating. <i>ACS Applied Nano Materials</i> , 2021 , 4, 7395-7403	5.6	3
113	Extraction behaviors of platinum group metals in simulated high-level liquid waste by a hydrophobic ionic liquid bearing an amino moiety. <i>Nuclear Engineering and Technology</i> , 2021 , 53, 1218-1223	2.6	4
112	Mechanochemical Approach to Preparation of MFI Zeolites Substituted Isomorphously by Both Al and Fe as Durable Catalysts for the Dimethyl Ether to Olefin Reaction. <i>Industrial & Engineering Chemistry Research</i> , 2021 , 60, 2079-2088	3.9	8
111	Organic Structure-Directing Agent-Free Synthesis of Mordenite-Type Zeolites Driven by Al-Rich Amorphous Aluminosilicates. <i>ACS Omega</i> , 2021 , 6, 5176-5182	3.9	6
110	Development of a flexible dielectric-barrier-discharge plasma actuator fabricated by inkjet printing using silver nanoparticles-based ink. <i>Sensors and Actuators A: Physical</i> , 2021 , 330, 112823	3.9	5
109	A mild aqueous synthesis of ligand-free copper nanoparticles for low temperature sintering nanopastes with nickel salt assistance.. <i>Scientific Reports</i> , 2021 , 11, 24268	4.9	0
108	Magnetic field induced uniaxial alignment of the lyotropic liquid-crystalline PMMA-grafted Fe ₃ O ₄ nanoplates with controllable interparticle interaction. <i>Nanoscale Advances</i> , 2020 , 2, 814-822	5.1	3
107	Single-Crystalline Protrusion-Rich Indium Tin Oxide Nanoparticles with Colloidal Stability in Water for Use in Sustainable Coatings. <i>ACS Applied Nano Materials</i> , 2020 , 3, 4870-4879	5.6	5
106	Precise control of density and strength of acid sites of MFI-type zeolite nanoparticles via simultaneous isomorphous substitution by Al and Fe. <i>CrystEngComm</i> , 2020 , 22, 7556-7564	3.3	12

105	Self-assembly of photoresponsive azo-containing phospholipids with a polar group as the tail.. <i>RSC Advances</i> , 2020 , 10, 32984-32991	3.7	3
104	Homeotropically Aligned Monodomain-like Smectic-A Structure in Liquid Crystalline Epoxy Films: Analysis of the Local Ordering Structure by Microbeam Small-Angle X-ray Scattering. <i>ACS Omega</i> , 2020 , 5, 20792-20799	3.9	5
103	Gallium-Doped Zinc Oxide Nanoparticle Thin Films as Transparent Electrode Materials with High Conductivity. <i>ACS Applied Nano Materials</i> , 2020 , 3, 9622-9632	5.6	6
102	Ambient Aqueous-Phase Synthesis of Copper Nanoparticles and Nanopastes with Low-Temperature Sintering and Ultra-High Bonding Abilities. <i>Scientific Reports</i> , 2019 , 9, 899	4.9	32
101	Self-assembled structure of dendronized CdS nanoparticles. <i>Microscopy (Oxford, England)</i> , 2019 , 68, 342-347	3.47	1
100	Hydrothermal synthesis of Ga-substituted MFI zeolites via a mechanochemical process and their catalytic activity for methane transformation. <i>Molecular Catalysis</i> , 2019 , 478, 110579	3.3	11
99	Liquid-Phase Synthesis of Transparent Conductive Oxide Nanoparticles Controlled in Size and Shape and Electrical and Optical Characteristics of the Nanoink-coated Thin Films. <i>Journal of the Japan Society of Colour Material</i> , 2019 , 92, 171-176	0	
98	Preferential adsorption of selenium oxyanions onto {1 1 0} and {0 1 2} nano-hematite facets. <i>Journal of Colloid and Interface Science</i> , 2019 , 537, 465-474	9.3	27
97	Long-Range Anisotropic Structural Films and Fibers Formed from Lyotropic Liquid Crystal Gels Containing Hetero-Double-Helices with C Terminal Groups. <i>Langmuir</i> , 2019 , 35, 5075-5080	4	4
96	Highly Oriented Liquid Crystalline Epoxy Film: Robust High Thermal-Conductive Ability. <i>ACS Omega</i> , 2018 , 3, 3562-3570	3.9	23
95	Formation of Liquid Crystalline Order and Its Effect on Thermal Conductivity of AlN/Liquid Crystalline Epoxy Composite. <i>Polymer-Plastics Technology and Engineering</i> , 2018 , 57, 269-275		18
94	Sn Nanoparticles Confined in Porous Silica Spheres for Enhanced Thermal Cyclic Stability. <i>ACS Applied Nano Materials</i> , 2018 , 1, 4073-4082	5.6	10
93	Liquid Crystalline Inorganic Nano- and Fine Particles 2018 , 731-737		
92	Mechanochemically assisted hydrothermal synthesis of Sn-substituted MFI-type silicates. <i>Science and Technology of Advanced Materials</i> , 2018 , 19, 545-553	7.1	9
91	Metal-selective Deprotection-mediated Palladium(II) Extraction by Ionic Liquids with Tetrahydropyran-2H-yl-protected Thiol Moieties. <i>Chemistry Letters</i> , 2017 , 46, 434-437	1.7	7
90	A Low-Symmetry Cubic Mesophase of Dendronized CdS Nanoparticles and Their Structure-Dependent Photoluminescence. <i>Chem</i> , 2017 , 2, 860-876	16.2	22
89	Lyotropic Liquid-crystalline Pseudo-polymer Particles with an Iron Oxide Monodispersed Core Controlled in Size and Shapes in Ionic Liquids. <i>Chemistry Letters</i> , 2017 , 46, 303-306	1.7	7
88	Hydrothermal Synthesis of Ce-doped BaZrO ₃ Fine Particles and Their Three-way Catalytic Performance for Exhaust Gas Purification. <i>Journal of MMIJ</i> , 2017 , 133, 116-122	0.3	1

87	Ionic Liquids with Amino Moieties: Selective and Reversible Extraction/Back-Extraction for Platinum Group Metal Ions from Aqueous Solutions. <i>Chemistry Letters</i> , 2017 , 46, 1422-1425	1.7	8
86	Size-controlled hydrothermal synthesis of monodispersed BaZrO ₃ sphere particles by seeding. <i>Advanced Powder Technology</i> , 2017 , 28, 55-60	4.6	8
85	Direct Hydrothermal Synthesis of Size-Controlled Co ₃ O ₄ Nanocubes under Highly Condensed Conditions. <i>Materials Transactions</i> , 2017 , 58, 1014-1019	1.3	2
84	Preparation of Nickel Carbide Nanoparticles and Their Electrode Catalytic Activity on Oxygen Reduction Reaction. <i>Nanoscience and Nanotechnology Letters</i> , 2017 , 9, 1592-1595	0.8	2
83	Size- and Shape-controlled Pseudo-polymer Particles: Surface-initiated Atom Transfer Radical Polymerization on Monodispersed Fe ₂ O ₃ Particles. <i>Chemistry Letters</i> , 2016 , 45, 119-121	1.7	5
82	Preparation of Monodispersed Nanoparticles of Transparent Conductive Oxides. <i>KONA Powder and Particle Journal</i> , 2016 , 33, 340-353	3.4	3
81	Ultrasensitive Detection of Volatile Organic Compounds by a Pore Tuning Approach Using Anisotropically Shaped SnO Nanocrystals. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 35485-35495	9.5	40
80	Dynamic and Reversible Polymorphism of Self-Assembled Lyotropic Liquid Crystalline Systems Derived from Cyclic Bis(ethynylhelicene) Oligomers. <i>Journal of the American Chemical Society</i> , 2015 , 137, 6594-601	16.4	38
79	Solvation Mechanism of Task-Specific Ionic Liquids in Water: A Combined Investigation Using Classical Molecular Dynamics and Density Functional Theory. <i>Journal of Physical Chemistry B</i> , 2015 , 119, 12894-904	3.4	14
78	Rheology of Thermotropic Liquid-Crystalline Dendron-Modified Gold Nanoparticles. <i>Molecular Crystals and Liquid Crystals</i> , 2015 , 617, 50-57	0.5	4
77	Photo-Responsive Properties of Phospholipid Vesicles Including Azobenzene-Containing Amphiphilic Phosphates. <i>Transactions of the Materials Research Society of Japan</i> , 2015 , 40, 153-158	0.2	2
76	Phase-selective hydrothermal synthesis of hydrous lithium titanates nanoparticles as a precursor to Li ₄ Ti ₅ O ₁₂ anode material for lithium ion rechargeable batteries. <i>Ceramics International</i> , 2015 , 41, 10988-10994	5.1	21
75	Theoretical evaluation on solubility of synthesized task specific ionic liquids in water. <i>Journal of Molecular Liquids</i> , 2014 , 200, 232-237	6	7
74	Hydrothermal synthesis of size- and shape-controlled CaTiO ₃ fine particles and their photocatalytic activity. <i>CrystEngComm</i> , 2014 , 16, 5591-5597	3.3	43
73	Hydrothermal synthesis of BaZrO ₃ fine particles controlled in size and shape and fluorescence behavior by europium doping. <i>New Journal of Chemistry</i> , 2014 , 38, 3548-3555	3.6	31
72	Solvothermal Synthesis of Shape-Controlled Perovskite MTiO ₃ (M = Ba, Sr, and Ca) Particles in H ₂ O/Polyols Mixed Solutions. <i>Materials Transactions</i> , 2014 , 55, 147-153	1.3	13
71	High Performance ITO Nanoparticles as Nanoink for Printing as a Substitute Process of Sputtering. <i>Materials Research Society Symposia Proceedings</i> , 2014 , 1699, 49		3
70	Solvothermal synthesis of SrTiO ₃ nanoparticles precisely controlled in surface crystal planes and their photocatalytic activity. <i>Applied Catalysis B: Environmental</i> , 2014 , 144, 462-467	21.8	47

69	Introduction of Heteroarene Functionality on the Bipedal-Thiol-Capped Gold Nanoparticle by Deprotonative C-H Coupling with Palladium Complex. <i>Heterocycles</i> , 2014 , 88, 213	0.8	2
68	Quaternary Ammonium Hydroxide-assisted Solvothermal Synthesis of Monodispersed ITO Nanoparticles with a Cubic Shape. <i>Chemistry Letters</i> , 2013 , 42, 738-740	1.7	9
67	Synthesis of thiol-capped gold nanoparticle with a flow system using organosilane as a reducing agent. <i>Tetrahedron Letters</i> , 2012 , 53, 4457-4459	2	8
66	Liquid-crystalline inorganic nano and fine particles 2012 , 509-515		
65	Simple cubic packing of gold nanoparticles through rational design of their dendrimeric corona. <i>Journal of the American Chemical Society</i> , 2012 , 134, 808-11	16.4	78
64	Cross Coupling on Gold Nanoparticles. Effect of Reinforced Affinity of Organic Group with Bipedal Thiol. <i>Chemistry Letters</i> , 2011 , 40, 1450-1452	1.7	5
63	Hydrothermal Synthesis of Sodium and Potassium Niobates Fine Particles and Their Application to Lead-Free Piezoelectric Material. <i>Materials Transactions</i> , 2011 , 52, 2119-2125	1.3	7
62	Size-Controlled Hydrothermal Synthesis of Bismuth Sodium and Bismuth Potassium Titanates Fine Particles and Application to Lead-Free Piezoelectric Ceramics. <i>Materials Transactions</i> , 2011 , 52, 1396-1401 ^{1,3}		20
61	Phospholipids with a stimuli-responsive thermotropic liquid-crystalline moiety. <i>Chemical Communications</i> , 2011 , 47, 6885-7	5.8	8
60	Precursor Effect on Hydrothermal Synthesis of Sodium Potassium Niobate Fine Particles and Their Piezoelectric Properties. <i>Japanese Journal of Applied Physics</i> , 2011 , 50, 09ND09	1.4	7
59	Precursor Effect on Hydrothermal Synthesis of Sodium Potassium Niobate Fine Particles and Their Piezoelectric Properties. <i>Japanese Journal of Applied Physics</i> , 2011 , 50, 09ND09	1.4	6
58	Solvothermal Synthesis of ITO Nanoparticles Precisely Controlled in Size and Shape. <i>Advances in Science and Technology</i> , 2010 , 62, 50-55	0.1	1
57	One-step solvothermal synthesis of cubic-shaped ITO nanoparticles precisely controlled in size and shape and their electrical resistivity. <i>Journal of Materials Chemistry</i> , 2010 , 20, 8153		49
56	Photocatalytic Activity of Ni-loaded TiO ₂ Nanoparticles Precisely Controlled in Size and Shape. <i>Chemistry Letters</i> , 2010 , 39, 1080-1081	1.7	12
55	Solvent Diversity in the Preparation of Alkanethiol-capped Gold Nanoparticles. An Approach with a Gold(I) Thiolate Complex. <i>Chemistry Letters</i> , 2010 , 39, 319-321	1.7	3
54	pH-dependence of selenate removal from liquid phase by reductive Fe(II)-Fe(III) hydroxysulfate compound, green rust. <i>Chemosphere</i> , 2009 , 76, 638-43	8.4	38
53	Amino Acid Assisted Hydrothermal Synthesis of In(OH) ₃ Nanoparticles Controlled in Size and Shape. <i>Materials Transactions</i> , 2009 , 50, 2808-2812	1.3	11
52	Synthesis of Thiol-capped Gold Nanoparticles with Organometallic Reagents as a New Class of Reducing Agent. <i>Chemistry Letters</i> , 2009 , 38, 562-563	1.7	10

51	Organic-Inorganic Hybrid Liquid Crystals: Innovation Toward Suprahybrid Material □ <i>Advances in Materials Research</i> , 2009 , 41-53		1
50	Triethylsilane as a mild and efficient reducing agent for the preparation of alkanethiol-capped gold nanoparticles. <i>Chemical Communications</i> , 2008 , 3882-4	5.8	30
49	Direct Preparation and Size Control of Highly Crystalline Cubic ITO Nanoparticles in a Concentrated Solution System. <i>Chemistry Letters</i> , 2008 , 37, 1278-1279	1.7	17
48	Synthesis of Bismuth Sodium Titanate Fine Particles with Different Shapes by the Gel-Sol Method. <i>Materials Transactions</i> , 2007 , 48, 2174-2178	1.3	16
47	Characterization of Different Solid Particles Transformed from Green Rust in Aqueous Solution □ Using XRD, Mössbauer Spectroscopy, and XANES. <i>ISIJ International</i> , 2007 , 47, 1452-1457	1.7	11
46	Analysis of Iron Oxyhydroxides and Oxides Converted from Green Rust in Aqueous Solution. <i>ISIJ International</i> , 2007 , 47, 453-457	1.7	24
45	Ex-situ and in-situ X-ray diffractions of corrosion products freshly formed on the surface of an iron-silicon alloy. <i>Corrosion Science</i> , 2007 , 49, 1081-1096	6.8	28
44	Influence of silicate ions on the formation of goethite from green rust in aqueous solution. <i>Corrosion Science</i> , 2007 , 49, 2946-2961	6.8	29
43	Characterization of Fine Particles of Different Iron Oxides Formed in Aqueous Media. <i>E-Journal of Surface Science and Nanotechnology</i> , 2006 , 4, 352-358	0.7	
42	Organic-inorganic hybrid liquid crystals: thermotropic mesophases formed by hybridization of liquid-crystalline phosphates and monodispersed alpha-Fe ₂ O ₃ particles. <i>Journal of the American Chemical Society</i> , 2005 , 127, 11578-9	16.4	70
41	Inhibition of Conversion Process from Fe(OH) ₃ to β-FeOOH and α-Fe ₂ O ₃ by the Addition of Silicate Ions. <i>ISIJ International</i> , 2005 , 45, 77-81	1.7	23
40	Effect of Silicate Ions on Conversion of Ferric Hydroxide to β-FeOOH and α-Fe ₂ O ₃ . <i>Materials Transactions</i> , 2005 , 46, 155-158	1.3	19
39	Suppression of the Conversion Process of Fe(OH) ₃ to β-FeOOH and α-Fe ₂ O ₃ by Silicate Ions. <i>High Temperature Materials and Processes</i> , 2005 , 24, 275-288	0.9	3
38	Supramolecular chirality of thermotropic liquid-crystalline folic acid derivatives. <i>Angewandte Chemie - International Edition</i> , 2004 , 43, 1969-72	16.4	174
37	Supramolecular Chirality of Thermotropic Liquid-Crystalline Folic Acid Derivatives. <i>Angewandte Chemie</i> , 2004 , 116, 2003-2006	3.6	52
36	Shape control of anatase TiO ₂ nanoparticles by amino acids in a gel-sol system. <i>Chemical Communications</i> , 2004 , 1584-5	5.8	113
35	Influence of Sulfate Ions on Conversion of Fe(OH) ₃ Gel to β-FeOOH and α-Fe ₂ O ₃ . <i>Materials Transactions</i> , 2004 , 45, 968-971	1.3	23
34	Liquid-crystalline stereoregular polyketone prepared from a mesogenic vinylarene and carbon monoxide. <i>Journal of Polymer Science Part A</i> , 2003 , 41, 3556-3563	2.5	11

33	Organic-inorganic hybrid liquid crystals: hybridization of calamitic liquid-crystalline amines with monodispersed anisotropic TiO ₂ nanoparticles. <i>Journal of the American Chemical Society</i> , 2003 , 125, 10518-9	16.4	80
32	Ion-conductive liquid crystals: Formation of stable smectic semi-bilayers by the introduction of perfluoroalkyl moieties. <i>Macromolecular Chemistry and Physics</i> , 2002 , 203, 1547-1555	2.6	27
31	Layered Ionic Liquids: Anisotropic Ion Conduction in New Self-Organized Liquid-Crystalline Materials. <i>Advanced Materials</i> , 2002 , 14, 351	24	196
30	Ion-conductive mechanism in liquid crystalline molecules having polyether segment. <i>Solid State Ionics</i> , 2002 , 154-155, 779-787	3.3	11
29	Stacking of conical molecules with a fullerene apex into polar columns in crystals and liquid crystals. <i>Nature</i> , 2002 , 419, 702-5	50.4	367
28	Liquid-Crystalline Assemblies Containing Ionic Liquids: An Approach to Anisotropic Ionic Materials. <i>Chemistry Letters</i> , 2002 , 31, 320-321	1.7	66
27	Synthesis and Liquid Crystalline Behavior of Stereoregular Polyketones with Mesogenic Side Chains. <i>Macromolecules</i> , 2002 , 35, 1140-1142	5.5	20
26	A rodlike organogelator: fibrous aggregation of azobenzene derivatives with a syn-chiral carbonate moiety. <i>Chemical Communications</i> , 2002 , 1870-1	5.8	72
25	Hydrogen-Bonded Lyotropic Liquid Crystals of Folic Acids: Responses to Environment by Exhibiting Different Complex Patterns. <i>Chemistry Letters</i> , 2001 , 30, 480-481	1.7	25
24	Oxidative Desulfurization-Fluorination: A Facile Entry to a Wide Variety of Organofluorine Compounds Leading to Novel Liquid-Crystalline Materials. <i>Advanced Synthesis and Catalysis</i> , 2001 , 343, 235-250	5.6	76
23	Hydrogen-Bonded Liquid Crystalline Materials: Supramolecular Polymeric Assembly and the Induction of Dynamic Function. <i>Macromolecular Rapid Communications</i> , 2001 , 22, 797-814	4.8	217
22	Self-Organized Ion-Conductive Liquid Crystals: Lithium Salt Complexes of Mesogenic Dimer Molecules Exhibiting Smectic A Phases. <i>Molecular Crystals and Liquid Crystals</i> , 2001 , 364, 589-596		15
21	Self-assembly of thermotropic liquid-crystalline folic acid derivatives: hydrogen-bonded complexes forming layers and columns. <i>Journal of Materials Chemistry</i> , 2001 , 11, 2875-2886		106
20	Hydrogen-Bonded Liquid Crystalline Materials: Supramolecular Polymeric Assembly and the Induction of Dynamic Function 2001 , 22, 797		2
19	Hydrogen-Bonded Liquid Crystalline Materials: Supramolecular Polymeric Assembly and the Induction of Dynamic Function 2001 , 22, 797		1
18	Oxidative Desulfurization-Fluorination—Facile Synthesis of Organofluorine Compounds and Development of Fluorine-containing Novel Liquid-Crystalline Materials—; <i>Nippon Kagaku Kaishi / Chemical Society of Japan - Chemistry and Industrial Chemistry Journal</i> , 2000 , 2000, 749-761		3
17	A Facile Transformation of Terminal Olefins to vic-Difluoro Olefins: Electro-optical Properties of Liquid Crystalline Materials Having vic-Difluoro Olefinic Moiety. <i>Bulletin of the Chemical Society of Japan</i> , 2000 , 73, 1633-1643	5.1	3
16	A Facile Synthesis of Novel Liquid Crystalline Materials Having a Trifluoromethoxy Group and Their Electro-Optical Properties. <i>Bulletin of the Chemical Society of Japan</i> , 2000 , 73, 1875-1892	5.1	18

15	A Convenient Synthesis of Trifluoromethyl Ethers by Oxidative Desulfurization-Fluorination of Dithiocarbonates. <i>Bulletin of the Chemical Society of Japan</i> , 2000 , 73, 471-484	5.1	67
14	Optical switching and alignment of antiferroelectric liquid crystals containing an azo group. <i>Liquid Crystals</i> , 2000 , 27, 555-558	2.3	7
13	Induction of mesophases through the complexation between benzoic acids with lateral groups and polyamides containing a 2,6-diaminopyridine moiety. <i>Liquid Crystals</i> , 2000 , 27, 69-74	2.3	21
12	Thermotropic liquid-crystalline folic acid derivatives: supramolecular discotic and smectic aggregation. <i>Chemical Communications</i> , 2000 , 1899-1900	5.8	46
11	Liquid-Crystalline Ion-Conductive Materials: Self-Organization Behavior and Ion-Transporting Properties of Mesogenic Dimers Containing Oxyethylene Moieties Complexed with Metal Salts. <i>Macromolecules</i> , 2000 , 33, 8109-8111	5.5	45
10	Synthesis and electro-optical properties of 3-substituted phenyl trifluoromethyl ethers. <i>Journal of Fluorine Chemistry</i> , 1999 , 97, 201-206	2.1	6
9	Syntheses and Properties of Novel Liquid Crystals Containing a Trifluoromethylamino Group. <i>Bulletin of the Chemical Society of Japan</i> , 1999 , 72, 2523-2535	5.1	13
8	A Facile Synthesis of Trifluoromethylamines by Oxidative Desulfurization-Fluorination of Dithiocarbamates. <i>Bulletin of the Chemical Society of Japan</i> , 1998 , 71, 1973-1991	5.1	51
7	A Facile Synthesis and Electro-optical Properties of New Liquid Crystals Having a vic-Difluoro Olefinic Moiety. <i>Chemistry Letters</i> , 1998 , 27, 1169-1170	1.7	3
6	Synthesis and Electro-optical Properties of Novel Liquid Crystals Having a Cyclohexyl Trifluoromethyl Ether Moiety. <i>Chemistry Letters</i> , 1997 , 26, 827-828	1.7	5
5	Oxidative desulfurization-fluorination of alkanol xanthates. Control of the reaction pathway to fluorination or trifluoromethoxylation. <i>Chemical Communications</i> , 1997 , 309-310	5.8	27
4	Synthesis and Photochemical Switching of the Antiferroelectric Liquid Crystals Containing a Diazenediyl Group. <i>Chemistry Letters</i> , 1996 , 25, 583-584	1.7	14
3	Synthesis of trifluoromethylamino-substituted pyridines and pyrimidines by oxidative desulfurization-fluorination. <i>Tetrahedron Letters</i> , 1995 , 36, 563-566	2	27
2	Reactions of o-bromoacetylphenones with several primary amines. <i>Journal of Heterocyclic Chemistry</i> , 1995 , 32, 1299-1302	1.9	5
1	Synthesis and Properties of New Liquid Crystals Containing Trifluoromethylamino Group. <i>Chemistry Letters</i> , 1995 , 24, 683-684	1.7	4