

# Sakari B Suominen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/788901/publications.pdf>

Version: 2024-02-01

160  
papers

8,186  
citations

61945

43  
h-index

54882

84  
g-index

162  
all docs

162  
docs citations

162  
times ranked

9959  
citing authors

#	ARTICLE	IF	CITATIONS
1	Job strain as a risk factor for coronary heart disease: a collaborative meta-analysis of individual participant data. <i>Lancet, The</i> , 2012, 380, 1491-1497.	6.3	786
2	Long working hours and risk of coronary heart disease and stroke: a systematic review and meta-analysis of published and unpublished data for 603~838 individuals. <i>Lancet, The</i> , 2015, 386, 1739-1746.	6.3	529
3	Overweight, obesity, and risk of cardiometabolic multimorbidity: pooled analysis of individual-level data for 120~813 adults from 16 cohort studies from the USA and Europe. <i>Lancet Public Health, The</i> , 2017, 2, e277-e285.	4.7	375
4	Association between socioeconomic status and the development of mental and physical health conditions in adulthood: a multi-cohort study. <i>Lancet Public Health, The</i> , 2020, 5, e140-e149.	4.7	332
5	Body mass index and risk of dementia: Analysis of individual-level data from 1.3 million individuals. <i>Alzheimer's and Dementia</i> , 2018, 14, 601-609.	0.4	284
6	Obesity and loss of disease-free years owing to major non-communicable diseases: a multicohort study. <i>Lancet Public Health, The</i> , 2018, 3, e490-e497.	4.7	241
7	Job Strain as a Risk Factor for Leisure-Time Physical Inactivity: An Individual-Participant Meta-Analysis of Up to 170,000 Men and Women: The IPD-Work Consortium. <i>American Journal of Epidemiology</i> , 2012, 176, 1078-1089.	1.6	198
8	Long working hours, socioeconomic status, and the risk of incident type 2 diabetes: a meta-analysis of published and unpublished data from 222~120 individuals. <i>Lancet Diabetes and Endocrinology, the</i> , 2015, 3, 27-34.	5.5	197
9	Incidence and Mortality of Neurofibromatosis: A Total Population Study in Finland. <i>Journal of Investigative Dermatology</i> , 2015, 135, 904-906.	0.3	189
10	Job Strain as a Risk Factor for Type 2 Diabetes: A Pooled Analysis of 124,808 Men and Women. <i>Diabetes Care</i> , 2014, 37, 2268-2275.	4.3	185
11	Perceived job insecurity as a risk factor for incident coronary heart disease: systematic review and meta-analysis. <i>BMJ, The</i> , 2013, 347, f4746-f4746.	3.0	181
12	Sense of coherence as a predictor of subjective state of health. <i>Journal of Psychosomatic Research</i> , 2001, 50, 77-86.	1.2	171
13	Physical inactivity, cardiometabolic disease, and risk of dementia: an individual-participant meta-analysis. <i>BMJ: British Medical Journal</i> , 2019, 365, l1495.	2.4	168
14	Body-mass index and risk of obesity-related complex multimorbidity: an observational multicohort study. <i>Lancet Diabetes and Endocrinology, the</i> , 2022, 10, 253-263.	5.5	160
15	Long working hours and alcohol use: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>BMJ, The</i> , 2015, 350, g7772-g7772.	3.0	152
16	Structural validity and temporal stability of the 13-item sense of coherence scale: Prospective evidence from the population-based HeSSup study. <i>Quality of Life Research</i> , 2007, 16, 483-493.	1.5	142
17	Association of Healthy Lifestyle With Years Lived Without Major Chronic Diseases. <i>JAMA Internal Medicine</i> , 2020, 180, 760.	2.6	140
18	Comparison of alternative versions of the job demand-control scales in 17 European cohort studies: the IPD-Work consortium. <i>BMC Public Health</i> , 2012, 12, 62.	1.2	137

#	ARTICLE	IF	CITATIONS
19	Long working hours and depressive symptoms: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 239-250.	1.7	135
20	Factors contributing to sense of coherence among men and women. <i>European Journal of Public Health</i> , 2004, 14, 322-330.	0.1	127
21	Job Strain and Health-Related Lifestyle: Findings From an Individual-Participant Meta-Analysis of 118 000 Working Adults. <i>American Journal of Public Health</i> , 2013, 103, 2090-2097.	1.5	114
22	Work stress and risk of cancer: meta-analysis of 5700 incident cancer events in 116 000 European men and women. <i>BMJ</i> , The, 2013, 346, f165-f165.	3.0	112
23	Job Strain and Tobacco Smoking: An Individual-Participant Data Meta-Analysis of 166 130 Adults in 15 European Studies. <i>PLoS ONE</i> , 2012, 7, e35463.	1.1	102
24	Work stress and risk of death in men and women with and without cardiometabolic disease: a multicohort study. <i>Lancet Diabetes and Endocrinology</i> , the, 2018, 6, 705-713.	5.5	100
25	Job Strain and the Risk of Stroke. <i>Stroke</i> , 2015, 46, 557-559.	1.0	97
26	Associations of job strain and lifestyle risk factors with risk of coronary artery disease: a meta-analysis of individual participant data. <i>Cmaj</i> , 2013, 185, 763-769.	0.9	95
27	Childhood adversities as a predictor of disability retirement. <i>Journal of Epidemiology and Community Health</i> , 2007, 61, 479-484.	2.0	93
28	Job Strain and Alcohol Intake: A Collaborative Meta-Analysis of Individual-Participant Data from 140 000 Men and Women. <i>PLoS ONE</i> , 2012, 7, e40101.	1.1	93
29	Lifestyle factors and risk of sickness absence from work: a multicohort study. <i>Lancet Public Health</i> , The, 2018, 3, e545-e554.	4.7	88
30	Psychological and Somatic Symptoms of Anxiety and Risk of Coronary Heart Disease: The Health and Social Support Prospective Cohort Study. <i>Biological Psychiatry</i> , 2010, 67, 378-385.	0.7	87
31	Communication and Cultural Issues in Providing Reproductive Health Care to Immigrant Women: Health Care Providers' Experiences in Meeting Somali Women Living in Finland. <i>Journal of Immigrant and Minority Health</i> , 2012, 14, 330-343.	0.8	85
32	Liability to Anxiety and Severe Life Events as Predictors of New-Onset Sleep Disturbances. <i>Sleep</i> , 2007, 30, 1537-1546.	0.6	80
33	Long working hours as a risk factor for atrial fibrillation: a multi-cohort study. <i>European Heart Journal</i> , 2017, 38, 2621-2628.	1.0	76
34	Hospital-treated infectious diseases and the risk of dementia: a large, multicohort, observational study with a replication cohort. <i>Lancet Infectious Diseases</i> , The, 2021, 21, 1557-1567.	4.6	65
35	Development of sense of coherence in adulthood: a person-centered approach. The population-based HeSSup cohort study. <i>Quality of Life Research</i> , 2011, 20, 69-79.	1.5	64
36	Does depression predict coronary heart disease and cerebrovascular disease equally well? The Health and Social Support Prospective Cohort Study. <i>International Journal of Epidemiology</i> , 2010, 39, 1016-1024.	0.9	56

#	ARTICLE	IF	CITATIONS
37	Childhood adversities, parent-child relationships and dispositional optimism in adulthood. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 286-292.	1.6	49
38	Sense of coherence and health " does the association depend on resistance resources? A study of 3115 adults in Finland. <i>Psychology and Health</i> , 1999, 14, 937-948.	1.2	48
39	Job insecurity and risk of diabetes: a meta-analysis of individual participant data. <i>Cmaj</i> , 2016, 188, E447-E455.	0.9	47
40	Non-response in a nationwide follow-up postal survey in Finland: a register-based mortality analysis of respondents and non-respondents of the Health and Social Support (HeSSup) Study. <i>BMJ Open</i> , 2012, 2, e000657.	0.8	46
41	Eating Habits and Dietary Intake: Is Adherence to Dietary Guidelines Associated with Importance of Healthy Eating among Undergraduate University Students in Finland?. <i>Central European Journal of Public Health</i> , 2015, 23, 306-313.	0.4	46
42	Low Pessimism Protects Against Stroke. <i>Stroke</i> , 2010, 41, 187-190.	1.0	45
43	Vitamin D supplementation and prevention of cardiovascular disease and cancer in the Finnish Vitamin D Trial: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2022, 115, 1300-1310.	2.2	45
44	Determinants of physical activity among patients with type 2 diabetes: the role of perceived autonomy support, autonomous motivation and self-care competence. <i>Psychology, Health and Medicine</i> , 2017, 22, 332-344.	1.3	44
45	Factors associated with perceived health among 12-year-old school children. Relevance of physical exercise and sense of coherence. <i>Scandinavian Journal of Public Health</i> , 2005, 33, 35-41.	1.2	43
46	Sense of coherence and its determinants: A comparative study of the Finnish-speaking majority and the Swedish-speaking minority in Finland. <i>Scandinavian Journal of Public Health</i> , 2006, 34, 515-525.	1.2	43
47	Organizational justice at school and its associations with pupils' psychosocial school environment, health, and wellbeing. <i>Social Science and Medicine</i> , 2011, 73, 1675-1682.	1.8	39
48	Early Childhood Psychological Problems Predict a Poor Sense of Coherence in Adolescents. <i>Journal of Health Psychology</i> , 2009, 14, 587-600.	1.3	37
49	The effect of exposure to long working hours on alcohol consumption, risky drinking and alcohol use disorder: A systematic review and meta-analysis from the WHO/ILO Joint Estimates of the Work-related Burden of Disease and Injury. <i>Environment International</i> , 2021, 146, 106205.	4.8	36
50	Paediatric health-related quality of life instrument for primary school children: cross-cultural validation. <i>Journal of Advanced Nursing</i> , 2007, 59, 542-550.	1.5	35
51	Stability of the sense of coherence in adolescence. <i>International Journal of Adolescent Medicine and Health</i> , 2008, 20, 85-91.	0.6	35
52	Modifications to residential neighbourhood characteristics and risk of 79 common health conditions: a prospective cohort study. <i>Lancet Public Health</i> , The, 2021, 6, e396-e407.	4.7	32
53	Job Strain, Life Events, and Sickness Absence: A Longitudinal Cohort Study in a Random Population Sample. <i>Journal of Occupational and Environmental Medicine</i> , 2007, 49, 990-996.	0.9	31
54	Socioeconomic Disadvantage and Indicators of Risky Alcohol-drinking Patterns. <i>Alcohol and Alcoholism</i> , 2013, 48, 207-214.	0.9	31

#	ARTICLE	IF	CITATIONS
55	Reproductive and maternity health care services in Finland: perceptions and experiences of Somali-born immigrant women. <i>Ethnicity and Health</i> , 2014, 19, 348-366.	1.5	31
56	Social support and breast cancer: A comparative study of breast cancer survivors, women with mental depression, women with hypertension and healthy female controls. <i>Breast</i> , 2017, 35, 85-90.	0.9	31
57	Long working hours and change in body weight: analysis of individual-participant data from 19 cohort studies. <i>International Journal of Obesity</i> , 2020, 44, 1368-1375.	1.6	29
58	Sense of coherence and disability pensions. A nationwide, register based prospective population study of 2196 adult Finns. <i>Journal of Epidemiology and Community Health</i> , 2005, 59, 455-459.	2.0	28
59	Cognitive stimulation in the workplace, plasma proteins, and risk of dementia: three analyses of population cohort studies. <i>BMJ</i> , The, 2021, 374, n1804.	3.0	28
60	Association between amount of sleep, daytime sleepiness and health-related quality of life in schoolchildren. <i>Journal of Advanced Nursing</i> , 2016, 72, 1263-1272.	1.5	27
61	Outsourcing primary health care services—How politicians explain the grounds for their decisions. <i>Health Policy</i> , 2008, 88, 294-307.	1.4	26
62	Employment trajectories and changes in sense of coherence. <i>European Journal of Public Health</i> , 2010, 20, 293-298.	0.1	26
63	Work-Related Violence, Lifestyle, and Health Among Special Education Teachers Working in Finnish Basic Education. <i>Journal of School Health</i> , 2012, 82, 336-343.	0.8	24
64	Neighborhood socioeconomic status and adherence to dietary recommendations among Finnish adults: A retrospective follow-up study. <i>Health and Place</i> , 2019, 55, 43-50.	1.5	24
65	Sense of coherence and intentions to retire early among Finnish women and men. <i>BMC Public Health</i> , 2010, 10, 22.	1.2	22
66	Socio-emotional development of children with foetal alcohol spectrum disorders in long-term foster family care: a qualitative study. <i>Nordic Social Work Research</i> , 2013, 3, 38-58.	0.5	22
67	Migraine predicts hypertension—a cohort study of the Finnish working-age population. <i>European Journal of Public Health</i> , 2014, 24, 244-248.	0.1	22
68	Mood and food at the University of Turku in Finland: nutritional correlates of perceived stress are most pronounced among overweight students. <i>International Journal of Public Health</i> , 2015, 60, 707-716.	1.0	21
69	Long working hours and risk of 50 health conditions and mortality outcomes: a multicohort study in four European countries. <i>Lancet Regional Health - Europe</i> , The, 2021, 11, 100212.	3.0	21
70	Trends in high life satisfaction among adolescents in five Nordic countries 2002–2014. <i>Nordisk V�lf�rdsforskning</i> , 2019, 4, 54-66.	0.2	21
71	The adult sense of coherence scale is applicable to 12-year-old schoolchildren—an additional tool in health promotion. <i>Acta Paediatrica</i> , <i>International Journal of Paediatrics</i> , 2006, 95, 952-955.	0.7	20
72	A supportive family environment in childhood enhances the level and heritability of sense of coherence in early adulthood. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1951-1960.	1.6	20

#	ARTICLE	IF	CITATIONS
73	Determinants of sickness absence rate among Finnish municipal employees. <i>Scandinavian Journal of Primary Health Care</i> , 2019, 37, 3-9.	0.6	20
74	Is Alcohol Consumption Associated with Poor Perceived Academic Performance? Survey of Undergraduates in Finland. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1369.	1.2	20
75	Is Healthier Nutrition Behaviour Associated with Better Self-Reported Health and Less Health Complaints? Evidence from Turku, Finland. <i>Nutrients</i> , 2015, 7, 8478-8490.	1.7	19
76	Quality of primary health care and autonomous motivation for effective diabetes self-management among patients with type 2 diabetes. <i>Health Psychology Open</i> , 2017, 4, 205510291770718.	0.7	19
77	Health related quality of life in 10-year-old schoolchildren. <i>Quality of Life Research</i> , 2008, 17, 1049-1054.	1.5	18
78	Students' school satisfaction as predictor of teachers' sickness absence: a prospective cohort study. <i>European Journal of Public Health</i> , 2012, 22, 215-219.	0.1	18
79	Association of Alcohol-Induced Loss of Consciousness and Overall Alcohol Consumption With Risk for Dementia. <i>JAMA Network Open</i> , 2020, 3, e2016084.	2.8	18
80	Sense of coherence predicts adolescent mental health. <i>Journal of Affective Disorders</i> , 2020, 274, 1206-1210.	2.0	18
81	Long working hours and cancer risk: a multi-cohort study. <i>British Journal of Cancer</i> , 2016, 114, 813-818.	2.9	17
82	Job Strain and the Risk of Inflammatory Bowel Diseases: Individual-Participant Meta-Analysis of 95 000 Men and Women. <i>PLoS ONE</i> , 2014, 9, e88711.	1.1	17
83	Correlates of Achieving the Guidelines of Four Forms of Physical Activity, and the Relationship between Guidelines Achievement and Academic Performance: Undergraduate Students in Finland. <i>Central European Journal of Public Health</i> , 2017, 25, 87-95.	0.4	17
84	Residential greenness and risks of depression: Longitudinal associations with different greenness indicators and spatial scales in a Finnish population cohort. <i>Health and Place</i> , 2022, 74, 102760.	1.5	17
85	Organizational Justice in Primary-Care Health Centers and Glycemic Control in Patients With Type 2 Diabetes. <i>Medical Care</i> , 2012, 50, 831-835.	1.1	16
86	Dental fear affects adolescent perception of interaction with dental staff. <i>European Journal of Oral Sciences</i> , 2014, 122, 339-345.	0.7	16
87	Health-care climate, perceived self-care competence, and glycemic control among patients with type 2 diabetes in primary care. <i>Health Psychology Open</i> , 2015, 2, 205510291557977.	0.7	16
88	Sickness absence diagnoses among abstainers, low-risk drinkers and at-risk drinkers: consideration of the U-shaped association between alcohol use and sickness absence in four cohort studies. <i>Addiction</i> , 2018, 113, 1633-1642.	1.7	16
89	Bullying Victimization Prevalence and Its Effects on Psychosomatic Complaints: Can Sense of Coherence Make a Difference?. <i>Journal of School Health</i> , 2014, 84, 646-653.	0.8	15
90	Healthy Learning Mind - a school-based mindfulness and relaxation program: a study protocol for a cluster randomized controlled trial. <i>BMC Psychology</i> , 2016, 4, 35.	0.9	15

#	ARTICLE	IF	CITATIONS
91	Long-term results of deep sclerectomy in normal-tension glaucoma. <i>Acta Ophthalmologica</i> , 2018, 96, 154-160.	0.6	15
92	Neglecting the care of older people in residential care settings: A national document analysis of complaints reported to the Finnish supervisory authority. <i>Health and Social Care in the Community</i> , 2022, 30, .	0.7	15
93	Low Level of Optimism Predicts Initiation of Psychotherapy for Depression: Results from the Finnish Public Sector Study. <i>Psychotherapy and Psychosomatics</i> , 2011, 80, 238-244.	4.0	14
94	Subjective measures of binge drinking and alcohol-specific adverse health outcomes: a prospective cohort study. <i>Addiction</i> , 2012, 107, 323-330.	1.7	14
95	Success in Weight Management Among Patients with Type 2 Diabetes: Do Perceived Autonomy Support, Autonomous Motivation, and Self-Care Competence Play a Role?. <i>Behavioral Medicine</i> , 2018, 44, 151-159.	1.0	14
96	How to promote fruits, vegetables, and berries intake among patients with type 2 diabetes in primary care? A self-determination theory perspective. <i>Health Psychology Open</i> , 2019, 6, 205510291985497.	0.7	14
97	Association of pupil vandalism, bullying and truancy with teachers' absence due to illness: A multilevel analysis. <i>Journal of School Psychology</i> , 2012, 50, 347-361.	1.5	13
98	Dental fear and sense of coherence among 18-year-old adolescents in Finland. <i>European Journal of Oral Sciences</i> , 2013, 121, 247-251.	0.7	13
99	Multicohort study of change in job strain, poor mental health and incident cardiometabolic disease. <i>Occupational and Environmental Medicine</i> , 2019, 76, 785-792.	1.3	13
100	The importance of and satisfaction with sex life among breast cancer survivors in comparison with healthy female controls and women with mental depression or arterial hypertension: results from the Finnish nationwide HeSSup cohort study. <i>Supportive Care in Cancer</i> , 2020, 28, 3847-3854.	1.0	13
101	Sense of Coherence and Mortality: A Systematic Review and Meta-Analysis. <i>Psychosomatic Medicine</i> , 2020, 82, 561-567.	1.3	13
102	Job Strain as a Risk Factor for Peripheral Artery Disease: A Multi-Cohort Study. <i>Journal of the American Heart Association</i> , 2020, 9, e013538.	1.6	13
103	Success in increasing physical activity (PA) among patients with type 2 diabetes: a self-determination theory perspective. <i>Health Psychology and Behavioral Medicine</i> , 2018, 6, 104-119.	0.8	12
104	Prevalence and Socio-Demographic, Academic, Health and Lifestyle Predictors of Illicit Drug/s Use among University Undergraduate Students in Finland. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5094.	1.2	12
105	Changed health behavior improves subjective well-being and vice versa in a follow-up of 9 years. <i>Health and Quality of Life Outcomes</i> , 2022, 20, 66.	1.0	12
106	Job strain and COPD exacerbations: an individual-participant meta-analysis. <i>European Respiratory Journal</i> , 2014, 44, 247-251.	3.1	11
107	Multiple adverse childhood experiences and asthma onset in adulthood: Role of adulthood risk factors as mediators. <i>Journal of Psychosomatic Research</i> , 2021, 143, 110388.	1.2	11
108	Longitudinal stability and interrelations between health behavior and subjective well-being in a follow-up of nine years. <i>PLoS ONE</i> , 2021, 16, e0259280.	1.1	11

#	ARTICLE	IF	CITATIONS
109	The change in child self-assessed and parent proxy-assessed Health Related Quality of Life (HRQL) in early adolescence (age 10â€”12). <i>Scandinavian Journal of Public Health</i> , 2010, 38, 9-16.	1.2	10
110	Patientsâ€™ assessment of chronic illness care: a validation study among patients with type 2 diabetes in Finland. <i>BMC Health Services Research</i> , 2018, 18, 412.	0.9	10
111	Effects of school-based mindfulness intervention on health-related quality of life: moderating effect of gender, grade, and independent practice in cluster randomized controlled trial. <i>Quality of Life Research</i> , 2021, 30, 3407-3419.	1.5	10
112	Client perceptions of the performance of public and independent not-for-profit primary healthcare. <i>Scandinavian Journal of Public Health</i> , 2006, 34, 598-608.	1.2	9
113	Empowerment among adult patients with type 2 diabetes: age differentials in relation to person-centred primary care, community resources, social support and other life-contextual circumstances. <i>BMC Public Health</i> , 2021, 21, 844.	1.2	9
114	Does increasing physical activity reduce the excess risk of work disability among overweight individuals?. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019, 45, 376-385.	1.7	9
115	Health behavior of working-aged Finns predicts self-reported life satisfaction in a population-based 9-years follow-up. <i>BMC Public Health</i> , 2021, 21, 1815.	1.2	9
116	Academic and social success in adolescents with previous febrile seizures. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2011, 20, 326-330.	0.9	8
117	Job strain and supervisor support in primary care health centres and glycaemic control among patients with type 2 diabetes: a cross-sectional study. <i>BMJ Open</i> , 2013, 3, e002297.	0.8	8
118	Association of Self-Perceived Physical Competence and Leisure-Time Physical Activity in Childhoodâ€”A Follow-Up Study. <i>Journal of School Health</i> , 2017, 87, 236-243.	0.8	8
119	The association between bullying victimization in childhood and fibromyalgia. Data from the nationwide Finnish health and social support (HeSSup) study based on a sample of 64,797 individuals. <i>Journal of Psychosomatic Research</i> , 2019, 117, 48-53.	1.2	8
120	The effect of smoking cessation on work disability risk: a longitudinal study analysing observational data as non-randomized nested pseudo-trials. <i>International Journal of Epidemiology</i> , 2019, 48, 415-422.	0.9	8
121	Empowerment-enabling home and school environments and self-rated health among Finnish adolescents. <i>Health Promotion International</i> , 2020, 35, 82-92.	0.9	8
122	Trends in excellent self-rated health among adolescents: A comparative Nordic study. <i>Nordisk VÃlfrÃrdsforskning</i> , 2019, 4, 67-76.	0.2	8
123	Towards enhancing research on adolescent positive mental health. <i>Nordisk VÃlfrÃrdsforskning</i> , 2019, 4, 113-128.	0.2	8
124	Sociodemographic Differences Between Alcohol Use and Sickness Absence: Pooled Analysis of Four Cohort Studies. <i>Alcohol and Alcoholism</i> , 2018, 53, 95-103.	0.9	7
125	Increasing age-adjusted male-to-female incidence ratio of Parkinson's disease. <i>Movement Disorders</i> , 2015, 30, 286-288.	2.2	6
126	The Effects of School-based Mindfulness Intervention on Executive Functioning in a Cluster Randomized Controlled Trial. <i>Developmental Neuropsychology</i> , 2020, 45, 469-484.	1.0	6



#	ARTICLE	IF	CITATIONS
127	Psychosocial work environment and emotional exhaustion—Does a service provision model play a role?. <i>Health Policy</i> , 2010, 94, 111-119.	1.4	5
128	Subjective Measures of Binge Drinking, Suboptimal Subjective Health and Alcohol-Specific Hospitalizations Among Working-Aged Adults: A Prospective Cohort Study. <i>Alcohol and Alcoholism</i> , 2011, 46, 607-613.	0.9	5
129	Building knowledge of adolescent mental health in the Nordic countries. <i>Nordisk VÃlfÃrdsforskning</i> , 2019, 4, 43-53.	0.2	5
130	Subjective well-being predicts health behavior in a population-based 9-years follow-up of working-aged Finns. <i>Preventive Medicine Reports</i> , 2021, 24, 101635.	0.8	5
131	Differential Item Functioning in Trend Analyses of Adolescent Mental Health — Illustrative Examples Using HBSC-Data from Finland. <i>Child Indicators Research</i> , 2017, 10, 673-691.	1.1	4
132	An Example of How Immortal Time Bias Can Reverse the Results of an Observational Study. <i>Epidemiology</i> , 2020, 31, e19-e20.	1.2	4
133	The genetic background of the associations between sense of coherence and mental health, self-esteem and personality. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 423-433.	1.6	4
134	Prevalent migraine as a predictor of incident hypertension. <i>European Journal of Public Health</i> , 2022, 32, 297-301.	0.1	4
135	Association of alcohol use with years lived without major chronic diseases: A multicohort study from the IPD-Work consortium and UK Biobank. <i>Lancet Regional Health - Europe, The</i> , 2022, 19, 100417.	3.0	4
136	Job involvement of primary healthcare employees: Does a service provision model play a role?. <i>Scandinavian Journal of Public Health</i> , 2010, 38, 266-274.	1.2	3
137	Determinants of effective health promotion actions in local contexts: a study of the perceptions of municipal politicians. <i>International Journal of Public Health</i> , 2012, 57, 787-795.	1.0	3
138	Self-reported rather than registered cancer is associated with psychosocial strain. <i>BMC Family Practice</i> , 2012, 13, 107.	2.9	3
139	Study protocol for examining job strain as a risk factor for severe unipolar depression in an individual participant meta-analysis of 14 European cohorts. <i>F1000Research</i> , 2013, 2, 233.	0.8	3
140	Long-term changes in sense of coherence and mortality among middle-aged men: A population -based follow-up study. <i>Advances in Life Course Research</i> , 2022, 53, 100494.	0.8	3
141	Educational level and the use of mental health services, psychotropic medication and psychotherapy among adults with a history of physician diagnosed mental disorders. <i>International Journal of Social Psychiatry</i> , 0, , 002076402211110.	1.6	3
142	Finnish Health Journalistsâ€™ Perceptions of Collaborating with Medical Professionals. <i>Communications in Computer and Information Science</i> , 2014, , 1-15.	0.4	2
143	Complaints Made to the Council for Mass Media in Finland Concerning the Personal and Professional Lives of Doctors. <i>Communications in Computer and Information Science</i> , 2012, , 91-103.	0.4	2
144	Healthy Learning Mind (HLM): Cluster Randomized Controlled Trial on A Mindfulness Intervention, Moderators and Association with Perceived Socioeconomic Status, and Comparison to Other National Data. <i>Child and Youth Care Forum</i> , 2023, 52, 157-176.	0.9	2

#	ARTICLE	IF	CITATIONS
145	Does patientsâ€™ choice of health centre doctor depend on the organization? A comparative study of four municipalities with different forms of service provision in Finland. <i>Scandinavian Journal of Public Health</i> , 2010, 38, 715-723.	1.2	1
146	Call for a new Chief Editor. <i>Scandinavian Journal of Public Health</i> , 2012, 40, 113-113.	1.2	1
147	Message from the Chair of the Executive Board. <i>Scandinavian Journal of Public Health</i> , 2016, 44, 629-629.	1.2	1
148	Change in Î² 2 -agonist use after severe life events in adults with asthma: A population-based cohort study. <i>Journal of Psychosomatic Research</i> , 2017, 100, 46-52.	1.2	1
149	Does chronic pain hinder physical activity among older adults with type 2 diabetes?. <i>Health Psychology and Behavioral Medicine</i> , 2020, 8, 362-382.	0.8	1
150	Neighbourhood characteristics as a predictor of adherence to dietary recommendations: A population-based cohort study of Finnish adults. <i>Scandinavian Journal of Public Health</i> , 2020, , 140349482097149.	1.2	1
151	Does health literacy explain regional health disparities among adolescents in Finland?. <i>Health Promotion International</i> , 2021, , .	0.9	1
152	Cost-effectiveness calculators for health, well-being and safety promotion: a systematic review. <i>European Journal of Public Health</i> , 2021, 31, 997-1003.	0.1	1
153	Study protocol for examining job strain as a risk factor for severe unipolar depression in an individual participant meta-analysis of 14 European cohorts. <i>F1000Research</i> , 0, 2, 233.	0.8	1
154	Trends in perceived school stress among adolescents in five Nordic countries 2002&#8211;2014. <i>Nordisk VÃlfÃrdsforskning</i> , 2019, 4, 101-112.	0.2	1
155	Parental distress rating at the childâ€™s age of 15â€‰years predicts probable mental diagnosis: a three-year follow-up. <i>BMC Pediatrics</i> , 2022, 22, 177.	0.7	1
156	Aspects from the Deans on the Nordic School of Public Health. <i>Scandinavian Journal of Public Health</i> , 2015, 43, 9-11.	1.2	0
157	From margarine to butter: predictors of changing bread spread in an 11-year population follow-up. <i>Public Health Nutrition</i> , 2016, 19, 1707-1717.	1.1	0
158	Interdisciplinary education and research as a basis for the integration of social and health care. <i>International Journal of Integrated Care</i> , 2019, 19, 458.	0.1	0
159	Sosiaali- ja terveydenhuollon alueellisten palveluketjujen kehittÃ¤minen. <i>Sosiaalilaaketieteellinen Aikakauslehti</i> , 2020, 57, .	0.0	0
160	Teenagersâ€™ mental health problems predict probable mental diagnosis 3Â years later among girls, but what about the boys?. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2022, 16, .	1.2	0