

Sakari B Suominen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/788901/sakari-b-suominen-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

150 papers	5,392 citations	37 h-index	70 g-index
162 ext. papers	6,739 ext. citations	5.1 avg, IF	5.13 L-index

#	Paper	IF	Citations
150	Vitamin D supplementation and prevention of cardiovascular disease and cancer in the Finnish Vitamin D Trial-a randomized controlled trial.. <i>American Journal of Clinical Nutrition</i> , 2022 ,	7	3
149	Residential greenness and risks of depression: Longitudinal associations with different greenness indicators and spatial scales in a Finnish population cohort.. <i>Health and Place</i> , 2022 , 74, 102760	4.6	0
148	Parental distress rating at the child's age of 15 years predicts probable mental diagnosis: a three-year follow-up.. <i>BMC Pediatrics</i> , 2022 , 22, 177	2.6	0
147	Body-mass index and risk of obesity-related complex multimorbidity: an observational multicohort study.. <i>Lancet Diabetes and Endocrinology</i> , 2022 ,	18.1	10
146	Changed health behavior improves subjective well-being and vice versa in a follow-up of 9 years.. <i>Health and Quality of Life Outcomes</i> , 2022 , 20, 66	3	0
145	Association of alcohol use with years lived without major chronic diseases: A multicohort study from the IPD-Work consortium and UK Biobank. <i>Lancet Regional Health - Europe</i> , 2022 , 19, 100417		0
144	Subjective well-being predicts health behavior in a population-based 9-years follow-up of working-aged Finns.. <i>Preventive Medicine Reports</i> , 2021 , 24, 101635	2.6	2
143	Health behavior of working-aged Finns predicts self-reported life satisfaction in a population-based 9-years follow-up. <i>BMC Public Health</i> , 2021 , 21, 1815	4.1	2
142	Longitudinal stability and interrelations between health behavior and subjective well-being in a follow-up of nine years. <i>PLoS ONE</i> , 2021 , 16, e0259280	3.7	2
141	Multiple adverse childhood experiences and asthma onset in adulthood: Role of adulthood risk factors as mediators. <i>Journal of Psychosomatic Research</i> , 2021 , 143, 110388	4.1	5
140	The genetic background of the associations between sense of coherence and mental health, self-esteem and personality. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 1	4.5	0
139	Empowerment among adult patients with type 2 diabetes: age differentials in relation to person-centred primary care, community resources, social support and other life-contextual circumstances. <i>BMC Public Health</i> , 2021 , 21, 844	4.1	1
138	Cost-effectiveness calculators for health, well-being and safety promotion: a systematic review. <i>European Journal of Public Health</i> , 2021 , 31, 997-1003	2.1	0
137	Effects of school-based mindfulness intervention on health-related quality of life: moderating effect of gender, grade, and independent practice in cluster randomized controlled trial. <i>Quality of Life Research</i> , 2021 , 30, 3407-3419	3.7	2
136	Hospital-treated infectious diseases and the risk of dementia: a large, multicohort, observational study with a replication cohort. <i>Lancet Infectious Diseases</i> , 2021 , 21, 1557-1567	25.5	19
135	Modifications to residential neighbourhood characteristics and risk of 79 common health conditions: a prospective cohort study. <i>Lancet Public Health</i> , 2021 , 6, e396-e407	22.4	8
134	The effect of exposure to long working hours on alcohol consumption, risky drinking and alcohol use disorder: A systematic review and meta-analysis from the WHO/ILO Joint Estimates of the Work-related Burden of Disease and Injury. <i>Environment International</i> , 2021 , 146, 106205	12.9	15

133	Cognitive stimulation in the workplace, plasma proteins, and risk of dementia: three analyses of population cohort studies. <i>BMJ, The</i> , 2021 , 374, n1804	5.9	5
132	Long working hours and risk of 50 health conditions and mortality outcomes: a multicohort study in four European countries.. <i>Lancet Regional Health - Europe, The</i> , 2021 , 11, 100212		4
131	The Effects of School-based Mindfulness Intervention on Executive Functioning in a Cluster Randomized Controlled Trial. <i>Developmental Neuropsychology</i> , 2020 , 45, 469-484	1.8	4
130	Job Strain as a Risk Factor for Peripheral Artery Disease: A Multi-Cohort Study. <i>Journal of the American Heart Association</i> , 2020 , 9, e013538	6	5
129	Sense of coherence predicts adolescent mental health. <i>Journal of Affective Disorders</i> , 2020 , 274, 1206-1216	11.0	5
128	Is Alcohol Consumption Associated with Poor Perceived Academic Performance? Survey of Undergraduates in Finland. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	12
127	Association between socioeconomic status and the development of mental and physical health conditions in adulthood: a multi-cohort study. <i>Lancet Public Health, The</i> , 2020 , 5, e140-e149	22.4	132
126	Association of Healthy Lifestyle With Years Lived Without Major Chronic Diseases. <i>JAMA Internal Medicine</i> , 2020 , 180, 760-768	11.5	59
125	The importance of and satisfaction with sex life among breast cancer survivors in comparison with healthy female controls and women with mental depression or arterial hypertension: results from the Finnish nationwide HeSSup cohort study. <i>Supportive Care in Cancer</i> , 2020 , 28, 3847-3854	3.9	5
124	Long working hours and change in body weight: analysis of individual-participant data from 19 cohort studies. <i>International Journal of Obesity</i> , 2020 , 44, 1368-1375	5.5	7
123	An Example of How Immortal Time Bias Can Reverse the Results of an Observational Study. <i>Epidemiology</i> , 2020 , 31, e19-e20	3.1	3
122	Prevalence and Socio-Demographic, Academic, Health and Lifestyle Predictors of Illicit Drug/s Use among University Undergraduate Students in Finland. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	9
121	Sense of Coherence and Mortality: A Systematic Review and Meta-Analysis. <i>Psychosomatic Medicine</i> , 2020 , 82, 561-567	3.7	4
120	Does chronic pain hinder physical activity among older adults with type 2 diabetes?. <i>Health Psychology and Behavioral Medicine</i> , 2020 , 8, 362-382	2.2	
119	Association of Alcohol-Induced Loss of Consciousness and Overall Alcohol Consumption With Risk for Dementia. <i>JAMA Network Open</i> , 2020 , 3, e2016084	10.4	9
118	Neighbourhood characteristics as a predictor of adherence to dietary recommendations: A population-based cohort study of Finnish adults. <i>Scandinavian Journal of Public Health</i> , 2020 , 1403494820971497		7
117	Empowerment-enabling home and school environments and self-rated health among Finnish adolescents. <i>Health Promotion International</i> , 2020 , 35, 82-92	3	2
116	The association between bullying victimization in childhood and fibromyalgia. Data from the nationwide Finnish health and social support (HeSSup) study based on a sample of 64,797 individuals. <i>Journal of Psychosomatic Research</i> , 2019 , 117, 48-53	4.1	2

115	Physical inactivity, cardiometabolic disease, and risk of dementia: an individual-participant meta-analysis. <i>BMJ, The</i> , 2019 , 365, l1495	5.9	80
114	The effect of smoking cessation on work disability risk: a longitudinal study analysing observational data as non-randomized nested pseudo-trials. <i>International Journal of Epidemiology</i> , 2019 , 48, 415-422	7.8	4
113	Determinants of sickness absence rate among Finnish municipal employees. <i>Scandinavian Journal of Primary Health Care</i> , 2019 , 37, 3-9	2.7	7
112	How to promote fruits, vegetables, and berries intake among patients with type 2 diabetes in primary care? A self-determination theory perspective. <i>Health Psychology Open</i> , 2019 , 6, 2055102919854977	1.9	5
111	Building knowledge of adolescent mental health in the Nordic countries. <i>Nordisk Vårdsforskning</i> , 2019 , 4, 43-53	0.8	2
110	Trends in high life satisfaction among adolescents in five Nordic countries 2002–2014. <i>Nordisk Vårdsforskning</i> , 2019 , 4, 54-66	0.8	10
109	Trends in excellent self-rated health among adolescents: A comparative Nordic study. <i>Nordisk Vårdsforskning</i> , 2019 , 4, 67-76	0.8	4
108	Towards enhancing research on adolescent positive mental health. <i>Nordisk Vårdsforskning</i> , 2019 , 4, 113-128	0.8	5
107	Does increasing physical activity reduce the excess risk of work disability among overweight individuals?. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019 , 45, 376-385	4.3	7
106	Trends in perceived school stress among adolescents in five Nordic countries 2002–2014. <i>Nordisk Vårdsforskning</i> , 2019 , 4, 101-112	0.8	1
105	Multicohort study of change in job strain, poor mental health and incident cardiometabolic disease. <i>Occupational and Environmental Medicine</i> , 2019 , 76, 785-792	2.1	10
104	Neighborhood socioeconomic status and adherence to dietary recommendations among Finnish adults: A retrospective follow-up study. <i>Health and Place</i> , 2019 , 55, 43-50	4.6	15
103	Sociodemographic Differences Between Alcohol Use and Sickness Absence: Pooled Analysis of Four Cohort Studies. <i>Alcohol and Alcoholism</i> , 2018 , 53, 95-103	3.5	5
102	Success in Weight Management Among Patients with Type 2 Diabetes: Do Perceived Autonomy Support, Autonomous Motivation, and Self-Care Competence Play a Role?. <i>Behavioral Medicine</i> , 2018 , 44, 151-159	4.4	10
101	Long-term results of deep sclerectomy in normal-tension glaucoma. <i>Acta Ophthalmologica</i> , 2018 , 96, 154-160	3.7	8
100	Success in increasing physical activity (PA) among patients with type 2 diabetes: a self-determination theory perspective. <i>Health Psychology and Behavioral Medicine</i> , 2018 , 6, 104-119	2.2	8
99	Patients' assessment of chronic illness care: a validation study among patients with type 2 diabetes in Finland. <i>BMC Health Services Research</i> , 2018 , 18, 412	2.9	6
98	Work stress and risk of death in men and women with and without cardiometabolic disease: a multicohort study. <i>Lancet Diabetes and Endocrinology,the</i> , 2018 , 6, 705-713	18.1	61

97	Sickness absence diagnoses among abstainers, low-risk drinkers and at-risk drinkers: consideration of the U-shaped association between alcohol use and sickness absence in four cohort studies. <i>Addiction</i> , 2018 , 113, 1633	4.6	11
96	Long working hours and depressive symptoms: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018 , 44, 239-250	4.3	67
95	Body mass index and risk of dementia: Analysis of individual-level data from 1.3 million individuals. <i>Alzheimer's and Dementia</i> , 2018 , 14, 601-609	1.2	163
94	Lifestyle factors and risk of sickness absence from work: a multicohort study. <i>Lancet Public Health, The</i> , 2018 , 3, e545-e554	22.4	47
93	Obesity and loss of disease-free years owing to major non-communicable diseases: a multicohort study. <i>Lancet Public Health, The</i> , 2018 , 3, e490-e497	22.4	138
92	Determinants of physical activity among patients with type 2 diabetes: the role of perceived autonomy support, autonomous motivation and self-care competence. <i>Psychology, Health and Medicine</i> , 2017 , 22, 332-344	2.1	32
91	Association of Self-Perceived Physical Competence and Leisure-Time Physical Activity in Childhood-A Follow-Up Study. <i>Journal of School Health</i> , 2017 , 87, 236-243	2.1	6
90	Overweight, obesity, and risk of cardiometabolic multimorbidity: pooled analysis of individual-level data for 120 813 adults from 16 cohort studies from the USA and Europe. <i>Lancet Public Health, The</i> , 2017 , 2, e277-e285	22.4	214
89	Quality of primary health care and autonomous motivation for effective diabetes self-management among patients with type 2 diabetes. <i>Health Psychology Open</i> , 2017 , 4, 2055102917707181	1.9	11
88	Differential Item Functioning in Trend Analyses of Adolescent Mental Health Illustrative Examples Using HBSC-Data from Finland. <i>Child Indicators Research</i> , 2017 , 10, 673-691	1.9	2
87	Change in Inhaled Corticosteroid use after severe life events in adults with asthma: A population-based cohort study: Life events and bronchodilator usage among adults with asthma. <i>Journal of Psychosomatic Research</i> , 2017 , 100, 46-52	4.1	1
86	Social support and breast cancer: A comparative study of breast cancer survivors, women with mental depression, women with hypertension and healthy female controls. <i>Breast</i> , 2017 , 35, 85-90	3.6	18
85	Long working hours as a risk factor for atrial fibrillation: a multi-cohort study. <i>European Heart Journal</i> , 2017 , 38, 2621-2628	9.5	49
84	Correlates of Achieving the Guidelines of Four Forms of Physical Activity, and the Relationship between Guidelines Achievement and Academic Performance: Undergraduate Students in Finland. <i>Central European Journal of Public Health</i> , 2017 , 25, 87-95	1.2	14
83	Healthy Learning Mind - a school-based mindfulness and relaxation program: a study protocol for a cluster randomized controlled trial. <i>BMC Psychology</i> , 2016 , 4, 35	2.8	11
82	Association between amount of sleep, daytime sleepiness and health-related quality of life in schoolchildren. <i>Journal of Advanced Nursing</i> , 2016 , 72, 1263-72	3.1	17
81	From margarine to butter: predictors of changing bread spread in an 11-year population follow-up. <i>Public Health Nutrition</i> , 2016 , 19, 1707-17	3.3	
80	Long working hours and cancer risk: a multi-cohort study. <i>British Journal of Cancer</i> , 2016 , 114, 813-8	8.7	12

79	Job insecurity and risk of diabetes: a meta-analysis of individual participant data. <i>Cmaj</i> , 2016 , 188, E447-E455	5.55	29
78	Long working hours, socioeconomic status, and the risk of incident type 2 diabetes: a meta-analysis of published and unpublished data from 222 120 individuals. <i>Lancet Diabetes and Endocrinology</i> , 2015 , 3, 27-34	18.1	141
77	Long working hours and risk of coronary heart disease and stroke: a systematic review and meta-analysis of published and unpublished data for 603,838 individuals. <i>Lancet, The</i> , 2015 , 386, 1739-46 ⁴⁰		368
76	Mood and food at the University of Turku in Finland: nutritional correlates of perceived stress are most pronounced among overweight students. <i>International Journal of Public Health</i> , 2015 , 60, 707-16	4	16
75	Increasing age-adjusted male-to-female incidence ratio of Parkinson's disease. <i>Movement Disorders</i> , 2015 , 30, 286-8	7	4
74	Health-care climate, perceived self-care competence, and glycemic control among patients with type 2 diabetes in primary care. <i>Health Psychology Open</i> , 2015 , 2, 2055102915579778	1.9	15
73	Is Healthier Nutrition Behaviour Associated with Better Self-Reported Health and Less Health Complaints? Evidence from Turku, Finland. <i>Nutrients</i> , 2015 , 7, 8478-90	6.7	14
72	Incidence and mortality of neurofibromatosis: a total population study in Finland. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 904-906	4.3	119
71	Job strain and the risk of stroke: an individual-participant data meta-analysis. <i>Stroke</i> , 2015 , 46, 557-9	6.7	75
70	Aspects from the Deans on the Nordic School of Public Health. <i>Scandinavian Journal of Public Health</i> , 2015 , 43, 9-11	3	
69	Long working hours and alcohol use: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>BMJ, The</i> , 2015 , 350, g7772	5.9	102
68	Eating Habits and Dietary Intake: Is Adherence to Dietary Guidelines Associated with Importance of Healthy Eating among Undergraduate University Students in Finland?. <i>Central European Journal of Public Health</i> , 2015 , 23, 306-13	1.2	31
67	Job strain as a risk factor for type 2 diabetes: a pooled analysis of 124,808 men and women. <i>Diabetes Care</i> , 2014 , 37, 2268-75	14.6	131
66	A supportive family environment in childhood enhances the level and heritability of sense of coherence in early adulthood. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1951-60	4.5	14
65	Migraine predicts hypertension--a cohort study of the Finnish working-age population. <i>European Journal of Public Health</i> , 2014 , 24, 244-8	2.1	15
64	Job strain and COPD exacerbations: an individual-participant meta-analysis. <i>European Respiratory Journal</i> , 2014 , 44, 247-51	13.6	9
63	Bullying victimization prevalence and its effects on psychosomatic complaints: can sense of coherence make a difference?. <i>Journal of School Health</i> , 2014 , 84, 646-53	2.1	12
62	Dental fear affects adolescent perception of interaction with dental staff. <i>European Journal of Oral Sciences</i> , 2014 , 122, 339-45	2.3	11

61	Reproductive and maternity health care services in Finland: perceptions and experiences of Somali-born immigrant women. <i>Ethnicity and Health</i> , 2014 , 19, 348-66	2.2	26
60	Finnish Health Journalists[Perceptions of Collaborating with Medical Professionals. <i>Communications in Computer and Information Science</i> , 2014 , 1-15	0.3	1
59	Job strain and the risk of inflammatory bowel diseases: individual-participant meta-analysis of 95,000 men and women. <i>PLoS ONE</i> , 2014 , 9, e88711	3.7	14
58	Perceived job insecurity as a risk factor for incident coronary heart disease: systematic review and meta-analysis. <i>BMJ, The</i> , 2013 , 347, f4746	5.9	133
57	Socio-emotional development of children with foetal alcohol spectrum disorders in long-term foster family care: a qualitative study. <i>Nordic Social Work Research</i> , 2013 , 3, 38-58	0.4	15
56	Job strain and supervisor support in primary care health centres and glycaemic control among patients with type 2 diabetes: a cross-sectional study. <i>BMJ Open</i> , 2013 , 3,	3	6
55	Work stress and risk of cancer: meta-analysis of 5700 incident cancer events in 116,000 European men and women. <i>BMJ, The</i> , 2013 , 346, f165	5.9	82
54	Associations of job strain and lifestyle risk factors with risk of coronary artery disease: a meta-analysis of individual participant data. <i>Cmaj</i> , 2013 , 185, 763-9	3.5	81
53	Dental fear and sense of coherence among 18-yr-old adolescents in Finland. <i>European Journal of Oral Sciences</i> , 2013 , 121, 247-51	2.3	10
52	Job strain and health-related lifestyle: findings from an individual-participant meta-analysis of 118,000 working adults. <i>American Journal of Public Health</i> , 2013 , 103, 2090-7	5.1	87
51	Socioeconomic disadvantage and indicators of risky alcohol-drinking patterns. <i>Alcohol and Alcoholism</i> , 2013 , 48, 207-14	3.5	28
50	Study protocol for examining job strain as a risk factor for severe unipolar depression in an individual participant meta-analysis of 14 European cohorts. <i>F1000Research</i> , 2013 , 2, 233	3.6	3
49	Work-related violence, lifestyle, and health among special education teachers working in Finnish basic education. <i>Journal of School Health</i> , 2012 , 82, 336-43	2.1	16
48	Comparison of alternative versions of the job demand-control scales in 17 European cohort studies: the IPD-Work consortium. <i>BMC Public Health</i> , 2012 , 12, 62	4.1	110
47	Job strain as a risk factor for coronary heart disease: a collaborative meta-analysis of individual participant data. <i>Lancet, The</i> , 2012 , 380, 1491-7	4.0	606
46	Determinants of effective health promotion actions in local contexts: a study of the perceptions of municipal politicians. <i>International Journal of Public Health</i> , 2012 , 57, 787-95	4	3
45	Association of pupil vandalism, bullying and truancy with teachers' absence due to illness: a multilevel analysis. <i>Journal of School Psychology</i> , 2012 , 50, 347-61	4.5	11
44	Self-reported rather than registered cancer is associated with psychosocial strain. <i>BMC Family Practice</i> , 2012 , 13, 107	2.6	2

43	Job strain and tobacco smoking: an individual-participant data meta-analysis of 166,130 adults in 15 European studies. <i>PLoS ONE</i> , 2012 , 7, e35463	3.7	81
42	Communication and cultural issues in providing reproductive health care to immigrant women: health care providers' experiences in meeting the needs of [corrected] Somali women living in Finland. <i>Journal of Immigrant and Minority Health</i> , 2012 , 14, 330-43	2.2	69
41	Subjective measures of binge drinking and alcohol-specific adverse health outcomes: a prospective cohort study. <i>Addiction</i> , 2012 , 107, 323-30	4.6	11
40	Job strain as a risk factor for leisure-time physical inactivity: an individual-participant meta-analysis of up to 170,000 men and women: the IPD-Work Consortium. <i>American Journal of Epidemiology</i> , 2012 , 176, 1078-89	3.8	153
39	Non-response in a nationwide follow-up postal survey in Finland: a register-based mortality analysis of respondents and non-respondents of the Health and Social Support (HeSSup) Study. <i>BMJ Open</i> , 2012 , 2, e000657	3	35
38	Students' school satisfaction as predictor of teachers' sickness absence: a prospective cohort study. <i>European Journal of Public Health</i> , 2012 , 22, 215-9	2.1	13
37	Organizational justice in primary-care health centers and glycemic control in patients with type 2 diabetes. <i>Medical Care</i> , 2012 , 50, 831-5	3.1	15
36	Job strain and alcohol intake: a collaborative meta-analysis of individual-participant data from 140,000 men and women. <i>PLoS ONE</i> , 2012 , 7, e40101	3.7	74
35	Complaints Made to the Council for Mass Media in Finland Concerning the Personal and Professional Lives of Doctors. <i>Communications in Computer and Information Science</i> , 2012 , 91-103	0.3	2
34	Academic and social success in adolescents with previous febrile seizures. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2011 , 20, 326-30	3.2	7
33	Organizational justice at school and its associations with pupils' psychosocial school environment, health, and wellbeing. <i>Social Science and Medicine</i> , 2011 , 73, 1675-82	5.1	26
32	Development of sense of coherence in adulthood: a person-centered approach. The population-based HeSSup cohort study. <i>Quality of Life Research</i> , 2011 , 20, 69-79	3.7	48
31	Low level of optimism predicts initiation of psychotherapy for depression: results from the Finnish Public Sector Study. <i>Psychotherapy and Psychosomatics</i> , 2011 , 80, 238-44	9.4	12
30	Subjective measures of binge drinking, suboptimal subjective health and alcohol-specific hospitalizations among working-aged adults: a prospective cohort study. <i>Alcohol and Alcoholism</i> , 2011 , 46, 607-13	3.5	5
29	The change in child self-assessed and parent proxy-assessed Health Related Quality of Life (HRQL) in early adolescence (age 10-12). <i>Scandinavian Journal of Public Health</i> , 2010 , 38, 9-16	3	8
28	Does patients' choice of health centre doctor depend on the organization? A comparative study of four municipalities with different forms of service provision in Finland. <i>Scandinavian Journal of Public Health</i> , 2010 , 38, 715-23	3	1
27	Job involvement of primary healthcare employees: does a service provision model play a role?. <i>Scandinavian Journal of Public Health</i> , 2010 , 38, 266-74	3	2
26	Employment trajectories and changes in sense of coherence. <i>European Journal of Public Health</i> , 2010 , 20, 293-8	2.1	21

25	Low pessimism protects against stroke: the Health and Social Support (HeSSup) prospective cohort study. <i>Stroke</i> , 2010 , 41, 187-90	6.7	40
24	Psychological and somatic symptoms of anxiety and risk of coronary heart disease: the health and social support prospective cohort study. <i>Biological Psychiatry</i> , 2010 , 67, 378-85	7.9	77
23	Psychosocial work environment and emotional exhaustion--does a service provision model play a role?. <i>Health Policy</i> , 2010 , 94, 111-9	3.2	4
22	Does depression predict coronary heart disease and cerebrovascular disease equally well? The Health and Social Support Prospective Cohort Study. <i>International Journal of Epidemiology</i> , 2010 , 39, 1016-24	7.8	50
21	Sense of coherence and intentions to retire early among Finnish women and men. <i>BMC Public Health</i> , 2010 , 10, 22	4.1	12
20	Early childhood psychological problems predict a poor sense of coherence in adolescents: a 15-year follow-up study. <i>Journal of Health Psychology</i> , 2009 , 14, 587-600	3.1	30
19	Outsourcing primary health care services--how politicians explain the grounds for their decisions. <i>Health Policy</i> , 2008 , 88, 294-307	3.2	19
18	Stability of the sense of coherence in adolescence. <i>International Journal of Adolescent Medicine and Health</i> , 2008 , 20, 85-91	1.1	27
17	Health related quality of life in 10-year-old schoolchildren. <i>Quality of Life Research</i> , 2008 , 17, 1049-54	3.7	15
16	Paediatric health-related quality of life instrument for primary school children: cross-cultural validation. <i>Journal of Advanced Nursing</i> , 2007 , 59, 542-50	3.1	32
15	Childhood adversities as a predictor of disability retirement. <i>Journal of Epidemiology and Community Health</i> , 2007 , 61, 479-84	5.1	84
14	Liability to anxiety and severe life events as predictors of new-onset sleep disturbances. <i>Sleep</i> , 2007 , 30, 1537-46	1.1	69
13	Job strain, life events, and sickness absence: a longitudinal cohort study in a random population sample. <i>Journal of Occupational and Environmental Medicine</i> , 2007 , 49, 990-6	2	27
12	Structural validity and temporal stability of the 13-item sense of coherence scale: prospective evidence from the population-based HeSSup study. <i>Quality of Life Research</i> , 2007 , 16, 483-93	3.7	116
11	The adult sense of coherence scale is applicable to 12-year-old schoolchildren--an additional tool in health promotion. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2006 , 95, 952-5	3.1	20
10	Client perceptions of the performance of public and independent not-for-profit primary healthcare. <i>Scandinavian Journal of Public Health</i> , 2006 , 34, 598-608	3	9
9	Sense of coherence and its determinants: a comparative study of the Finnish-speaking majority and the Swedish-speaking minority in Finland. <i>Scandinavian Journal of Public Health</i> , 2006 , 34, 515-25	3	37
8	Factors associated with perceived health among 12-year-old school children. Relevance of physical exercise and sense of coherence. <i>Scandinavian Journal of Public Health</i> , 2005 , 33, 35-41	3	37

7	Sense of coherence and disability pensions. A nationwide, register based prospective population study of 2196 adult Finns. <i>Journal of Epidemiology and Community Health</i> , 2005 , 59, 455-9	5.1	18
6	Factors contributing to sense of coherence among men and women. <i>European Journal of Public Health</i> , 2004 , 14, 322-30	2.1	109
5	Childhood adversities, parent-child relationships and dispositional optimism in adulthood. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 286-92	4.5	42
4	Sense of coherence as a predictor of subjective state of health: results of 4 years of follow-up of adults. <i>Journal of Psychosomatic Research</i> , 2001 , 50, 77-86	4.1	152
3	Sense of coherence and health ¶Does the association depend on resistance resources? A study of 3115 adults in Finland. <i>Psychology and Health</i> , 1999 , 14, 937-948	2.9	38
2	Study protocol for examining job strain as a risk factor for severe unipolar depression in an individual participant meta-analysis of 14 European cohorts. <i>F1000Research</i> , 2 , 233	3.6	1
1	Healthy Learning Mind (HLM): Cluster Randomized Controlled Trial on A Mindfulness Intervention, Moderators and Association with Perceived Socioeconomic Status, and Comparison to Other National Data. <i>Child and Youth Care Forum</i> , 1	2.4	