

Kaori Kitamura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7889677/publications.pdf>

Version: 2024-02-01

18
papers

455
citations

933447

10
h-index

888059

17
g-index

19
all docs

19
docs citations

19
times ranked

594
citing authors

#	ARTICLE	IF	CITATIONS
1	Leisure-Time and Non-Leisure-Time Physical Activities are Dose-Dependently Associated With a Reduced Risk of Dementia in Community-Dwelling People Aged 40-74 Years: The Murakami Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 1197-1204.e4.	2.5	3
2	Urinary Apolipoprotein C3 Is a Potential Biomarker for Alzheimer's Disease. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2021, 10, 94-104.	1.3	19
3	Body mass index and risk of recurrent falls in community-dwelling Japanese aged 40-74 years: The Murakami cohort study. <i>Geriatrics and Gerontology International</i> , 2021, 21, 498-505.	1.5	3
4	Short daytime napping reduces the risk of cognitive decline in community-dwelling older adults: a 5-year longitudinal study. <i>BMC Geriatrics</i> , 2021, 21, 474.	2.7	18
5	Alterations in Glycerolipid and Fatty Acid Metabolic Pathways in Alzheimer's Disease Identified by Urinary Metabolic Profiling: A Pilot Study. <i>Frontiers in Neurology</i> , 2021, 12, 719159.	2.4	8
6	Secular changes in bone mineral density of adult Japanese women from 1995 to 2013. <i>Fukushima Journal of Medical Sciences</i> , 2021, 67, 128-134.	0.4	0
7	Low serum 25-hydroxyvitamin D increases cognitive impairment in elderly people. <i>Journal of Bone and Mineral Metabolism</i> , 2019, 37, 368-375.	2.7	13
8	Psychological distress as a risk factor for dementia after the 2004 Niigata-Chuetsu earthquake in Japan. <i>Journal of Affective Disorders</i> , 2019, 259, 121-127.	4.1	14
9	Molecular Network Analysis of the Urinary Proteome of Alzheimer's Disease Patients. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2019, 9, 53-65.	1.3	24
10	The Murakami Cohort Study of vitamin D for the prevention of musculoskeletal and other age-related diseases: a study protocol. <i>Environmental Health and Preventive Medicine</i> , 2018, 23, 28.	3.4	25
11	Association between dialysis treatment and cognitive decline: A study from the Project in Sado for Total Health (PROST), Japan. <i>Geriatrics and Gerontology International</i> , 2017, 17, 1584-1587.	1.5	9
12	Online version of the self-administered food frequency questionnaire for the Japan Public Health Center-based Prospective Study for the Next Generation (JPHC-NEXT) protocol: Relative validity, usability, and comparison with a printed questionnaire. <i>Journal of Epidemiology</i> , 2017, 27, 435-446.	2.4	12
13	Weight loss from 20 years of age is associated with cognitive impairment in middle-aged and elderly individuals. <i>PLoS ONE</i> , 2017, 12, e0185960.	2.5	9
14	Elevated C-Reactive Protein Is Associated with Cognitive Decline in Outpatients of a General Hospital: The Project in Sado for Total Health (PROST). <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2016, 6, 10-19.	1.3	48
15	Validity of Short and Long Self-Administered Food Frequency Questionnaires in Ranking Dietary Intake in Middle-Aged and Elderly Japanese in the Japan Public Health Center-Based Prospective Study for the Next Generation (JPHC-NEXT) Protocol Area. <i>Journal of Epidemiology</i> , 2016, 26, 420-432.	2.4	180
16	Modifiable Factors Associated with Cognitive Impairment in 1,143 Japanese Outpatients: The Project in Sado for Total Health (PROST). <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2016, 6, 341-349.	1.3	29
17	Rural-urban differences in the prevalence of cognitive impairment in independent community-dwelling elderly residents of Ojiya city, Niigata Prefecture, Japan. <i>Environmental Health and Preventive Medicine</i> , 2016, 21, 422-429.	3.4	32
18	High serum 25-hydroxyvitamin D levels do not retard postmenopausal bone loss in Japanese women: the Yokogoshi study. <i>Archives of Osteoporosis</i> , 2013, 8, 153.	2.4	9