

# Pedro Jorge

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/7891425/pedro-jorge-publications-by-citations.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

127  
papers

2,241  
citations

27  
h-index

43  
g-index

203  
ext. papers

2,765  
ext. citations

3.6  
avg, IF

4.97  
L-index

#	Paper	IF	Citations
127	Hg(II) sensing based on functionalized carbon dots obtained by direct laser ablation. <i>Sensors and Actuators B: Chemical</i> , <b>2010</b> , 145, 702-707	8.5	210
126	Towards a Uniform Metrological Assessment of Grating-Based Optical Fiber Sensors: From Refractometers to Biosensors. <i>Biosensors</i> , <b>2017</b> , 7,	5.9	171
125	Optical Current Sensors for High Power Systems: A Review. <i>Applied Sciences (Switzerland)</i> , <b>2012</b> , 2, 602-628		95
124	Optical Fiber Sensing Using Quantum Dots. <i>Sensors</i> , <b>2007</b> , 7, 3489-3534	3.8	95
123	Ultrahigh-sensitivity temperature fiber sensor based on multimode interference. <i>Applied Optics</i> , <b>2012</b> , 51, 3236-42	1.7	91
122	Optical fiber probes for fluorescence based oxygen sensing. <i>Sensors and Actuators B: Chemical</i> , <b>2004</b> , 103, 290-299	8.5	77
121	Alkali-silica reaction in concrete: Mechanisms, mitigation and test methods. <i>Construction and Building Materials</i> , <b>2019</b> , 222, 903-931	6.7	61
120	Characterisation of a Nafion film by optical fibre FabryPerot interferometry for humidity sensing. <i>Sensors and Actuators B: Chemical</i> , <b>2014</b> , 196, 99-105	8.5	60
119	Temperature-Independent Curvature Sensor Using FBG Cladding Modes Based on a Core Misaligned Splice. <i>IEEE Photonics Technology Letters</i> , <b>2011</b> , 23, 804-806	2.2	57
118	Fiber optic hot-wire flowmeter based on a metallic coated hybrid long period grating/fiber Bragg grating structure. <i>Applied Optics</i> , <b>2011</b> , 50, 2738-43	0.2	54
117	Intrinsic FabryPérot Cavity Sensor Based on Etched Multimode Graded Index Fiber for Strain and Temperature Measurement. <i>IEEE Sensors Journal</i> , <b>2012</b> , 12, 8-12	4	50
116	Nonadiabatic tapered optical fiber for biosensor applications. <i>Photonic Sensors</i> , <b>2012</b> , 2, 340-356	2.3	43
115	. <i>Journal of Lightwave Technology</i> , <b>2015</b> , 33, 3394-3405	4	42
114	Quantum dots as self-referenced optical fibre temperature probes for luminescent chemical sensors. <i>Measurement Science and Technology</i> , <b>2006</b> , 17, 1032-1038	2	42
113	Evanescent wave DNA-aptamer biosensor based on long period gratings for the specific recognition of E. coli outer membrane proteins. <i>Biosensors and Bioelectronics</i> , <b>2014</b> , 62, 227-33	11.8	38
112	High resolution temperature independent refractive index measurement using differential white light interferometry. <i>Sensors and Actuators B: Chemical</i> , <b>2013</b> , 188, 1212-1217	8.5	38
111	Fabrication of Fresnel plates on optical fibres by FIB milling for optical trapping, manipulation and detection of single cells. <i>Scientific Reports</i> , <b>2017</b> , 7, 4485	4.9	37

110	High birefringence D-type fibre loop mirror used as refractometer. <i>Sensors and Actuators B: Chemical</i> , <b>2008</b> , 135, 108-111	8.5	36
109	Wavelength encoded analytical imaging and fiber optic sensing with pH sensitive CdTe quantum dots. <i>Talanta</i> , <b>2010</b> , 80, 1932-8	6.2	34
108	Dual sensing of oxygen and temperature using quantum dots and a ruthenium complex. <i>Analytica Chimica Acta</i> , <b>2008</b> , 606, 223-9	6.6	34
107	Fiber optic lifetime pH sensing based on ruthenium(II) complexes with dicarboxybipyridine. <i>Analytica Chimica Acta</i> , <b>2008</b> , 626, 62-70	6.6	33
106	Simultaneous measurement of refractive index and temperature using multimode interference inside a high birefringence fiber loop mirror. <i>Sensors and Actuators B: Chemical</i> , <b>2013</b> , 177, 717-723	8.5	31
105	Microcystin-LR detection in water by the Fabry-Pérot interferometer using an optical fibre coated with a sol-gel imprinted sensing membrane. <i>Biosensors and Bioelectronics</i> , <b>2011</b> , 26, 3932-7	11.8	31
104	Curvature and Temperature Discrimination Using Multimode Interference Fiber Optic Structures: A Proof of Concept. <i>Journal of Lightwave Technology</i> , <b>2012</b> , 30, 3569-3575	4	30
103	Applications of quantum dots in optical fiber luminescent oxygen sensors. <i>Applied Optics</i> , <b>2006</b> , 45, 3760-7	4.7	29
102	Fabry-Pérot cavities based on chemical etching for high temperature and strain measurement. <i>Optics Communications</i> , <b>2012</b> , 285, 1159-1162	2	28
101	Fabry-Pérot Cavity Based on a High-Birefringent Fiber Bragg Grating for Refractive Index and Temperature Measurement. <i>IEEE Sensors Journal</i> , <b>2012</b> , 12, 17-21	4	28
100	Biosensor for label-free DNA quantification based on functionalized LPGs. <i>Biosensors and Bioelectronics</i> , <b>2016</b> , 84, 30-6	11.8	27
99	Long period grating-based fiber coupler to whispering gallery mode resonators. <i>Optics Letters</i> , <b>2014</b> , 39, 6525-8	3	27
98	Optical fiber tips for biological applications: From light confinement, biosensing to bioparticles manipulation. <i>Biochimica Et Biophysica Acta - General Subjects</i> , <b>2018</b> , 1862, 1209-1246	4	25
97	Experimental and theoretical analysis of an optical current sensor for high power systems. <i>Photonic Sensors</i> , <b>2013</b> , 3, 26-34	2.3	25
96	Optical fibers as beam shapers: from Gaussian beams to optical vortices. <i>Optics Letters</i> , <b>2016</b> , 41, 2137-40	4	23
95	Aptamer-based fiber sensor for thrombin detection. <i>Journal of Biomedical Optics</i> , <b>2016</b> , 21, 87005	3.5	22
94	Simultaneous Measurement of Refractive Index and Temperature Using a Hybrid Fiber Bragg Grating/Long-Period Fiber Grating Configuration. <i>Fiber and Integrated Optics</i> , <b>2009</b> , 28, 440-449	0.8	20
93	Luminescence-Based Optical Fiber Chemical Sensors. <i>Fiber and Integrated Optics</i> , <b>2005</b> , 24, 201-225	0.8	19

92	Intensity curvature sensor based on photonic crystal fiber with three coupled cores. <i>Optics Communications</i> , <b>2012</b> , 285, 5128-5131	2	18
91	Fiber optic-based refractive index sensing at INESC Porto. <i>Sensors</i> , <b>2012</b> , 12, 8371-89	3.8	17
90	Controlling the Sensitivity of Refractive Index Measurement Using a Tapered Fiber Loop Mirror. <i>IEEE Photonics Technology Letters</i> , <b>2011</b> , 23, 1219-1221	2.2	17
89	Fibre-optic SPR sensor with a FBG interrogation scheme for readout enhancement. <i>Sensors and Actuators B: Chemical</i> , <b>2010</b> , 144, 226-231	8.5	16
88	Simultaneous measurement of partial pressure of O2 and CO2 with a hybrid interferometer. <i>Optics Letters</i> , <b>2012</b> , 37, 3063-5	3	15
87	Modal Filtering for Optimized Surface Plasmon Resonance Sensing in Multimode Plastic Optical Fibers. <i>IEEE Sensors Journal</i> , <b>2015</b> , 15, 6306-6312	4	13
86	Curvature and Vibration Sensing Based on Core Diameter Mismatch Structures. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2016</b> , 65, 2120-2128	5.2	13
85	Optical Fiber Tweezers Fabricated by Guided Wave Photo-Polymerization. <i>Photonics</i> , <b>2015</b> , 2, 634-645	2.2	13
84	High sensitivity LPG MachZehnder sensor for real-time fuel conformity analysis. <i>Measurement Science and Technology</i> , <b>2013</b> , 24, 015102	2	13
83	Calibration of the Numerical Model of a Short-span Masonry Railway Bridge Based on Experimental Modal Parameters. <i>Procedia Engineering</i> , <b>2015</b> , 114, 846-853		12
82	On the anodic aluminium oxide refractive index of nanoporous templates. <i>Journal Physics D: Applied Physics</i> , <b>2015</b> , 48, 455105	3	12
81	Fiber modal Michelson interferometers with coherence addressing and heterodyne interrogation. <i>Optical Engineering</i> , <b>2008</b> , 47, 044401	1.1	12
80	Optical Sensing of Nitrogen, Phosphorus and Potassium: A Spectrophotometrical Approach Toward Smart Nutrient Deployment. <i>Chemosensors</i> , <b>2019</b> , 7, 51	4	12
79	Low-Cost Interrogation System for Long-Period Fiber Gratings Applied to Remote Sensing. <i>Sensors</i> , <b>2019</b> , 19,	3.8	11
78	The last frontier: Coupling technological developments with scientific challenges to improve hazard assessment of deep-sea mining. <i>Science of the Total Environment</i> , <b>2018</b> , 627, 1505-1514	10.2	11
77	Optical Fiber Sensing System Based on Long-Period Gratings for Remote Refractive Index Measurement in Aqueous Environments. <i>Fiber and Integrated Optics</i> , <b>2010</b> , 29, 160-169	0.8	11
76	Single Particle Differentiation through 2D Optical Fiber Trapping and Back-Scattered Signal Statistical Analysis: An Exploratory Approach. <i>Sensors</i> , <b>2018</b> , 18,	3.8	9
75	Geometrical effects on the refractive index sensitivity of MachZehnder fibre modal interferometers based on long-period gratings. <i>Measurement Science and Technology</i> , <b>2009</b> , 20, 075201	2	9

74	Alternative SNP detection platforms, HRM and biosensors, for varietal identification in <i>Vitis vinifera</i> L. using F3H and LDOX genes. <i>Scientific Reports</i> , <b>2018</b> , 8, 5850	4.9	8
73	Wine fingerprinting using a bio-geochemical approach. <i>BIO Web of Conferences</i> , <b>2015</b> , 5, 02021	0.4	8
72	Novel optical current sensor for metering and protection in high power applications. <i>Instrumentation Science and Technology</i> , <b>2016</b> , 44, 148-162	1.4	7
71	Passive interferometric interrogation of a magnetic field sensor using an erbium doped fiber optic laser with magnetostrictive transducer. <i>Sensors and Actuators A: Physical</i> , <b>2015</b> , 235, 227-233	3.9	7
70	Fiber-Optic Cavity Ring Down Using an Added-Signal for Curvature Sensing. <i>IEEE Photonics Technology Letters</i> , <b>2015</b> , 27, 2079-2082	2.2	7
69	Fabrication of Multimode-Single Mode Polymer Fiber Tweezers for Single Cell Trapping and Identification with Improved Performance. <i>Sensors</i> , <b>2018</b> , 18,	3.8	7
68	Vibration and Magnetic Field Sensing Using a Long-Period Grating. <i>IEEE Sensors Journal</i> , <b>2017</b> , 17, 6615-6621	4.2	7
67	Bent optical fiber taper for refractive index measurements with tunable sensitivity. <i>Microwave and Optical Technology Letters</i> , <b>2015</b> , 57, 921-924	1.2	7
66	TEC4SEA A modular platform for research, test and validation of technologies supporting a sustainable blue economy <b>2014</b> ,		7
65	Biosensors for Biogenic Amines: A Review. <i>Biosensors</i> , <b>2021</b> , 11,	5.9	7
64	Label-free optical biosensor for direct complex DNA detection using <i>Vitis vinifera</i> L.. <i>Sensors and Actuators B: Chemical</i> , <b>2016</b> , 234, 92-97	8.5	7
63	Hydrogen sensing via anomalous optical absorption of palladium-based metamaterials. <i>Nanotechnology</i> , <b>2016</b> , 27, 185501	3.4	6
62	Optical Fiber Anemometer Based on a Multi-FBG Curvature Sensor. <i>IEEE Sensors Journal</i> , <b>2019</b> , 19, 8727-8732	4.7	6
61	Magnetic field sensor with Terfenol-D thin-film coated FBG <b>2012</b> ,		6
60	Analysis of the flyback effects on the serrodyne interferometric demodulation of fiber optic Bragg grating sensors. <i>Optical Engineering</i> , <b>2000</b> , 39, 1399	1.1	6
59	Plasmonic Optical Fiber Sensor Based on Double Step Growth of Gold Nano-Islands. <i>Sensors</i> , <b>2018</b> , 18,	3.8	6
58	The efficiency of fiber optical tweezers for cell manipulation using distinct fabrication methods <b>2015</b> ,		5
57	Exciting the optical response of nanowire metamaterial films on the tip of optical fibres. <i>Physica Status Solidi - Rapid Research Letters</i> , <b>2013</b> , 7, 664-667	2.5	5

56	Fiber optic displacement sensor based on a double-reflecting OTDR technique. <i>Microwave and Optical Technology Letters</i> , <b>2015</b> , 57, 1312-1315	1.2	4
55	Femtosecond laser direct written off-axis fiber Bragg gratings for sensing applications. <i>Optics and Laser Technology</i> , <b>2020</b> , 128, 106227	4.2	4
54	Fiber Loop Mirror Sensors Interrogated and Multiplexed by OTDR. <i>Journal of Lightwave Technology</i> , <b>2015</b> , 33, 2580-2584	4	4
53	Characterization of a novel dissolved CO <sub>2</sub> sensor for utilization in environmental monitoring and aquaculture industry <b>2013</b> ,		4
52	A Plasmonic Biosensor Based on Light-Diffusing Fibers Functionalized with Molecularly Imprinted Nanoparticles for Ultralow Sensing of Proteins.. <i>Nanomaterials</i> , <b>2022</b> , 12,	5.4	4
51	Optical fiber-based sensing method for nanoparticle detection through supervised back-scattering analysis: a potential contributor for biomedicine. <i>International Journal of Nanomedicine</i> , <b>2019</b> , 14, 2349-2369	7.3	3
50	iLoF: An intelligent Lab on Fiber Approach for Human Cancer Single-Cell Type Identification. <i>Scientific Reports</i> , <b>2020</b> , 10, 3171	4.9	3
49	Real-Time Early Warning Strategies for Corrosion Mitigation in Harsh Environments. <i>Journal of Lightwave Technology</i> , <b>2018</b> , 36, 1152-1158	4	3
48	Fabrication of a spun elliptically birefringent photonic crystal fiber and its characterization as an electrical current sensor <b>2013</b> ,		3
47	Computational models for new fiber optic tweezers. <i>Photonic Sensors</i> , <b>2013</b> , 3, 57-60	2.3	3
46	Intensity-Modulated Optical Fiber Sensor for AC Magnetic Field Detection. <i>IEEE Photonics Technology Letters</i> , <b>2015</b> , 27, 2461-2464	2.2	3
45	Interferometric optical fiber inclinometer with dynamic FBG based interrogation <b>2011</b> ,		3
44	Fiber optic intensity sensor referenced with a virtual delay line. <i>Optics Communications</i> , <b>2011</b> , 284, 5665-5668		3
43	Rapid Fabrication of Dual Analyte Luminescent Optrodes by Self-Guiding Photo-Polymerization. <i>IEEE Photonics Technology Letters</i> , <b>2011</b> , 23, 492-494	2.2	3
42	Measurement of acetic acid using a fibre Bragg grating interferometer. <i>Measurement Science and Technology</i> , <b>2009</b> , 20, 125201	2	3
41	Optical fibre sensing networks <b>2009</b> ,		3
40	Effect of fiber tapering in LPG-based Mach-Zehnder modal interferometers for refractive-index sensing <b>2009</b> ,		3
39	Interrogation of microresonators using multimode fibers <b>2010</b> ,		3

38	Hydroponics Monitoring through UV-Vis Spectroscopy and Artificial Intelligence: Quantification of Nitrogen, Phosphorous and Potassium. <i>Chemistry Proceedings</i> , <b>2021</b> , 5, 88		3
37	Turn Around Point Long Period Fiber Gratings With Coupling to Asymmetric Cladding Modes Fabricated by a Femtosecond Laser and Coated With Titanium Dioxide. <i>Journal of Lightwave Technology</i> , <b>2021</b> , 39, 4784-4793	4	3
36	Hybrid Microfluidic Platform for Multifactorial Analysis Based on Electrical Impedance, Refractometry, Optical Absorption and Fluorescence. <i>Micromachines</i> , <b>2016</b> , 7,	3.3	3
35	Dissolved Carbon Dioxide Sensing Platform for Freshwater and Saline Water Applications: Characterization and Validation in Aquaculture Environments. <i>Sensors</i> , <b>2019</b> , 19,	3.8	3
34	Compact solutions for optical fiber tweezers using Fresnel zone and phase lenses fabricated using FIB milling <b>2016</b> ,		2
33	Interrogation and multiplexing system for fiber loop mirror coupled intensity sensors using OTDR. <i>Microwave and Optical Technology Letters</i> , <b>2014</b> , 56, 2860-2864	1.2	2
32	Analysis of a fibre optic sensor design based on SPR in nanowire metamaterial films <b>2014</b> ,		2
31	Chemical sensing by differential thermal analysis with a digitally controlled fiber optic interferometer. <i>Review of Scientific Instruments</i> , <b>2013</b> , 84, 015002	1.7	2
30	Cladding modes FBG curvature sensor based on a core misaligned splice <b>2011</b> ,		2
29	Optimization of Ormosil Glasses for Luminescence Based Dissolved Oxygen Sensors. <i>Solid State Phenomena</i> , <b>2010</b> , 161, 1-11	0.4	2
28	Sensing characteristics of tapered high-birefringent optical fiber <b>2012</b> ,		2
27	Optical cavity fibre sensor for detection of microcystin-LR in water <b>2010</b> ,		2
26	Self-referenced intensity based optical fiber temperature probes for luminescent chemical sensors using quantum dots <b>2005</b> ,		2
25	Intensity based luminescent optical fiber oxygen sensor using quantum dots <b>2005</b> ,		2
24	2D Computational Modeling of Optical Trapping Effects on Malaria-infected Red Blood Cells <b>2017</b> ,		2
23	X-ray Fluorescence and Laser-Induced Breakdown Spectroscopy Analysis of Li-Rich Minerals in Veins from Argemela Tin Mine, Central Portugal. <i>Minerals (Basel, Switzerland)</i> , <b>2021</b> , 11, 1169	2.4	2
22	Metbots: Metabolomics Robots for Precision Viticulture. <i>Lecture Notes in Computer Science</i> , <b>2019</b> , 156-166	9	2
21	Temperature Stability and Spectral Tuning of Long Period Fiber Gratings Fabricated by Femtosecond Laser Direct Writing. <i>Sensors</i> , <b>2020</b> , 20,	3.8	2

20	MarinEye DA tool for marine monitoring <b>2016</b> ,		1
19	Effective medium theory of subwavelength arrays of metallic nanowires: a numerical approach based on modal propagation method <b>2013</b> ,		1
18	SPR sensors in POF: a new experimental configuration for extended refractive index range and better SNR <b>2014</b> ,		1
17	DNA-Aptamer optical biosensors based on a LPG-SPR optical fiber platform for point-of-care diagnostic <b>2014</b> ,		1
16	Digital Control of a White Light Interrogation System for Optical Fiber Interferometers. <i>IEEE Sensors Journal</i> , <b>2012</b> , 12, 201-206	4	1
15	Intrinsic Fabry-Pérot cavity sensor based on chemical etching of a multimode graded index fiber spliced to a single mode fiber <b>2010</b> ,		1
14	LPG based fiber optic sensor for carbon dioxide <b>2012</b> ,		1
13	Interferometric fibre-optic sensor for acetic acid measurement <b>2009</b> ,		1
12	Dynamic interrogation of long period gratings with modulated fibre Bragg gratings <b>2010</b> ,		1
11	Optical temperature measurement configuration for fluorescence-based oxygen sensors <b>2004</b> ,		1
10	Optical Biosensor for the Detection of Hydrogen Peroxide in Milk <b>2021</b> , 5,		1
9	Classification of optically trapped particles: A comparison between optical fiber tweezers and conventional setups. <i>Results in Optics</i> , <b>2021</b> , 100178	1	1
8	Fabrication of periodic structures in optical fibers by femtosecond laser micromachining for sensing applications <b>2019</b> ,		1
7	Development of a Long Period Fiber Grating Interrogation System Using A Multimode Laser Diode. <i>Sensors</i> , <b>2021</b> , 21,	3.8	1
6	Spectral Reconstruction and Bayesian Model Framework for Characterization of Long Period Fiber Gratings. <i>IEEE Instrumentation and Measurement Magazine</i> , <b>2021</b> , 24, 56-62	1.4	1
5	Particle Classification through the Analysis of the Forward Scattered Signal in Optical Tweezers. <i>Sensors</i> , <b>2021</b> , 21,	3.8	1
4	Hydrogen Optical Metamaterial Sensor Based on Pd Dendritic Nanostructures. <i>ChemistrySelect</i> , <b>2016</b> , 1, 3854-3860	1.8	0
3	Spectral Tuning of Long Period Fiber Gratings Fabricated by Femtosecond Laser Micromachining through Thermal Annealing. <i>Proceedings (mdpi)</i> , <b>2019</b> , 15, 4	0.3	0

- |   |   |     |   |
|---|---|-----|---|
| 2 | Luminol-Doped Nanostructured Composite Materials for Chemiluminescent Sensing of Hydrogen Peroxide. <i>Analytical Letters</i> , <b>2010</b> , 43, 2762-2772 | 2.2 | 0 |
| 1 | Micro-force measurement with pre-curvature long-period fiber grating-based sensor. <i>EPJ Web of Conferences</i> , <b>2020</b> , 238, 12009                 | 0.3 |   |