

Sarah Bendall

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7892610/publications.pdf>

Version: 2024-02-01

102
papers

4,213
citations

156536

32
h-index

150775

59
g-index

114
all docs

114
docs citations

114
times ranked

4450
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Young people's experience of online therapy for first-episode psychosis: A qualitative study. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022, 95, 155-172. | 1.3 | 8 |
| 2 | Introducing the youth residential rehabilitation service: An operational and experiential overview of a psychosocial residential support option for young people experiencing mental health challenges. <i>Microbial Biotechnology</i> , 2022, 16, 444-452. | 0.9 | 3 |
| 3 | Co-producing to understand what matters to young people living in youth residential rehabilitation services. <i>Microbial Biotechnology</i> , 2022, 16, 782-791. | 0.9 | 5 |
| 4 | The impact of persistent social anxiety on social functioning and health-related quality of life in young people with remitted first-episode psychosis. <i>Microbial Biotechnology</i> , 2022, 16, 868-874. | 0.9 | 2 |
| 5 | Characterizing Use of a Multicomponent Digital Intervention to Predict Treatment Outcomes in First-Episode Psychosis: Cluster Analysis. <i>JMIR Mental Health</i> , 2022, 9, e29211. | 1.7 | 13 |
| 6 | Co-research with People with Mental Health Challenges. , 2022, , 281-307. | | 1 |
| 7 | A pilot trial of moderated online social therapy for family and friends of young people with borderline personality disorder features. <i>Microbial Biotechnology</i> , 2021, 15, 1564-1574. | 0.9 | 6 |
| 8 | A Systematic Review and Synthesis of Trauma-Informed Care Within Outpatient and Counseling Health Settings for Young People. <i>Child Maltreatment</i> , 2021, 26, 313-324. | 2.0 | 42 |
| 9 | Trauma and the content of hallucinations and post-traumatic intrusions in first-episode psychosis. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2021, 94, 223-241. | 1.3 | 24 |
| 10 | 'I'm tired of being pulled from pillar to post': A qualitative analysis of barriers to mental health care for trauma-exposed young people. <i>Microbial Biotechnology</i> , 2021, 15, 113-122. | 0.9 | 10 |
| 11 | Trauma-focused imaginal exposure for auditory hallucinations: A case series. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2021, 94, 408-425. | 1.3 | 17 |
| 12 | 'Like a huge weight lifted off my shoulders': Exploring young people's experiences of treatment in a pilot trial of trauma-focused cognitive behavioral therapy. <i>Psychotherapy Research</i> , 2021, 31, 737-751. | 1.1 | 8 |
| 13 | The youth online training and employment system: Study protocol for a randomized controlled trial of an online vocational intervention for young people with mental ill health. <i>Microbial Biotechnology</i> , 2021, 15, 1602-1611. | 0.9 | 4 |
| 14 | Trauma-focused cognitive-behavioral therapy (TF-CBT) for interpersonal trauma in transitional-aged youth.. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2021, 13, 313-321. | 1.4 | 16 |
| 15 | Perceived Helpfulness of a Moderated Online Social Therapy Network for Young People Experiencing Social Anxiety. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2796. | 1.2 | 3 |
| 16 | Moderated Online Social Therapy for Young People With Active Suicidal Ideation: Qualitative Study. <i>Journal of Medical Internet Research</i> , 2021, 23, e24260. | 2.1 | 7 |
| 17 | Development of a graphic medicine-enabled social media-based intervention for youth social anxiety. <i>Clinical Psychologist</i> , 2021, 25, 140-152. | 0.5 | 4 |
| 18 | The Horyzons project: a randomized controlled trial of a novel online social therapy to maintain treatment effects from specialist first-episode psychosis services. <i>World Psychiatry</i> , 2021, 20, 233-243. | 4.8 | 62 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | The subjective effect of antipsychotic medication on trauma-related thoughts, emotions, and physical symptoms: A qualitative study with people who have experienced childhood trauma and psychosis. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2021, , . | 1.3 | 2 |
| 20 | A comparison of experiences of care and expressed emotion among caregivers of young people with first-episode psychosis or borderline personality disorder features. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, , 000486742110502. | 1.3 | 6 |
| 21 | Working with Young People at Risk of Suicidal Behaviour and Self-Harm: A Qualitative Study of Australian General Practitioners' Perspectives. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12926. | 1.2 | 3 |
| 22 | A tale of two outcomes: Remission and exacerbation in the use of trauma-focused imaginal exposure for trauma-related voice-hearing. Key learnings to guide future practice. <i>Clinical Psychologist</i> , 2020, 24, 195-205. | 0.5 | 3 |
| 23 | Acceptance- and mindfulness-based interventions for persons with psychosis: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2020, 215, 25-37. | 1.1 | 90 |
| 24 | Acceptance- and mindfulness-based interventions for persons with psychosis: Authors reply. <i>Schizophrenia Research</i> , 2020, 230, 115. | 1.1 | 0 |
| 25 | Randomised controlled trial of integrated trauma-focused psychotherapy for traumatic stress and substance use among adolescents: trial protocol. <i>BMJ Open</i> , 2020, 10, e043742. | 0.8 | 5 |
| 26 | The role of social relatedness and self-beliefs in social functioning in first-episode psychosis: Are we overestimating the contribution of illness-related factors?. <i>European Psychiatry</i> , 2020, 63, e92. | 0.1 | 5 |
| 27 | Development of a graphic medicine-enabled social media-based intervention for youth social anxiety. <i>Clinical Psychologist</i> , 2020, , . | 0.5 | 4 |
| 28 | Leveraging the social network for treatment of social anxiety: Pilot study of a youth-specific digital intervention with a focus on engagement of young men. <i>Internet Interventions</i> , 2020, 20, 100323. | 1.4 | 41 |
| 29 | Moment-to-moment associations between posttraumatic stress symptoms and auditory hallucinations in the flow of daily life. <i>Psychiatry Research</i> , 2020, 285, 112838. | 1.7 | 9 |
| 30 | An Enhanced Social Networking Intervention for Young People with Active Suicidal Ideation: Safety, Feasibility and Acceptability Outcomes. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2435. | 1.2 | 32 |
| 31 | A Novel Multimodal Digital Service (Moderated Online Social Therapy+) for Help-Seeking Young People Experiencing Mental Ill-Health: Pilot Evaluation Within a National Youth E-Mental Health Service. <i>Journal of Medical Internet Research</i> , 2020, 22, e17155. | 2.1 | 56 |
| 32 | Developing a Suicide Prevention Social Media Campaign With Young People (The #Chatsafe Project): Co-Design Approach. <i>JMIR Mental Health</i> , 2020, 7, e17520. | 1.7 | 53 |
| 33 | Young People's Experience of a Long-Term Social Media-Based Intervention for First-Episode Psychosis: Qualitative Analysis. <i>Journal of Medical Internet Research</i> , 2020, 22, e17570. | 2.1 | 27 |
| 34 | Blended Digital and Face-to-Face Care for First-Episode Psychosis Treatment in Young People: Qualitative Study. <i>JMIR Mental Health</i> , 2020, 7, e18990. | 1.7 | 25 |
| 35 | Stability of retrospective self-reports of childhood trauma in first-episode psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 908-913. | 0.9 | 24 |
| 36 | Costs versus benefits and impact on life goals should be part of communication around anti-psychotic treatment duration in schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019, 53, 811-812. | 1.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | The relationship between childhood trauma and clinical characteristics in ultra-high risk for psychosis youth. <i>Psychosis</i> , 2019, 11, 28-41. | 0.4 | 6 |
| 38 | HORIZONS trial: protocol for a randomised controlled trial of a moderated online social therapy to maintain treatment effects from first-episode psychosis services. <i>BMJ Open</i> , 2019, 9, e024104. | 0.8 | 65 |
| 39 | Investigating the prevalence of dissociative disorders and severe dissociative symptoms in first episode psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 1366-1372. | 0.9 | 11 |
| 40 | Testing models of post-traumatic intrusions, trauma-related beliefs, hallucinations, and delusions in a first episode psychosis sample. <i>British Journal of Clinical Psychology</i> , 2019, 58, 154-172. | 1.7 | 21 |
| 41 | Can antipsychotic dose reduction lead to better functional recovery in first-episode psychosis? A randomized controlled trial of antipsychotic dose reduction. The reduce trial: Study protocol. <i>Microbial Biotechnology</i> , 2019, 13, 1345-1356. | 0.9 | 19 |
| 42 | Talking about trauma in therapy: Perspectives from young people with post-traumatic stress symptoms and first episode psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 1236-1244. | 0.9 | 19 |
| 43 | Does dissociation mediate the relationship between childhood trauma and hallucinations, delusions in first episode psychosis?. <i>Comprehensive Psychiatry</i> , 2018, 84, 68-74. | 1.5 | 26 |
| 44 | Childhood maltreatment and non-suicidal self-injury: clinical implications. <i>Lancet Psychiatry</i> , 2018, 5, 5-6. | 3.7 | 3 |
| 45 | Childhood Trauma Is Associated With Severity of Hallucinations and Delusions in Psychotic Disorders: A Systematic Review and Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2018, 44, 1111-1122. | 2.3 | 198 |
| 46 | Moderated online social therapy for depression relapse prevention in young people: pilot study of a "next generation" online intervention. <i>Microbial Biotechnology</i> , 2018, 12, 613-625. | 0.9 | 102 |
| 47 | Do trauma-focussed psychological interventions have an effect on psychotic symptoms? A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2018, 195, 13-22. | 1.1 | 75 |
| 48 | Delusion-like beliefs in anorexia nervosa: An interpretative phenomenological analysis. <i>Clinical Psychologist</i> , 2018, 22, 317-326. | 0.5 | 6 |
| 49 | Stress hormones and verbal memory in young people over the first 12 weeks of treatment for psychosis. <i>Psychiatry Research</i> , 2018, 260, 60-66. | 1.7 | 10 |
| 50 | Enhancing social functioning in young people at Ultra High Risk (UHR) for psychosis: A pilot study of a novel strengths and mindfulness-based online social therapy. <i>Schizophrenia Research</i> , 2018, 202, 369-377. | 1.1 | 99 |
| 51 | Implementation of the Enhanced Moderated Online Social Therapy (MOST+) Model Within a National Youth E-Mental Health Service (eheadsapce): Protocol for a Single Group Pilot Study for Help-Seeking Young People. <i>JMIR Research Protocols</i> , 2018, 7, e48. | 0.5 | 14 |
| 52 | Distress, Psychotic Symptom Exacerbation, and Relief in Reaction to Talking about Trauma in the Context of Beneficial Trauma Therapy: Perspectives from Young People with Post-Traumatic Stress Disorder and First Episode Psychosis. <i>Behavioural and Cognitive Psychotherapy</i> , 2017, 45, 561-576. | 0.9 | 27 |
| 53 | Moderated online social therapy for carers of young people recovering from first-episode psychosis: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 27. | 0.7 | 26 |
| 54 | Internet-based cognitive behavioural therapy for young people with suicide-related behaviour (Reframe-IT): a randomised controlled trial. <i>Evidence-Based Mental Health</i> , 2017, 20, 76-82. | 2.2 | 85 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Can We Use an Interventionist-Causal Paradigm to Untangle the Relationship between Trauma, PTSD and Psychosis?. <i>Frontiers in Psychology</i> , 2017, 8, 306. | 1.1 | 14 |
| 56 | Moderated Online Social Therapy: A Model for Reducing Stress in Carers of Young People Diagnosed with Mental Health Disorders. <i>Frontiers in Psychology</i> , 2017, 8, 485. | 1.1 | 46 |
| 57 | Mediators Linking Childhood Adversities and Trauma to Suicidality in Individuals at Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2017, 8, 242. | 1.3 | 17 |
| 58 | Case Formulation in Young People with Post-Traumatic Stress Disorder and First-Episode Psychosis. <i>Journal of Clinical Medicine</i> , 2016, 5, 106. | 1.0 | 7 |
| 59 | Online peer-to-peer support in youth mental health: seizing the opportunity. <i>Epidemiology and Psychiatric Sciences</i> , 2016, 25, 123-126. | 1.8 | 37 |
| 60 | Beyond Clinical Remission in First Episode Psychosis: Thoughts on Antipsychotic Maintenance vs. Guided Discontinuation in the Functional Recovery Era. <i>CNS Drugs</i> , 2016, 30, 357-368. | 2.7 | 67 |
| 61 | Can an internet-based intervention reduce suicidal ideation, depression and hopelessness among secondary school students: results from a pilot study. <i>Microbial Biotechnology</i> , 2016, 10, 28-35. | 0.9 | 73 |
| 62 | Antiglucocorticoid and related treatments for psychosis. <i>The Cochrane Library</i> , 2016, 2016, CD006995. | 1.5 | 13 |
| 63 | Childhood adversities: Social support, premorbid functioning and social outcome in first-episode psychosis and a matched case-control group. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 770-782. | 1.3 | 33 |
| 64 | Online and Social Media Suicide Prevention Interventions for Young People: A Focus on Implementation and Moderation. <i>Journal of the Canadian Academy of Child and Adolescent Psychiatry</i> , 2016, 25, 80-6. | 0.7 | 33 |
| 65 | The safety and acceptability of delivering an online intervention to secondary students at risk of suicide: findings from a pilot study. <i>Microbial Biotechnology</i> , 2015, 9, 498-506. | 0.9 | 45 |
| 66 | Therapy Contamination as a Measure of Therapist Treatment Adherence in a Trial of Cognitive Behaviour Therapy versus Befriending for Psychosis. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 314-327. | 0.9 | 9 |
| 67 | The relationship between stress, HPA axis functioning and brain structure in first episode psychosis over the first 12 weeks of treatment. <i>Psychiatry Research - Neuroimaging</i> , 2015, 231, 111-119. | 0.9 | 9 |
| 68 | The impact of neuropsychological functioning and coping style on perceived stress in individuals with first-episode psychosis and healthy controls. <i>Psychiatry Research</i> , 2015, 226, 128-135. | 1.7 | 24 |
| 69 | Perceptions of clinicians treating young people with first-episode psychosis for post-traumatic stress disorder. <i>Microbial Biotechnology</i> , 2015, 9, 12-20. | 0.9 | 41 |
| 70 | Childhood adversity specificity and dose-response effect in non-affective first-episode psychosis. <i>Schizophrenia Research</i> , 2015, 165, 52-59. | 1.1 | 94 |
| 71 | Online social media: New data, new horizons in psychosis treatment. <i>Schizophrenia Research</i> , 2015, 166, 345-346. | 1.1 | 10 |
| 72 | Severity and persistence versus type of childhood adversity in non-affective first-episode psychosis. <i>Schizophrenia Research</i> , 2015, 168, 573-574. | 1.1 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Selective Attention to Threat is Specific to Delusions in First-Episode Psychosis. <i>Journal of Experimental Psychopathology</i> , 2014, 5, 191-199. | 0.4 | 3 |
| 74 | Moderated online social therapy. <i>ACM Transactions on Computer-Human Interaction</i> , 2014, 21, 1-26. | 4.6 | 126 |
| 75 | Safety and Privacy Outcomes From a Moderated Online Social Therapy for Young People With First-Episode Psychosis. <i>Psychiatric Services</i> , 2014, 65, 546-550. | 1.1 | 51 |
| 76 | Does cognitive behavioural therapy have a role in improving problem solving and coping in adolescents with suicidal ideation?. <i>The Cognitive Behaviour Therapist</i> , 2014, 7, . | 0.4 | 13 |
| 77 | Online, social media and mobile technologies for psychosis treatment: A systematic review on novel user-led interventions. <i>Schizophrenia Research</i> , 2014, 156, 96-106. | 1.1 | 311 |
| 78 | Emotion recognition as a predictor of transition to a psychotic disorder in ultra-high risk participants. <i>Schizophrenia Research</i> , 2014, 153, 25-31. | 1.1 | 51 |
| 79 | The development of a randomised controlled trial testing the effects of an online intervention among school students at risk of suicide. <i>BMC Psychiatry</i> , 2014, 14, 155. | 1.1 | 24 |
| 80 | Relationship between vocational status and perceived stress and daily hassles in first-episode psychosis: an exploratory study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1045-1052. | 1.6 | 10 |
| 81 | Community Rehabilitation and Psychosocial Interventions for Psychotic Disorders in Youth. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2013, 22, 745-758. | 1.0 | 10 |
| 82 | On the HORYZON: Moderated online social therapy for long-term recovery in first episode psychosis. <i>Schizophrenia Research</i> , 2013, 143, 143-149. | 1.1 | 206 |
| 83 | Childhood trauma and psychosis: new perspectives on aetiology and treatment. <i>Microbial Biotechnology</i> , 2013, 7, 1-4. | 0.9 | 34 |
| 84 | Testing a Model of the Relationship Between Childhood Sexual Abuse and Psychosis in a First-Episode Psychosis Group. <i>Journal of Nervous and Mental Disease</i> , 2013, 201, 941-947. | 0.5 | 45 |
| 85 | Enhanced cortisol suppression following administration of low-dose dexamethasone in first-episode psychosis patients. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 363-370. | 1.3 | 33 |
| 86 | Source monitoring and proneness to auditory-verbal hallucinations: A signal detection analysis. <i>Cognitive Neuropsychiatry</i> , 2012, 17, 544-562. | 0.7 | 8 |
| 87 | Hearing voices inside and outside the head: Spatial source monitoring in participants prone to auditory hallucinations. <i>Cognitive Neuropsychiatry</i> , 2012, 17, 506-526. | 0.7 | 3 |
| 88 | Childhood trauma increases the risk of post-traumatic stress disorder in response to first-episode psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 35-39. | 1.3 | 55 |
| 89 | Road to full recovery: longitudinal relationship between symptomatic remission and psychosocial recovery in first-episode psychosis over 7.5 years. <i>Psychological Medicine</i> , 2012, 42, 595-606. | 2.7 | 169 |
| 90 | Internet-Based Interventions for Psychosis. <i>Psychiatric Clinics of North America</i> , 2012, 35, 735-747. | 0.7 | 61 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Risk factors for relapse following treatment for first episode psychosis: A systematic review and meta-analysis of longitudinal studies. <i>Schizophrenia Research</i> , 2012, 139, 116-128. | 1.1 | 384 |
| 92 | What self-generated speech is externally misattributed in psychosis? Testing three cognitive models in a first-episode sample. <i>Schizophrenia Research</i> , 2011, 129, 36-41. | 1.1 | 16 |
| 93 | Patient predictors of symptom and functional outcome following cognitive behaviour therapy or befriending in first-episode psychosis. <i>Schizophrenia Research</i> , 2011, 132, 125-130. | 1.1 | 36 |
| 94 | Cortisol and dehydroepiandrosterone-sulphate levels correlate with symptom severity in first-episode psychosis. <i>Journal of Psychiatric Research</i> , 2011, 45, 249-255. | 1.5 | 59 |
| 95 | Childhood trauma and psychosis: Review of the evidence and directions for psychological interventions. <i>Australian Psychologist</i> , 2010, 45, 299-306. | 0.9 | 23 |
| 96 | Study protocol: The development of a pilot study employing a randomised controlled design to investigate the feasibility and effects of a peer support program following discharge from a specialist first-episode psychosis treatment centre. <i>BMC Psychiatry</i> , 2010, 10, 37. | 1.1 | 15 |
| 97 | Pattern of Lifetime Axis I Morbidity among a Treated Sample of First-Episode Psychosis Patients. <i>Psychopathology</i> , 2008, 41, 90-95. | 1.1 | 2 |
| 98 | Acute-phase and 1-year follow-up results of a randomized controlled trial of CBT <i>versus</i> Befriending for first-episode psychosis: the ACE project. <i>Psychological Medicine</i> , 2008, 38, 725-735. | 2.7 | 120 |
| 99 | Childhood Trauma and Psychotic Disorders: a Systematic, Critical Review of the Evidence. <i>Schizophrenia Bulletin</i> , 2007, 34, 568-579. | 2.3 | 295 |
| 100 | The Credibility and Acceptability of Befriending as a Control Therapy in a Randomized Controlled Trial of Cognitive Behaviour Therapy for Acute First Episode Psychosis. <i>Behavioural and Cognitive Psychotherapy</i> , 2006, 34, 277-291. | 0.9 | 37 |
| 101 | The Horyzons Project: A Randomised Controlled Trial of a Novel Moderated Online Social Therapy to Maintain Treatment Effects From Specialist First Episode Psychosis Services. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 3 |
| 102 | Subjective distress, self-harm, and suicidal ideation or behavior throughout trauma-focused cognitive-behavioral therapy in transitional age youth.. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 0, , . | 1.4 | 0 |