

Karin Dedek

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7894230/publications.pdf>

Version: 2024-02-01

52
papers

2,328
citations

236612

25
h-index

214527

47
g-index

56
all docs

56
docs citations

56
times ranked

2496
citing authors

#	ARTICLE	IF	CITATIONS
1	Myokymia and neonatal epilepsy caused by a mutation in the voltage sensor of the KCNQ2 K ⁺ channel. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 12272-12277.	3.3	241
2	Mice with altered KCNQ4 K ⁺ channels implicate sensory outer hair cells in human progressive deafness. EMBO Journal, 2006, 25, 642-652.	3.5	227
3	Identification of a Common Non-Apoptotic Cell Death Mechanism in Hereditary Retinal Degeneration. PLoS ONE, 2014, 9, e112142.	1.1	191
4	Colocalization of KCNQ1/KCNE channel subunits in the mouse gastrointestinal tract. Pflugers Archiv European Journal of Physiology, 2001, 442, 896-902.	1.3	146
5	Deletion of Connexin45 in Mouse Retinal Neurons Disrupts the Rod/Cone Signaling Pathway between All Amacrine and ON Cone Bipolar Cells and Leads to Impaired Visual Transmission. Journal of Neuroscience, 2005, 25, 566-576.	1.7	146
6	Neonatal convulsions and epileptic encephalopathy in an Italian family with a missense mutation in the fifth transmembrane region of KCNQ2. Epilepsy Research, 2003, 54, 21-27.	0.8	118
7	Localization of heterotypic gap junctions composed of connexin45 and connexin36 in the rod pathway of the mouse retina. European Journal of Neuroscience, 2006, 24, 1675-1686.	1.2	82
8	Horizontal cell receptive fields are reduced in connexin57-deficient mice. European Journal of Neuroscience, 2006, 23, 3176-3186.	1.2	77
9	Plasmodium Induces Swelling-activated ClC-2 Anion Channels in the Host Erythrocyte. Journal of Biological Chemistry, 2004, 279, 41444-41452.	1.6	74
10	Ablation of Retinal Horizontal Cells from Adult Mice Leads to Rod Degeneration and Remodeling in the Outer Retina. Journal of Neuroscience, 2012, 32, 10713-10724.	1.7	58
11	Ganglion Cell Adaptability: Does the Coupling of Horizontal Cells Play a Role?. PLoS ONE, 2008, 3, e1714.	1.1	55
12	Differential Regulation of Cone Calcium Signals by Different Horizontal Cell Feedback Mechanisms in the Mouse Retina. Journal of Neuroscience, 2014, 34, 11826-11843.	1.7	52
13	Expression and modulation of connexin30.2, a novel gap junction protein in the mouse retina. Visual Neuroscience, 2010, 27, 91-101.	0.5	50
14	Connexin57 is expressed in dendrodendritic and axoaxonal gap junctions of mouse horizontal cells and its distribution is modulated by light. Journal of Comparative Neurology, 2009, 513, 363-374.	0.9	46
15	All amacrine cells discriminate between heterocellular and homocellular locations when assembling connexin36-containing gap junctions. Journal of Cell Science, 2014, 127, 1190-202.	1.2	42
16	Rod and Cone Contributions to Horizontal Cell Light Responses in the Mouse Retina. Journal of Neuroscience, 2008, 28, 6818-6825.	1.7	41
17	Photoelectrical Stimulation of Neuronal Cells by an Organic Semiconductor-Electrolyte Interface. Langmuir, 2016, 32, 8533-8542.	1.6	38
18	A novel type of interplexiform amacrine cell in the mouse retina. European Journal of Neuroscience, 2009, 30, 217-228.	1.2	36

#	ARTICLE	IF	CITATIONS
19	Expression of Pannexin1 in the outer plexiform layer of the mouse retina and physiological impact of its knockout. <i>Journal of Comparative Neurology</i> , 2013, 521, 1119-1135.	0.9	35
20	Subcellular distribution of connexin45 in OFF bipolar cells of the mouse retina. <i>Journal of Comparative Neurology</i> , 2011, 519, 433-450.	0.9	33
21	Inputs Underlying the ON—OFF Light Responses of Type 2 Wide-Field Amacrine Cells in TH::GFP Mice. <i>Journal of Neuroscience</i> , 2011, 31, 4780-4791.	1.7	31
22	Morphology and connectivity of the small bistratified A8 amacrine cell in the mouse retina. <i>Journal of Comparative Neurology</i> , 2015, 523, 1529-1547.	0.9	31
23	Eliminating Glutamatergic Input onto Horizontal Cells Changes the Dynamic Range and Receptive Field Organization of Mouse Retinal Ganglion Cells. <i>Journal of Neuroscience</i> , 2018, 38, 2015-2028.	1.7	30
24	Cryptochrome 1a localisation in light- and dark-adapted retinæ of several migratory and non-migratory bird species: no signs of light-dependent activation. <i>Ethology Ecology and Evolution</i> , 2021, 33, 248-272.	0.6	30
25	Lack of the Sodium-Driven Chloride Bicarbonate Exchanger NCBE Impairs Visual Function in the Mouse Retina. <i>PLoS ONE</i> , 2012, 7, e46155.	1.1	28
26	Organic Photovoltaic Sensors for Photocapacitive Stimulation of Voltage-gated Ion Channels in Neuroblastoma Cells. <i>Advanced Functional Materials</i> , 2019, 29, 1805177.	7.8	27
27	Differential Distribution of Retinal Ca ²⁺ /Calmodulin-Dependent Kinase II (CaMKII) Isoforms Indicates CaMKII β and γ as Specific Elements of Electrical Synapses Made of Connexin36 (Cx36). <i>Frontiers in Molecular Neuroscience</i> , 2017, 10, 425.	1.4	22
28	Type 2 wide-field amacrine cells in TH::GFP mice show a homogenous synapse distribution and contact small ganglion cells. <i>European Journal of Neuroscience</i> , 2015, 41, 734-747.	1.2	21
29	Connexin30.2: In Vitro Interaction with Connexin36 in HeLa Cells and Expression in All Amacrine Cells and Intrinsically Photosensitive Ganglion Cells in the Mouse Retina. <i>Frontiers in Molecular Neuroscience</i> , 2016, 9, 36.	1.4	21
30	A novel isoform of cryptochrome 4 (Cry4b) is expressed in the retina of a night-migratory songbird. <i>Scientific Reports</i> , 2020, 10, 15794.	1.6	21
31	Testing for a Gap Junction-Mediated Bystander Effect in Retinitis Pigmentosa: Secondary Cone Death Is Not Altered by Deletion of Connexin36 from Cones. <i>PLoS ONE</i> , 2013, 8, e57163.	1.1	21
32	The absence of Complexin 3 and Complexin 4 differentially impacts the ON and OFF pathways in mouse retina. <i>European Journal of Neuroscience</i> , 2012, 36, 2470-2481.	1.2	20
33	Cell-Specific Cre Recombinase Expression Allows Selective Ablation of Glutamate Receptors from Mouse Horizontal Cells. <i>PLoS ONE</i> , 2013, 8, e83076.	1.1	20
34	Connexin50 couples axon terminals of mouse horizontal cells by homotypic gap junctions. <i>Journal of Comparative Neurology</i> , 2015, 523, 2062-2081.	0.9	20
35	Morphological and physiological properties of enhanced green fluorescent protein (EGFP)-expressing wide-field amacrine cells in the C _h AT::EGFP mouse line. <i>European Journal of Neuroscience</i> , 2014, 39, 800-810.	1.2	19
36	Gap Junctions in A8 Amacrine Cells Are Made of Connexin36 but Are Differently Regulated Than Gap Junctions in All Amacrine Cells. <i>Frontiers in Molecular Neuroscience</i> , 2019, 12, 99.	1.4	19

#	ARTICLE	IF	CITATIONS
37	Double Cones and the Diverse Connectivity of Photoreceptors and Bipolar Cells in an Avian Retina. <i>Journal of Neuroscience</i> , 2021, 41, 5015-5028.	1.7	18
38	Expression and Localization of Connexins in the Outer Retina of the Mouse. <i>Journal of Molecular Neuroscience</i> , 2016, 58, 178-192.	1.1	17
39	Expression and Biophysical Characterization of Voltage-Gated Sodium Channels in Axons and Growth Cones of the Regenerating Optic Nerve. , 2010, 51, 1789.		15
40	Defective ceramide synthases in mice cause reduced amplitudes in electroretinograms and altered sphingolipid composition in retina and cornea. <i>European Journal of Neuroscience</i> , 2016, 44, 1700-1713.	1.2	13
41	Localization of Retinal Ca ²⁺ /Calmodulin-Dependent Kinase II- β (CaMKII- β) at Bipolar Cell Gap Junctions and Cross-Reactivity of a Monoclonal Anti-CaMKII- β Antibody With Connexin36. <i>Frontiers in Molecular Neuroscience</i> , 2019, 12, 206.	1.4	12
42	Double cones in the avian retina form an oriented mosaic which might facilitate magnetoreception and/or polarized light sensing. <i>Journal of the Royal Society Interface</i> , 2022, 19, 20210877.	1.5	12
43	Rod Bipolar Cells Require Horizontal Cells for Invagination Into the Terminals of Rod Photoreceptors. <i>Frontiers in Cellular Neuroscience</i> , 2019, 13, 423.	1.8	11
44	Localisation of cryptochrome 2 in the avian retina. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 2021, 208, 69.	0.7	11
45	Retinal horizontal cells use different synaptic sites for global feedforward and local feedback signaling. <i>Current Biology</i> , 2022, 32, 545-558.e5.	1.8	11
46	Phenotyping of Gap-Junctional Coupling in the Mouse Retina. <i>Methods in Molecular Biology</i> , 2018, 1753, 249-259.	0.4	8
47	Expression of cell markers and transcription factors in the avian retina compared with that in the marmoset retina. <i>Journal of Comparative Neurology</i> , 2021, 529, 3171-3193.	0.9	5
48	Electrophysiological Characterization of GFP-Expressing Cell Populations in the Intact Retina. <i>Journal of Visualized Experiments</i> , 2011, , .	0.2	4
49	Phosphorylation of Connexin36 near the C-terminus switches binding affinities for PDZ-domain and 14-3-3 proteins in vitro. <i>Scientific Reports</i> , 2020, 10, 18378.	1.6	4
50	Synaptic Remodeling in the Cone Pathway After Early Postnatal Horizontal Cell Ablation. <i>Frontiers in Cellular Neuroscience</i> , 2021, 15, 657594.	1.8	4
51	Optical Index Matching, Flexible Electrospun Substrates for Seamless Organic Photocapacitive Sensors. <i>Physica Status Solidi (B): Basic Research</i> , 2021, 258, 2000543.	0.7	2
52	The retinal circuitry for magnetoreception in migratory birds. <i>Neuroforum</i> , 2021, 27, 159-166.	0.2	1