

Andrew S Levey

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7894923/andrew-s-levey-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

452
papers

103,483
citations

121
h-index

319
g-index

497
ext. papers

119,970
ext. citations

10
avg, IF

7.9
L-index

#	Paper	IF	Citations
452	A Prospective cross-sectional study estimated glomerular filtration rate from creatinine and cystatin C in adults with solid tumors.. <i>Kidney International</i> , 2022 ,	9.9	2
451	β ₂ -Microglobulin and β ₂ Trace Protein in Patients Undergoing Bariatric Surgery: Non-GFR Determinants and Panel-estimated GFR Performance.. <i>Kidney Medicine</i> , 2022 , 4, 100401	2.8	
450	Performance of Serum β ₂ -Microglobulin- and β ₂ Trace Protein-Based Panel Markers and 2021 Creatinine- and Cystatin-Based GFR Estimating Equations in Pakistan.. <i>Kidney Medicine</i> , 2022 , 4, 100444	2.8	0
449	The authors reply.. <i>Kidney International</i> , 2022 , 101, 1088-1089	9.9	
448	Uses of GFR and Albuminuria Level in Acute and Chronic Kidney Disease. <i>New England Journal of Medicine</i> , 2022 , 386, 2120-2128	59.2	4
447	CKD and Risk of Incident Hospitalization With Clostridioides Difficile Infection: Findings From the Atherosclerosis Risk in Communities (ARIC) Study.. <i>American Journal of Kidney Diseases</i> , 2021 ,	7.4	
446	National Kidney Foundation Laboratory Engagement Working Group Recommendations for Implementing the CKD-EPI 2021 Race-Free Equations for Estimated Glomerular Filtration Rate: Practical Guidance for Clinical Laboratories.. <i>Clinical Chemistry</i> , 2021 ,	5.5	8
445	New GFR-estimating equations for children and young adults in North America and Europe. <i>Kidney International</i> , 2021 , 99, 808-811	9.9	
444	Performance and Determinants of Serum Creatinine and Cystatin C-Based GFR Estimating Equations in South Asians. <i>Kidney International Reports</i> , 2021 , 6, 962-975	4.1	2
443	A New Panel-Estimated GFR, Including β ₂ Microglobulin and β ₂ Trace Protein and Not Including Race, Developed in a Diverse Population. <i>American Journal of Kidney Diseases</i> , 2021 , 77, 673-683.e1	7.4	16
442	In Reply to "Multiple-Biomarker Panel Estimated GFR Is Not Optimal or Cost-Effective" and "Comparing Multiple-Biomarker Panels for Estimating GFR With Estimating Equations Without a Coefficient Distinguishing Black Individuals From Persons of Other Groups". <i>American Journal of Kidney Diseases</i> , 2021 , 77, 824	7.4	
441	Defining AKD: The Spectrum of AKI, AKD, and CKD. <i>Nephron</i> , 2021 , 1-4	3.3	7
440	Nomenclature for Kidney Function and Disease: Executive Summary and Glossary From a Kidney Disease: Improving Global Outcomes (KDIGO) Consensus Conference. <i>Peritoneal Dialysis International</i> , 2021 , 41, 5-14	2.8	2
439	Nomenclature for kidney function and disease: Executive summary and glossary from a Kidney Disease: Improving Global Outcomes (KDIGO) consensus conference. <i>American Journal of Transplantation</i> , 2021 , 21, 901-902	8.7	2
438	Cystatin C and Muscle Mass in Patients With Heart Failure. <i>Journal of Cardiac Failure</i> , 2021 , 27, 48-56	3.3	2
437	Long-Term Longitudinal Stability of Kidney Filtration Marker Measurements: Implications for Epidemiological Studies and Clinical Care. <i>Clinical Chemistry</i> , 2021 , 67, 425-433	5.5	6
436	Improving Glomerular Filtration Rate Estimation-Across the Age and Diversity Spectrum. <i>Annals of Internal Medicine</i> , 2021 , 174, 265-267	8	6

435	Tubular Secretion of Creatinine and Risk of Kidney Failure: The Modification of Diet in Renal Disease (MDRD) Study. <i>American Journal of Kidney Diseases</i> , 2021 , 77, 992-994	7.4	0
434	The case for early identification and intervention of chronic kidney disease: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>Kidney International</i> , 2021 , 99, 34-47	9.9	42
433	Estimating Kidney Failure Risk Using Electronic Medical Records.. <i>Kidney360</i> , 2021 , 2, 415-424	1.8	1
432	Evaluation of Glomerular Filtration Rate, Albuminuria and Hematuria in Living Donor Candidates 2021 , 59-91		
431	In Search of a Better Equation - Performance and Equity in Estimates of Kidney Function. <i>New England Journal of Medicine</i> , 2021 , 384, 396-399	59.2	40
430	Chronic Kidney Disease Testing Among Primary Care Patients With Type 2 Diabetes Across 24 U.S. Health Care Organizations. <i>Diabetes Care</i> , 2021 , 44, 2000-2009	14.6	9
429	Association of Treatment Effects on Early Change in Urine Protein and Treatment Effects on GFR Slope in IgA Nephropathy: An Individual Participant Meta-analysis. <i>American Journal of Kidney Diseases</i> , 2021 , 78, 340-349.e1	7.4	4
428	New Creatinine- and Cystatin C-Based Equations to Estimate GFR without Race. <i>New England Journal of Medicine</i> , 2021 , 385, 1737-1749	59.2	125
427	Harmonizing acute and chronic kidney disease definition and classification: report of a Kidney Disease: Improving Global Outcomes (KDIGO) Consensus Conference. <i>Kidney International</i> , 2021 , 100, 516-526	9.9	25
426	eGFR and chemotherapy: will removing race create disparities?. <i>Lancet Oncology, The</i> , 2021 , 22, 1208-1209.7	0.7	0
425	Standardised Outcomes in Nephrology - Chronic Kidney Disease (SONG-CKD): a protocol for establishing a core outcome set for adults with chronic kidney disease who do not require kidney replacement therapy. <i>Trials</i> , 2021 , 22, 612	2.8	1
424	Performance of Glomerular Filtration Rate Estimating Equations Before and After Bariatric Surgery. <i>Kidney Medicine</i> , 2020 , 2, 699-706.e1	2.8	5
423	Nomenclature for kidney function and disease-executive summary and glossary from a Kidney Disease: Improving Global Outcomes (KDIGO) consensus conference. <i>European Heart Journal</i> , 2020 , 41, 4592-4598	9.5	16
422	Incorporating kidney disease measures into cardiovascular risk prediction: Development and validation in 9 million adults from 72 datasets. <i>EClinicalMedicine</i> , 2020 , 27, 100552	11.3	15
421	Kidney Disease, Race, and GFR Estimation. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020 , 15, 1203-1212	6.9	72
420	Bisphosphonate utilization across the spectrum of eGFR. <i>Archives of Osteoporosis</i> , 2020 , 15, 69	2.9	3
419	Nomenclature for kidney function and disease: executive summary from a KDIGO consensus conference. <i>Nature Reviews Nephrology</i> , 2020 , 16, 427-428	14.9	2
418	Ritonavir-Boosted Protease Inhibitors Do Not Significantly Affect the Performance of Creatinine-Based Estimates of GFR. <i>Kidney International Reports</i> , 2020 , 5, 734-737	4.1	0

417	GFR in Healthy Aging: an Individual Participant Data Meta-Analysis of Iohexol Clearance in European Population-Based Cohorts. <i>Journal of the American Society of Nephrology: JASN</i> , 2020 , 31, 1602-1615 ^{12,7} ²²		
416	GFR after kidney donation: early recovery and subsequent decline. <i>Kidney International</i> , 2020 , 98, 57-59	9.9	2
415	Nomenclature for kidney function and disease: report of a Kidney Disease: Improving Global Outcomes (KDIGO) Consensus Conference. <i>Kidney International</i> , 2020 , 97, 1117-1129	9.9	176
414	Patient and Caregiver Perspectives on Terms Used to Describe Kidney Health. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020 , 15, 937-948	6.9	18
413	Nomenclature for Kidney Function and Disease: Executive Summary and Glossary from a Kidney Disease: Improving Global Outcomes (KDIGO) Consensus Conference. <i>American Journal of Nephrology</i> , 2020 , 51, 579-588	4.6	1
412	GFR Estimation Using a Panel of Filtration Markers in Shanghai and Beijing. <i>Kidney Medicine</i> , 2020 , 2, 172-180	2.8	4
411	Estimating total small solute clearance in patients treated with continuous ambulatory peritoneal dialysis without urine and dialysate collection. <i>Peritoneal Dialysis International</i> , 2020 , 40, 84-92	2.8	2
410	Global, regional, and national burden of chronic kidney disease, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2020 , 395, 709-733	40	1021
409	Estimation of Glomerular Filtration Rate With vs Without Including Patient Race. <i>JAMA Internal Medicine</i> , 2020 , 180, 793-795	11.5	38
408	Nomenclature for kidney function and disease: executive summary and glossary from a Kidney Disease: Improving Global Outcomes (KDIGO) Consensus Conference. <i>Transplant International</i> , 2020 , 33, 999-1009	3	3
407	Controversies in acute kidney injury: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Conference. <i>Kidney International</i> , 2020 , 98, 294-309	9.9	80
406	Validation of a simple equation for glomerular filtration rate measurement based on plasma iohexol disappearance. <i>CKJ: Clinical Kidney Journal</i> , 2020 , 13, 397-401	4.5	1
405	Nomenclature for kidney function and disease: Executive summary and glossary from a Kidney Disease: Improving Global Outcomes (KDIGO) Consensus Conference. <i>Kidney Research and Clinical Practice</i> , 2020 , 39, 151-161	3.6	4
404	Comparability of Plasma Iohexol Clearance Across Population-Based Cohorts. <i>American Journal of Kidney Diseases</i> , 2020 , 76, 54-62	7.4	6
403	Patient and Caregiver Priorities for Outcomes in CKD: A Multinational Nominal Group Technique Study. <i>American Journal of Kidney Diseases</i> , 2020 , 76, 679-689	7.4	19
402	Performance of Indexed and Nonindexed Estimated GFR. <i>American Journal of Kidney Diseases</i> , 2020 , 76, 446-449	7.4	5
401	Nomenclature for Kidney Function and Disease: Executive Summary and Glossary From a Kidney Disease: Improving Global Outcomes (KDIGO) Consensus Conference. <i>American Journal of Kidney Diseases</i> , 2020 , 76, 157-160	7.4	6
400	Nomenclature for Kidney Function and Disease: Executive Summary and Glossary From a Kidney Disease: Improving Global Outcomes (KDIGO) Consensus Conference. <i>Journal of Renal Nutrition</i> , 2020 , 30, e41-e50	3	1

399	Chronic Kidney Disease and Kidney Cancer Surgery: New Perspectives. <i>Journal of Urology</i> , 2020 , 203, 475-485	2.5	12
398	"Should the definition of CKD be changed to include age-adapted GFR criteria?": Con: the evaluation and management of CKD, not the definition, should be age-adapted. <i>Kidney International</i> , 2020 , 97, 37-40	9.9	11
397	Nomenclature for Kidney Function and Disease: Executive Summary and Glossary From a Kidney Disease: Improving Global Outcomes Consensus Conference. <i>Transplantation</i> , 2020 , 104, 1986-1994	1.8	2
396	Nomenclature for Kidney Function and Disease: Executive Summary and Glossary from a Kidney Disease: Improving Global Outcomes (KDIGO) Consensus Conference. <i>Kidney Diseases (Basel, Switzerland)</i> , 2020 , 6, 309-317	3.3	4
395	Nomenclature for kidney function and disease: Executive summary and glossary from a Kidney Disease: Improving Global Outcomes (KDIGO) Consensus Conference. <i>Journal of Renal Care</i> , 2020 , 46, 136	1.6	1
394	Estimating Glomerular Filtration Rate in African American Individuals-Reply. <i>JAMA Internal Medicine</i> , 2020 , 180, 1549-1550	11.5	
393	Measured and estimated glomerular filtration rate: current status and future directions. <i>Nature Reviews Nephrology</i> , 2020 , 16, 51-64	14.9	59
392	Change in Albuminuria and GFR as End Points for Clinical Trials in Early Stages of CKD: A Scientific Workshop Sponsored by the National Kidney Foundation in Collaboration With the US Food and Drug Administration and European Medicines Agency. <i>American Journal of Kidney Diseases</i> , 2020 , 75, 84-104	7.4	124
391	Application of the 2017 KDIGO Guideline for the Evaluation and Care of Living Kidney Donors to Clinical Practice. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020 , 15, 896-905	6.9	11
390	GFR Slope as a Surrogate End Point for Kidney Disease Progression in Clinical Trials: A Meta-Analysis of Treatment Effects of Randomized Controlled Trials. <i>Journal of the American Society of Nephrology: JASN</i> , 2019 , 30, 1735-1745	12.7	68
389	Strengths and limitations of estimated and measured GFR. <i>Nature Reviews Nephrology</i> , 2019 , 15, 784	14.9	20
388	Metformin use and cardiovascular events in patients with type 2 diabetes and chronic kidney disease. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 1199-1208	6.7	51
387	Blood Pressure, Chronic Kidney Disease Progression, and Kidney Allograft Failure in Kidney Transplant Recipients: A Secondary Analysis of the FAVORIT Trial. <i>American Journal of Hypertension</i> , 2019 , 32, 816-823	2.3	5
386	Development and Validation of Residual Kidney Function Estimating Equations in Dialysis Patients. <i>Kidney Medicine</i> , 2019 , 1, 104-114	2.8	6
385	Improving glomerular filtration rate estimation. <i>Kidney International</i> , 2019 , 95, 1017-1019	9.9	3
384	The Serum Metabolome Identifies Biomarkers of Dietary Acid Load in 2 Studies of Adults with Chronic Kidney Disease. <i>Journal of Nutrition</i> , 2019 , 149, 578-585	4.1	12
383	Incidence and Prognosis of Acute Kidney Diseases and Disorders Using an Integrated Approach to Laboratory Measurements in a Universal Health Care System. <i>JAMA Network Open</i> , 2019 , 2, e191795	10.4	29
382	Serum Metabolomic Alterations Associated with Proteinuria in CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019 , 14, 342-353	6.9	21

381	Serum metabolites associated with dietary protein intake: results from the Modification of Diet in Renal Disease (MDRD) randomized clinical trial. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 517-525	7	15
380	Albuminuria and Allograft Failure, Cardiovascular Disease Events, and All-Cause Death in Stable Kidney Transplant Recipients: A Cohort Analysis of the FAVORIT Trial. <i>American Journal of Kidney Diseases</i> , 2019 , 73, 51-61	7.4	21
379	Evaluating Glomerular Filtration Rate Slope as a Surrogate End Point for ESKD in Clinical Trials: An Individual Participant Meta-Analysis of Observational Data. <i>Journal of the American Society of Nephrology: JASN</i> , 2019 , 30, 1746-1755	12.7	49
378	Knowing your GFR-when is the number not (exactly) the number?. <i>Kidney International</i> , 2019 , 96, 280-282	9	1
377	Performance of GFR Slope as a Surrogate End Point for Kidney Disease Progression in Clinical Trials: A Statistical Simulation. <i>Journal of the American Society of Nephrology: JASN</i> , 2019 , 30, 1756-1769	12.7	31
376	Novel associations between blood metabolites and kidney function among Bogalusa Heart Study and Multi-Ethnic Study of Atherosclerosis participants. <i>Metabolomics</i> , 2019 , 15, 149	4.7	7
375	Treatment of Anemia With Darbeoetin Prior to Dialysis Initiation and Clinical Outcomes: Analyses From the Trial to Reduce Cardiovascular Events With Aranesp Therapy (TREAT). <i>American Journal of Kidney Diseases</i> , 2019 , 73, 309-315	7.4	15
374	Validation of a Metabolite Panel for a More Accurate Estimation of Glomerular Filtration Rate Using Quantitative LC-MS/MS. <i>Clinical Chemistry</i> , 2019 , 65, 406-418	5.5	9
373	Measurement and Estimation of Kidney Function 2019 , 23-41.e3		1
372	Change in albuminuria and subsequent risk of end-stage kidney disease: an individual participant-level consortium meta-analysis of observational studies. <i>Lancet Diabetes and Endocrinology</i> , 2019 , 7, 115-127	18.1	114
371	Change in albuminuria as a surrogate endpoint for progression of kidney disease: a meta-analysis of treatment effects in randomised clinical trials. <i>Lancet Diabetes and Endocrinology</i> , 2019 , 7, 128-139	18.1	119
370	Relationship of Estimated GFR and Albuminuria to Concurrent Laboratory Abnormalities: An Individual Participant Data Meta-analysis in a Global Consortium. <i>American Journal of Kidney Diseases</i> , 2019 , 73, 206-217	7.4	25
369	Metabolomic profiling to improve glomerular filtration rate estimation: a proof-of-concept study. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 825-833	4.3	20
368	Measurement and Estimation of Residual Kidney Function in Patients on Dialysis. <i>Advances in Chronic Kidney Disease</i> , 2018 , 25, 93-104	4.7	18
367	Estimated Glomerular Filtration Rate From a Panel of Filtration Markers-Hope for Increased Accuracy Beyond Measured Glomerular Filtration Rate?. <i>Advances in Chronic Kidney Disease</i> , 2018 , 25, 67-75	4.7	35
366	Core Assessment of Predonation Kidney Function: Clarification of the 2017 KDIGO Living Donor Guideline. <i>American Journal of Kidney Diseases</i> , 2018 , 72, 154-155	7.4	1
365	Improving the prognosis of patients with severely decreased glomerular filtration rate (CKD G4+): conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>Kidney International</i> , 2018 , 93, 1281-1292	9.9	41
364	In Reply to 'How Valid Are GFR Estimation Results From the CKD-EPI Databases?'. <i>American Journal of Kidney Diseases</i> , 2018 , 71, 447	7.4	

363	Serum Uromodulin: A Biomarker of Long-Term Kidney Allograft Failure. <i>American Journal of Nephrology</i> , 2018 , 47, 275-282	4.6	21
362	Predicting timing of clinical outcomes in patients with chronic kidney disease and severely decreased glomerular filtration rate. <i>Kidney International</i> , 2018 , 93, 1442-1451	9.9	67
361	Performance of glomerular filtration rate estimating equations in a community-based sample of Blacks and Whites: the multiethnic study of atherosclerosis. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 417-425	4.3	19
360	Comparison of glomerular filtration rate estimating equations derived from creatinine and cystatin C: validation in the Age, Gene/Environment Susceptibility-Reykjavik elderly cohort. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 1380-1388	4.3	28
359	Acute Kidney Injury. <i>Annals of Internal Medicine</i> , 2018 , 168, 837	8	11
358	Effects of Body Size and Composition on Sex Differences in Measured GFR in a US Community-Based Older Cohort (MESA-Kidney). <i>American Journal of Kidney Diseases</i> , 2018 , 72, 767-770	7.4	1
357	Biological Variability of Estimated GFR and Albuminuria in CKD. <i>American Journal of Kidney Diseases</i> , 2018 , 72, 538-546	7.4	29
356	BP in Dialysis: Results of a Pilot Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 307-316	12.7	35
355	Imprecise Kidney Function Thresholds in Cancer Clinical Trials and the Potential for Harm. <i>JNCI Cancer Spectrum</i> , 2018 , 2, pky060	4.6	4
354	Hereditary Kidney Disease: All Family Members Are Affected. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 2451-2452	12.7	0
353	Serum 6-Bromotryptophan Levels Identified as a Risk Factor for CKD Progression. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 1939-1947	12.7	10
352	Serum metabolites are associated with all-cause mortality in chronic kidney disease. <i>Kidney International</i> , 2018 , 94, 381-389	9.9	27
351	The AGES-Reykjavik Study suggests that change in kidney measures is associated with subclinical brain pathology in older community-dwelling persons. <i>Kidney International</i> , 2018 , 94, 608-615	9.9	5
350	Soluble Urokinase-Type Plasminogen Activator Receptor in Black Americans with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018 , 13, 1013-1021	6.9	15
349	Urine Potassium Excretion, Kidney Failure, and Mortality in CKD. <i>American Journal of Kidney Diseases</i> , 2017 , 69, 341-349	7.4	39
348	B-Type Natriuretic Peptide and Cardiac Troponin I Are Associated With Adverse Outcomes in Stable Kidney Transplant Recipients. <i>Transplantation</i> , 2017 , 101, 182-190	1.8	7
347	Strategies for assessing GFR and albuminuria in the living kidney donor evaluation. <i>Current Transplantation Reports</i> , 2017 , 4, 13-23	1.5	7
346	Filtration Markers, Cardiovascular Disease, Mortality, and Kidney Outcomes in Stable Kidney Transplant Recipients: The FAVORIT Trial. <i>American Journal of Transplantation</i> , 2017 , 17, 2390-2399	8.7	17

345	Global Cardiovascular and Renal Outcomes of Reduced GFR. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 2167-2179	12.7	127
344	Global kidney health 2017 and beyond: a roadmap for closing gaps in care, research, and policy. <i>Lancet, The</i> , 2017 , 390, 1888-1917	4.0	419
343	Non-GFR Determinants of Low-Molecular-Weight Serum Protein Filtration Markers in the Elderly: AGES-Kidney and MESA-Kidney. <i>American Journal of Kidney Diseases</i> , 2017 , 70, 406-414	7.4	29
342	Comparing Newer GFR Estimating Equations Using Creatinine and Cystatin C to the CKD-EPI Equations in Adults. <i>American Journal of Kidney Diseases</i> , 2017 , 70, 587-589	7.4	23
341	Serum Phosphorus and Risk of Cardiovascular Disease, All-Cause Mortality, or Graft Failure in Kidney Transplant Recipients: An Ancillary Study of the FAVORIT Trial Cohort. <i>American Journal of Kidney Diseases</i> , 2017 , 70, 377-385	7.4	17
340	ESRD After Heart Failure, Myocardial Infarction, or Stroke in Type 2 Diabetic Patients With CKD. <i>American Journal of Kidney Diseases</i> , 2017 , 70, 522-531	7.4	7
339	Estimating Glomerular Filtration Rate Using Serum Creatinine. <i>Clinical Chemistry</i> , 2017 , 63, 1161-1162	5.5	6
338	GFR Evaluation in Living Kidney Donor Candidates. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 1062-1071	12.7	29
337	Albuminuria changes are associated with subsequent risk of end-stage renal disease and mortality. <i>Kidney International</i> , 2017 , 91, 244-251	9.9	77
336	Urine Fibrosis Markers and Risk of Allograft Failure in Kidney Transplant Recipients: A Case-Cohort Ancillary Study of the FAVORIT Trial. <i>American Journal of Kidney Diseases</i> , 2017 , 69, 410-419	7.4	38
335	Action plan for determining and monitoring the prevalence of chronic kidney disease. <i>Kidney International Supplements</i> , 2017 , 7, 63-70	6.3	9
334	Action plan for optimizing the design of clinical trials in chronic kidney disease. <i>Kidney International Supplements</i> , 2017 , 7, 138-144	6.3	12
333	Metabolomic Alterations Associated with Cause of CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017 , 12, 1787-1794	6.9	31
332	Aortic stiffness and change in glomerular filtration rate and albuminuria in older people. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, 677-684	4.3	10
331	Summary of Kidney Disease: Improving Global Outcomes (KDIGO) Clinical Practice Guideline on the Evaluation and Care of Living Kidney Donors. <i>Transplantation</i> , 2017 , 101, 1783-1792	1.8	154
330	A Rebuttal to "The CKD Classification System in the Precision Medicine Era". <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017 , 12, 1711-1713	6.9	2
329	In Reply to 'Newer GFR Estimating Equations Require Validation in Different Populations'. <i>American Journal of Kidney Diseases</i> , 2017 , 70, 586-587	7.4	1
328	Change in Hemoglobin Trajectory and Darbeoetin Dose Approaching End-Stage Renal Disease: Data from the Trial to Reduce Cardiovascular Events with Aranesp Therapy Trial. <i>American Journal of Nephrology</i> , 2017 , 46, 488-497	4.6	5

327	Acute Kidney Injury. <i>Annals of Internal Medicine</i> , 2017 , 167, ITC66-ITC80	8	167
326	Risk of ESRD and Mortality Associated With Change in Filtration Markers. <i>American Journal of Kidney Diseases</i> , 2017 , 70, 551-560	7.4	14
325	A tripartite complex of suPAR, APOL1 risk variants and α 1-Microglobulin on podocytes mediates chronic kidney disease. <i>Nature Medicine</i> , 2017 , 23, 945-953	50.5	121
324	Filtration Markers as Predictors of ESRD and Mortality: Individual Participant Data Meta-Analysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017 , 12, 69-78	6.9	19
323	A Dynamic Predictive Model for Progression of CKD. <i>American Journal of Kidney Diseases</i> , 2017 , 69, 514-520	7.4	48
322	Novel Filtration Markers for GFR Estimation. <i>Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine</i> , 2017 , 28, 277-288	2.4	9
321	KDIGO Clinical Practice Guideline on the Evaluation and Care of Living Kidney Donors. <i>Transplantation</i> , 2017 , 101, S1-S109	1.8	209
320	Assessment of Glomerular Filtration Rate in Health and Disease: A State of the Art Review. <i>Clinical Pharmacology and Therapeutics</i> , 2017 , 102, 405-419	6.1	117
319	GFR Estimation Using α 1-Microglobulin and β 2-Microglobulin in CKD. <i>American Journal of Kidney Diseases</i> , 2016 , 67, 40-8	7.4	94
318	A Metabolome-Wide Association Study of Kidney Function and Disease in the General Population. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 1175-88	12.7	119
317	Effects of Race and Sex on Measured GFR: The Multi-Ethnic Study of Atherosclerosis. <i>American Journal of Kidney Diseases</i> , 2016 , 68, 743-751	7.4	31
316	C-Reactive Protein and Risk of ESRD: Results From the Trial to Reduce Cardiovascular Events With Aranesp Therapy (TREAT). <i>American Journal of Kidney Diseases</i> , 2016 , 68, 873-881	7.4	21
315	In Reply to 'Plasma Clearance of Iohexol in Hemodialysis Patients Requires Prolonged Blood Sampling'. <i>American Journal of Kidney Diseases</i> , 2016 , 67, 811-2	7.4	2
314	Managing Chronic Kidney Disease in Older People--Reply. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 315, 307	27.4	3
313	Multinational Assessment of Accuracy of Equations for Predicting Risk of Kidney Failure: A Meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 315, 164-74	27.4	258
312	Progression to Stage 4 chronic kidney disease and death, acute kidney injury and hospitalization risk: a retrospective cohort study. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 1122-30	4.3	15
311	Past Decline Versus Current eGFR and Subsequent ESRD Risk. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 2447-55	12.7	52
310	Candidate Surrogate End Points for ESRD after AKI. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 2851-9	12.7	37

309	Estimating residual kidney function in dialysis patients without urine collection. <i>Kidney International</i> , 2016 , 89, 1099-1110	9.9	57
308	Aspirin Use and Incident Cardiovascular Disease, Kidney Failure, and Death in Stable Kidney Transplant Recipients: A Post Hoc Analysis of the Folic Acid for Vascular Outcome Reduction in Transplantation (FAVORIT) Trial. <i>American Journal of Kidney Diseases</i> , 2016 , 68, 277-286	7.4	16
307	Kidney-Failure Risk Projection for the Living Kidney-Donor Candidate. <i>New England Journal of Medicine</i> , 2016 , 374, 411-21	59.2	272
306	Urine Injury Biomarkers and Risk of Adverse Outcomes in Recipients of Prevalent Kidney Transplants: The Folic Acid for Vascular Outcome Reduction in Transplantation Trial. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 2109-21	12.7	21
305	Relationship of dietary phosphate intake with risk of end-stage renal disease and mortality in chronic kidney disease stages 3-5: The Modification of Diet in Renal Disease Study. <i>Kidney International</i> , 2016 , 89, 176-84	9.9	51
304	Prevalence and complications of chronic kidney disease in a representative elderly population in Iceland. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 439-47	4.3	12
303	Biomarkers of Vitamin D Status and Risk of ESRD. <i>American Journal of Kidney Diseases</i> , 2016 , 67, 235-42	7.4	23
302	Associations between arterial stiffness, depressive symptoms and cerebral small vessel disease: cross-sectional findings from the AGES-Reykjavik Study. <i>Journal of Psychiatry and Neuroscience</i> , 2016 , 41, 162-8	4.5	35
301	O1-02-02: Decline in Kidney Function and Subclinical Brain Pathologies 2016 , 12, P173-P174		
300	Serum ÑTrace Protein and Ñ-Microglobulin as Predictors of ESRD, Mortality, and Cardiovascular Disease in Adults With CKD in the Chronic Renal Insufficiency Cohort (CRIC) Study. <i>American Journal of Kidney Diseases</i> , 2016 , 68, 68-76	7.4	50
299	Early Change in Urine Protein as a Surrogate End Point in Studies of IgA Nephropathy: An Individual-Patient Meta-analysis. <i>American Journal of Kidney Diseases</i> , 2016 , 68, 392-401	7.4	57
298	Non-GFR Determinants of Low-Molecular-Weight Serum ProteinñFiltration Markers in CKD. <i>American Journal of Kidney Diseases</i> , 2016 , 68, 892-900	7.4	53
297	DASH (Dietary Approaches to Stop Hypertension) Diet and Risk of Subsequent Kidney Disease. <i>American Journal of Kidney Diseases</i> , 2016 , 68, 853-861	7.4	167
296	Glomerular filtration rate and albuminuria for detection and staging of acute and chronic kidney disease in adults: a systematic review. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 313, 837-46	27.4	261
295	Introducing the AJKD Atlas of Renal Pathology II. <i>American Journal of Kidney Diseases</i> , 2015 , 66, 179-180	7.4	1
294	Race and ethnicity influences on cardiovascular and renal events in patients with diabetes mellitus. <i>American Heart Journal</i> , 2015 , 170, 322-9	4.9	30
293	Aortic stiffness and kidney disease in an elderly population. <i>American Journal of Nephrology</i> , 2015 , 41, 320-8	4.6	14
292	Change in Multiple Filtration Markers and Subsequent Risk of Cardiovascular Disease and Mortality. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015 , 10, 941-8	6.9	12

291	A Meta-analysis of the Association of Estimated GFR, Albuminuria, Diabetes Mellitus, and Hypertension With Acute Kidney Injury. <i>American Journal of Kidney Diseases</i> , 2015 , 66, 602-12	7.4	146
290	A Meta-analysis of the Association of Estimated GFR, Albuminuria, Age, Race, and Sex With Acute Kidney Injury. <i>American Journal of Kidney Diseases</i> , 2015 , 66, 591-601	7.4	97
289	Long-term medical risks to the living kidney donor. <i>Nature Reviews Nephrology</i> , 2015 , 11, 411-9	14.9	57
288	ESRD and death after heart failure in CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2015 , 26, 715-22	12.7	23
287	Serum fibroblast growth factor-23 is associated with incident kidney disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2015 , 26, 192-200	12.7	41
286	Midlife Blood Pressure and Late-Life GFR and Albuminuria: An Elderly General Population Cohort. <i>American Journal of Kidney Diseases</i> , 2015 , 66, 240-8	7.4	22
285	Lifetime Risk of Stage 3-5 CKD in a Community-Based Sample in Iceland. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015 , 10, 1575-84	6.9	14
284	Plasma Iohexol Clearance for Assessing Residual Kidney Function in Dialysis Patients. <i>American Journal of Kidney Diseases</i> , 2015 , 66, 728-30	7.4	11
283	Segmental kidney volumes measured by dynamic contrast-enhanced magnetic resonance imaging and their association with CKD in older people. <i>American Journal of Kidney Diseases</i> , 2015 , 65, 41-8	7.4	18
282	Mediation analysis of aortic stiffness and renal microvascular function. <i>Journal of the American Society of Nephrology: JASN</i> , 2015 , 26, 1181-7	12.7	80
281	Filtration markers as predictors of ESRD and mortality in Southwestern American Indians with type 2 diabetes. <i>American Journal of Kidney Diseases</i> , 2015 , 66, 75-83	7.4	33
280	Cause of Death in Patients With Diabetic CKD Enrolled in the Trial to Reduce Cardiovascular Events With Aranesp Therapy (TREAT). <i>American Journal of Kidney Diseases</i> , 2015 , 66, 429-40	7.4	20
279	Chronic Kidney Disease in Older People. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 314, 557-8	27.4	61
278	Comparing GFR Estimating Equations Using Cystatin C and Creatinine in Elderly Individuals. <i>Journal of the American Society of Nephrology: JASN</i> , 2015 , 26, 1982-9	12.7	101
277	Estimation of GFR in South Asians: a study from the general population in Pakistan. <i>American Journal of Kidney Diseases</i> , 2014 , 63, 49-58	7.4	49
276	Assessment of Glomerular Filtration Rate in Acute and Chronic Settings 2014 , 26-32		1
275	In reply to 'Creatinine-based GFR estimating equations in kidney transplant recipients' and 'Assessing kidney function in transplant recipients: time to work together and address the most relevant questions'. <i>American Journal of Kidney Diseases</i> , 2014 , 64, 819	7.4	6
274	Risk of end-stage renal disease and death after cardiovascular events in chronic kidney disease. <i>Circulation</i> , 2014 , 130, 458-65	16.7	39

273	Estimated GFR decline as a surrogate end point for kidney failure: a post hoc analysis from the Reduction of End Points in Non-Insulin-Dependent Diabetes With the Angiotensin II Antagonist Losartan (RENAAL) study and Irbesartan Diabetic Nephropathy Trial (IDNT). <i>American Journal of Kidney Diseases</i> , 2014 , 63, 244-50	7.4	41
272	CKD stage at nephrology referral and factors influencing the risks of ESRD and death. <i>American Journal of Kidney Diseases</i> , 2014 , 63, 928-36	7.4	30
271	Performance of creatinine-based GFR estimating equations in solid-organ transplant recipients. <i>American Journal of Kidney Diseases</i> , 2014 , 63, 1007-18	7.4	85
270	GFR estimation: from physiology to public health. <i>American Journal of Kidney Diseases</i> , 2014 , 63, 820-34	7.4	283
269	Glomerular filtration rate estimation using cystatin C alone or combined with creatinine as a confirmatory test. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, 1195-203	4.3	64
268	Relative risks of chronic kidney disease for mortality and end-stage renal disease across races are similar. <i>Kidney International</i> , 2014 , 86, 819-27	9.9	52
267	Utility and validity of estimated GFR-based surrogate time-to-event end points in CKD: a simulation study. <i>American Journal of Kidney Diseases</i> , 2014 , 64, 867-79	7.4	47
266	GFR decline as an alternative end point to kidney failure in clinical trials: a meta-analysis of treatment effects from 37 randomized trials. <i>American Journal of Kidney Diseases</i> , 2014 , 64, 848-59	7.4	83
265	GFR decline and subsequent risk of established kidney outcomes: a meta-analysis of 37 randomized controlled trials. <i>American Journal of Kidney Diseases</i> , 2014 , 64, 860-6	7.4	78
264	GFR decline as an end point for clinical trials in CKD: a scientific workshop sponsored by the National Kidney Foundation and the US Food and Drug Administration. <i>American Journal of Kidney Diseases</i> , 2014 , 64, 821-35	7.4	300
263	BP, cardiovascular disease, and death in the Folic Acid for Vascular Outcome Reduction in Transplantation trial. <i>Journal of the American Society of Nephrology: JASN</i> , 2014 , 25, 1554-62	12.7	49
262	Urinary sodium excretion and kidney failure in nondiabetic chronic kidney disease. <i>Kidney International</i> , 2014 , 86, 582-8	9.9	48
261	Decline in estimated glomerular filtration rate and subsequent risk of end-stage renal disease and mortality. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 2518-2531	27.4	580
260	Staging and Management of Chronic Kidney Disease 2014 , 458-466		6
259	Early change in proteinuria as a surrogate end point for kidney disease progression: an individual patient meta-analysis. <i>American Journal of Kidney Diseases</i> , 2014 , 64, 74-85	7.4	78
258	Risk prediction models for patients with chronic kidney disease: a systematic review. <i>Annals of Internal Medicine</i> , 2013 , 158, 596-603	8	128
257	Cystatin C versus creatinine in determining risk based on kidney function. <i>New England Journal of Medicine</i> , 2013 , 369, 932-43	59.2	541
256	Within-person variability in kidney measures. <i>American Journal of Kidney Diseases</i> , 2013 , 61, 716-22	7.4	45

255	Cohort profile: the chronic kidney disease prognosis consortium. <i>International Journal of Epidemiology</i> , 2013 , 42, 1660-8	7.8	52
254	Calibration of cystatin C in the National Health and Nutrition Examination Surveys (NHANES). <i>American Journal of Kidney Diseases</i> , 2013 , 61, 353-4	7.4	19
253	Effect of protein restriction on serum and urine phosphate in the modification of diet in renal disease (MDRD) study. <i>American Journal of Kidney Diseases</i> , 2013 , 61, 1045-6	7.4	23
252	Influence of urine creatinine concentrations on the relation of albumin-creatinine ratio with cardiovascular disease events: the Multi-Ethnic Study of Atherosclerosis (MESA). <i>American Journal of Kidney Diseases</i> , 2013 , 62, 722-9	7.4	14
251	Novel filtration markers as predictors of all-cause and cardiovascular mortality in US adults. <i>American Journal of Kidney Diseases</i> , 2013 , 62, 42-51	7.4	55
250	Trends in the prevalence of reduced GFR in the United States: a comparison of creatinine- and cystatin C-based estimates. <i>American Journal of Kidney Diseases</i> , 2013 , 62, 253-60	7.4	77
249	Evolving importance of kidney disease: from subspecialty to global health burden. <i>Lancet, The</i> , 2013 , 382, 158-69	4.0	624
248	Con: Should we abandon the use of the MDRD equation in favour of the CKD-EPI equation?. <i>Nephrology Dialysis Transplantation</i> , 2013 , 28, 1396-403; discussion 403	4.3	42
247	Pro: Estimating GFR using the chronic kidney disease epidemiology collaboration (CKD-EPI) 2009 creatinine equation: the time for change is now. <i>Nephrology Dialysis Transplantation</i> , 2013 , 28, 1390-6	4.3	27
246	Comparison of serum concentrations of ß ₂ -microglobulin, cystatin C, and creatinine in the US population. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013 , 8, 584-92	6.9	46
245	Associations of estimated glomerular filtration rate and albuminuria with mortality and renal failure by sex: a meta-analysis. <i>BMJ, The</i> , 2013 , 346, f324	5.9	224
244	The Kidney Disease Improving Global Outcomes (KDIGO) guideline update for chronic kidney disease: evolution not revolution. <i>Clinical Chemistry</i> , 2013 , 59, 462-5	5.5	62
243	Fibroblast growth factor 23 and CKD prognosis. <i>American Journal of Kidney Diseases</i> , 2012 , 59, 607-10	7.4	0
242	In Reply to "What Dominates Living Donor Kidney Transplantation: Altruism or Loss of Dignity?". <i>American Journal of Kidney Diseases</i> , 2012 , 59, 317	7.4	1
241	Estimating Equations for Glomerular Filtration Rate in the Era of Creatinine Standardization. <i>Annals of Internal Medicine</i> , 2012 , 156, 785	8	286
240	Accuracy of a GFR estimating equation over time in people with a wide range of kidney function. <i>American Journal of Kidney Diseases</i> , 2012 , 60, 217-24	7.4	42
239	Clinical risk implications of the CKD Epidemiology Collaboration (CKD-EPI) equation compared with the Modification of Diet in Renal Disease (MDRD) Study equation for estimated GFR. <i>American Journal of Kidney Diseases</i> , 2012 , 60, 241-9	7.4	70
238	Cognitive dysfunction and depression in adult kidney transplant recipients: baseline findings from the FAVORIT Ancillary Cognitive Trial (FACT). <i>Journal of Renal Nutrition</i> , 2012 , 22, 268-276.e3	3	27

237	Chronic kidney disease. <i>Lancet, The</i> , 2012 , 379, 165-80	40	1107
236	Estimating glomerular filtration rate from serum creatinine and cystatin C. <i>New England Journal of Medicine</i> , 2012 , 367, 20-9	59.2	2242
235	Filtration markers may have prognostic value independent of glomerular filtration rate. <i>Journal of the American Society of Nephrology: JASN</i> , 2012 , 23, 351-9	12.7	70
234	Comparison of risk prediction using the CKD-EPI equation and the MDRD study equation for estimated glomerular filtration rate. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 307, 1941-51	27.4	658
233	Serum trace protein and risk of mortality in incident hemodialysis patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012 , 7, 1435-45	6.9	23
232	Estimating equations for glomerular filtration rate in the era of creatinine standardization: a systematic review. <i>Annals of Internal Medicine</i> , 2012 , 156, 785-95	8	147
231	Lower estimated glomerular filtration rate and higher albuminuria are associated with all-cause and cardiovascular mortality. A collaborative meta-analysis of high-risk population cohorts. <i>Kidney International</i> , 2011 , 79, 1341-52	9.9	562
230	Lower estimated glomerular filtration rate and higher albuminuria are associated with mortality and end-stage renal disease. A collaborative meta-analysis of kidney disease population cohorts. <i>Kidney International</i> , 2011 , 79, 1331-40	9.9	468
229	Prognostic assessment of estimated glomerular filtration rate by the new Chronic Kidney Disease Epidemiology Collaboration equation in comparison with the Modification of Diet in Renal Disease Study equation. <i>American Heart Journal</i> , 2011 , 162, 548-54	4.9	126
228	Evaluation of the Chronic Kidney Disease Epidemiology Collaboration equation for estimating the glomerular filtration rate in multiple ethnicities. <i>Kidney International</i> , 2011 , 79, 555-62	9.9	288
227	Classification of chronic kidney disease: a step forward. <i>Annals of Internal Medicine</i> , 2011 , 154, 65-7	8	23
226	Expressing the CKD-EPI (Chronic Kidney Disease Epidemiology Collaboration) cystatin C equations for estimating GFR with standardized serum cystatin C values. <i>American Journal of Kidney Diseases</i> , 2011 , 58, 682-4	7.4	151
225	Association between cardiac biomarkers and the development of ESRD in patients with type 2 diabetes mellitus, anemia, and CKD. <i>American Journal of Kidney Diseases</i> , 2011 , 58, 717-28	7.4	105
224	Living donor kidney transplantation in the United States--looking back, looking forward. <i>American Journal of Kidney Diseases</i> , 2011 , 58, 343-8	7.4	36
223	Level and determinants of kidney function in a South Asian population in Pakistan. <i>American Journal of Kidney Diseases</i> , 2011 , 58, 764-72	7.4	24
222	Homocysteine-lowering and cardiovascular disease outcomes in kidney transplant recipients: primary results from the Folic Acid for Vascular Outcome Reduction in Transplantation trial. <i>Circulation</i> , 2011 , 123, 1763-70	16.7	140
221	A predictive model for progression of chronic kidney disease to kidney failure. <i>JAMA - Journal of the American Medical Association</i> , 2011 , 305, 1553-9	27.4	625
220	Equations to estimate creatinine excretion rate: the CKD epidemiology collaboration. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 184-91	6.9	122

219	Long-term viral negativity after interferon for chronic hepatitis C virus infection in hemodialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 2226-34	6.9	14
218	Estimated GFR, albuminuria, and complications of chronic kidney disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2011 , 22, 2322-31	12.7	64
217	Early change in proteinuria as a surrogate outcome in kidney disease progression: a systematic review of previous analyses and creation of a patient-level pooled dataset. <i>Nephrology Dialysis Transplantation</i> , 2011 , 26, 848-57	4.3	20
216	Changes in dietary protein intake has no effect on serum cystatin C levels independent of the glomerular filtration rate. <i>Kidney International</i> , 2011 , 79, 471-7	9.9	113
215	Lower estimated GFR and higher albuminuria are associated with adverse kidney outcomes. A collaborative meta-analysis of general and high-risk population cohorts. <i>Kidney International</i> , 2011 , 80, 93-104	9.9	494
214	Cystatin C identifies chronic kidney disease patients at higher risk for complications. <i>Journal of the American Society of Nephrology: JASN</i> , 2011 , 22, 147-55	12.7	146
213	Erythropoietic response and outcomes in kidney disease and type 2 diabetes. <i>New England Journal of Medicine</i> , 2010 , 363, 1146-55	59.2	344
212	Effect of intra-dialytic, low-intensity strength training on functional capacity in adult haemodialysis patients: a randomized pilot trial. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 1936-43	4.3	142
211	Both low muscle mass and low fat are associated with higher all-cause mortality in hemodialysis patients. <i>Kidney International</i> , 2010 , 77, 624-9	9.9	126
210	Clinical impact of reporting estimated glomerular filtration rates. <i>Clinical Chemistry</i> , 2010 , 56, 1381-3	5.5	7
209	Development and validation of GFR-estimating equations using diabetes, transplant and weight. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 449-57	4.3	90
208	Chronic kidney disease, diabetes, and hypertension: what's in a name?. <i>Kidney International</i> , 2010 , 78, 19-22	9.9	43
207	Filtration markers in acute kidney injury. <i>American Journal of Kidney Diseases</i> , 2010 , 56, 619-22	7.4	6
206	Assessment of Renal Function 2010 , 31-38		9
205	Association of estimated glomerular filtration rate and albuminuria with all-cause and cardiovascular mortality in general population cohorts: a collaborative meta-analysis. <i>Lancet, The</i> , 2010 , 375, 2073-81	40	2495
204	Advances in glomerular filtration rate-estimating equations. <i>Current Opinion in Nephrology and Hypertension</i> , 2010 , 19, 298-307	3.5	47
203	Estimating GFR using the CKD Epidemiology Collaboration (CKD-EPI) creatinine equation: more accurate GFR estimates, lower CKD prevalence estimates, and better risk predictions. <i>American Journal of Kidney Diseases</i> , 2010 , 55, 622-7	7.4	551
202	Imprecision of urinary iothalamate clearance as a gold-standard measure of GFR decreases the diagnostic accuracy of kidney function estimating equations. <i>American Journal of Kidney Diseases</i> , 2010 , 56, 39-49	7.4	87

201	Comparative performance of the CKD Epidemiology Collaboration (CKD-EPI) and the Modification of Diet in Renal Disease (MDRD) Study equations for estimating GFR levels above 60 mL/min/1.73 m ² . <i>American Journal of Kidney Diseases</i> , 2010 , 56, 486-95	7.4	418
200	Obesity, glomerular hyperfiltration, and the surface area correction. <i>American Journal of Kidney Diseases</i> , 2010 , 56, 255-8	7.4	37
199	Impact of reporting estimated glomerular filtration rate: it's not just about us. <i>Kidney International</i> , 2009 , 76, 245-7	9.9	12
198	Interferon for hepatitis C virus in hemodialysis--an individual patient meta-analysis of factors associated with sustained virological response. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009 , 4, 1449-58	6.9	20
197	Key comorbid conditions that are predictive of survival among hemodialysis patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009 , 4, 1818-26	6.9	54
196	Current status and future perspectives for CKD testing. <i>American Journal of Kidney Diseases</i> , 2009 , 53, S17-26	7.4	40
195	Conceptual model of CKD: applications and implications. <i>American Journal of Kidney Diseases</i> , 2009 , 53, S4-16	7.4	98
194	Effect of a very low-protein diet on outcomes: long-term follow-up of the Modification of Diet in Renal Disease (MDRD) Study. <i>American Journal of Kidney Diseases</i> , 2009 , 53, 208-17	7.4	161
193	Baseline characteristics of participants in the Folic Acid for Vascular Outcome Reduction in Transplantation (FAVORIT) Trial. <i>American Journal of Kidney Diseases</i> , 2009 , 53, 121-8	7.4	40
192	Albuminuria, cognitive functioning, and white matter hyperintensities in homebound elders. <i>American Journal of Kidney Diseases</i> , 2009 , 53, 438-47	7.4	119
191	Comprehensive public health strategies for preventing the development, progression, and complications of CKD: report of an expert panel convened by the Centers for Disease Control and Prevention. <i>American Journal of Kidney Diseases</i> , 2009 , 53, 522-35	7.4	114
190	Uric acid and long-term outcomes in CKD. <i>American Journal of Kidney Diseases</i> , 2009 , 53, 796-803	7.4	298
189	Comparison of drug dosing recommendations based on measured GFR and kidney function estimating equations. <i>American Journal of Kidney Diseases</i> , 2009 , 54, 33-42	7.4	240
188	Baseline characteristics in the Trial to Reduce Cardiovascular Events With Aranesp Therapy (TREAT). <i>American Journal of Kidney Diseases</i> , 2009 , 54, 59-69	7.4	48
187	Nephrotic syndrome in diabetic kidney disease: an evaluation and update of the definition. <i>American Journal of Kidney Diseases</i> , 2009 , 54, 840-9	7.4	26
186	A trial of darbepoetin alfa in type 2 diabetes and chronic kidney disease. <i>New England Journal of Medicine</i> , 2009 , 361, 2019-32	59.2	1695
185	A new equation to estimate glomerular filtration rate. <i>Annals of Internal Medicine</i> , 2009 , 150, 604-12	8	13920
184	Factors other than glomerular filtration rate affect serum cystatin C levels. <i>Kidney International</i> , 2009 , 75, 652-60	9.9	444

183	Measured GFR as a confirmatory test for estimated GFR. <i>Journal of the American Society of Nephrology: JASN</i> , 2009 , 20, 2305-13	12.7	381
182	Method of glomerular filtration rate estimation affects prediction of mortality risk. <i>Journal of the American Society of Nephrology: JASN</i> , 2009 , 20, 2214-22	12.7	104
181	Prevalence of ICD-9-CM codes for chronic kidney disease in individuals with cardiovascular disease risk factors. <i>Journal of Nephrology</i> , 2009 , 22, 523-33	4.8	1
180	The relationship between nontraditional risk factors and outcomes in individuals with stage 3 to 4 CKD. <i>American Journal of Kidney Diseases</i> , 2008 , 51, 212-23	7.4	116
179	Interferon treatment in hemodialysis patients with chronic hepatitis C virus infection: a systematic review of the literature and meta-analysis of treatment efficacy and harms. <i>American Journal of Kidney Diseases</i> , 2008 , 51, 263-77	7.4	109
178	Estimating GFR using serum cystatin C alone and in combination with serum creatinine: a pooled analysis of 3,418 individuals with CKD. <i>American Journal of Kidney Diseases</i> , 2008 , 51, 395-406	7.4	819
177	Serum cystatin C in the United States: the Third National Health and Nutrition Examination Survey (NHANES III). <i>American Journal of Kidney Diseases</i> , 2008 , 51, 385-94	7.4	125
176	Cystatin C and creatinine in an HIV cohort: the nutrition for healthy living study. <i>American Journal of Kidney Diseases</i> , 2008 , 51, 914-24	7.4	43
175	Waist-to-hip ratio, body mass index, and subsequent kidney disease and death. <i>American Journal of Kidney Diseases</i> , 2008 , 52, 29-38	7.4	171
174	Waist-to-hip ratio and body mass index as risk factors for cardiovascular events in CKD. <i>American Journal of Kidney Diseases</i> , 2008 , 52, 49-57	7.4	105
173	Disordered mineral metabolism in hemodialysis patients: an analysis of cumulative effects in the Hemodialysis (HEMO) Study. <i>American Journal of Kidney Diseases</i> , 2008 , 52, 531-40	7.4	89
172	A comparison of change in measured and estimated glomerular filtration rate in patients with nondiabetic kidney disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008 , 3, 1332-8	6.9	52
171	A framework and key research questions in AKI diagnosis and staging in different environments. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008 , 3, 864-8	6.9	75
170	Association between serum 2-microglobulin level and infectious mortality in hemodialysis patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008 , 3, 69-77	6.9	67
169	Patient awareness of chronic kidney disease: trends and predictors. <i>Archives of Internal Medicine</i> , 2008 , 168, 2268-75		183
168	Uric acid and incident kidney disease in the community. <i>Journal of the American Society of Nephrology: JASN</i> , 2008 , 19, 1204-11	12.7	322
167	Chronic kidney disease is common: what do we do next?. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 1122-5	4.3	31
166	Association of physical activity with mortality in chronic kidney disease. <i>Journal of Nephrology</i> , 2008 , 21, 243-52	4.8	17

165	Expressing the Modification of Diet in Renal Disease Study equation for estimating glomerular filtration rate with standardized serum creatinine values. <i>Clinical Chemistry</i> , 2007 , 53, 766-72	5.5	1337
164	Role of adipose tissue in determining muscle mass in patients with chronic kidney disease. <i>Journal of Renal Nutrition</i> , 2007 , 17, 314-22	3	16
163	The Framingham predictive instrument in chronic kidney disease. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 217-24	15.1	207
162	CKD: common, harmful, and treatable--World Kidney Day 2007. <i>American Journal of Kidney Diseases</i> , 2007 , 49, 175-9	7.4	48
161	Early, intermediate, and long-term risk factors for mortality in incident dialysis patients: the Choices for Healthy Outcomes in Caring for ESRD (CHOICE) Study. <i>American Journal of Kidney Diseases</i> , 2007 , 49, 831-40	7.4	32
160	Impact of creatinine calibration on performance of GFR estimating equations in a pooled individual patient database. <i>American Journal of Kidney Diseases</i> , 2007 , 50, 21-35	7.4	163
159	Improving practice: reporting quality improvement activities. <i>American Journal of Kidney Diseases</i> , 2007 , 50, 5-7	7.4	3
158	Body mass index and mortality in CKD. <i>American Journal of Kidney Diseases</i> , 2007 , 50, 404-11	7.4	54
157	Testing for chronic kidney disease: a position statement from the National Kidney Foundation. <i>American Journal of Kidney Diseases</i> , 2007 , 50, 169-80	7.4	210
156	Dialysis facility ownership and epoetin dosing in hemodialysis patients: an overview. <i>American Journal of Kidney Diseases</i> , 2007 , 50, 349-53	7.4	3
155	Calibration of serum creatinine in the National Health and Nutrition Examination Surveys (NHANES) 1988-1994, 1999-2004. <i>American Journal of Kidney Diseases</i> , 2007 , 50, 918-26	7.4	236
154	Evaluation of the modification of diet in renal disease study equation in a large diverse population. <i>Journal of the American Society of Nephrology: JASN</i> , 2007 , 18, 2749-57	12.7	412
153	Chronic kidney disease: common, harmful and treatable--World Kidney Day 2007. <i>American Journal of Nephrology</i> , 2007 , 27, 108-12	4.6	31
152	Use of albumin creatinine ratio and urine albumin concentration as a screening test for albuminuria in an Indo-Asian population. <i>Nephrology Dialysis Transplantation</i> , 2007 , 22, 2194-200	4.3	61
151	Progression risk, urinary protein excretion, and treatment effects of angiotensin-converting enzyme inhibitors in nondiabetic kidney disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2007 , 18, 1959-65	12.7	121
150	Lowest systolic blood pressure is associated with stroke in stages 3 to 4 chronic kidney disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2007 , 18, 960-6	12.7	73
149	Prevalence of chronic kidney disease in the United States. <i>JAMA - Journal of the American Medical Association</i> , 2007 , 298, 2038-47	27.4	3435
148	Cystatin C as a risk factor for outcomes in chronic kidney disease. <i>Annals of Internal Medicine</i> , 2007 , 147, 19-27	8	137

147	Cardiovascular disease and subsequent kidney disease. <i>Archives of Internal Medicine</i> , 2007 , 167, 1130-6		164
146	Choices for Healthy Outcomes In Caring for End Stage Renal Disease. <i>Seminars in Dialysis</i> , 2007 , 9, 9-11	2.5	48
145	The Hemodialysis (HEMO) Study: Rationale for Selection of Interventions. <i>Seminars in Dialysis</i> , 2007 , 9, 24-33	2.5	71
144	Agreement of self-reported comorbid conditions with medical and physician reports varied by disease among end-stage renal disease patients. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 634-42	5.7	87
143	Inflammation and inverse associations of body mass index and serum creatinine with mortality in hemodialysis patients. <i>Journal of Renal Nutrition</i> , 2007 , 17, 372-80	3	27
142	Cerebrovascular disease in maintenance hemodialysis patients: results of the HEMO Study. <i>American Journal of Kidney Diseases</i> , 2006 , 47, 131-8	7.4	73
141	Cardiovascular outcomes and all-cause mortality: exploring the interaction between CKD and cardiovascular disease. <i>American Journal of Kidney Diseases</i> , 2006 , 48, 392-401	7.4	224
140	Effect of dietary protein restriction on the progression of kidney disease: long-term follow-up of the Modification of Diet in Renal Disease (MDRD) Study. <i>American Journal of Kidney Diseases</i> , 2006 , 48, 879-88	7.4	115
139	Relationship between homocysteine and mortality in chronic kidney disease. <i>Circulation</i> , 2006 , 113, 1572-8	7.7	44
138	Adiponectin and mortality in patients with chronic kidney disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2006 , 17, 2599-606	12.7	224
137	Automatic reporting of estimated glomerular filtration rate--just what the doctor ordered. <i>Clinical Chemistry</i> , 2006 , 52, 2188-93	5.5	46
136	Clinical practice guidelines in nephrology--for worse or for better. <i>Nephrology Dialysis Transplantation</i> , 2006 , 21, 1145-53	4.3	18
135	Serum beta-2 microglobulin levels predict mortality in dialysis patients: results of the HEMO study. <i>Journal of the American Society of Nephrology: JASN</i> , 2006 , 17, 546-55	12.7	326
134	Effect of dietary protein intake on serum total CO2 concentration in chronic kidney disease: Modification of Diet in Renal Disease study findings. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2006 , 1, 52-7	6.9	43
133	Surrogate end points for clinical trials of kidney disease progression. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2006 , 1, 874-84	6.9	98
132	Recommendations for improving serum creatinine measurement: a report from the Laboratory Working Group of the National Kidney Disease Education Program. <i>Clinical Chemistry</i> , 2006 , 52, 5-18	5.5	912
131	Assessing kidney function--measured and estimated glomerular filtration rate. <i>New England Journal of Medicine</i> , 2006 , 354, 2473-83	59.2	2103
130	Chronic kidney disease after nephrectomy in patients with renal cortical tumours: a retrospective cohort study. <i>Lancet Oncology, The</i> , 2006 , 7, 735-40	21.7	1212

129	Which antihypertensive agents in chronic kidney disease?. <i>Annals of Internal Medicine</i> , 2006 , 144, 213-5	8	10
128	Using standardized serum creatinine values in the modification of diet in renal disease study equation for estimating glomerular filtration rate. <i>Annals of Internal Medicine</i> , 2006 , 145, 247-54	8	3809
127	Chronic kidney disease in the elderly--how to assess risk. <i>New England Journal of Medicine</i> , 2005 , 352, 2122-4	59.2	100
126	Rationale--Trial to Reduce Cardiovascular Events with Aranesp Therapy (TREAT): evolving the management of cardiovascular risk in patients with chronic kidney disease. <i>American Heart Journal</i> , 2005 , 149, 408-13	4.9	97
125	Factors associated with lipoprotein(a) in chronic kidney disease. <i>American Journal of Kidney Diseases</i> , 2005 , 45, 28-38	7.4	13
124	The effect of a lower target blood pressure on the progression of kidney disease: long-term follow-up of the modification of diet in renal disease study. <i>Annals of Internal Medicine</i> , 2005 , 142, 342-51	8	347
123	The effect of angiotensin-converting-enzyme inhibitors on progression of advanced polycystic kidney disease. <i>Kidney International</i> , 2005 , 67, 265-71	9.9	75
122	Homocysteine in chronic kidney disease: Effect of low protein diet and repletion with B vitamins. <i>Kidney International</i> , 2005 , 67, 1539-46	9.9	23
121	Definition and classification of chronic kidney disease: a position statement from Kidney Disease: Improving Global Outcomes (KDIGO). <i>Kidney International</i> , 2005 , 67, 2089-100	9.9	2083
120	C-reactive protein and albumin as predictors of all-cause and cardiovascular mortality in chronic kidney disease. <i>Kidney International</i> , 2005 , 68, 766-72	9.9	277
119	Variation in the serum creatinine assay calibration: a practical application to glomerular filtration rate estimation. <i>Kidney International</i> , 2005 , 68, 1884-7	9.9	105
118	Relationship of phosphorus and calcium-phosphorus product with mortality in CKD. <i>American Journal of Kidney Diseases</i> , 2005 , 46, 455-63	7.4	97
117	Association between body mass index and CKD in apparently healthy men. <i>American Journal of Kidney Diseases</i> , 2005 , 46, 871-80	7.4	340
116	Proteinuria in South Asian children: prevalence and determinants. <i>Pediatric Nephrology</i> , 2005 , 20, 1458-65	5.2	17
115	Low rates of testing and diagnostic codes usage in a commercial clinical laboratory: evidence for lack of physician awareness of chronic kidney disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2005 , 16, 2439-48	12.7	107
114	High lipoprotein(a) levels and small apolipoprotein(a) size prospectively predict cardiovascular events in dialysis patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2005 , 16, 1794-802	12.7	61
113	General practitioners' approach to hypertension in urban Pakistan: disturbing trends in practice. <i>Circulation</i> , 2005 , 111, 1278-83	16.7	58
112	Children in South Asia have higher body mass-adjusted blood pressure levels than white children in the United States: a comparative study. <i>Circulation</i> , 2005 , 111, 1291-7	16.7	112

111	Serum creatinine as marker of kidney function in South Asians: a study of reduced GFR in adults in Pakistan. <i>Journal of the American Society of Nephrology: JASN</i> , 2005 , 16, 1413-9	12.7	84
110	Comparing the risk for death with peritoneal dialysis and hemodialysis in a national cohort of patients with chronic kidney disease. <i>Annals of Internal Medicine</i> , 2005 , 143, 174-83	8	216
109	Effects of anemia and left ventricular hypertrophy on cardiovascular disease in patients with chronic kidney disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2005 , 16, 1803-10	12.7	146
108	Anemia as a risk factor for cardiovascular disease and all-cause mortality in diabetes: the impact of chronic kidney disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2005 , 16, 3403-10	12.7	220
107	Glycosylated hemoglobin and mortality in patients with nondiabetic chronic kidney disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2005 , 16, 3411-7	12.7	40
106	Chronic kidney disease as a risk factor for cardiovascular disease and all-cause mortality: a pooled analysis of community-based studies. <i>Journal of the American Society of Nephrology: JASN</i> , 2004 , 15, 1307-15	12.7	947
105	Frequency of patient-physician contact and patient outcomes in hemodialysis care. <i>Journal of the American Society of Nephrology: JASN</i> , 2004 , 15, 210-8	12.7	50
104	Frequency of sit-down patient care rounds, attainment of clinical performance targets, hospitalization, and mortality in hemodialysis patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2004 , 15, 3144-53	12.7	26
103	Predicting 1 year mortality in an outpatient haemodialysis population: a comparison of comorbidity instruments. <i>Nephrology Dialysis Transplantation</i> , 2004 , 19, 413-20	4.3	79
102	Cardiac diseases in maintenance hemodialysis patients: results of the HEMO Study. <i>Kidney International</i> , 2004 , 65, 2380-9	9.9	354
101	Resistance training to reduce the malnutrition-inflammation complex syndrome of chronic kidney disease. <i>American Journal of Kidney Diseases</i> , 2004 , 43, 607-16	7.4	163
100	Restless legs symptoms among incident dialysis patients: association with lower quality of life and shorter survival. <i>American Journal of Kidney Diseases</i> , 2004 , 43, 900-9	7.4	165
99	Kidney disease as a risk factor for recurrent cardiovascular disease and mortality. <i>American Journal of Kidney Diseases</i> , 2004 , 44, 198-206	7.4	210
98	Clinically unrecognized Q-wave myocardial infarction in patients with diabetes mellitus, systemic hypertension, and nephropathy. <i>American Journal of Cardiology</i> , 2004 , 94, 337-9	3	13
97	Estimation of glomerular filtration rates before and after orthotopic liver transplantation: evaluation of current equations. <i>Liver Transplantation</i> , 2004 , 10, 301-9	4.5	268
96	Clinical implications of estimating equations for glomerular filtration rate. <i>Annals of Internal Medicine</i> , 2004 , 141, 959-61	8	74
95	Clinical practice guidelines for chronic kidney disease in adults: Part I. Definition, disease stages, evaluation, treatment, and risk factors. <i>American Family Physician</i> , 2004 , 70, 869-76	1.3	83
94	How strong are patients' preferences in choices between dialysis modalities and doses?. <i>American Journal of Kidney Diseases</i> , 2004 , 44, 695-705	7.4	12

93	Clinical practice guidelines for chronic kidney disease in adults: Part II. Glomerular filtration rate, proteinuria, and other markers. <i>American Family Physician</i> , 2004 , 70, 1091-7	1.3	37
92	The rate of progression of renal disease may not be slower in women compared with men: a patient-level meta-analysis. <i>Nephrology Dialysis Transplantation</i> , 2003 , 18, 2047-53	4.3	104
91	National Kidney Foundation practice guidelines for chronic kidney disease: evaluation, classification, and stratification. <i>Annals of Internal Medicine</i> , 2003 , 139, 137-47	8	3126
90	National Kidney Foundation's Kidney Disease Outcomes Quality Initiative clinical practice guidelines for chronic kidney disease in children and adolescents: evaluation, classification, and stratification. <i>Pediatrics</i> , 2003 , 111, 1416-21	7.4	457
89	Prevalence of chronic kidney disease and decreased kidney function in the adult US population: Third National Health and Nutrition Examination Survey. <i>American Journal of Kidney Diseases</i> , 2003 , 41, 1-12	7.4	1747
88	Comorbidity and its change predict survival in incident dialysis patients. <i>American Journal of Kidney Diseases</i> , 2003 , 41, 149-61	7.4	73
87	Demographics and trends in overweight and obesity in patients at time of kidney transplantation. <i>American Journal of Kidney Diseases</i> , 2003 , 41, 480-7	7.4	200
86	High urine volume and low urine osmolality are risk factors for faster progression of renal disease. <i>American Journal of Kidney Diseases</i> , 2003 , 41, 962-71	7.4	100
85	Relationship between C-reactive protein, albumin, and cardiovascular disease in patients with chronic kidney disease. <i>American Journal of Kidney Diseases</i> , 2003 , 42, 44-52	7.4	132
84	Lipoprotein(a) and prevalent cardiovascular disease in a dialysis population: The Choices for Healthy Outcomes in Caring for ESRD (CHOICE) study. <i>American Journal of Kidney Diseases</i> , 2003 , 42, 108-16	7.4	16
83	Proteinuria and other markers of chronic kidney disease: a position statement of the national kidney foundation (NKF) and the national institute of diabetes and digestive and kidney diseases (NIDDK). <i>American Journal of Kidney Diseases</i> , 2003 , 42, 617-22	7.4	331
82	Should the K/DOQI definition of chronic kidney disease be changed?. <i>American Journal of Kidney Diseases</i> , 2003 , 42, 626-30	7.4	5
81	Constructing a database of individual clinical trials for longitudinal analysis. <i>Contemporary Clinical Trials</i> , 2003 , 24, 324-40		19
80	Ethnic differences and determinants of proteinuria among South Asian subgroups in Pakistan. <i>Kidney International</i> , 2003 , 64, 1437-44	9.9	21
79	Level of kidney function as a risk factor for cardiovascular outcomes in the elderly. <i>Kidney International</i> , 2003 , 63, 1121-9	9.9	317
78	Traditional cardiac risk factors in individuals with chronic kidney disease. <i>Seminars in Dialysis</i> , 2003 , 16, 118-27	2.5	71
77	Dialysis membrane and modality in acute renal failure: understanding discordant meta-analyses. <i>Seminars in Dialysis</i> , 2003 , 16, 356-60	2.5	22
76	Kidney disease as a risk factor for development of cardiovascular disease: a statement from the American Heart Association Councils on Kidney in Cardiovascular Disease, High Blood Pressure Research, Clinical Cardiology, and Epidemiology and Prevention. <i>Circulation</i> , 2003 , 108, 2154-69	16.7	2515

75	Progression of chronic kidney disease: the role of blood pressure control, proteinuria, and angiotensin-converting enzyme inhibition: a patient-level meta-analysis. <i>Annals of Internal Medicine</i> , 2003 , 139, 244-52	8	758
74	Bias in assessment of health-related quality of life in a hemodialysis population: a comparison of self-administered and interviewer-administered surveys in the HEMO study. <i>Journal of the American Society of Nephrology: JASN</i> , 2003 , 14, 2132-41	12.7	43
73	Effects of high-flux hemodialysis on clinical outcomes: results of the HEMO study. <i>Journal of the American Society of Nephrology: JASN</i> , 2003 , 14, 3251-63	12.7	206
72	Hyperhomocysteinemia in renal transplant recipients. <i>American Journal of Transplantation</i> , 2002 , 2, 308-83	3.7	37
71	Comparison of causes of death using HEMO Study and HCFA end-stage renal disease death notification classification systems. The National Institutes of Health-funded Hemodialysis. Health Care Financing Administration. <i>American Journal of Kidney Diseases</i> , 2002 , 39, 146-53	7.4	82
70	Comorbidity and other factors associated with modality selection in incident dialysis patients: the CHOICE Study. Choices for Healthy Outcomes in Caring for End-Stage Renal Disease. <i>American Journal of Kidney Diseases</i> , 2002 , 39, 324-36	7.4	116
69	Calibration and random variation of the serum creatinine assay as critical elements of using equations to estimate glomerular filtration rate. <i>American Journal of Kidney Diseases</i> , 2002 , 39, 920-9	7.4	593
68	Homocysteine, cysteine, and B vitamins as predictors of kidney disease progression. <i>American Journal of Kidney Diseases</i> , 2002 , 40, 932-9	7.4	28
67	Serum C-reactive protein and leptin as predictors of kidney disease progression in the Modification of Diet in Renal Disease Study. <i>Kidney International</i> , 2002 , 62, 2208-15	9.9	62
66	How can the cardiac death rate be reduced in dialysis patients?. <i>Seminars in Dialysis</i> , 2002 , 15, 18-20	2.5	3
65	Traditional cardiovascular disease risk factors in dialysis patients compared with the general population: the CHOICE Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2002 , 13, 1918-27	12.7	457
64	Estimating the prevalence of low glomerular filtration rate requires attention to the creatinine assay calibration. <i>Journal of the American Society of Nephrology: JASN</i> , 2002 , 13, 2811-2; author reply 2812-6	12.7	81
63	The timing of specialist evaluation in chronic kidney disease and mortality. <i>Annals of Internal Medicine</i> , 2002 , 137, 479-86	8	312
62	Clinical practice. Nondiabetic kidney disease. <i>New England Journal of Medicine</i> , 2002 , 347, 1505-11	59.2	104
61	Anemia as a risk factor for cardiovascular disease in The Atherosclerosis Risk in Communities (ARIC) study. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 27-33	15.1	346
60	Effect of dialysis dose and membrane flux in maintenance hemodialysis. <i>New England Journal of Medicine</i> , 2002 , 347, 2010-9	59.2	1412
59	Plasma total homocysteine levels among patients undergoing nocturnal versus standard hemodialysis. <i>Journal of the American Society of Nephrology: JASN</i> , 2002 , 13, 265-268	12.7	54
58	Estimating the glomerular filtration rate. Dos and don'ts for assessing kidney function. <i>Postgraduate Medicine</i> , 2001 , 110, 55-62; quiz 11	3.7	44

57	The national epidemic of chronic kidney disease. What we know and what we can do. <i>Postgraduate Medicine</i> , 2001 , 110, 23-9: quiz 8	3.7	12
56	Comorbidity assessment using the Index of Coexistent Diseases in a multicenter clinical trial. <i>Kidney International</i> , 2001 , 60, 1498-510	9.9	139
55	Proteinuria as a modifiable risk factor for the progression of non-diabetic renal disease. <i>Kidney International</i> , 2001 , 60, 1131-40	9.9	267
54	Reduced kidney function and anemia as risk factors for mortality in patients with left ventricular dysfunction. <i>Journal of the American College of Cardiology</i> , 2001 , 38, 955-62	15.1	558
53	Resistance training to counteract the catabolism of a low-protein diet in patients with chronic renal insufficiency. A randomized, controlled trial. <i>Annals of Internal Medicine</i> , 2001 , 135, 965-76	8	169
52	U.S. nephrologists' attitudes towards renal transplantation: results from a national survey. <i>Transplantation</i> , 2001 , 71, 281-8	1.8	50
51	Prediction equations to estimate glomerular filtration rate: an update. <i>Current Opinion in Nephrology and Hypertension</i> , 2001 , 10, 785-92	3.5	211
50	The kidney and homocysteine metabolism. <i>Journal of the American Society of Nephrology: JASN</i> , 2001 , 12, 2181-2189	12.7	183
49	Atherosclerotic cardiovascular disease risks in chronic hemodialysis patients. <i>Kidney International</i> , 2000 , 58, 353-62	9.9	529
48	The role of systemic hypertension in the progression of nondiabetic renal disease. <i>Kidney International</i> , 2000 , 57, S44-S48	9.9	29
47	Comorbidity assessment in hemodialysis and peritoneal dialysis using the index of coexistent disease. <i>Seminars in Dialysis</i> , 2000 , 13, 320-6	2.5	76
46	Design and statistical issues of the hemodialysis (HEMO) study. <i>Contemporary Clinical Trials</i> , 2000 , 21, 502-25		120
45	Epidemiology, diagnosis, and management of cardiac disease in chronic renal disease. <i>Journal of Thrombosis and Thrombolysis</i> , 2000 , 10, 169-80	5.1	37
44	Cardiovascular disease and chronic renal disease: a new paradigm. <i>American Journal of Kidney Diseases</i> , 2000 , 35, S117-31	7.4	396
43	US nephrologists' recommendation of dialysis modality: results of a national survey. <i>American Journal of Kidney Diseases</i> , 2000 , 36, 1155-65	7.4	60
42	Late initiation of dialysis among women and ethnic minorities in the United States. <i>Journal of the American Society of Nephrology: JASN</i> , 2000 , 11, 2351-2357	12.7	115
41	Validation of comorbid conditions on the end-stage renal disease medical evidence report: the CHOICE study. Choices for Healthy Outcomes in Caring for ESRD. <i>Journal of the American Society of Nephrology: JASN</i> , 2000 , 11, 520-529	12.7	231
40	Placement of an internal jugular dialysis catheter into the superior intercostal vein. <i>Nephrology Dialysis Transplantation</i> , 1999 , 14, 2028-9	4.3	14

39	Hepatitis C virus genotype does not affect patient survival among renal transplant candidates. The New England Organ Bank Hepatitis C Study Group. <i>Kidney International</i> , 1999 , 56, 700-6	9.9	50
38	Epidemiology of Cardiac Disease in Dialysis Patients. <i>Seminars in Dialysis</i> , 1999 , 12, 69-76	2.5	47
37	Level of renal function at the initiation of dialysis in the U.S. end-stage renal disease population. <i>Kidney International</i> , 1999 , 56, 2227-35	9.9	71
36	A more accurate method to estimate glomerular filtration rate from serum creatinine: a new prediction equation. Modification of Diet in Renal Disease Study Group. <i>Annals of Internal Medicine</i> , 1999 , 130, 461-70	8	11186
35	Remission of nephrotic syndrome in type 1 diabetes: long-term follow-up of patients in the Captopril Study. <i>American Journal of Kidney Diseases</i> , 1999 , 34, 308-14	7.4	82
34	Dietary protein restriction and the progression of chronic renal disease: what have all of the results of the MDRD study shown? Modification of Diet in Renal Disease Study group. <i>Journal of the American Society of Nephrology: JASN</i> , 1999 , 10, 2426-39	12.7	278
33	"U" curve association of blood pressure and mortality in hemodialysis patients. Medical Directors of Dialysis Clinic, Inc. <i>Kidney International</i> , 1998 , 54, 561-9	9.9	459
32	Effects of hepatitis C infection and renal transplantation on survival in end-stage renal disease. The New England Organ Bank Hepatitis C Study Group. <i>Kidney International</i> , 1998 , 53, 1374-81	9.9	242
31	Predictors of GBV-C infection among patients referred for renal transplantation. <i>Kidney International</i> , 1998 , 53, 1769-74	9.9	4
30	Antilymphocyte antibodies, renal transplantation, and meta-analysis. <i>Annals of Internal Medicine</i> , 1998 , 128, 863-5	8	4
29	Hepatitis C virus infection in dialysis and renal transplantation. <i>Kidney International</i> , 1997 , 51, 981-99	9.9	268
28	Effect of dietary protein restriction on nutritional status in the Modification of Diet in Renal Disease Study. <i>Kidney International</i> , 1997 , 52, 778-91	9.9	149
27	Achievement and safety of a low blood pressure goal in chronic renal disease. The Modification of Diet in Renal Disease Study Group. <i>Hypertension</i> , 1997 , 29, 641-50	8.5	138
26	Effects of blood pressure control on progressive renal disease in blacks and whites. Modification of Diet in Renal Disease Study Group. <i>Hypertension</i> , 1997 , 30, 428-35	8.5	106
25	GB hepatitis agent in cadaver organ donors and their recipients. <i>Transplantation</i> , 1997 , 63, 346-51	1.8	14
24	Long-term follow-up of hepatitis C virus infection among organ transplant recipients: implications for policies on organ procurement. <i>Transplantation</i> , 1997 , 63, 849-53	1.8	70
23	Effects of dietary protein restriction on the progression of advanced renal disease in the Modification of Diet in Renal Disease Study. <i>American Journal of Kidney Diseases</i> , 1996 , 27, 652-63	7.4	245
22	Screening for acquired cystic kidney disease: a decision analytic perspective. <i>Kidney International</i> , 1995 , 48, 207-19	9.9	57

21	Transplantation of kidneys from donors with hepatitis C antibody into recipients with pre-transplantation anti-HCV. <i>Kidney International</i> , 1995 , 47, 236-40	9.9	93
20	Screening and confirmatory testing of cadaver organ donors for hepatitis C virus infection: a U.S. National Collaborative Study. <i>Kidney International</i> , 1994 , 46, 886-92	9.9	57
19	The effects of dietary protein restriction and blood-pressure control on the progression of chronic renal disease. Modification of Diet in Renal Disease Study Group. <i>New England Journal of Medicine</i> , 1994 , 330, 877-84	59.2	1757
18	Assessing the effectiveness of therapy to prevent the progression of renal disease. <i>American Journal of Kidney Diseases</i> , 1993 , 22, 207-14	7.4	23
17	Prevalence of hepatitis C virus RNA in organ donors positive for hepatitis C antibody and in the recipients of their organs. <i>New England Journal of Medicine</i> , 1992 , 327, 910-5	59.2	222
16	Progression and remission of renal disease in the Lupus Nephritis Collaborative Study. Results of treatment with prednisone and short-term oral cyclophosphamide. <i>Annals of Internal Medicine</i> , 1992 , 116, 114-23	8	105
15	Role of pathology indices in the management of severe lupus glomerulonephritis. Lupus Nephritis Collaborative Study Group. <i>Kidney International</i> , 1992 , 42, 743-8	9.9	56
14	In vitro production of interleukin-1 receptor antagonist in chronic renal failure, CAPD and HD. <i>Kidney International</i> , 1992 , 42, 1419-24	9.9	34
13	Which renal transplant patients should receive cytomegalovirus immune globulin? A cost-effectiveness analysis. <i>Transplantation</i> , 1991 , 52, 259-65	1.8	34
12	Transmission of hepatitis C virus by organ transplantation. <i>New England Journal of Medicine</i> , 1991 , 325, 454-60	59.2	334
11	Donor specific transfusions or cyclosporine for related-donor kidney transplantation?. <i>Kidney International</i> , 1989 , 36, 485-96	9.9	5
10	Life-threatening thrombocytopenia complicating antithymocyte globulin therapy for acute kidney transplant rejection. Evidence of in situ immune complex formation on the platelet surface. <i>Transplantation</i> , 1988 , 45, 647-9	1.8	11
9	Use of cytomegalovirus immune globulin to prevent cytomegalovirus disease in renal-transplant recipients. <i>New England Journal of Medicine</i> , 1987 , 317, 1049-54	59.2	488
8	Idiopathic nephrotic syndrome. Puncturing the biopsy myth. <i>Annals of Internal Medicine</i> , 1987 , 107, 697-713	7.4	24
7	Kidney transplantation from unrelated living donors. Time to reclaim a discarded opportunity. <i>New England Journal of Medicine</i> , 1986 , 314, 914-6	59.2	86
6	Use of magnesium hydroxide and low magnesium dialysate does not permit reduction of aluminum hydroxide during continuous ambulatory peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , 1986 , 8, 192-5	7.4	7
5	Kidney Failure or Cancer: Should Immunosuppression Be Continued in a Transplant Patient with Malignant Melanoma?. <i>Medical Decision Making</i> , 1984 , 4, 83-107	2.5	14
4	Immune complex glomerulonephritis in hydralazine-induced SLE. <i>American Journal of Kidney Diseases</i> , 1984 , 3, 270-4	7.4	27

3	Metabolic alkalosis due to absorption of "nonabsorbable" antacids. <i>American Journal of Medicine</i> , 1983 , 74, 155-8	2.4	31
2	Occult intracranial aneurysms in polycystic kidney disease. When is cerebral arteriography indicated?. <i>New England Journal of Medicine</i> , 1983 , 308, 986-94	59.2	116
1	Idiopathic nephrotic syndrome in a 53-year-old woman. Is a kidney biopsy necessary?. <i>Medical Decision Making</i> , 1982 , 2, 497-519	2.5	13