

Jens Wiltfang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7895436/jens-wiltfang-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

405
papers

18,850
citations

63
h-index

125
g-index

461
ext. papers

22,715
ext. citations

5.9
avg, IF

5.84
L-index

#	Paper	IF	Citations
405	Development of high-affinity fluorinated ligands for cannabinoid subtype 2 receptor, and in vitro evaluation of a radioactive tracer for imaging.. <i>European Journal of Medicinal Chemistry</i> , 2022 , 232, 114138	6.8	1
404	Prevalence Estimates of Amyloid Abnormality Across the Alzheimer Disease Clinical Spectrum.. <i>JAMA Neurology</i> , 2022 ,	17.2	9
403	Don't forget about tau: the effects of ApoE4 genotype on Alzheimer's disease cerebrospinal fluid biomarkers in subjects with mild cognitive impairment-data from the Dementia Competence Network.. <i>Journal of Neural Transmission</i> , 2022 , 1	4.3	1
402	Detection and Quantification of Aβ-40 (APP669-711) in Cerebrospinal Fluid.. <i>Journal of Neurochemistry</i> , 2022 ,	6	1
401	Catatonic Schizophrenia Associated With Cerebrospinal GAD65 Autoantibodies: Case Report and Literature Review.. <i>Frontiers in Immunology</i> , 2022 , 13, 829058	8.4	0
400	Novel Exosome Biomarker Candidates for Alzheimer's Disease Unravelling Through Mass Spectrometry Analysis.. <i>Molecular Neurobiology</i> , 2022 , 1	6.2	2
399	Cerebrospinal Fluid Total Tau Protein Correlates With Longitudinal, Progressing Cognitive Dysfunction in Anti-Neural Autoantibody-Associated Dementia and Alzheimer's Dementia: A Case-Control Study.. <i>Frontiers in Immunology</i> , 2022 , 13, 837376	8.4	0
398	Stability over time of scores on psychiatric rating scales, questionnaires and cognitive tests in healthy controls.. <i>BJPsych Open</i> , 2022 , 8, e55	5	0
397	New insights into the genetic etiology of Alzheimer's disease and related dementias.. <i>Nature Genetics</i> , 2022 ,	36.3	27
396	A novel longitudinal clustering approach to psychopathology across diagnostic entities in the hospital-based PsyCourse study.. <i>Schizophrenia Research</i> , 2022 , 244, 29-38	3.6	0
395	Case Report: Semantic Variant of Primary Progressive Aphasia Associated With Anti-Glial Fibrillary Acid Protein Autoantibodies.. <i>Frontiers in Immunology</i> , 2021 , 12, 760021	8.4	0
394	Soluble TAM receptors sAXL and sTyro3 predict structural and functional protection in Alzheimer's disease.. <i>Neuron</i> , 2021 ,	13.9	2
393	Impaired Verbal Memory Recall in Patients With Axonal Degeneration and Serum Glycine-Receptor Autoantibodies-Case Series.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 778684	5	1
392	Association of Cholinergic Basal Forebrain Volume and Functional Connectivity with Markers of Inflammatory Response in the Alzheimer's Disease Spectrum.. <i>Journal of Alzheimer's Disease</i> , 2021 ,	4.3	1
391	Memorability analysis for diagnostic photographs in cognitive assessment: Linking behavioral performance with biomarker status. <i>Alzheimer's & Dementia</i> , 2021 , 17,	1.2	1
390	Improving 3D convolutional neural network comprehensibility via interactive visualization of relevance maps: evaluation in Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2021 , 13, 191	9	7
389	Polygenic risk scores across the extended psychosis spectrum. <i>Translational Psychiatry</i> , 2021 , 11, 600	8.6	2

388	Predicting disease progression in behavioral variant frontotemporal dementia.. <i>Alzheimer& and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021 , 13, e12262	5.2	0
387	A microRNA signature that correlates with cognition and is a target against cognitive decline. <i>EMBO Molecular Medicine</i> , 2021 , 13, e13659	12	3
386	Interplay between the genetics of personality traits, severe psychiatric disorders and COVID-19 host genetics in the susceptibility to SARS-CoV-2 infection. <i>BJPsych Open</i> , 2021 , 7, e188	5	1
385	Current clinical practice of electroconvulsive therapy and repetitive transcranial magnetic stimulation in psychiatry, a German sample. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 181-190	5.1	4
384	Neural cell-surface and intracellular autoantibodies in patients with cognitive impairment from a memory clinic cohort. <i>Journal of Neural Transmission</i> , 2021 , 128, 357-369	4.3	6
383	Sexual dysfunction in patients with adult attention deficit hyperactivity disorder: A pilot study. <i>Canadian Journal of Human Sexuality</i> , 2021 , 30, 106-113	0.9	1
382	Hippocampal and Hippocampal-Subfield Volumes From Early-Onset Major Depression and Bipolar Disorder to Cognitive Decline. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 626974	5.3	2
381	Exosomal AβBinding Proteins Identified by "In Silico" Analysis Represent Putative Blood-Derived Biomarker Candidates for Alzheimer's Disease. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	6
380	Mild Amnesic Cognitive Impairment and Depressive Symptoms in Autoimmune Encephalitis Associated with Serum Anti-Neurexin-3 Autoantibodies. <i>Brain Sciences</i> , 2021 , 11,	3.4	1
379	Evaluation of cerebrospinal fluid glycoprotein NMB (GPNMB) as a potential biomarker for Alzheimer's disease. <i>Alzheimer& Research and Therapy</i> , 2021 , 13, 94	9	2
378	Efficacy of naltrexone in borderline personality disorder, a retrospective analysis in inpatients. <i>Human Psychopharmacology</i> , 2021 , 36, e2800	2.3	2
377	Autoantibody-associated psychiatric syndromes in children: link to adult psychiatry. <i>Journal of Neural Transmission</i> , 2021 , 128, 735-747	4.3	1
376	Mediterranean Diet, Alzheimer Disease Biomarkers and Brain Atrophy in Old Age. <i>Neurology</i> , 2021 ,	6.5	17
375	A genome-wide association study of the longitudinal course of executive functions. <i>Translational Psychiatry</i> , 2021 , 11, 386	8.6	0
374	Common variants in Alzheimer's disease and risk stratification by polygenic risk scores. <i>Nature Communications</i> , 2021 , 12, 3417	17.4	23
373	A comprehensive score reflecting memory-related fMRI activations and deactivations as potential biomarker for neurocognitive aging. <i>Human Brain Mapping</i> , 2021 , 42, 4478-4496	5.9	3
372	Resting-State Network Alterations Differ between Alzheimer's Disease Atrophy Subtypes. <i>Cerebral Cortex</i> , 2021 , 31, 4901-4915	5.1	2
371	Case Report: Anti-flotillin 1/2 Autoantibody-Associated Atypical Dementia. <i>Frontiers in Psychiatry</i> , 2021 , 12, 626121	5	4

370	Motor speech disorders in the nonfluent, semantic and logopenic variants of primary progressive aphasia. <i>Cortex</i> , 2021 , 140, 66-79	3.8	4
369	The BDNF SNP modulates the association between beta-amyloid and hippocampal disconnection in Alzheimer's disease. <i>Molecular Psychiatry</i> , 2021 , 26, 614-628	15.1	34
368	Accuracy and reproducibility of automated white matter hyperintensities segmentation with lesion segmentation tool: A European multi-site 3T study. <i>Magnetic Resonance Imaging</i> , 2021 , 76, 108-115	3.3	7
367	Association between composite scores of domain-specific cognitive functions and regional patterns of atrophy and functional connectivity in the Alzheimer's disease spectrum. <i>NeuroImage: Clinical</i> , 2021 , 29, 102533	5.3	2
366	Validation of the Alzheimer Disease Dementia Conversion-Related Pattern as an ATN Biomarker of Neurodegeneration. <i>Neurology</i> , 2021 , 96, e1358-e1368	6.5	2
365	KCNA2 Autoimmunity in Progressive Cognitive Impairment: Case Series and Literature Review. <i>Brain Sciences</i> , 2021 , 11,	3.4	2
364	Mild Cognitive Impairment in Chronic Brain Injury Associated with Serum Anti-AP3B2 Autoantibodies: Report and Literature Review. <i>Brain Sciences</i> , 2021 , 11,	3.4	0
363	Cognitive profiles of patients with mild cognitive impairment due to Alzheimer's versus Parkinson's disease defined using a base rate approach: Implications for neuropsychological assessments. <i>Alzheimer& and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021 , 13, e12223	5.2	
362	Clinical reporting following the quantification of cerebrospinal fluid biomarkers in Alzheimer's disease: An international overview.. <i>Alzheimer& and Dementia</i> , 2021 ,	1.2	3
361	Multimodal MRI analysis of basal forebrain structure and function across the Alzheimer's disease spectrum. <i>NeuroImage: Clinical</i> , 2020 , 28, 102495	5.3	3
360	Amygdalar nuclei and hippocampal subfields on MRI: Test-retest reliability of automated segmentation in old and young healthy volunteers. <i>Alzheimer& and Dementia</i> , 2020 , 16, e040322	1.2	
359	Altered resting state activity associated with anosognosia in Alzheimer's clinical syndrome: Findings from the DELCODE study. <i>Alzheimer& and Dementia</i> , 2020 , 16, e040416	1.2	
358	Decreased cortical thickness in individuals with subjective cognitive decline with and without CSF-AD-pathology: Data from the DELCODE Study. <i>Alzheimer& and Dementia</i> , 2020 , 16, e044741	1.2	1
357	Awareness of cognitive decline and CSF-biomarkers in memory clinic patients: Results from the DELCODE-study. <i>Alzheimer& and Dementia</i> , 2020 , 16, e044744	1.2	
356	The effects of Mediterranean diet on memory and Alzheimer's disease biomarkers. <i>Alzheimer& and Dementia</i> , 2020 , 16, e045349	1.2	
355	Use of Cerebrospinal Fluid Biomarkers of Alzheimer's Disease Risk in Mild Cognitive Impairment and Subjective Cognitive Decline in Routine Clinical Care in Germany. <i>Journal of Alzheimer& Disease</i> , 2020 , 78, 1137-1148	4.3	1
354	Pre-Analytical Sampling and Storage Conditions of Amyloid- β Peptides in Venous and Capillary Blood. <i>Journal of Alzheimer& Disease</i> , 2020 , 78, 529-535	4.3	3
353	Association of a CAMK2A genetic variant with logical memory performance and hippocampal volume in the elderly. <i>Brain Research Bulletin</i> , 2020 , 161, 13-20	3.9	1

352	Amygdalar nuclei and hippocampal subfields on MRI: Test-retest reliability of automated volumetry across different MRI sites and vendors. <i>NeuroImage</i> , 2020 , 218, 116932	7.9	15
351	PLCG2 protective variant p.P522R modulates tau pathology and disease progression in patients with mild cognitive impairment. <i>Acta Neuropathologica</i> , 2020 , 139, 1025-1044	14.3	18
350	Minor neuropsychological deficits in patients with subjective cognitive decline. <i>Neurology</i> , 2020 , 95, e1134-e1143	13.4	14
349	Potential of FTIR Spectroscopy Applied to Exosomes for Alzheimer's Disease Discrimination: A Pilot Study. <i>Journal of Alzheimer's Disease</i> , 2020 , 74, 391-405	4.3	8
348	The role of environmental stress and DNA methylation in the longitudinal course of bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 9	5.4	7
347	Alzheimer-Demenz: Neurobiologie, Diagnostik und experimentelle Ansätze. <i>Geriatric Update</i> , 2020 , 2, 303-318	0	
346	A rare heterozygous TREM2 coding variant identified in familial clustering of dementia affects an intrinsically disordered protein region and function of TREM2. <i>Human Mutation</i> , 2020 , 41, 169-181	4.7	3
345	CSF cutoffs for MCI due to AD depend on APOE ϵ 4 carrier status. <i>Neurobiology of Aging</i> , 2020 , 89, 55-62	5.6	7
344	Disentangling brain functional network remodeling in corticobasal syndrome - A multimodal MRI study. <i>NeuroImage: Clinical</i> , 2020 , 25, 102112	5.3	5
343	Neuropsychiatric symptoms in at-risk groups for AD dementia and their association with worry and AD biomarkers-results from the DELCODE study. <i>Alzheimer's Research and Therapy</i> , 2020 , 12, 131	9	7
342	Identification of a Cascade of Changes in Activities of Daily Living Preceding Short-Term Clinical Deterioration in Mild Alzheimer's Disease Dementia via Lead-Lag Analysis. <i>Journal of Alzheimer's Disease</i> , 2020 , 76, 1005-1015	4.3	
341	Autoantibody-associated psychiatric symptoms and syndromes in adults: A narrative review and proposed diagnostic approach. <i>Brain, Behavior, & Immunity - Health</i> , 2020 , 9, 100154	5.1	14
340	Development and Technical Validation of an Immunoassay for the Detection of APP (A β) in Biological Samples. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5
339	Prevalence of affective disorders and dementia in inflammatory polyarthropathies. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 247-252	5.1	
338	CSF and blood Kallikrein-8: a promising early biomarker for Alzheimer's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020 , 91, 40-48	5.5	12
337	Nuclear medical imaging as part of dementia diagnostics in psychiatric day-care clinics and inpatient care settings. <i>Aging Clinical and Experimental Research</i> , 2020 , 32, 809-815	4.8	
336	The Role of Cathepsin B in the Degradation of A β and in the Production of A β Peptides Starting With Ala2 in Cultured Astrocytes. <i>Frontiers in Molecular Neuroscience</i> , 2020 , 13, 615740	6.1	3
335	An Investigation of Psychosis Subgroups With Prognostic Validation and Exploration of Genetic Underpinnings: The PsyCourse Study. <i>JAMA Psychiatry</i> , 2020 , 77, 523-533	14.5	21

334	Study Protocol: Does an Acute Intervention of High-Intensity Physical Exercise Followed by a Brain Training Video Game Have Immediate Effects on Brain Activity of Older People During Stroop Task in fMRI?—A Randomized Controlled Trial With Crossover Design. <i>Frontiers in Aging Neuroscience</i> , 2019 , <i>11</i> , 260	5.3	5
333	The genetic relationship between educational attainment and cognitive performance in major psychiatric disorders. <i>Translational Psychiatry</i> , 2019 , <i>9</i> , 210	8.6	7
332	Memorability of photographs in subjective cognitive decline and mild cognitive impairment: Implications for cognitive assessment. <i>Alzheimer& and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019 , <i>11</i> , 610-618	5.2	10
331	Biomarker-based prognosis for people with mild cognitive impairment (ABIDE): a modelling study. <i>Lancet Neurology</i> , <i>The</i> , 2019 , <i>18</i> , 1034-1044	24.1	45
330	Multicenter Tract-Based Analysis of Microstructural Lesions within the Alzheimer's Disease Spectrum: Association with Amyloid Pathology and Diagnostic Usefulness. <i>Journal of Alzheimer& Disease</i> , 2019 , <i>72</i> , 455-465	4.3	7
329	N-Terminal Truncated A β -42 Is a Substrate for Neprilysin Degradation in vitro and in vivo. <i>Journal of Alzheimer& Disease</i> , 2019 , <i>67</i> , 849-858	4.3	10
328	Has the time arrived for cerebrospinal fluid biomarkers in psychiatric disorders?. <i>Clinica Chimica Acta</i> , 2019 , <i>491</i> , 81-84	6.2	7
327	Prevalence of abnormal Alzheimer's disease biomarkers in patients with subjective cognitive decline: cross-sectional comparison of three European memory clinic samples. <i>Alzheimer& Research and Therapy</i> , 2019 , <i>11</i> , 8	9	19
326	Structural integrity in subjective cognitive decline, mild cognitive impairment and Alzheimer's disease based on multicenter diffusion tensor imaging. <i>Journal of Neurology</i> , 2019 , <i>266</i> , 2465-2474	5.5	20
325	Higher Level of Mismatch in APOE ϵ Carriers for Amyloid-Beta Peptide Alzheimer's Disease Biomarkers in Cerebrospinal Fluid. <i>ASN Neuro</i> , 2019 , <i>11</i> , 1759091419845524	5.3	6
324	Unraveling corticobasal syndrome and alien limb syndrome with structural brain imaging. <i>Cortex</i> , 2019 , <i>117</i> , 33-40	3.8	11
323	A β and tau structure-based biomarkers for a blood- and CSF-based two-step recruitment strategy to identify patients with dementia due to Alzheimer's disease. <i>Alzheimer& and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019 , <i>11</i> , 257-263	5.2	26
322	Biomarker Matrix to Track Short Term Disease Progression in Amnesic Mild Cognitive Impairment Patients with Prodromal Alzheimer's Disease. <i>Journal of Alzheimer& Disease</i> , 2019 , <i>69</i> , 49-58	4.3	5
321	Comparison between amyloid-PET and CSF amyloid- β biomarkers in a clinical cohort with memory deficits. <i>Clinica Chimica Acta</i> , 2019 , <i>492</i> , 62-68	6.2	11
320	Predicting and Tracking Short Term Disease Progression in Amnesic Mild Cognitive Impairment Patients with Prodromal Alzheimer's Disease: Structural Brain Biomarkers. <i>Journal of Alzheimer& Disease</i> , 2019 , <i>69</i> , 3-14	4.3	13
319	A longitudinal approach to biological psychiatric research: The PsyCourse study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019 , <i>180</i> , 89-102	3.5	24
318	Violent aggression predicted by multiple pre-adult environmental hits. <i>Molecular Psychiatry</i> , 2019 , <i>24</i> , 1549-1564	15.1	14
317	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019 , <i>21</i> , 68-75	3.8	15

316	Claims Data Analysis on the Dispensing of Tricyclic Antidepressants Among Patients With Dementia in Germany. <i>Frontiers in Pharmacology</i> , 2019 , 10, 841	5.6	2
315	Which features of subjective cognitive decline are related to amyloid pathology? Findings from the DELCODE study. <i>Alzheimer's Research and Therapy</i> , 2019 , 11, 66	9	42
314	A combined miRNA-piRNA signature to detect Alzheimer's disease. <i>Translational Psychiatry</i> , 2019 , 9, 250	8.6	41
313	Impaired empathy but no theory of mind deficits in adult attention deficit hyperactivity disorder. <i>Brain and Behavior</i> , 2019 , 9, e01401	3.4	14
312	Genetic meta-analysis of diagnosed Alzheimer's disease identifies new risk loci and implicates APOE, tau, immunity and lipid processing. <i>Nature Genetics</i> , 2019 , 51, 414-430	36.3	917
311	Validation of a prototype tau Thr231 phosphorylation CSF ELISA as a potential biomarker for Alzheimer's disease. <i>Journal of Neural Transmission</i> , 2019 , 126, 339-348	4.3	10
310	IC-P-122: ALTERATIONS OF INTRINSIC CONNECTIVITY IN POSTERIOR DEFAULT MODE NETWORK ACROSS AT RISK STAGES OF ALZHEIMER'S DEMENTIA 2019 , 15, P101-P102		
309	The Role of Proopiomelanocortin and Melanocyte-Stimulating Hormone in the Metabolic Syndrome in Psychiatric Disorders: A Narrative Mini-Review. <i>Frontiers in Psychiatry</i> , 2019 , 10, 834	5	5
308	Pharmacotherapy of borderline personality disorder: what has changed over two decades? A retrospective evaluation of clinical practice. <i>BMC Psychiatry</i> , 2019 , 19, 393	4.2	11
307	Alzheimer-Demenz: Neurobiologie, Diagnostik und experimentelle Ansätze. <i>PSYCH Up2date</i> , 2019 , 13, 375-390	0.1	1
306	Plasma Aβ2 as a Biomarker of Prodromal Alzheimer's Disease Progression in Patients with Amnesic Mild Cognitive Impairment: Evidence from the PharmaCog/E-ADNI Study. <i>Journal of Alzheimer's Disease</i> , 2019 , 69, 37-48	4.3	17
305	Two-Year Longitudinal Monitoring of Amnesic Mild Cognitive Impairment Patients with Prodromal Alzheimer's Disease Using Topographical Biomarkers Derived from Functional Magnetic Resonance Imaging and Electroencephalographic Activity. <i>Journal of Alzheimer's Disease</i> , 2019 , 69, 15-35	4.3	17
304	The metalloprotease ADAMTS4 generates N-truncated Aβ-x species and marks oligodendrocytes as a source of amyloidogenic peptides in Alzheimer's disease. <i>Acta Neuropathologica</i> , 2019 , 137, 239-257	14.3	24
303	The influence of religious activity and polygenic schizophrenia risk on religious delusions in schizophrenia. <i>Schizophrenia Research</i> , 2019 , 210, 255-261	3.6	5
302	Left frontal hub connectivity delays cognitive impairment in autosomal-dominant and sporadic Alzheimer's disease. <i>Brain</i> , 2018 , 141, 1186-1200	11.2	54
301	Multiplex immunoassay measurement of amyloid-β to amyloid-β ratio in plasma discriminates between dementia due to Alzheimer's disease and dementia not due to Alzheimer's disease. <i>Experimental Brain Research</i> , 2018 , 236, 1241-1250	2.3	21
300	The increase in medial prefrontal glutamate/glutamine concentration during memory encoding is associated with better memory performance and stronger functional connectivity in the human medial prefrontal-thalamus-hippocampus network. <i>Human Brain Mapping</i> , 2018 , 39, 2381-2390	5.9	16
299	Prediction and Early Detection of Alzheimer's Dementia: Professional Disclosure Practices and Ethical Attitudes. <i>Journal of Alzheimer's Disease</i> , 2018 , 62, 145-155	4.3	16

298	Design and first baseline data of the DZNE multicenter observational study on predementia Alzheimer's disease (DELCODE). <i>Alzheimer's Research and Therapy</i> , 2018 , 10, 15	9	64
297	White paper by the Society for CSF Analysis and Clinical Neurochemistry: Overcoming barriers in biomarker development and clinical translation. <i>Alzheimer's Research and Therapy</i> , 2018 , 10, 30	9	29
296	Prevalence of the apolipoprotein E ϵ 4 allele in amyloid β positive subjects across the spectrum of Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2018 , 14, 913-924	1.2	36
295	Oxidative stress in drug-naïve first episode patients with schizophrenia and major depression: effects of disease acuity and potential confounders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 129-143	5.1	32
294	Cerebrospinal fluid and blood biomarkers for neurodegenerative dementias: An update of the Consensus of the Task Force on Biological Markers in Psychiatry of the World Federation of Societies of Biological Psychiatry. <i>World Journal of Biological Psychiatry</i> , 2018 , 19, 244-328	3.8	148
293	Cisterno-lumbar gradient of complement fractions in geriatric patients with suspected normal pressure hydrocephalus. <i>Clinica Chimica Acta</i> , 2018 , 486, 1-7	6.2	1
292	Cardiovascular and metabolic comorbidities in patients with Alzheimer's disease and vascular dementia compared to a psychiatric control cohort. <i>Psychogeriatrics</i> , 2018 , 18, 393-401	1.8	8
291	Reproducibility of Alzheimer's Disease Cerebrospinal Fluid-Biomarker Measurements under Clinical Routine Conditions. <i>Journal of Alzheimer's Disease</i> , 2018 , 62, 203-212	4.3	11
290	ABC Transporters Are Key Players in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2018 , 61, 463-485	4.5	38
289	Putative Dementia Cases Fluctuate as a Function of Mini-Mental State Examination Cut-Off Points. <i>Journal of Alzheimer's Disease</i> , 2018 , 61, 157-167	4.3	9
288	Validation of a Chemiluminescence Immunoassay for Measuring Amyloid- β in Human Blood Plasma. <i>Methods in Molecular Biology</i> , 2018 , 1750, 111-124	1.4	1
287	Association of Cerebral Amyloid- β Aggregation With Cognitive Functioning in Persons Without Dementia. <i>JAMA Psychiatry</i> , 2018 , 75, 84-95	14.5	94
286	P1-379: CORTICAL THINNING IN SUBJECTIVE COGNITIVE DECLINE WITH AND WITHOUT AD PATHOLOGY: DATA FROM THE DELCODE STUDY 2018 , 14, P443-P443		
285	P3-327: NEUROPSYCHIATRIC SYMPTOMS IN AT-RISK GROUPS FOR AD DEMENTIA AND THEIR RELATION TO AD BIOMARKERS: DATA FROM THE DELCODE STUDY 2018 , 14, P1206-P1206		
284	P2-455: STRUCTURAL INTEGRITY IN SUBJECTIVE COGNITIVE DECLINE, MILD COGNITIVE IMPAIRMENT AND ALZHEIMER'S DISEASE BASED ON MULTICENTER DIFFUSION TENSOR IMAGING: RESULTS FROM THE DELCODE STUDY 2018 , 14, P894-P894		
283	P1-028: OCCUPATIONAL COGNITIVE REQUIREMENTS ARE AN IMPORTANT PROXY MEASURE OF COGNITIVE RESERVE: EVIDENCE FROM THE AGECODE AND DELCODE STUDIES 2018 , 14, P276-P277		
282	IC-P-155: STRUCTURAL INTEGRITY IN SUBJECTIVE COGNITIVE DECLINE, MILD COGNITIVE IMPAIRMENT AND ALZHEIMER'S DISEASE BASED ON MULTICENTER DIFFUSION TENSOR IMAGING: RESULTS FROM THE DELCODE STUDY 2018 , 14, P131-P131		
281	P3-591: A GERMAN VERSION OF THE LIFETIME OF EXPERIENCES QUESTIONNAIRE (LEQ) TO MEASURE COGNITIVE RESERVE: VALIDATION RESULTS FROM THE DELCODE STUDY 2018 , 14, P1352-P1353		3

280	IC-P-163: MICROSTRUCTURAL CHANGES IN ALZHEIMER'S DISEASE, MILD COGNITIVE IMPAIRMENT, AND SUBJECTIVE COGNITIVE DECLINE BASED ON MULTICENTER DIFFUSION TENSOR IMAGING: A TBSS ANALYSIS OF DELCODE DATA 2018 , 14, P137-P138		
279	F4-08-04: SUBJECTIVE COGNITIVE DECLINE, AS MEASURED WITH A STRUCTURED INTERVIEW, IS RELATED TO AMYLOID PATHOLOGY IN COGNITIVELY HEALTHY OLDER ADULTS 2018 , 14, P1396-P1396		
278	A two-step immunoassay for the simultaneous assessment of A β 8, A β 0 and A β 2 in human blood plasma supports the A β 2/A β 0 ratio as a promising biomarker candidate of Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2018 , 10, 121	9	25
277	P4-068: LEVELS OF THE ASTROCYTE-DERIVED PROTEINS GFAP AND S100B IN THE CEREBROSPINAL FLUID OF HEALTHY INDIVIDUALS AND ALZHEIMER'S DISEASE PATIENTS AT DIFFERENT DISEASE STAGES 2018 , 14, P1458-P1459		1
276	P2-447: MICROSTRUCTURAL CHANGES IN ALZHEIMER'S DISEASE, MILD COGNITIVE IMPAIRMENT, AND SUBJECTIVE COGNITIVE DECLINE BASED ON MULTICENTER DIFFUSION TENSOR IMAGING: A TBSS ANALYSIS OF DELCODE DATA 2018 , 14, P888-P889		
275	6 .Diagnostische Methoden 2018 , 187-352		
274	Continuity of treatment with benzodiazepines in dementia patients: an analysis of German health insurance claims data. <i>International Clinical Psychopharmacology</i> , 2018 , 33, 282-289	2.2	5
273	Exploring Genetic Associations of Alzheimer's Disease Loci With Mild Cognitive Impairment Neurocognitive Endophenotypes. <i>Frontiers in Aging Neuroscience</i> , 2018 , 10, 340	5.3	10
272	Bacterial infections among patients with psychiatric disorders: Relation with hospital stay, age, and psychiatric diagnoses. <i>PLoS ONE</i> , 2018 , 13, e0208458	3.7	1
271	CSF total tau levels are associated with hippocampal novelty irrespective of hippocampal volume. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018 , 10, 782-790	5.2	11
270	Glycoprotein NMB: a novel Alzheimer's disease associated marker expressed in a subset of activated microglia. <i>Acta Neuropathologica Communications</i> , 2018 , 6, 108	7.3	44
269	Serum neurofilament light chain in behavioral variant frontotemporal dementia. <i>Neurology</i> , 2018 , 91, e1390-e1401	6.5	51
268	Specific serum and CSF microRNA profiles distinguish sporadic behavioural variant of frontotemporal dementia compared with Alzheimer patients and cognitively healthy controls. <i>PLoS ONE</i> , 2018 , 13, e0197329	3.7	36
267	Genome-wide significant risk factors for Alzheimer's disease: role in progression to dementia due to Alzheimer's disease among subjects with mild cognitive impairment. <i>Molecular Psychiatry</i> , 2017 , 22, 153-160	15.1	61
266	Masturbation Experiences of Swedish Senior High School Students: Gender Differences and Similarities. <i>Journal of Sex Research</i> , 2017 , 54, 631-641	4	10
265	Association between CSF biomarkers, hippocampal volume and cognitive function in patients with amnesic mild cognitive impairment (MCI). <i>Neurobiology of Aging</i> , 2017 , 53, 1-10	5.6	43
264	Poly-GP in cerebrospinal fluid links -associated dipeptide repeat expression to the asymptomatic phase of ALS/FTD. <i>EMBO Molecular Medicine</i> , 2017 , 9, 859-868	12	59
263	Cerebrospinal Fluid Biomarkers and Clinical Progression in Patients with Subjective Cognitive Decline and Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2017 , 58, 939-950	4.3	48

262	An ATR-FTIR Sensor Unraveling the Drug Intervention of Methylene Blue, Congo Red, and Berberine on Human Tau and A β . <i>ACS Medicinal Chemistry Letters</i> , 2017 , 8, 710-714	4.3	9
261	Neural Mechanisms Underlying Affective Theory of Mind in Violent Antisocial Personality Disorder and/or Schizophrenia. <i>Schizophrenia Bulletin</i> , 2017 , 43, 1229-1239	1.3	25
260	The frequency and influence of dementia risk factors in prodromal Alzheimer's disease. <i>Neurobiology of Aging</i> , 2017 , 56, 33-40	5.6	19
259	Methylene Blue (Tetramethylthionine Chloride) Influences the Mobility of Adult Neural Stem Cells: A Potentially Novel Therapeutic Mechanism of a Therapeutic Approach in the Treatment of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2017 , 57, 531-540	4.3	5
258	N-truncated A β peptides in sporadic Alzheimer's disease cases and transgenic Alzheimer mouse models. <i>Alzheimer's Research and Therapy</i> , 2017 , 9, 80	9	26
257	Tau plasma levels in subjective cognitive decline: Results from the DELCODE study. <i>Scientific Reports</i> , 2017 , 7, 9529	4.9	20
256	[P2074]: MODELING OF HIDDEN CAUSES FOR DYNAMIC CHANGES IN STRUCTURAL INTEGRITY AND COGNITION IN SUBJECTIVE COGNITIVE DECLINE: A DELCODE PROJECT 2017 , 13, P634-P634		
255	Association of Plasma β Amyloid with Cognitive Performance and Decline in Chronic Kidney Disease. <i>Molecular Neurobiology</i> , 2017 , 54, 7194-7203	6.2	6
254	Free water elimination improves test-retest reproducibility of diffusion tensor imaging indices in the brain: A longitudinal multisite study of healthy elderly subjects. <i>Human Brain Mapping</i> , 2017 , 38, 12-26	5.9	51
253	[P2B90]: LOCAL AND GLOBAL RESTING STATE ALTERATIONS IN DIFFERENT STAGES DURING THE DEVELOPMENT OF ALZHEIMER'S DISEASE AS DEMONSTRATED IN THE DZNE DELCODE COHORT 2017 , 13, P779-P779		
252	[P3064]: FUNCTIONAL CHARACTERIZATION OF A RARE GENETIC VARIANT IN PHOSPHOLIPASE C β WHICH IS ASSOCIATED WITH A BENEFICIAL EFFECT ON THE PROGRESSION OF ALZHEIMER'S DISEASE 2017 , 13, P997-P997		
251	[P3B93]: ROBUST AUTOMATED DETECTION OF SUBJECTIVE COGNITIVE DECLINE AND PRODROMAL ALZHEIMER'S DISEASE BASED ON MULTICENTER RESTING-STATE FUNCTIONAL CONNECTIVITY: RESULTS FROM THE DZNE DELCODE STUDY 2017 , 13, P1112-P1113		
250	[P1022]: WHAT IS MEMORABLE IS CONSERVED ACROSS HEALTHY AGING, EARLY ALZHEIMER'S DISEASE, AND NEURAL NETWORKS 2017 , 13, P287-P288		1
249	[P4039]: APPLICATION OF THE A/T/N BIOMARKER CLASSIFICATION SYSTEM IN PATIENTS WITH MILD COGNITIVE IMPAIRMENT: CONVERSION RATES TO AD AND OTHER DEMENTIAS 2017 , 13, P1310-P1310		
248	[P4057]: CSF BIOMARKERS AND EFFECT OF APOLIPOPROTEIN E GENOTYPE, AGE AND SEX ON CUT-OFF DERIVATION IN MILD COGNITIVE IMPAIRMENT 2017 , 13, P1319-P1319		4
247	[P4048]: QUALITY ASSURANCE IN DELCODE: A MULTI-CENTER NEUROIMAGING STUDY 2017 , 13, P1372-P1373		
246	Incremental value of biomarker combinations to predict progression of mild cognitive impairment to Alzheimer's dementia. <i>Alzheimer's Research and Therapy</i> , 2017 , 9, 84	9	42
245	Demenz 2017 , 1377-1465		1

244	A novel Alzheimer disease locus located near the gene encoding tau protein. <i>Molecular Psychiatry</i> , 2016 , 21, 108-17	15.1	175
243	Comparison of Different Matrices as Potential Quality Control Samples for Neurochemical Dementia Diagnostics. <i>Journal of Alzheimer's Disease</i> , 2016 , 52, 51-64	4.3	17
242	Test-retest reliability of the default mode network in a multi-centric fMRI study of healthy elderly: Effects of data-driven physiological noise correction techniques. <i>Human Brain Mapping</i> , 2016 , 37, 2114-32	5.9	27
241	Validation of soluble amyloid- β precursor protein assays as diagnostic CSF biomarkers for neurodegenerative diseases. <i>Journal of Neurochemistry</i> , 2016 , 137, 112-21	6	15
240	Factors Responsible for Plasma β -Amyloid Accumulation in Chronic Kidney Disease. <i>Molecular Neurobiology</i> , 2016 , 53, 3136-3145	6.2	27
239	Occipital event-related potentials to addiction-related stimuli in detoxified patients with alcohol dependence, and their association with three-month relapse. <i>BMC Psychiatry</i> , 2016 , 16, 74	4.2	14
238	The effect of auditory and visual training on the mismatch negativity in schizophrenia. <i>International Journal of Psychophysiology</i> , 2016 , 102, 47-54	2.9	8
237	Amyloid- β Secondary Structure Distribution in Cerebrospinal Fluid and Blood Measured by an Immuno-Infrared-Sensor: A Biomarker Candidate for Alzheimer's Disease. <i>Analytical Chemistry</i> , 2016 , 88, 2755-62	7.8	76
236	Alzheimer's disease risk variants modulate endophenotypes in mild cognitive impairment. <i>Alzheimer's and Dementia</i> , 2016 , 12, 872-81	1.2	23
235	N-truncated A β -X starting with position two in sporadic Alzheimer's disease cases and two Alzheimer mouse models. <i>Journal of Alzheimer's Disease</i> , 2016 , 49, 101-10	4.3	8
234	The Latent Dementia Phenotype β is Associated with Cerebrospinal Fluid Biomarkers of Alzheimer's Disease and Predicts Conversion to Dementia in Subjects with Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2016 , 49, 547-60	4.3	17
233	Demenz 2016 , 1-89		
232	Aerobic Activity in the Healthy Elderly Is Associated with Larger Plasticity in Memory Related Brain Structures and Lower Systemic Inflammation. <i>Frontiers in Aging Neuroscience</i> , 2016 , 8, 319	5.3	10
231	Solid-Phase Synthesis and Characterization of N-Terminally Elongated A β -x -Peptides. <i>Chemistry - A European Journal</i> , 2016 , 22, 8685-93	4.8	6
230	Small cisterno-lumbar gradient of phosphorylated Tau protein in geriatric patients with suspected normal pressure hydrocephalus. <i>Fluids and Barriers of the CNS</i> , 2016 , 13, 15	7	10
229	Validation of a Commercial Chemiluminescence Immunoassay for the Simultaneous Measurement of Three Different Amyloid- β Peptides in Human Cerebrospinal Fluid and Application to a Clinical Cohort. <i>Journal of Alzheimer's Disease</i> , 2016 , 54, 691-705	4.3	11
228	Modified serpinA1 as risk marker for Parkinson's disease dementia: Analysis of baseline data. <i>Scientific Reports</i> , 2016 , 6, 26145	4.9	14
227	P4-174: Evaluation of Cutoff Values For Fully Automated Hippocampus Volumetry With Fsl-First For Prediction Of Alzheimer's Disease Dementia In Mci Subjects 2016 , 12, P1084-P1085		

226	Deposition of C-terminally truncated A β species A β 7 and A β 9 in Alzheimer's disease and transgenic mouse models. <i>Acta Neuropathologica Communications</i> , 2016 , 4, 24	7.3	22
225	No association of the variant rs11887120 in DNMT3A with cognitive decline in individuals with mild cognitive impairment. <i>Epigenomics</i> , 2016 , 8, 593-8	4.4	5
224	An infrared sensor analysing label-free the secondary structure of the Abeta peptide in presence of complex fluids. <i>Journal of Biophotonics</i> , 2016 , 9, 224-34	3.1	45
223	Prevalence and prognosis of Alzheimer's disease at the mild cognitive impairment stage. <i>Brain</i> , 2015 , 138, 1327-38	11.2	211
222	Subjective cognitive decline is related to CSF biomarkers of AD in patients with MCI. <i>Neurology</i> , 2015 , 84, 1261-8	6.5	32
221	A novel mutation P112H in the TARDBP gene associated with frontotemporal lobar degeneration without motor neuron disease and abundant neuritic amyloid plaques. <i>Acta Neuropathologica Communications</i> , 2015 , 3, 19	7.3	37
220	Prevalence of cerebral amyloid pathology in persons without dementia: a meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 313, 1924-38	27.4	842
219	Apolipoprotein E-dependent load of white matter hyperintensities in Alzheimer's disease: a voxel-based lesion mapping study. <i>Alzheimer's Research and Therapy</i> , 2015 , 7, 27	9	12
218	PLD3 in non-familial Alzheimer's disease. <i>Nature</i> , 2015 , 520, E3-5	50.4	53
217	Preexisting Serum Autoantibodies Against the NMDAR Subunit NR1 Modulate Evolution of Lesion Size in Acute Ischemic Stroke. <i>Stroke</i> , 2015 , 46, 1180-6	6.7	56
216	Abeta targets of the biosimilar antibodies of Bapineuzumab, Crenezumab, Solanezumab in comparison to an antibody against N-truncated Abeta in sporadic Alzheimer disease cases and mouse models. <i>Acta Neuropathologica</i> , 2015 , 130, 713-29	14.3	36
215	Astrocytes and microglia but not neurons preferentially generate N-terminally truncated A β peptides. <i>Neurobiology of Disease</i> , 2015 , 73, 24-35	7.5	36
214	Validation of the Erlangen Score Algorithm for the Prediction of the Development of Dementia due to Alzheimer's Disease in Pre-Dementia Subjects. <i>Journal of Alzheimer's Disease</i> , 2015 , 48, 433-41	4.3	28
213	Detection and Differentiation of Threonine- and Tyrosine-Monophosphorylated Forms of ERK1/2 by Capillary Isoelectric Focusing-Immunoassay. <i>Scientific Reports</i> , 2015 , 5, 12767	4.9	4
212	Longitudinal reproducibility of automatically segmented hippocampal subfields: A multisite European 3T study on healthy elderly. <i>Human Brain Mapping</i> , 2015 , 36, 3516-27	5.9	31
211	No Clear Association between Impaired Short-Term or Working Memory Storage and Time Reproduction Capacity in Adult ADHD Patients. <i>PLoS ONE</i> , 2015 , 10, e0133714	3.7	8
210	Combined treatment with memantine and galantamine-CR compared with galantamine-CR only in antedementia drug naïve patients with mild-to-moderate Alzheimer's disease. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2015 , 1, 198-204	6	21
209	Influence of genetic variants in SORL1 gene on the manifestation of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2015 , 36, 1605.e13-20	5.6	22

208	Cerebrospinal fluid cortisol and clinical disease progression in MCI and dementia of Alzheimer's type. <i>Neurobiology of Aging</i> , 2015 , 36, 601-7	5.6	99
207	Capillary isoelectric focusing immunoassay as a new nanoscale approach for the detection of oligoclonal bands. <i>Electrophoresis</i> , 2015 , 36, 355-62	3.6	8
206	Genetic variation at the CELF1 (CUGBP, elav-like family member 1 gene) locus is genome-wide associated with Alzheimer's disease and obesity. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014 , 165B, 283-93	3.5	28
205	Highly potent soluble amyloid- β seeds in human Alzheimer brain but not cerebrospinal fluid. <i>Brain</i> , 2014 , 137, 2909-2915	11.2	52
204	Investigation of the role of rare TREM2 variants in frontotemporal dementia subtypes. <i>Neurobiology of Aging</i> , 2014 , 35, 2657.e13-2657.e19	5.6	31
203	Multisite longitudinal reliability of tract-based spatial statistics in diffusion tensor imaging of healthy elderly subjects. <i>NeuroImage</i> , 2014 , 101, 390-403	7.9	70
202	Spot quantification in two dimensional gel electrophoresis image analysis: comparison of different approaches and presentation of a novel compound fitting algorithm. <i>BMC Bioinformatics</i> , 2014 , 15, 181	3.6	14
201	Direct analytical sample quality assessment for biomarker investigation: qualifying cerebrospinal fluid samples. <i>Proteomics</i> , 2014 , 14, 1954-62	4.8	17
200	High-fat diet induced isoform changes of the Parkinson's disease protein DJ-1. <i>Journal of Proteome Research</i> , 2014 , 13, 2339-51	5.6	39
199	Genetic interaction of PICALM and APOE is associated with brain atrophy and cognitive impairment in Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2014 , 10, S269-76	1.2	38
198	Flavonoids as therapeutic compounds targeting key proteins involved in Alzheimer's disease. <i>ACS Chemical Neuroscience</i> , 2014 , 5, 83-92	5.7	119
197	Serum albumin correlates with affective prosody in adult males with attention-deficit hyperactivity disorder. <i>Psychiatry Research</i> , 2014 , 217, 198-201	9.9	4
196	Memory concerns, memory performance and risk of dementia in patients with mild cognitive impairment. <i>PLoS ONE</i> , 2014 , 9, e100812	3.7	31
195	SUCLG2 identified as both a determinant of CSF A β -42 levels and an attenuator of cognitive decline in Alzheimer's disease. <i>Human Molecular Genetics</i> , 2014 , 23, 6644-58	5.6	30
194	Hypocretin in cerebrospinal fluid is positively correlated with Tau and pTau. <i>Neuroscience Letters</i> , 2014 , 561, 41-5	3.3	28
193	Mismatch negativity latency and cognitive function in schizophrenia. <i>PLoS ONE</i> , 2014 , 9, e84536	3.7	36
192	The impact of alcohol dependence on social brain function. <i>Addiction Biology</i> , 2013 , 18, 109-20	4.6	33
191	Analysis of amino-terminal variants of amyloid- β peptides by capillary isoelectric focusing immunoassay. <i>Analytical Chemistry</i> , 2013 , 85, 8142-9	7.8	29

190	Perception of affective prosody in patients at an early stage of relapsing-remitting multiple sclerosis. <i>Journal of Neuropsychology</i> , 2013 , 7, 91-106	2.6	16
189	Theory of mind and empathy in patients at an early stage of relapsing remitting multiple sclerosis. <i>Clinical Neurology and Neurosurgery</i> , 2013 , 115, 1016-22	2	52
188	Intravenous immunoglobulin for treatment of mild-to-moderate Alzheimer's disease: a phase 2, randomised, double-blind, placebo-controlled, dose-finding trial. <i>Lancet Neurology</i> , 2013 , 12, 233-43	24.1	146
187	New pathways of increased cardiovascular risk in depression: a pilot study on the association of high-sensitivity C-reactive protein with pro-atherosclerotic markers in patients with depression. <i>Journal of Affective Disorders</i> , 2013 , 146, 420-5	6.6	10
186	Brain morphometry reproducibility in multi-center 3T MRI studies: a comparison of cross-sectional and longitudinal segmentations. <i>NeuroImage</i> , 2013 , 83, 472-84	7.9	129
185	Structural brain alterations associated with schizophrenia preceded by conduct disorder: a common and distinct subtype of schizophrenia?. <i>Schizophrenia Bulletin</i> , 2013 , 39, 1115-28	1.3	41
184	German validation of the conners adult ADHD rating scale-self-report: confirmation of factor structure in a large sample of participants with ADHD. <i>Journal of Attention Disorders</i> , 2013 , 17, 690-8	3.7	36
183	APOE-dependent phenotypes in subjects with mild cognitive impairment converting to Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , 2013 , 37, 389-401	4.3	13
182	Comparison of the nasal release of IL-4, IL-10, IL-17, CCL13/MCP-4, and CCL26/eotaxin-3 in allergic rhinitis during season and after allergen challenge. <i>American Journal of Rhinology and Allergy</i> , 2013 , 27, 266-72	2.4	37
181	Stability of amyloid- β peptides in plasma and serum. <i>Electrophoresis</i> , 2012 , 33, 445-50	3.6	17
180	Optimisation of BACE1 inhibition of tripartite structures by modification of membrane anchors, spacers and pharmacophores - development of potential agents for the treatment of Alzheimer's disease. <i>Organic and Biomolecular Chemistry</i> , 2012 , 10, 8216-35	3.9	10
179	Presenilin-1 L166P mutant human pluripotent stem cell-derived neurons exhibit partial loss of β secretase activity in endogenous amyloid- β generation. <i>American Journal of Pathology</i> , 2012 , 180, 2404-16	5.8	84
178	Association of systemic inflammation markers with the presence and extent of coronary artery calcification. <i>Cytokine</i> , 2012 , 57, 251-7	4	26
177	The release of IL-31 and IL-13 after nasal allergen challenge and their relation to nasal symptoms. <i>Clinical and Translational Allergy</i> , 2012 , 2, 13	5.2	24
176	The effects of acute tryptophan depletion on reactive aggression in adults with attention-deficit/hyperactivity disorder (ADHD) and healthy controls. <i>PLoS ONE</i> , 2012 , 7, e32023	3.7	28
175	Aminoterminally truncated and oxidized amyloid- β peptides in the cerebrospinal fluid of Alzheimer's disease patients. <i>Journal of Alzheimer's Disease</i> , 2012 , 29, 809-16	4.3	10
174	Characterization of cerebrospinal fluid aminoterminally truncated and oxidized amyloid- β peptides. <i>Proteomics - Clinical Applications</i> , 2012 , 6, 163-9	3.1	12
173	Plasma amyloid-beta peptides in acute cerebral ischemia: a pilot study. <i>Journal of Clinical Laboratory Analysis</i> , 2012 , 26, 238-45	3	1

172	Multidimensional plasma protein separation technique for identification of potential Alzheimer's disease plasma biomarkers: a pilot study. <i>Journal of Neural Transmission</i> , 2012 , 119, 779-88	4.3	33
171	Cerebrospinal fluid amyloid- β -42 is decreased in Alzheimer's, but not in frontotemporal dementia. <i>Journal of Neural Transmission</i> , 2012 , 119, 805-13	4.3	40
170	The mechanism of β -Secretase dysfunction in familial Alzheimer disease. <i>EMBO Journal</i> , 2012 , 31, 2261-74	4.3	357
169	Genome-wide association study of vascular dementia. <i>Stroke</i> , 2012 , 43, 315-9	6.7	44
168	Development of a magnetic immunosorbent for on-chip preconcentration of amyloid β isoforms: Representatives of Alzheimer's disease biomarkers. <i>Biomicrofluidics</i> , 2012 , 6, 24126-2412612	3.2	25
167	Neurochemical biomarkers in Alzheimer's disease and related disorders. <i>Therapeutic Advances in Neurological Disorders</i> , 2012 , 5, 335-48	6.6	15
166	The role of variation at APP, PSEN1, PSEN2, and MAPT in late onset Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , 2012 , 28, 377-87	4.3	47
165	Differential sialylation of serpin A1 in the early diagnosis of Parkinson's disease dementia. <i>PLoS ONE</i> , 2012 , 7, e48783	3.7	22
164	Evidence for Elevated Cerebrospinal Fluid ERK1/2 Levels in Alzheimer Dementia. <i>International Journal of Alzheimer's Disease</i> , 2011 , 2011, 739847	3.7	10
163	CSF amyloid- β peptides in neuropathologically diagnosed dementia with Lewy bodies and Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , 2011 , 24, 383-91	4.3	23
162	Disentangling structural brain alterations associated with violent behavior from those associated with substance use disorders. <i>Archives of General Psychiatry</i> , 2011 , 68, 1039-49		96
161	Association of N-acetylaspartate and cerebrospinal fluid A β 2 in dementia. <i>Journal of Alzheimer's Disease</i> , 2011 , 27, 393-9	4.3	8
160	Long-term stability of Alzheimer's disease biomarker proteins in cerebrospinal fluid. <i>Journal of Alzheimer's Disease</i> , 2011 , 26, 255-62	4.3	23
159	Common variants at ABCA7, MS4A6A/MS4A4E, EPHA1, CD33 and CD2AP are associated with Alzheimer's disease. <i>Nature Genetics</i> , 2011 , 43, 429-35	36.3	1421
158	Pre-aggregated A β -42 peptide increases tau aggregation and hyperphosphorylation after short-term application. <i>Molecular and Cellular Biochemistry</i> , 2011 , 349, 169-77	4.2	10
157	Different CSF β -Amyloid processing in Alzheimer's and Creutzfeldt-Jakob disease. <i>Journal of Neural Transmission</i> , 2011 , 118, 691-7	4.3	15
156	Creating a human brain proteome atlas--13th HUPO BPP Workshop March 30-31, 2010, Ochang, Korea. <i>Proteomics</i> , 2011 , 11, 2759-62	4.8	
155	Analysis of amyloid- β peptides in cerebrospinal fluid samples by capillary electrophoresis coupled with LIF detection. <i>Analytical Chemistry</i> , 2011 , 83, 1696-703	7.8	30

154	Polymeric complements to the Alzheimer's disease biomarker β amyloid isoforms A β -40 and A β -42 for blood serum analysis under denaturing conditions. <i>Journal of the American Chemical Society</i> , 2011 , 133, 9220-3	16.4	87
153	Atrophy outcomes in multicentre clinical trials on Alzheimer's disease: effect of different processing and analysis approaches on sample sizes. <i>World Journal of Biological Psychiatry</i> , 2011 , 12 Suppl 1, 109-13	3.8	6
152	Beta-amyloid peptide variants in brains and cerebrospinal fluid from amyloid precursor protein (APP) transgenic mice: comparison with human Alzheimer amyloid. <i>Journal of Biological Chemistry</i> , 2011 , 286, 33747-58	5.4	48
151	Cerebrospinal fluid tau, p-tau 181 and amyloid-B β /40/42 in frontotemporal dementias and primary progressive aphasia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011 , 31, 37-44	2.6	36
150	Left anterior temporal lobe sustains naming in Alzheimer's dementia and mild cognitive impairment. <i>Current Alzheimer Research</i> , 2011 , 8, 893-901	3	16
149	Modulatory effects of neuropsychopharmaca on intracellular pH of hippocampal neurones in vitro. <i>British Journal of Pharmacology</i> , 2010 , 159, 474-83	8.6	14
148	Soluble amyloid precursor proteins in the cerebrospinal fluid as novel potential biomarkers of Alzheimer's disease: a multicenter study. <i>Molecular Psychiatry</i> , 2010 , 15, 138-45	15.1	134
147	Genetic evidence implicates the immune system and cholesterol metabolism in the aetiology of Alzheimer's disease. <i>PLoS ONE</i> , 2010 , 5, e13950	3.7	276
146	Should CSF Biomarkers Support a Routine Analysis for Early Diagnosis of Alzheimer's Disease?. <i>International Journal of Alzheimer's Disease</i> , 2010 , 2010, 293587	3.7	1
145	cNEUPRO: Novel Biomarkers for Neurodegenerative Diseases. <i>International Journal of Alzheimer's Disease</i> , 2010 , 2010,	3.7	14
144	Intrathecal IgG synthesis in patients with alterations in the neurochemical dementia diagnostics. <i>Journal of Alzheimer's Disease</i> , 2010 , 19, 1199-203	4.3	8
143	Combined Analysis of CSF Tau, A β 2, A β -42% and A β -40% in Alzheimer's Disease, Dementia with Lewy Bodies and Parkinson's Disease Dementia. <i>International Journal of Alzheimer's Disease</i> , 2010 , 2010,	3.7	13
142	Impulsivity-related brain volume deficits in schizophrenia-addiction comorbidity. <i>Brain</i> , 2010 , 133, 3093-103	10.3	51
141	An open trial of gabapentin in acute alcohol withdrawal using an oral loading protocol. <i>Alcohol and Alcoholism</i> , 2010 , 45, 143-5	3.5	33
140	Microchip electrophoresis profiling of A β peptides in the cerebrospinal fluid of patients with Alzheimer's disease. <i>Analytical Chemistry</i> , 2010 , 82, 7611-7	7.8	36
139	Phagocytosis and LPS alter the maturation state of β amyloid precursor protein and induce different A β peptide release signatures in human mononuclear phagocytes. <i>Journal of Neuroinflammation</i> , 2010 , 7, 59	10.1	16
138	Recurrent systemic infections with <i>Streptococcus pneumoniae</i> do not aggravate the course of experimental neurodegenerative diseases. <i>Journal of Neuroscience Research</i> , 2010 , 88, 1124-36	4.4	11
137	Methylphenidate-induced psychosis in adult attention-deficit/hyperactivity disorder: report of 3 new cases and review of the literature. <i>Clinical Neuropharmacology</i> , 2010 , 33, 204-6	1.4	44

136	ERK2 is increased in cerebrospinal fluid of Creutzfeldt-Jakob disease patients. <i>Journal of Alzheimer's Disease</i> , 2010 , 22, 119-28	4.3	9
135	Confirmation rate of blinded (99m)Tc-SPECT compared to neurochemical dementia biomarkers in CSF in patients with Alzheimer disease. <i>Journal of Neural Transmission</i> , 2010 , 117, 1111-4	4.3	5
134	Multicentre variability of MRI-based medial temporal lobe volumetry in Alzheimer's disease. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 182, 244-50	2.9	39
133	Structural design, solid-phase synthesis and activity of membrane-anchored β -secretase inhibitors on A β generation from wild-type and Swedish-mutant APP. <i>Chemistry - A European Journal</i> , 2010 , 16, 14412-23	4.8	21
132	A quantitative CE method to analyse tau protein isoforms using coated fused silica capillaries. <i>Journal of Separation Science</i> , 2010 , 33, 1090-8	3.4	12
131	Retrieval of the Alzheimer's amyloid precursor protein from the endosome to the TGN is S655 phosphorylation state-dependent and retromer-mediated. <i>Molecular Neurodegeneration</i> , 2010 , 5, 40	1.9	100
130	Ubiquitin as potential cerebrospinal fluid marker of Creutzfeldt-Jakob disease. <i>Proteomics</i> , 2010 , 10, 81-9	4.8	35
129	A method to prevent cross contamination during 2-DE by β -amyloid peptides. <i>Proteomics</i> , 2010 , 10, 3539-43	4.3	1
128	gamma-Secretase heterogeneity in the Aph1 subunit: relevance for Alzheimer's disease. <i>Science</i> , 2009 , 324, 639-42	33.3	197
127	Early and differential diagnosis of dementia and mild cognitive impairment: design and cohort baseline characteristics of the German Dementia Competence Network. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009 , 27, 404-17	2.6	61
126	Nonsteroidal anti-inflammatory drugs and ectodomain shedding of the amyloid precursor protein. <i>Neurodegenerative Diseases</i> , 2009 , 6, 1-8	2.3	7
125	Measurement of ERK 1/2 in CSF from patients with neuropsychiatric disorders and evidence for the presence of the activated form. <i>Journal of Alzheimer's Disease</i> , 2009 , 18, 613-22	4.3	14
124	Distinct fractional A β release patterns in human mononuclear phagocytes. <i>Journal of Neuroimmunology</i> , 2009 , 206, 1-4	3.5	3
123	Quantification of amyloid-beta 40 in cerebrospinal fluid. <i>Journal of Immunological Methods</i> , 2009 , 348, 57-66	2.5	17
122	Association of SORL1 gene variants with Alzheimer's disease. <i>Brain Research</i> , 2009 , 1264, 1-6	3.7	44
121	Combined CSF tau, p-tau181 and amyloid-beta 38/40/42 for diagnosing Alzheimer's disease. <i>Journal of Neural Transmission</i> , 2009 , 116, 203-12	4.3	108
120	Neurochemical dementia diagnostics: a simple algorithm for interpretation of the CSF biomarkers. <i>Journal of Neural Transmission</i> , 2009 , 116, 1163-7	4.3	64
119	Toward a Successful Clinical Neuroproteomics The 11th HUPO Brain Proteome Project Workshop 3 March, 2009, Kolymbari, Greece. <i>Proteomics - Clinical Applications</i> , 2009 , 3, 1012-6	3.1	2

118	Genome-wide association study identifies variants at CLU and PICALM associated with Alzheimer's disease. <i>Nature Genetics</i> , 2009 , 41, 1088-93	36.3	2018
117	Plasma homocysteine and cerebrospinal fluid neurodegeneration biomarkers in mild cognitive impairment and dementia. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 737-9	5.6	4
116	Molecular properties of psychopharmacological drugs determining non-competitive inhibition of 5-HT3A receptors. <i>European Journal of Medicinal Chemistry</i> , 2009 , 44, 2667-72	6.8	7
115	Differential processing and secretion of Abeta peptides and sAPPalpha in human platelets is regulated by thrombin and prostaglandine 2. <i>Neurobiology of Aging</i> , 2009 , 30, 1552-62	5.6	21
114	Treatment effects of serotonergic and noradrenergic antidepressants on the intensity dependence of auditory ERP components in major depression. <i>Neuroscience Letters</i> , 2009 , 463, 26-30	3.3	17
113	Identification of new functional inhibitors of acid sphingomyelinase using a structure-property-activity relation model. <i>Journal of Medicinal Chemistry</i> , 2008 , 51, 219-37	8.3	155
112	Influence of SORL1 gene variants: association with CSF amyloid-beta products in probable Alzheimer's disease. <i>Neuroscience Letters</i> , 2008 , 440, 68-71	3.3	39
111	Multiplexed quantification of dementia biomarkers in the CSF of patients with early dementias and MCI: a multicenter study. <i>Neurobiology of Aging</i> , 2008 , 29, 812-8	5.6	84
110	Extensive craving in high dose zolpidem dependency. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 591-2	5.5	12
109	Neurochemical approaches of cerebrospinal fluid diagnostics in neurodegenerative diseases. <i>Methods</i> , 2008 , 44, 289-98	4.6	31
108	Adherence-dependent shifts in the patterns of beta-amyloid peptides secreted by human mononuclear phagocytes. <i>Brain, Behavior, and Immunity</i> , 2008 , 22, 1044-1048	16.6	9
107	Independent generation of Abeta42 and Abeta38 peptide species by gamma-secretase. <i>Journal of Biological Chemistry</i> , 2008 , 283, 17049-54	5.4	64
106	Cerebrospinal fluid neurochemical phenotypes in vascular dementias: original data and mini-review. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008 , 25, 256-65	2.6	19
105	Effect of copper intake on CSF parameters in patients with mild Alzheimer's disease: a pilot phase 2 clinical trial. <i>Journal of Neural Transmission</i> , 2008 , 115, 1651-9	4.3	42
104	Neurochemical dementia diagnostics: assays in CSF and blood. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008 , 258 Suppl 5, 44-9	5.1	8
103	Antidepressant drugs modulate growth factors in cultured cells. <i>BMC Pharmacology</i> , 2008 , 8, 6		20
102	Neurochemical dementia diagnostics: State of the art and research perspectives. <i>Proteomics</i> , 2008 , 8, 1292-301	4.8	42
101	Cerebrospinal fluid-optimized two-dimensional difference gel electrophoresis (2-D DIGE) facilitates the differential diagnosis of Creutzfeldt-Jakob disease. <i>Proteomics</i> , 2008 , 8, 4357-66	4.8	56

100	CSF amyloid- β -38 and 1-42 in FTD and AD: Biomarker performance critically depends on the detergent accessible fraction. <i>Proteomics - Clinical Applications</i> , 2008 , 2, 1548-56	3.1	15
99	Model project. <i>Deutsches A&#x0308;rzteblatt International</i> , 2008 , 105, 127; author reply 127	2.5	
98	Tyrosine 687 phosphorylated Alzheimer's amyloid precursor protein is retained intracellularly and exhibits a decreased turnover rate. <i>Neurodegenerative Diseases</i> , 2007 , 4, 78-87	2.3	31
97	Memantine pharmacotherapy: a naturalistic study using a population pharmacokinetic approach. <i>Clinical Pharmacokinetics</i> , 2007 , 46, 599-612	6.2	37
96	AIDS dementia complex and Hashimoto encephalopathy in a senescent woman. <i>International Journal of Geriatric Psychiatry</i> , 2007 , 22, 1267-8	3.9	2
95	Urea-based two-dimensional electrophoresis of beta-amyloid peptides in human plasma: evidence for novel A β species. <i>Proteomics</i> , 2007 , 7, 3815-20	4.8	40
94	Immune complexes of auto-antibodies against A β 1-42 peptides patrol cerebrospinal fluid of non-Alzheimer's patients. <i>Molecular Psychiatry</i> , 2007 , 12, 601-10	15.1	19
93	Validation of amyloid-beta peptides in CSF diagnosis of neurodegenerative dementias. <i>Molecular Psychiatry</i> , 2007 , 12, 671-80	15.1	75
92	Amyloid beta peptide ratio 42/40 but not A β 42 correlates with phospho-Tau in patients with low- and high-CSF A β 40 load. <i>Journal of Neurochemistry</i> , 2007 , 101, 1053-9	6	185
91	Blood-based neurochemical diagnosis of vascular dementia: a pilot study. <i>Journal of Neurochemistry</i> , 2007 , 103, 467-74	6	41
90	Spontaneous magnetoencephalographic activity in patients with obsessive-compulsive disorder. <i>Brain Research</i> , 2007 , 1129, 200-5	3.7	17
89	Memantine fails to facilitate partial cigarette deprivation in smokers--no role of Memantine in the treatment of nicotine dependency?. <i>Journal of Neural Transmission</i> , 2007 , 114, 351-7	4.3	16
88	Reduced CSF carboxyterminally truncated A β peptides in frontotemporal lobe degenerations. <i>Journal of Neural Transmission</i> , 2007 , 114, 621-8	4.3	34
87	Blue light improves cognitive performance. <i>Journal of Neural Transmission</i> , 2007 , 114, 457-60	4.3	80
86	Non-pharmacologic prevention of Alzheimer's disease: nutritional and life-style risk factors. <i>Journal of Neural Transmission</i> , 2007 , 114, 1187-97	4.3	26
85	Histologically confirmed amyloid deposition and low CSF A β 42 in a cognitively normal subject. <i>Journal of Neurology</i> , 2007 , 254, 970-1	5.5	1
84	Tyr687 dependent APP endocytosis and A β production. <i>Journal of Molecular Neuroscience</i> , 2007 , 32, 1-8	3.3	38
83	Serum heart-type fatty acid-binding protein and cerebrospinal fluid tau: marker candidates for dementia with Lewy bodies. <i>Neurodegenerative Diseases</i> , 2007 , 4, 366-75	2.3	55

82	Diagnostik und Differenzialdiagnostik der Demenzen. <i>Psychiatrie Und Psychotherapie Up2date</i> , 2007 , 1, 9-22		
81	Proteomic analysis of the cerebrospinal fluid of patients with Creutzfeldt-Jakob disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2007 , 23, 22-8	2.6	10
80	Increase in beta-amyloid levels in cerebrospinal fluid of children with Down syndrome. <i>Dementia and Geriatric Cognitive Disorders</i> , 2007 , 24, 369-74	2.6	29
79	Light-induced exocytosis in cell development and differentiation. <i>Journal of Cellular Biochemistry</i> , 2006 , 97, 1393-406	4.7	13
78	CSF amyloid-beta-peptides in Alzheimer's disease, dementia with Lewy bodies and Parkinson's disease dementia. <i>Brain</i> , 2006 , 129, 1177-87	11.2	166
77	Total tau protein, phosphorylated tau (181p) protein, beta-amyloid(1-42), and beta-amyloid(1-40) in cerebrospinal fluid of patients with dementia with Lewy bodies. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006 , 44, 192-5	5.9	45
76	Effect of sample collection tubes on cerebrospinal fluid concentrations of tau proteins and amyloid beta peptides. <i>Clinical Chemistry</i> , 2006 , 52, 332-4	5.5	130
75	Therapeutic approaches to Alzheimer's disease. <i>Brain</i> , 2006 , 129, 2840-55	11.2	257
74	Beta-amyloid 1-42 and tau-protein in cerebrospinal fluid of patients with Parkinson's disease dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2006 , 22, 200-8	2.6	102
73	International quality control survey of neurochemical dementia diagnostics. <i>Neuroscience Letters</i> , 2006 , 409, 1-4	3.3	91
72	Dissociation between CSF total tau and tau protein phosphorylated at threonine 231 in Creutzfeldt-Jakob disease. <i>Neurobiology of Aging</i> , 2006 , 27, 10-5	5.6	60
71	Clinical Neuroproteomics of Human Body Fluids: CSF and Blood Assays for Early and Differential Diagnosis of Dementia. <i>Methods and Principles in Medicinal Chemistry</i> , 2006 , 259-278	0.4	
70	Pharmacokinetic characterization of amantadine in human brain tissue. <i>Therapeutic Drug Monitoring</i> , 2006 , 28, 693-5	3.2	5
69	HUPO Brain Proteome Project: summary of the pilot phase and introduction of a comprehensive data reprocessing strategy. <i>Proteomics</i> , 2006 , 6, 4890-8	4.8	45
68	Presenilin clinical mutations can affect gamma-secretase activity by different mechanisms. <i>Journal of Neurochemistry</i> , 2006 , 96, 732-42	6	341
67	Should aspirin be discontinued for diagnostic lumbar puncture?. <i>Journal of the American Geriatrics Society</i> , 2006 , 54, 181-2	5.6	8
66	Decreased circulating CD34+ stem cells in early Alzheimer's disease: Evidence for a deficient hematopoietic brain support?. <i>Molecular Psychiatry</i> , 2006 , 11, 1113-5	15.1	22
65	Region specific distribution of levomepromazine in the human brain. <i>Journal of Neural Transmission</i> , 2006 , 113, 387-97	4.3	20

64	The German Competence Net Dementias: standard operating procedures for the neurochemical dementia diagnostics. <i>Journal of Neural Transmission</i> , 2006 , 113, 1075-80	4.3	58
63	CSF diagnosis of Alzheimer's disease and dementia with Lewy bodies. <i>Journal of Neural Transmission</i> , 2006 , 113, 1771-8	4.3	47
62	Neuroleptic drugs in the human brain: clinical impact of persistence and region-specific distribution. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006 , 256, 274-80	5.1	23
61	Creutzfeldt-Jakob disease and homocysteine levels in plasma and cerebrospinal fluid. <i>Gerontology</i> , 2005 , 51, 142-4	5.5	6
60	Consensus paper of the WFSBP Task Force on Biological Markers of Dementia: the role of CSF and blood analysis in the early and differential diagnosis of dementia. <i>World Journal of Biological Psychiatry</i> , 2005 , 6, 69-84	3.8	83
59	Follow-up investigations of tau protein and S-100B levels in cerebrospinal fluid of patients with Creutzfeldt-Jakob disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2005 , 19, 376-82	2.6	12
58	Amyloid beta peptide 1-40 enhances the action of Toll-like receptor-2 and -4 agonists but antagonizes Toll-like receptor-9-induced inflammation in primary mouse microglial cell cultures. <i>Journal of Neurochemistry</i> , 2005 , 94, 289-98	6	82
57	Memantine inhibits ethanol-induced NMDA receptor up-regulation in rat hippocampal neurons. <i>Brain Research</i> , 2005 , 1052, 156-62	3.7	37
56	Statin treatment and a disease-specific pattern of beta-amyloid peptides in Alzheimer's disease. <i>Experimental Brain Research</i> , 2005 , 164, 205-14	2.3	28
55	High activity of acid sphingomyelinase in major depression. <i>Journal of Neural Transmission</i> , 2005 , 112, 1583-90	4.3	103
54	Quantification of changes in electroencephalographic power spectra in a patient with Budd-Chiari-syndrome after implantation of a transjugular intrahepatic portosystemic stent shunt (TIPSS). <i>Metabolic Brain Disease</i> , 2005 , 20, 1-6	3.9	
53	Unchanged survival rates of 14-3-3gamma knockout mice after inoculation with pathological prion protein. <i>Molecular and Cellular Biology</i> , 2005 , 25, 1339-46	4.8	56
52	Tau protein, Abeta42 and S-100B protein in cerebrospinal fluid of patients with dementia with Lewy bodies. <i>Dementia and Geriatric Cognitive Disorders</i> , 2005 , 19, 164-70	2.6	66
51	Lithium decreases secretion of Abeta1-42 and C-truncated species Abeta1-37/38/39/40 in chicken telencephalic cultures but specifically increases intracellular Abeta1-38. <i>Neurodegenerative Diseases</i> , 2004 , 1, 236-41	2.3	17
50	Tau protein phosphorylated at threonine 181 in CSF as a neurochemical biomarker in Alzheimer's disease: original data and review of the literature. <i>Journal of Molecular Neuroscience</i> , 2004 , 23, 115-22	3.3	76
49	Cerebrospinal fluid amyloid beta peptide patterns in Alzheimer's disease patients and nondemented controls depend on sample pretreatment: indication of carrier-mediated epitope masking of amyloid beta peptides. <i>Electrophoresis</i> , 2004 , 25, 2912-8	3.6	88
48	Electrophoretic separation of amyloid beta peptides in plasma. <i>Electrophoresis</i> , 2004 , 25, 3336-43	3.6	40
47	Amyloid beta peptides in cerebrospinal fluid as profiled with surface enhanced laser desorption/ionization time-of-flight mass spectrometry: evidence of novel biomarkers in Alzheimer's disease. <i>Biological Psychiatry</i> , 2004 , 55, 524-30	7.9	79

46	Heart fatty acid binding protein as a potential diagnostic marker for neurodegenerative diseases. <i>Neuroscience Letters</i> , 2004 , 370, 36-9	3.3	75
45	Neurochemical diagnosis of Alzheimer's dementia by CSF Abeta42, Abeta42/Abeta40 ratio and total tau. <i>Neurobiology of Aging</i> , 2004 , 25, 273-81	5.6	220
44	Non-drug therapies for dementia: an overview of the current situation with regard to proof of effectiveness. <i>Dementia and Geriatric Cognitive Disorders</i> , 2003 , 15, 115-25	2.6	68
43	Glutamate and the glutamate receptor system: a target for drug action. <i>International Journal of Geriatric Psychiatry</i> , 2003 , 18, S33-40	3.9	89
42	Beta-amyloid peptides in cerebrospinal fluid of patients with Creutzfeldt-Jakob disease. <i>Annals of Neurology</i> , 2003 , 54, 263-7	9.4	72
41	The amyloid-beta (Abeta) peptide pattern in cerebrospinal fluid in Alzheimer's disease: evidence of a novel carboxyterminally elongated Abeta peptide. <i>Rapid Communications in Mass Spectrometry</i> , 2003 , 17, 1291-1296	2.2	92
40	Memantine in moderate-to-severe Alzheimer's disease. <i>New England Journal of Medicine</i> , 2003 , 349, 609-10; author reply 609-10	59.2	32
39	Different binding pattern of antibodies to prion protein on lymphocytes from patients with sporadic Creutzfeldt-Jakob disease. <i>Neuroscience Letters</i> , 2003 , 343, 29-32	3.3	2
38	Homocysteine induces cell death of rat astrocytes in vitro. <i>Neuroscience Letters</i> , 2003 , 347, 85-8	3.3	56
37	Differential diagnosis of neurodegenerative diseases with special emphasis on Creutzfeldt-Jakob disease. <i>Restorative Neurology and Neuroscience</i> , 2003 , 21, 191-209	2.8	17
36	Increased transcranial magnetic motor threshold after ECT. A case report. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2002 , 252, 250-2	5.1	5
35	Highly conserved and disease-specific patterns of carboxyterminally truncated Abeta peptides 1-37/38/39 in addition to 1-40/42 in Alzheimer's disease and in patients with chronic neuroinflammation. <i>Journal of Neurochemistry</i> , 2002 , 81, 481-96	6	199
34	Polysomnographic findings in five adult patients with pituitary insufficiency before and after cessation of human growth hormone replacement therapy. <i>Clinical Endocrinology</i> , 2002 , 56, 805-10	3.4	18
33	Quantification of the electroencephalographic theta/alpha ratio for the assessment of portal-systemic encephalopathy following implantation of transjugular intrahepatic portosystemic stent shunt (TIPSS). <i>Metabolic Brain Disease</i> , 2002 , 17, 19-28	3.9	13
32	Abeta peptide 1-42, Tau protein and S-100B protein level in cerebrospinal fluid of three patients with primary progressive aphasia. <i>Neuroscience Letters</i> , 2002 , 333, 33-6	3.3	12
31	Unaltered apoptotic behaviour of mononuclear cells from patients with sporadic Creutzfeldt-Jakob disease. <i>Journal of Neurology</i> , 2001 , 248, 690-4	5.5	1
30	Large-scale, multicenter study of cerebrospinal fluid tau protein phosphorylated at serine 199 for the antemortem diagnosis of Alzheimer's disease. <i>Annals of Neurology</i> , 2001 , 50, 150-6	9.4	195
29	Elevation of beta-amyloid peptide 2-42 in sporadic and familial Alzheimer's disease and its generation in PS1 knockout cells. <i>Journal of Biological Chemistry</i> , 2001 , 276, 42645-57	5.4	103

28	Molecular biology of Alzheimer's dementia and its clinical relevance to early diagnosis and new therapeutic strategies. <i>Gerontology</i> , 2001 , 47, 65-71	5.5	16
27	Creutzfeldt-Jakob disease and oxidative stress. <i>Acta Neurologica Scandinavica</i> , 2000 , 101, 332-4	3.8	16
26	Systemic and splanchnic endothelin-1 plasma levels in liver cirrhosis before and after transjugular intrahepatic portosystemic shunt (TIPS). <i>Liver International</i> , 2000 , 20, 60-5	7.9	6
25	Oxidative stress and an altered methionine metabolism in alcoholism. <i>Neuroscience Letters</i> , 2000 , 293, 171-4	3.3	50
24	Glutamine synthetase in experimental meningitis: increased ratio of the subunits 3 and 2 may indicate enhanced activity. <i>Clinica Chimica Acta</i> , 2000 , 292, 1-12	6.2	6
23	Isoform pattern of 14-3-3 proteins in the cerebrospinal fluid of patients with Creutzfeldt-Jakob disease. <i>Journal of Neurochemistry</i> , 1999 , 73, 2485-90	6	81
22	Persistence of haloperidol in human brain tissue. <i>American Journal of Psychiatry</i> , 1999 , 156, 885-90	11.9	115
21	Late increase of serum S100 beta protein levels in hamsters after oral or intraperitoneal infection with scrapie. <i>Journal of Infectious Diseases</i> , 1999 , 180, 518-20	7	6
20	Cisternal S100 protein and neuron-specific enolase are elevated and site-specific markers in intractable temporal lobe epilepsy. <i>Epilepsy Research</i> , 1999 , 36, 75-82	3	54
19	Kinetics of serum neuron-specific enolase and prolactin in patients after single epileptic seizures. <i>Epilepsia</i> , 1999 , 40, 713-8	6.4	38
18	Elevated serum levels of astroglial S100beta in patients with liver cirrhosis indicate early and subclinical portal-systemic encephalopathy. <i>Metabolic Brain Disease</i> , 1999 , 14, 239-51	3.9	22
17	Flupirtine shows functional NMDA receptor antagonism by enhancing Mg ²⁺ block via activation of voltage independent potassium channels. Rapid communication. <i>Journal of Neural Transmission</i> , 1999 , 106, 857-67	4.3	87
16	The N-methyl-D-aspartate receptor channel blocker amantadine does not cause histopathological alterations in human brain tissue. <i>Acta Neuropathologica</i> , 1999 , 98, 85-90	14.3	6
15	Psychiatric aspects of portal-systemic encephalopathy. <i>Metabolic Brain Disease</i> , 1998 , 13, 379-89	3.9	20
14	Portosystemic hepatic encephalopathy after transjugular intrahepatic portosystemic shunt in patients with cirrhosis: clinical, laboratory, psychometric, and electroencephalographic investigations. <i>Hepatology</i> , 1998 , 28, 1215-25	11.2	110
13	Detection of 14-3-3 protein in the cerebrospinal fluid supports the diagnosis of Creutzfeldt-Jakob disease. <i>Annals of Neurology</i> , 1998 , 43, 32-40	9.4	394
12	Decrease of S100 beta protein in serum of patients with amyotrophic lateral sclerosis. <i>Neuroscience Letters</i> , 1998 , 240, 171-3	3.3	26
11	Bright basal ganglia in T1-weighted magnetic resonance images are frequent in patients with portal vein thrombosis without liver cirrhosis and not suggestive of hepatic encephalopathy. <i>Journal of Hepatology</i> , 1998 , 29, 443-9	13.4	41

10	Elevated levels of serum S100 beta protein in scrapie hamsters. <i>Journal of NeuroVirology</i> , 1998 , 4, 572-3	3.9	8
9	Diagnosis of Creutzfeldt-Jakob disease by measurement of S100 protein in serum: prospective case-control study. <i>BMJ: British Medical Journal</i> , 1998 , 316, 577-82		75
8	Long-term food restriction down-regulates the density of serotonin transporters in the rat frontal cortex. <i>Biological Psychiatry</i> , 1997 , 41, 1174-80	7.9	53
7	Elevated levels of tau-protein in cerebrospinal fluid of patients with Creutzfeldt-Jakob disease. <i>Neuroscience Letters</i> , 1997 , 225, 210-2	3.3	294
6	Improved electrophoretic separation and immunoblotting of beta-amyloid (A beta) peptides 1-40, 1-42, and 1-43. <i>Electrophoresis</i> , 1997 , 18, 527-32	3.6	125
5	Serotonin transporters in the rat frontal cortex: lack of circadian rhythmicity but down-regulation by food restriction. <i>Journal of Neurochemistry</i> , 1996 , 67, 656-61	6	24
4	Electrophoretic separation of betaA4 peptides (1-40) and (1-42). <i>Analytical Biochemistry</i> , 1996 , 237, 24-9	3.1	100
3	A new multiphasic buffer system for sodium dodecyl sulfate-polyacrylamide gel electrophoresis of proteins and peptides with molecular masses 100,000-1000, and their detection with picomolar sensitivity. <i>Electrophoresis</i> , 1991 , 12, 352-66	3.6	85
2	A comprehensive score reflecting memory-related fMRI activations and deactivations as potential biomarker for neurocognitive aging		1
1	Case Report: Alzheimer's Dementia Associated With Cerebrospinal Fluid Neurochondrin Autoantibodies. <i>Frontiers in Neurology</i> , 13,	4.1	0