

Alessandro Venditti

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7895501/alessandro-venditti-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

130
papers

2,370
citations

25
h-index

39
g-index

133
ext. papers

2,886
ext. citations

2.8
avg, IF

5.55
L-index

#	Paper	IF	Citations
130	Antimicrobial and -glucosidase inhibitory activities of chemical constituents from (Rubiaceae).. <i>Natural Product Research</i> , 2022 , 1-6	2.3	2
129	A review of the phytochemistry, ethnopharmacology and biological activities of genus (Germander).. <i>Natural Product Research</i> , 2022 , 1-18	2.3	3
128	The Pharmacological Activities of L.: A Review Based on the Mechanisms and Therapeutic Opportunities of its Phytoconstituents.. <i>Oxidative Medicine and Cellular Longevity</i> , 2022 , 2022, 8214821	6.7	1
127	Phytochemical profile of fennel essential oils and possible applications for natural antioxidant and controlling L. <i>Natural Product Research</i> , 2021 , 35, 4164-4168	2.3	12
126	A new diterpene and other compounds from the unripe female cones of. <i>Natural Product Research</i> , 2021 , 35, 3839-3849	2.3	4
125	Bioguided fractionation of hypoglycaemic component in methanol extract of an study. <i>Natural Product Research</i> , 2021 , 35, 5943-5947	2.3	5
124	Phytochemical Analysis and Biological Activities of the Ethanolic Extract of Vahl Flowering Aerial Parts Collected in Central Italy. <i>Biomolecules</i> , 2021 , 11,	5.9	2
123	An overview of the genus Palū (Verbenaceae): Essential oil composition, ethnobotany and biological activities. <i>Natural Product Research</i> , 2021 , 1-17	2.3	5
122	Profiling of the essential oil compositions from the flowers and leaves of Aitch. & Hemsl., an endemic plant in Kerman province, Iran. <i>Natural Product Research</i> , 2021 , 1-6	2.3	
121	Occurrence of flavonoids in different Lamiaceae taxa for a preliminary study on their evolution based on phytochemistry. <i>Biochemical Systematics and Ecology</i> , 2021 , 96, 104247	1.4	5
120	The Genus Juss.: Phytochemistry and Bioactivities-A Review. <i>Molecules</i> , 2021 , 26,	4.8	2
119	Plants adapted to arid areas: specialized metabolites. <i>Natural Product Research</i> , 2021 , 35, 3314-3331	2.3	15
118	Composition and biological activities of the essential oil from a Sicilian accession of (L.) Lindl. <i>Natural Product Research</i> , 2021 , 35, 733-743	2.3	12
117	Qualitative and semi-quantitative phytochemical analysis on the seeds of a new <i>Nigella sativa</i> L. population exemplar from Iran. <i>Plant Biosystems</i> , 2021 , 155, 1056-1062	1.6	
116	Curcumin nanoformulations for antimicrobial and wound healing purposes. <i>Phytotherapy Research</i> , 2021 , 35, 2487	6.7	6
115	Characterization of essential oils and volatiles from the aerial parts of L. (Lamiaceae) using microwave-assisted hydrodistillation (MAHD) and headspace solid phase microextraction (HS-SPME) in combination with GC-MS. <i>Natural Product Research</i> , 2021 , 1-5	2.3	5
114	A Systematic Review on Phytochemistry, Ethnobotany and Biological Activities of the Genus <i>Bunium</i> L. <i>Chemistry and Biodiversity</i> , 2021 , 18, e2100317	2.5	2

113	-Lignans: Occurrence in Plants and Biological Activities-A Review. <i>Molecules</i> , 2020 , 25,	4.8	9
112	Sulfur-containing Secondary Metabolites as Neuroprotective Agents. <i>Current Medicinal Chemistry</i> , 2020 , 27, 4421-4436	4.3	12
111	Phytochemistry, Chemotaxonomy, and Biological Activities of the Araucariaceae Family-A Review. <i>Plants</i> , 2020 , 9,	4.5	14
110	Phytochemical Analysis and Trypanocidal Activity of Desr. <i>Molecules</i> , 2020 , 25,	4.8	2
109	What is and what should never be: artifacts, improbable phytochemicals, contaminants and natural products. <i>Natural Product Research</i> , 2020 , 34, 1014-1031	2.3	51
108	Secondary metabolites of Moench inflorescences collected in Central Italy: chemotaxonomy relevance and phytochemical rationale of traditional use. <i>Natural Product Research</i> , 2020 , 34, 1167-1174	2.3	6
107	L. Genus: Systematics, Botany, Phytochemistry, Chemotaxonomy, Ethnopharmacology, and Other. <i>Plants</i> , 2019 , 8,	4.5	11
106	Phytochemistry, Chemotaxonomy, Ethnopharmacology, and Nutraceuticals of Lamiaceae. <i>Studies in Natural Products Chemistry</i> , 2019 , 62, 125-178	1.5	28
105	The Nonvolatile and Volatile Metabolites of Prangos ferulacea and Their Biological Properties. <i>Planta Medica</i> , 2019 , 85, 815-824	3.1	7
104	The Therapeutic Potential of Apigenin. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	305
103	Phytochemical analysis of Linaria purpurea (L.) Mill. and inhibitory activity on the production of aflatoxin B1 (AFB1) in <i>Aspergillus flavus</i> Link. of one of its metabolites, antirrhinoside. <i>Industrial Crops and Products</i> , 2019 , 139, 111554	5.9	6
102	Apium Plants: Beyond Simple Food and Phytopharmacological Applications. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 3547	2.6	14
101	Ethnobotany and Phytochemistry of the genus <i>Eremostachys</i> Bunge. <i>Current Organic Chemistry</i> , 2019 , 23, 1828-1842	1.7	14
100	The genus <i>Perovskia</i> Kar.: ethnobotany, chemotaxonomy and phytochemistry: a review. <i>Toxin Reviews</i> , 2019 , 1-22	2.3	22
99	The genus <i>Ferula</i> : Ethnobotany, phytochemistry and bioactivities [A review. <i>Industrial Crops and Products</i> , 2019 , 129, 350-394	5.9	54
98	Preliminary study on the phytochemical evolution of different Lamiaceae species based on iridoids. <i>Biochemical Systematics and Ecology</i> , 2019 , 82, 44-51	1.4	6
97	A new bicyclic monoterpene glucoside and a new biflavone from the male reproduction organs of <i>Wollemia nobilis</i> . <i>Floterap</i> 2019 , 133, 62-69	3.2	8
96	Coumarins and other components of <i>Daphne oleoides</i> Schreb. subsp. <i>oleoides</i> from Majella National Park. <i>Biochemical Systematics and Ecology</i> , 2019 , 83, 39-46	1.4	6

95	Essential oil composition and total metabolite content of a chemotype of <i>Ajuga reptans</i> L. (Lamiaceae) collected in Central Italy. <i>Plant Biosystems</i> , 2019 , 153, 552-558	1.6	5
94	A syn-ent-labdadiene derivative with a rare spiro-lactone function from the male cones of <i>Wollemia nobilis</i> . <i>Phytochemistry</i> , 2019 , 158, 91-95	4	12
93	A rare bis-rhamnopyranosyl-aromadendrin derivative and other flavonoids from the flowers of <i>Genista cilentina</i> Vals. an endemic species of Southern Italy. <i>Arabian Journal of Chemistry</i> , 2019 , 12, 3921-3926	5.9	7
92	Volatile components, polar constituents and biological activity of tansy daisy (<i>Tanacetum macrophyllum</i> (Waldst. et Kit.) Schultz Bip.). <i>Industrial Crops and Products</i> , 2018 , 118, 225-235	5.9	23
91	Anti-HIV Agents From Nature: Natural Compounds From <i>Hypericum hircinum</i> and Carbocyclic Nucleosides From Iridoids. <i>Studies in Natural Products Chemistry</i> , 2018 , 56, 173-228	1.5	6
90	Iridoid glycosides and polyphenolic compounds from <i>Teucrium chamaedrys</i> L. <i>Natural Product Research</i> , 2018 , 32, 1583-1589	2.3	23
89	Phytochemical profile of <i>Euphorbia peplus</i> L. collected in Central Italy and NMR semi-quantitative analysis of the diterpenoid fraction. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 160, 152-159	3.5	17
88	Iridoids of Chemotaxonomy Relevance, a New Antirrhinoside Ester and Other Constituents from <i>Kickxia spuria</i> subsp. <i>integrifolia</i> (Brot.) R.Fern. <i>Chemistry and Biodiversity</i> , 2018 , 15, e1700473	2.5	13
87	Artifacts in natural products studies. An old and underestimated re-emerging problem. <i>Natural Product Research</i> , 2018 , 32, i-ii	2.3	10
86	Bioactive Constituents of <i>Juniperus turbinata</i> Guss. from La Maddalena Archipelago. <i>Chemistry and Biodiversity</i> , 2018 , 15, e1800148	2.5	22
85	Phenolic acids, antioxidant and antiproliferative activities of Naviglio extracts from <i>Schizogyne sericea</i> (Asteraceae). <i>Natural Product Research</i> , 2017 , 31, 515-522	2.3	15
84	A new natural neo-clerodane from <i>Teucrium polium</i> L. collected in Northern Iran. <i>Industrial Crops and Products</i> , 2017 , 97, 632-638	5.9	20
83	A possible glycosidic benzophenone with full substitution on B-ring from <i>Psidium guajava</i> leaves. <i>Natural Product Research</i> , 2017 , 31, 739-741	2.3	16
82	New Coumarinyl Ethers in <i>Daphne oleoides</i> Schreb. Collected from Sardinia Island. <i>Chemistry and Biodiversity</i> , 2017 , 14, e1700072	2.5	14
81	Phytochemical analysis of the ethanolic extract of <i>Agathis robusta</i> (C. Moore ex F. Muell.) F.M. Bailey. <i>Natural Product Research</i> , 2017 , 31, 1604-1611	2.3	12
80	Chemical Traits of Hemiparasitism in <i>Odontites luteus</i> . <i>Chemistry and Biodiversity</i> , 2017 , 14, e1600416	2.5	8
79	Polar Constituents, Essential Oil and Antioxidant Activity of Marsh Woundwort (<i>Stachys palustris</i> L.). <i>Chemistry and Biodiversity</i> , 2017 , 14, e1600401	2.5	22
78	Primary and secondary metabolites of an European edible mushroom and its nutraceutical value: <i>Suillus bellinii</i> (Inzenga) Kuntze. <i>Natural Product Research</i> , 2017 , 31, 1910-1919	2.3	12

77	Phytochemical study on the leaves of <i>Wollemia nobilis</i> . <i>Biochemical Systematics and Ecology</i> , 2017 , 74, 63-66	1.4	9
76	Isoflavones and Other Compounds from the Roots of <i>Iris marsica</i> I. Ricci E Colas. Collected from Majella National Park, Italy 2017 , 07,		13
75	Composition of the Essential Oil of <i>Coristospermum cuneifolium</i> and Antimicrobial Activity Evaluation. <i>Planta Medica International Open</i> , 2017 , 4, e74-e81	0.8	5
74	Everlasting flower (<i>Helichrysum stoechas</i> Moench) as a potential source of bioactive molecules with antiproliferative, antioxidant, antidiabetic and neuroprotective properties. <i>Industrial Crops and Products</i> , 2017 , 108, 295-302	5.9	31
73	Acetylcholinesterase inhibitory activity of pyrrolizidine alkaloids from <i>Echium confusum</i> Coincy. <i>Natural Product Research</i> , 2017 , 31, 1277-1285	2.3	25
72	Iridoids and phenylethanoid glycosides from the aerial parts of <i>Ajuga tenorei</i> , an endemic Italian species. <i>Natural Product Research</i> , 2017 , 31, 218-223	2.3	19
71	Terpenoids and More Polar Compounds from the Male Cones of <i>Wollemia nobilis</i> . <i>Chemistry and Biodiversity</i> , 2017 , 14, e1600332	2.5	13
70	Polar constituents, protection against reactive oxygen species, and nutritional value of Chinese artichoke (<i>Stachys affinis</i> Bunge). <i>Food Chemistry</i> , 2017 , 221, 473-481	8.5	21
69	Phytochemical comparison with quantitative analysis between two flower phenotypes of <i>Mentha aquatica</i> L.: pink-violet and white. <i>AIMS Molecular Science</i> , 2017 , 4, 288-300	0.9	6
68	Reassessment of the polar fraction of (<i>L.</i>) Benth. subsp. (Ten.) Grande (Lamiaceae) from the Monti Sibillini National Park: A potential source of bioactive compounds. <i>Journal of Intercultural Ethnopharmacology</i> , 2017 , 6, 144-153		13
67	Essential oil composition and polar fraction analysis of <i>Tanacetum macrophyllum</i> (Waldst. et Kit.) Schultz Bip. 2017 , 4,		1
66	<i>Harpagophytum procumbens</i> extract potentiates morphine antinociception in neuropathic rats. <i>Natural Product Research</i> , 2016 , 30, 1248-55	2.3	12
65	Essential oil composition and biological activity from <i>Artemisia caerulescens</i> subsp. <i>densiflora</i> (Viv.) Gamisans ex Kerguelen & Lambinon (Asteraceae), an endemic species in the habitat of La Maddalena Archipelago. <i>Natural Product Research</i> , 2016 , 30, 1802-9	2.3	16
64	Reassessment of <i>Melittis melissophyllum</i> L. subsp. <i>melissophyllum</i> iridoidic fraction. <i>Natural Product Research</i> , 2016 , 30, 218-22	2.3	14
63	Phytochemical analysis of <i>Achillea ligustica</i> All. from Lipari Island (Aeolian Islands). <i>Natural Product Research</i> , 2016 , 30, 912-9	2.3	21
62	<i>Scenedesmus dimorphus</i> (Turpin) K&Eing growth with digestate from biogas plant in outdoor bag photobioreactors. <i>Natural Product Research</i> , 2016 , 30, 185-91	2.3	2
61	Secondary Metabolites, Glandular Trichomes and Biological Activity of <i>Sideritis montana</i> L. subsp. <i>montana</i> from Central Italy. <i>Chemistry and Biodiversity</i> , 2016 , 13, 1380-1390	2.5	18
60	Iridoids and phenylethanoid from <i>Pedicularis kernerii</i> Dalla Torre growing in Dolomites, Italy. <i>Natural Product Research</i> , 2016 , 30, 327-31	2.3	25

59	Secoiridoids and other chemotaxonomically relevant compounds in <i>Pedicularis</i> : phytochemical analysis and comparison of <i>Pedicularis rostratocapitata</i> Crantz and <i>Pedicularis verticillata</i> L. from Dolomites. <i>Natural Product Research</i> , 2016 , 30, 1698-705	2.3	18
58	Pyrrolizidine alkaloids from <i>Solenanthes lanatus</i> DC. with acetylcholinesterase inhibitory activity. <i>Natural Product Research</i> , 2016 , 30, 2567-2574	2.3	16
57	Secondary metabolites from <i>Scrophularia canina</i> L. <i>Natural Product Research</i> , 2016 , 30, 1665-9	2.3	18
56	Phytochemical analysis of non-volatile fraction of <i>Artemisia caerulescens</i> subsp. <i>densiflora</i> (Viv.) (Asteraceae), an endemic species of La Maddalena Archipelago (Sardinia-Italy). <i>Natural Product Research</i> , 2016 , 30, 920-5	2.3	25
55	Anti-inflammatory effects and antioxidant activity of dihydroasparagusic acid in lipopolysaccharide-activated microglial cells. <i>Brain Research Bulletin</i> , 2016 , 120, 151-8	3.9	26
54	A new glucosidic phthalide from <i>Helichrysum microphyllum</i> subsp. <i>tyrrhenicum</i> from La Maddalena Island (Sardinia, Italy). <i>Natural Product Research</i> , 2016 , 30, 789-95	2.3	19
53	Unusual molecular pattern in Ajugoideae subfamily: the case of <i>Ajuga genevensis</i> L. from Dolomites. <i>Natural Product Research</i> , 2016 , 30, 1098-102	2.3	19
52	Secondary metabolites with ecologic and medicinal implications in <i>Anthemis cretica</i> subsp. <i>petraea</i> from Majella National Park. <i>AIMS Molecular Science</i> , 2016 , 3, 648-660	0.9	5
51	Phytochemical Study of a Species with Ethnopharmacological Interest: <i>Sideritis romana</i> L. <i>European Journal of Medicinal Plants</i> , 2016 , 12, 1-9	2	17
50	Phytochemical analysis and ethno-pharmacological importance of the fruits of <i>Hypericum androsaemum</i> L.. <i>Planta Medica</i> , 2016 , 81, S1-S381	3.1	
49	Endemic Plants of Italy and Their Peculiar Molecular Pattern. <i>Studies in Natural Products Chemistry</i> , 2016 , 50, 215-247	1.5	7
48	Polar Constituents and Biological Activity of the Berry-Like Fruits from <i>Hypericum androsaemum</i> L. <i>Frontiers in Plant Science</i> , 2016 , 7, 232	6.2	34
47	Constituents of <i>Melittis melissophyllum</i> subsp. <i>albida</i> . <i>Natural Product Communications</i> , 2016 , 11, 1934-578X1601101	6.2	34
46	Bioactive Secondary Metabolites from <i>Schizogyne sericea</i> (Asteraceae) Endemic to Canary Islands. <i>Chemistry and Biodiversity</i> , 2016 , 13, 826-36	2.5	8
45	Phytochemistry, micromorphology and bioactivities of <i>Ajuga chamaepitys</i> (L.) Schreb. (Lamiaceae, Ajugoideae): Two new harpagide derivatives and an unusual iridoid glycosides pattern. <i>Phytotherapy Research</i> , 2016 , 113, 35-43	3.2	42
44	Constituents of <i>Melittis melissophyllum</i> subsp. <i>albida</i> . <i>Natural Product Communications</i> , 2016 , 11, 1631-1634	6.2	34
43	Clinical evaluation of Moro (<i>Citrus sinensis</i> (L.) Osbeck) orange juice supplementation for the weight management. <i>Natural Product Research</i> , 2015 , 29, 2256-60	2.3	35
42	Chemical composition of the essential oil of <i>Jacobaea maritima</i> (L.) Pels & Meijden and <i>Jacobaea maritima</i> subsp. <i>bicolor</i> (Willd.) B. Nord. & Greuter (Asteraceae) collected wild in Croatia and Sicily, respectively. <i>Natural Product Research</i> , 2015 , 29, 857-63	2.3	5

41	Antioxidant and anti-collagenase activity of <i>Hypericum hircinum</i> L.. <i>Industrial Crops and Products</i> , 2015 , 76, 402-408	5.9	31
40	Antioxidant and β -glucosidase inhibitory activities of <i>Achillea tenorii</i> . <i>Pharmaceutical Biology</i> , 2015 , 53, 1505-10	3.8	35
39	Iridoid glucosides from <i>Pentas lanceolata</i> (Forssk.) Deflers growing on the Island of Sardinia. <i>Plant Systematics and Evolution</i> , 2015 , 301, 685-690	1.3	15
38	Terpenoids of <i>Linaria alpina</i> (L.) Mill. from Dolomites, Italy. <i>Natural Product Research</i> , 2015 , 29, 2041-4	2.3	9
37	Essential oil composition, polar compounds, glandular trichomes and biological activity of <i>Hyssopus officinalis</i> subsp. <i>aristatus</i> (Godr.) Nyman from central Italy. <i>Industrial Crops and Products</i> , 2015 , 77, 353-363	5.9	47
36	Polar compounds from <i>Parentucellia viscosa</i> (L.) Caruel from Sardinia. <i>Natural Product Research</i> , 2015 , 29, 602-6	2.3	16
35	Phytochemical study of <i>Cistus libanotis</i> L. <i>Natural Product Research</i> , 2015 , 29, 189-92	2.3	6
34	Antioxidant activity and chemical composition of three Tunisian <i>Cistus</i> : <i>Cistus monspeliensis</i> , <i>Cistus villosus</i> and <i>Cistus libanotis</i> . <i>Natural Product Research</i> , 2015 , 29, 223-30	2.3	14
33	Phytochemical Analysis, Biological Activity, and Secretary Structures of <i>Stachys annua</i> (L.) L. subsp. <i>annua</i> (Lamiaceae) from Central Italy. <i>Chemistry and Biodiversity</i> , 2015 , 12, 1172-83	2.5	23
32	Chemical composition and biological activity of the essential oil from <i>Helichrysum microphyllum</i> Cambess. ssp. <i>tyrrhenicum</i> Bacch., Brullo e Giusso growing in La Maddalena Archipelago, Sardinia. <i>Journal of Oleo Science</i> , 2015 , 64, 19-26	1.6	24
31	Screening of Carotenoids in Tomato Fruits by Using Liquid Chromatography with Diode Array-Linear Ion Trap Mass Spectrometry Detection. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 7428-39	5.7	21
30	Essential oil chemotypification and secretary structures of the neglected vegetable <i>Smyrniolus atrum</i> L. (Apiaceae) growing in central Italy. <i>Flavour and Fragrance Journal</i> , 2015 , 30, 139-159	2.5	37
29	Monoterpenoids glycosides content from two Mediterranean populations of <i>Crucianella maritima</i> L. <i>Natural Product Research</i> , 2014 , 28, 586-8	2.3	8
28	A C-methylated resacetophenone from <i>Cistus monspeliensis</i> L. <i>Phytotherapy</i> , 2014 , 95, 182-5	3.2	4
27	A new problem. Contamination of botanicals by phthalates. Rapid detection tests. <i>Natural Product Research</i> , 2014 , 28, 134-7	2.3	19
26	HPTLC determination of chemical composition variability in raw materials used in botanicals. <i>Natural Product Research</i> , 2014 , 28, 119-26	2.3	39
25	Design and synthesis of a new dimeric xanthone derivative: enhancement of G-quadruplex selectivity and telomere damage. <i>Organic and Biomolecular Chemistry</i> , 2014 , 12, 9572-82	3.9	10
24	Volatile compounds from <i>Achillea tenorii</i> (Grande) growing in the Majella National Park (Italy). <i>Natural Product Research</i> , 2014 , 28, 1699-704	2.3	11

23	Effects of olive leaf polyphenols on male mouse brain NGF, BDNF and their receptors TrkA, TrkB and p75. <i>Natural Product Research</i> , 2014 , 28, 1970-84	2.3	43
22	Metabolic profile of different Italian cultivars of hazelnut (<i>Corylus avellana</i>) by nuclear magnetic resonance spectroscopy. <i>Natural Product Research</i> , 2014 , 28, 1075-81	2.3	32
21	Characterization of secondary metabolites, biological activity and glandular trichomes of <i>Stachys tymphaea</i> Hausskn. from the Monti Sibillini National Park (Central Apennines, Italy). <i>Chemistry and Biodiversity</i> , 2014 , 11, 245-61	2.5	46
20	Phytochemical analysis, biological evaluation and micromorphological study of <i>Stachys alopecuroides</i> (L.) Benth. subsp. <i>divulsa</i> (Ten.) Grande endemic to central Apennines, Italy. <i>Fitoterapia</i> , 2013 , 90, 94-103	3.2	47
19	Polar constituents composition of endemic <i>Sideritis italica</i> (MILL.) GREUTER et BURTER from Central Italy. <i>Natural Product Research</i> , 2013 , 27, 1408-12	2.3	26
18	Iridoids from <i>Bellardia trixago</i> (L.) All. <i>Natural Product Research</i> , 2013 , 27, 1413-6	2.3	25
17	Secondary metabolites from <i>Pinus mugo</i> Turra subsp. <i>mugo</i> growing in the Majella National Park (Central Apennines, Italy). <i>Chemistry and Biodiversity</i> , 2013 , 10, 2091-100	2.5	20
16	Pivaloylcodeine, a new codeine derivative, for the inhibition of morphine glucuronidation. An in vitro study in the rat. <i>Bioorganic and Medicinal Chemistry</i> , 2013 , 21, 7955-63	3.4	2
15	Chemopreventive and antioxidant activity of the chamazulene-rich essential oil obtained from <i>Artemisia arborescens</i> L. growing on the Isle of La Maddalena, Sardinia, Italy. <i>Chemistry and Biodiversity</i> , 2013 , 10, 1464-74	2.5	44
14	Phytochemical composition of polar fraction of <i>Stachys germanica</i> L. subsp. <i>salviifolia</i> (Ten.) Gams, a typical plant of Majella National Park. <i>Natural Product Research</i> , 2013 , 27, 190-3	2.3	21
13	A new flavonoid and other polar compounds from <i>Galeopsis angustifolia</i> Ehrh. ex Hoffm. <i>Natural Product Research</i> , 2013 , 27, 412-6	2.3	10
12	Aromadendrine, a new component of the flavonoid pattern of <i>Olea europaea</i> L. and its anti-inflammatory activity. <i>Natural Product Research</i> , 2013 , 27, 340-9	2.3	24
11	Chemical Composition and Free Radical Scavenging Activity of the Essential Oil of <i>Achillea ligustica</i> Growing Wild in Lipari (Aeolian Islands, Sicily). <i>Natural Product Communications</i> , 2013 , 8, 1934578X1300807	0.9	3
10	Dihydroasparagusic acid: antioxidant and tyrosinase inhibitory activities and improved synthesis. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 6848-55	5.7	20
9	Properties of dihydroasparagusic acid and its use as an antidote against mercury(II) poisoning. <i>Monatshefte für Chemie</i> , 2013 , 144, 1767-1773	1.4	2
8	<i>Hypericum hircinum</i> L. components as new single-molecule inhibitors of both HIV-1 reverse transcriptase-associated DNA polymerase and ribonuclease H activities. <i>Pathogens and Disease</i> , 2013 , 68, 116-24	4.2	56
7	Phytochemical pattern of <i>Gentiana</i> species of Appennino in central Italy. <i>Natural Product Research</i> , 2013 , 27, 2063-5	2.3	8
6	Chemical composition and free radical scavenging activity of the essential oil of <i>Achillea ligustica</i> growing wild in Lipari (Aeolian Islands, Sicily). <i>Natural Product Communications</i> , 2013 , 8, 1629-32	0.9	17

5	Phytochemical analysis of <i>Plantago sempervirens</i> from Majella National Park. <i>Natural Product Research</i> , 2012 , 26, 2035-9	2.3	17
4	Development and validation of two multiresidue liquid chromatography tandem mass spectrometry methods based on a versatile extraction procedure for isolating non-steroidal anti-inflammatory drugs from bovine milk and muscle tissue. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 404, 1375-88	4.4	44
3	Antiproliferative, antimicrobial and antioxidant properties of <i>Cedrus libani</i> and <i>Pinus pinea</i> wood oils and <i>Juniperus excelsa</i> berry oil. <i>Plant Biosystems</i> ,1-12	1.6	5
2	Phytochemical analysis and potential natural compounds against SARS-CoV-2/COVID-19 in essential oils derived from medicinal plants originating from Lebanon. An information note. <i>Plant Biosystems</i> ,1-10	1.6	0
1	Phytochemical analysis on the aerial parts of <i>Teucrium capitatum</i> L. with aspects of chemosystematics and ethnobotany. <i>Natural Product Research</i> ,1-10	2.3	0