## Mette Vesterhus

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7895791/publications.pdf

Version: 2024-02-01

57	2,411	26 h-index	48
papers	citations		g-index
59	59	59	3428
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Impact on followâ€up strategies in patients with primary sclerosing cholangitis. Liver International, 2023, 43, 127-138.	3.9	15
2	Liver Elastography in Healthy Children Using Three Different Systems – How Many Measurements Are Necessary?. Ultraschall in Der Medizin, 2022, 43, 488-497.	1.5	2
3	Highly Increased Levels of Inter-α-inhibitor Heavy Chain 4 (ITIH4) in Autoimmune Cholestatic Liver Diseases. Journal of Clinical and Translational Hepatology, 2022, 10, 796-802.	1.4	3
4	Reply to: "Both tacrolimus and mycophenylate mophetil should be considered second-line therapy for autoimmune hepatitis― Journal of Hepatology, 2021, 74, 755-756.	3.7	2
5	Comprehensive assessment of ECM turnover using serum biomarkers establishes PBC as a high-turnover autoimmune liver disease. JHEP Reports, 2021, 3, 100178.	4.9	7
6	Associations of neopterin and kynurenine–tryptophan ratio with survival in primary sclerosing cholangitis. Scandinavian Journal of Gastroenterology, 2021, 56, 443-452.	1.5	8
7	Circulating Macrophage Activation Markers Predict Transplant-Free Survival in Patients With Primary Sclerosing Cholangitis. Clinical and Translational Gastroenterology, 2021, 12, e00315.	2.5	10
8	Controlled Attenuation Parameter in Healthy Individuals Aged 8–70 Years. Ultrasound International Open, 2021, 07, E6-E13.	0.6	1
9	Altered Gut Microbial Metabolism of Essential Nutrients in Primary Sclerosing Cholangitis. Gastroenterology, 2021, 160, 1784-1798.e0.	1.3	69
10	Fluctuating biomarkers in primary sclerosing cholangitis: A longitudinal comparison of alkaline phosphatase, liver stiffness, and ELF. JHEP Reports, 2021, 3, 100328.	4.9	8
11	Primary Sclerosing Cholangitis Risk Estimate Tool (PREsTo) Predicts Outcomes of the Disease: A Derivation and Validation Study Using Machine Learning. Hepatology, 2020, 71, 214-224.	<b>7.</b> 3	90
12	Second-line and third-line therapy for autoimmune hepatitis: A position statement from the European Reference Network on Hepatological Diseases and the International Autoimmune Hepatitis Group. Journal of Hepatology, 2020, 73, 1496-1506.	3.7	55
13	Point Shear Wave Elastography and the Effect of Physical Exercise, Alcohol Consumption, and Respiration in Healthy Adults. Ultrasound International Open, 2020, 06, E54-E61.	0.6	1
14	Liver Elastography in Primary Sclerosing Cholangitis Patients Using Three Different Scanner Systems. Ultrasound in Medicine and Biology, 2020, 46, 1854-1864.	1.5	5
15	Effects of Tumor Necrosis Factor Antagonists in Patients With Primary Sclerosing Cholangitis. Clinical Gastroenterology and Hepatology, 2020, 18, 2295-2304.e2.	4.4	18
16	Emerging therapies in primary sclerosing cholangitis: pathophysiological basis and clinical opportunities. Journal of Gastroenterology, 2020, 55, 588-614.	5.1	49
17	THU-002-Macrophage activation marker neopterin predicts liver transplantation-free survival in primary sclerosing cholangitis. Journal of Hepatology, 2019, 70, e161.	3.7	О
18	Autotaxin activity predicts transplant-free survival in primary sclerosing cholangitis. Scientific Reports, 2019, 9, 8450.	3.3	8

#	Article	IF	Citations
19	Cholangiocarcinoma is associated with a raised enhanced liver fibrosis score independent of primary sclerosing cholangitis. European Journal of Clinical Investigation, 2019, 49, e13088.	3.4	14
20	Normal Liver Stiffness Values in Children. Journal of Pediatric Gastroenterology and Nutrition, 2019, 68, 706-712.	1.8	42
21	Circulating markers of gut barrier function associated with disease severity in primary sclerosing cholangitis. Liver International, 2019, 39, 371-381.	3.9	51
22	Assessing Liver Stiffness by 2-D Shear Wave Elastography in a Healthy Cohort. Ultrasound in Medicine and Biology, 2018, 44, 332-341.	1.5	28
23	Liver elasticity in healthy individuals by two novel shear-wave elastography systems—Comparison by age, gender, BMI and number of measurements. PLoS ONE, 2018, 13, e0203486.	2.5	37
24	Serological markers of extracellular matrix remodeling predict transplantâ€free survival in primary sclerosing cholangitis. Alimentary Pharmacology and Therapeutics, 2018, 48, 179-189.	3.7	28
25	Normal liver elasticity values in a healthy population, by age and gender, for two novel elastography systems. Journal of Hepatology, 2018, 68, S645-S646.	3.7	0
26	Repeatability of shear wave elastography in liver fibrosis phantomsâ€"Evaluation of five different systems. PLoS ONE, 2018, 13, e0189671.	2.5	37
27	The gut microbial profile in patients with primary sclerosing cholangitis is distinct from patients with ulcerative colitis without biliary disease and healthy controls. Gut, 2017, 66, 611-619.	12.1	308
28	Enhanced liver fibrosis test predicts transplantâ€free survival in primary sclerosing cholangitis, a multiâ€centre study. Liver International, 2017, 37, 1554-1561.	3.9	54
29	Novel serum and bile protein markers predict primary sclerosing cholangitis disease severity and prognosis. Journal of Hepatology, 2017, 66, 1214-1222.	3.7	51
30	Anti-GP2 IgA autoantibodies are associated with poor survival and cholangiocarcinoma in primary sclerosing cholangitis. Gut, 2017, 66, 137-144.	12.1	59
31	Elevated trimethylamineâ€ <i>N</i> â€oxide (TMAO) is associated with poor prognosis in primary sclerosing cholangitis patients with normal liver function. United European Gastroenterology Journal, 2017, 5, 532-541.	3.8	20
32	Primary sclerosing cholangitis – a comprehensive review. Journal of Hepatology, 2017, 67, 1298-1323.	3.7	538
33	Antineutrophil antibodies define clinical and genetic subgroups in primary sclerosing cholangitis. Liver International, 2017, 37, 458-465.	3.9	28
34	Elevated interleukinâ€8 in bile of patients with primary sclerosing cholangitis. Liver International, 2016, 36, 1370-1377.	3.9	34
35	Biliary Tract Cancer with or without Primary Sclerosing Cholangitis is Associated with a Raised Enhanced Liver Fibrosis Test Result Compared with PSC Alone. Journal of Hepatology, 2016, 64, S722-S723.	3.7	0
36	Serological Biomarkers of Extracellular Matrix Remodeling Predict Transplant-Free Survival in Primary Sclerosing Cholangitis Patients. Journal of Hepatology, 2016, 64, S199.	3.7	2

#	Article	IF	CITATIONS
37	Ultrasound and Point Shear Wave Elastography in Livers of Patients with Primary Sclerosing Cholangitis. Ultrasound in Medicine and Biology, 2016, 42, 2146-2155.	1.5	14
38	InÂVitro Comparison of Five Different Elastography Systems for Clinical Applications, Using Strain and Shear Wave Technology. Ultrasound in Medicine and Biology, 2016, 42, 2572-2588.	1.5	37
39	Autoreactive Iga Antibodies against the Pancreatic Major Glycoprotein 2 are Associated with Primary Sclerosing Cholangitis and Related Biliary Tract Cancer. Journal of Hepatology, 2016, 64, S647.	3.7	1
40	Prognostic biomarkers and surrogate end points in <scp>PSC</scp> . Liver International, 2016, 36, 1748-1751.	3.9	1
41	Altered gut microbiota profile in common variable immunodeficiency associates with levels of lipopolysaccharide and markers of systemic immune activation. Mucosal Immunology, 2016, 9, 1455-1465.	6.0	130
42	PWE-096ÂNon-invasive assessment of disease severity in primary sclerosing cholangitis (psc): clinical scores, transient elastography (te) and the enhanced liver fibrosis (elf) test: Abstract PWE-096 Table 1. Gut, 2015, 64, A254.1-A254.	12.1	0
43	Enhanced liver fibrosis score predicts transplantâ€free survival in primary sclerosing cholangitis. Hepatology, 2015, 62, 188-197.	7.3	106
44	O082: The gut microbiota in primary sclerosing cholangitis differs from that of healthy controls and ulcerative colitis patients without biliary disease. Journal of Hepatology, 2015, 62, S231-S232.	3.7	1
45	P1174: Microbiota-dependent marker trimethylamine-N-oxide (TMAO) is associated with the severity of primary sclerosing cholangitis. Journal of Hepatology, 2015, 62, S793-S794.	3.7	1
46	Review article: controversies in the management of primary biliary cirrhosis and primary sclerosing cholangitis. Alimentary Pharmacology and Therapeutics, 2014, 39, 282-301.	3.7	75
47	O133 NOVEL PROTEIN MARKERS IDENTIFIED IN BILE AND SERUM ARE ASSOCIATED WITH A DIAGNOSIS OF PRIMARY SCLEROSING CHOLANGITIS, DISEASE SEVERITY, AND TRANSPLANT-FREE SURVIVAL. Journal of Hepatology, 2014, 60, S55-S56.	3.7	1
48	P363 ENHANCED LIVER FIBROSIS SCORE PREDICTS TRANSPLANT-FREE SURVIVAL IN PSC INDEPENDENTLY OF THE MAYO RISK SCORE. Journal of Hepatology, 2014, 60, S188.	3.7	0
49	Carboxyl-Ester Lipase Maturity-Onset Diabetes of the Young Is Associated With Development of Pancreatic Cysts and Upregulated MAPK Signaling in Secretin-Stimulated Duodenal Fluid. Diabetes, 2014, 63, 259-269.	0.6	38
50	Absence of Diabetes and Pancreatic Exocrine Dysfunction in a Transgenic Model of Carboxyl-Ester Lipase-MODY (Maturity-Onset Diabetes of the Young). PLoS ONE, 2013, 8, e60229.	2.5	20
51	The role of pancreatic imaging in monogenic diabetes mellitus. Nature Reviews Endocrinology, 2012, 8, 148-159.	9.6	32
52	Diabetes and Pancreatic Exocrine Dysfunction Due to Mutations in the Carboxyl Ester Lipase Gene-Maturity Onset Diabetes of the Young (CEL-MODY). Journal of Biological Chemistry, 2011, 286, 34593-34605.	3.4	80
53	Pancreatic Function in Carboxyl-Ester Lipase Knockout Mice. Pancreatology, 2010, 10, 467-476.	1.1	26
54	Lack of pancreatic body and tail in <i>HNF1B</i> mutation carriers. Diabetic Medicine, 2008, 25, 782-787.	2.3	98

## METTE VESTERHUS

#	Article	IF	CITATIONS
55	Pancreatic Exocrine Dysfunction in Maturity-Onset Diabetes of the Young Type 3. Diabetes Care, 2008, 31, 306-310.	8.6	25
56	Neurological Features and Enzyme Therapy in Patients With Endocrine and Exocrine Pancreas Dysfunction Due to <i>CEL</i> Mutations. Diabetes Care, 2008, 31, 1738-1740.	8.6	14
57	Reduced Pancreatic Volume in Hepatocyte Nuclear Factor 1A-Maturity-Onset Diabetes of the Young. Journal of Clinical Endocrinology and Metabolism, 2008, 93, 3505-3509.	3.6	29