## Jacob HÃ,ygaard Rasmussen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7896345/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Intratumor heterogeneity of PD-L1 expression in head and neck squamous cell carcinoma. British Journal of Cancer, 2019, 120, 1003-1006.	6.4	109
2	Phase I trial of 18F-Fludeoxyglucose based radiation dose painting with concomitant cisplatin in head and neck cancer. Radiotherapy and Oncology, 2016, 120, 76-80.	0.6	55
3	Feasibility of Multiparametric Imaging with PET/MR in Head and Neck Squamous Cell Carcinoma. Journal of Nuclear Medicine, 2017, 58, 69-74.	5.0	44
4	Risk profiling based on p16 and HPV DNA more accurately predicts location of disease relapse in patients with oropharyngeal squamous cell carcinoma. Annals of Oncology, 2019, 30, 629-636.	1.2	29
5	Immunohistochemical biomarkers and FDG uptake on PET/CT in head and neck squamous cell carcinoma. Acta Oncol $\tilde{A}^3$ gica, 2015, 54, 1408-1415.	1.8	26
6	Prognostic value of 18F-fludeoxyglucose uptake in 287 patients with head and neck squamous cell carcinoma. Head and Neck, 2015, 37, 1274-1281.	2.0	18
7	Dental artifacts in the head and neck region: implications for Dixon-based attenuation correction in PET/MR. EJNMMI Physics, 2015, 2, 8.	2.7	18
8	Spatio-temporal stability of pre-treatment 18F-Fludeoxyglucose uptake in head and neck squamous cell carcinomas sufficient for dose painting. Acta Oncológica, 2015, 54, 1416-1422.	1.8	14
9	Feasibility of Multiparametric Positron Emission Tomography/Magnetic Resonance Imaging as a One-Stop Shop for Radiation Therapy Planning for Patients with Head and Neck Cancer. International Journal of Radiation Oncology Biology Physics, 2020, 108, 1329-1338.	0.8	14
10	Does multiparametric imaging with 18F-FDG-PET/MRI capture spatial variation in immunohistochemical cancer biomarkers in head and neck squamous cell carcinoma?. British Journal of Cancer, 2020, 123, 46-53.	6.4	13
11	Radiation dose-painting with protons vs. photons for head-and-neck cancer. Acta Oncológica, 2020, 59, 525-533.	1.8	11
12	A failure-type specific risk prediction tool for selection of head-and-neck cancer patients for experimental treatments. Oral Oncology, 2017, 74, 77-82.	1.5	10
13	Prescribing and evaluating target dose in dose-painting treatment plans. Acta Oncológica, 2014, 53, 1251-1256.	1.8	9
14	Immunohistochemical and molecular imaging biomarker signature for the prediction of failure site after chemoradiation for head and neck squamous cell carcinoma. Acta Oncológica, 2017, 56, 1562-1570.	1.8	9
15	A clinical prognostic model compared to the newly adopted UICC staging in an independent validation cohort of P16 negative/positive head and neck cancer patients. Oral Oncology, 2018, 81, 52-60.	1.5	8
16	Preparing data for multiparametric PET/MR imaging: Influence of PET point spread function modelling and EPI distortion correction on the spatial correlation of [18F]FDG-PET and diffusion-weighted MRI in head and neck cancer. Physica Medica, 2019, 61, 1-7.	0.7	8
17	Outcome in patients with isolated regional recurrence after primary radiotherapy for head and neck cancer. Head and Neck, 2020, 42, 3161-3170.	2.0	7
18	Robustness and Generalizability of Deep Learning Synthetic Computed Tomography for Positron Emission Tomography/Magnetic Resonance Imaging–Based Radiation Therapy Planning of Patients With Head and Neck Cancer. Advances in Radiation Oncology, 2021, 6, 100762.	1.2	7

Jacob HÃ,ygaard Rasmussen

#	Article	IF	CITATIONS
19	Impact of time to treatment initiation for patients with oral cavity squamous cell carcinoma: a population-based, retrospective study. Acta Oncológica, 2021, 60, 491-496.	1.8	6
20	PET/CT prior to salvage surgery in recurrent head and neck squamous cell carcinoma. European Archives of Oto-Rhino-Laryngology, 2019, 276, 2895-2902.	1.6	5
21	Deep learning for Dixon MRI-based attenuation correction in PET/MRI of head and neck cancer patients. EJNMMI Physics, 2022, 9, 20.	2.7	5
22	Intratumor heterogeneity is biomarker specific and challenges the association with heterogeneity in multimodal functional imaging in head and neck squamous cell carcinoma. European Journal of Radiology, 2021, 139, 109668.	2.6	4
23	Risk of Thyroid Cancer in 1,504 Patients Referred for Thyroid Surgery with Assumed Benign Histology. European Thyroid Journal, 2019, 8, 246-255.	2.4	3
24	High nodal FDG uptake increases risk of distant metastasis in patients with oropharyngeal squamous cell carcinoma. European Journal of Nuclear Medicine and Molecular Imaging, 2020, 47, 1039-1045.	6.4	2
25	On the relation between improved loco-regional control and disease-free survival in head-and-neck cancer. Acta Oncológica, 2019, 58, 390-392.	1.8	1