

Naoki Nishio

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7896667/naoki-nishio-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64
papers

780
citations

16
h-index

25
g-index

68
ext. papers

1,105
ext. citations

4
avg, IF

3.98
L-index

#	Paper	IF	Citations
64	Management of bilateral locally advanced squamous cell carcinoma of the external auditory canal. <i>Acta Oto-Laryngologica Case Reports</i> , 2022 , 7, 8-13	0.1	0
63	Skull Base Invasion Patterns of Malignant Head and Neck Tumors: A Neurosurgical Perspective. <i>Journal of Neurological Surgery, Part B: Skull Base</i> , 2021 , 82, e120-e130	1.5	2
62	Verbalization, Categorization, and Evaluation of Fundamental Surgical Skills. <i>Annals of Surgery Open</i> , 2021 , 2, e059	1	2
61	Surgical Classification of Radical Temporal Bone Resection and Transcranial Tympanotomy: A Retrospective Study from the Neurosurgical Perspective. <i>World Neurosurgery</i> , 2021 , 151, e192-e207	2.1	1
60	Intraoperative Fluorescence-Guided Surgery in Head and Neck Squamous Cell Carcinoma. <i>Laryngoscope</i> , 2021 , 131, 529-534	3.6	5
59	Photoacoustic Molecular Imaging for the Identification of Lymph Node Metastasis in Head and Neck Cancer Using an Anti-EGFR Antibody-Dye Conjugate. <i>Journal of Nuclear Medicine</i> , 2021 , 62, 648-655 ^{8.9}	8.9	10
58	Lesion-specific prognosis by magnetic resonance imaging in sudden sensorineural hearing loss. <i>Acta Oto-Laryngologica</i> , 2021 , 141, 5-9	1.6	4
57	Safety and feasibility of fat injection therapy with adipose-derived stem cells in a rabbit hypoglossal nerve paralysis model: A pilot study. <i>Auris Nasus Larynx</i> , 2021 , 48, 274-280	2.2	1
56	Surgical strategy and optimal timing of tracheostomy in patients with COVID-19: Early experiences in Japan. <i>Auris Nasus Larynx</i> , 2021 , 48, 518-524	2.2	8
55	Feasibility of virtual surgical simulation in the head and neck region for soft tissue reconstruction using free flap: a comparison of preoperative and postoperative volume measurement. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2021 , 50, 316-322	2.9	0
54	Effect of Formalin Fixation for Near-Infrared Fluorescence Imaging with an Antibody-Dye Conjugate in Head and Neck Cancer Patients. <i>Molecular Imaging and Biology</i> , 2021 , 23, 270-276	3.8	3
53	EGFR-targeted intraoperative fluorescence imaging detects high-grade glioma with panitumumab-IRDye800 in a phase 1 clinical trial. <i>Theranostics</i> , 2021 , 11, 7130-7143	12.1	3
52	Metastatic and sentinel lymph node mapping using intravenously delivered Panitumumab-IRDye800CW. <i>Theranostics</i> , 2021 , 11, 7188-7198	12.1	2
51	Dilatation of the Endolymphatic Space in the Ampulla of the Posterior Semicircular Canal: A New Clinical Finding Detected on Magnetic Resonance Imaging. <i>Otology and Neurotology</i> , 2021 , 42, e643-e647 ^{2.6}	2.6	0
50	Clinical course of liver injury induced by immune checkpoint inhibitors in patients with advanced malignancies. <i>Hepatology International</i> , 2021 , 15, 1278-1287	8.8	4
49	Tumour-specific fluorescence-guided surgery for pancreatic cancer using panitumumab-IRDye800CW: a phase 1 single-centre, open-label, single-arm, dose-escalation study. <i>The Lancet Gastroenterology and Hepatology</i> , 2020 , 5, 753-764	18.8	16
48	Significance of high signal intensity in the endolymphatic duct on magnetic resonance imaging in ears with otological disorders. <i>Acta Oto-Laryngologica</i> , 2020 , 140, 818-822	1.6	0

47	Predicting Therapeutic Antibody Delivery into Human Head and Neck Cancers. <i>Clinical Cancer Research</i> , 2020 , 26, 2582-2594	12.9	20
46	CTNI-42. FIRST-IN-HUMAN FLUORESCENCE GUIDED SURGERY OF HIGH-GRADE GLIOMAS USING PANITUMUMAB-IRDYE800. <i>Neuro-Oncology</i> , 2020 , 22, ii51-ii52	1	
45	Bronchial wall thickening is associated with severity of chronic rhinosinusitis. <i>Respiratory Medicine</i> , 2020 , 170, 106024	4.6	1
44	Probe-based fluorescence dosimetry of an antibody-dye conjugate to identify head and neck cancer as a first step to fluorescence-guided tissue preselection for pathological assessment. <i>Head and Neck</i> , 2020 , 42, 59-66	4.2	3
43	Prospective Evaluation of Health-Related Quality of Life in Patients Undergoing Anterolateral Craniofacial Resection with Orbital Exenteration. <i>Journal of Neurological Surgery, Part B: Skull Base</i> , 2020 , 81, 585-593	1.5	5
42	Endoscopic Fluorescence-Guided Surgery for Sinonasal Cancer Using an Antibody-Dye Conjugate. <i>Laryngoscope</i> , 2020 , 130, 2811-2817	3.6	7
41	Development of proficiency-based knot-tying and suturing curriculum for otolaryngology residents: A pilot study. <i>Auris Nasus Larynx</i> , 2020 , 47, 291-298	2.2	3
40	Co-administered antibody improves penetration of antibody-dye conjugate into human cancers with implications for antibody-drug conjugates. <i>Nature Communications</i> , 2020 , 11, 5667	17.4	22
39	Optimal Dosing Strategy for Fluorescence-Guided Surgery with Panitumumab-IRDye800CW in Head and Neck Cancer. <i>Molecular Imaging and Biology</i> , 2020 , 22, 156-164	3.8	35
38	Anesthetic and surgical management of tracheostomy in a patient with COVID-19. <i>Auris Nasus Larynx</i> , 2020 , 47, 472-476	2.2	18
37	Fluorescence molecular imaging for identification of high-grade dysplasia in patients with head and neck cancer. <i>Oral Oncology</i> , 2019 , 97, 50-55	4.4	11
36	Rapid, non-invasive fluorescence margin assessment: Optical specimen mapping in oral squamous cell carcinoma. <i>Oral Oncology</i> , 2019 , 88, 58-65	4.4	44
35	The Sentinel Margin: Intraoperative Specimen Mapping Using Relative Fluorescence Intensity. <i>Clinical Cancer Research</i> , 2019 , 25, 4656-4662	12.9	29
34	Diagnosis of cervical lymph node metastases in head and neck cancer with ultrasonic measurement of lymph node volume. <i>Auris Nasus Larynx</i> , 2019 , 46, 889-895	2.2	5
33	The Clinical Application of Fluorescence-Guided Surgery in Head and Neck Cancer. <i>Journal of Nuclear Medicine</i> , 2019 , 60, 758-763	8.9	45
32	Mixed cell type in airway inflammation is the dominant phenotype in asthma patients with severe chronic rhinosinusitis. <i>Allergology International</i> , 2019 , 68, 515-520	4.4	6
31	Intraoperative Tumor Assessment Using Real-Time Molecular Imaging in Head and Neck Cancer Patients. <i>Journal of the American College of Surgeons</i> , 2019 , 229, 560-567.e1	4.4	15
30	Optical molecular imaging can differentiate metastatic from benign lymph nodes in head and neck cancer. <i>Nature Communications</i> , 2019 , 10, 5044	17.4	36

29	Exploration of coping styles in male patients with head and neck cancer: a prospective cohort study. <i>Nagoya Journal of Medical Science</i> , 2019 , 81, 249-258	0.7	
28	Intraoperative Molecular Imaging for Assessment of Peripheral Margins in Oral Squamous Cell Carcinoma. <i>Frontiers in Oncology</i> , 2019 , 9, 1476	5.3	11
27	Sonographic detection of a lingual node metastasis from early squamous cell cancer of the tongue. <i>Journal of Clinical Ultrasound</i> , 2018 , 46, 69-72	1	7
26	Study Protocol: Prospective Study of Concurrent Chemoradiotherapy with S-1 and Hypofractionated Radiotherapy for Outpatients with Early Glottic Squamous Cell Carcinomas. <i>Asian Pacific Journal of Cancer Prevention</i> , 2018 , 19, 1195-1199	1.7	2
25	<EditorsTChoice> Maxillary sinus carcinoma outcomes over 60 years: experience at a single institution. <i>Nagoya Journal of Medical Science</i> , 2018 , 80, 91-98	0.7	4
24	Role of transcranial sphenoidotomy in skull base surgery: classification of surgical techniques based on the surgical anatomy of the sphenoid sinus. <i>Journal of Neurosurgery</i> , 2018 , 1-10	3.2	6
23	Association between Uncoupling Protein 2 Gene Ala55val Polymorphism and Sudden Sensorineural Hearing Loss. <i>Journal of International Advanced Otolaryngology</i> , 2018 , 14, 166-169	1.1	7
22	Preoperative surgical simulation and validation of the line of resection in anterolateral craniofacial resection of advanced sinonasal sinus carcinoma. <i>Head and Neck</i> , 2017 , 39, 512-519	4.2	10
21	Computed tomographic assessment of autologous fat injection augmentation for vocal fold paralysis. <i>Laryngoscope Investigative Otolaryngology</i> , 2017 , 2, 459-465	2.8	12
20	Optimized treatment strategy of radiotherapy for early glottic squamous cell carcinomas: An initial analysis. <i>Nagoya Journal of Medical Science</i> , 2017 , 79, 331-338	0.7	2
19	Preoperative Three-dimensional Surgical Simulation for Skull Base Surgery. <i>Practica Otologica</i> , 2016 , 109, 830-831	0	
18	Relationship between BMI and Postoperative Complications with Free Flap in Anterolateral Craniofacial Reconstruction. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2016 , 4, e636	1.2	8
17	Salvage pharyngolaryngectomy with total esophagectomy following definitive chemoradiotherapy. <i>Ecological Management and Restoration</i> , 2016 , 29, 598-602	3	8
16	Autologous fat injection therapy including a high concentration of adipose-derived regenerative cells in a vocal fold paralysis model: animal pilot study. <i>Journal of Laryngology and Otolaryngology</i> , 2016 , 130, 914-922	1.8	10
15	Changes in endolymphatic hydrops in patients with Ménière disease treated conservatively for more than 1 year. <i>Acta Oto-Laryngologica</i> , 2015 , 135, 866-70	1.6	19
14	Craniofacial Resection for T4 Maxillary Sinus Carcinoma: Managing Cases with Involvement of the Skull Base. <i>Otolaryngology - Head and Neck Surgery</i> , 2015 , 153, 231-8	5.5	23
13	Laryngeal sensation and pharyngeal delay time after (chemo)radiotherapy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014 , 271, 2299-304	3.5	10
12	Inflammatory pseudotumor of the infratemporal fossa leading to orbital apex syndrome. <i>Journal of Craniofacial Surgery</i> , 2014 , 25, 1324-6	1.2	2

11	Effect of clinical symptoms on the indication for selective neck dissection for N0 carcinomas of the parotid gland. <i>Oncology Letters</i> , 2014 , 8, 335-338	2.6	8
10	Association between polymorphisms in genes encoding methylenetetrahydrofolate reductase and the risk of MBI disease. <i>Journal of Neurogenetics</i> , 2013 , 27, 5-10	1.6	4
9	Polymorphisms in genes encoding aquaporins 4 and 5 and estrogen receptor β in patients with MBI disease and sudden sensorineural hearing loss. <i>Life Sciences</i> , 2013 , 92, 541-6	6.8	14
8	Polymorphisms in genes involved in the free-radical process in patients with sudden sensorineural hearing loss and MBI disease. <i>Free Radical Research</i> , 2013 , 47, 498-506	4	15
7	Endothelin-1 gene polymorphism in sudden sensorineural hearing loss. <i>Laryngoscope</i> , 2013 , 123, E59-65	3.6	6
6	Polymorphisms in genes involved in inflammatory pathways in patients with sudden sensorineural hearing loss. <i>Journal of Neurogenetics</i> , 2012 , 26, 387-96	1.6	41
5	Contribution of complement factor H Y402H polymorphism to sudden sensorineural hearing loss risk and possible interaction with diabetes. <i>Gene</i> , 2012 , 499, 226-30	3.8	12
4	Polymorphisms in genes involved in oxidative stress response in patients with sudden sensorineural hearing loss and MBI disease in a Japanese population. <i>DNA and Cell Biology</i> , 2012 , 31, 1555-62	3.6	26
3	Association of interleukin-1 gene polymorphisms with sudden sensorineural hearing loss and MBI disease. <i>International Journal of Immunogenetics</i> , 2011 , 38, 249-54	2.3	38
2	Endolymphatic hydrops revealed by intravenous gadolinium injection in patients with MBI disease. <i>Acta Oto-Laryngologica</i> , 2010 , 130, 338-343	1.6	79
1	Endolymphatic hydrops revealed by intravenous gadolinium injection in patients with MBI disease. <i>Acta Oto-Laryngologica</i> , 2010 , 130, 338-43	1.6	30