## Zekeriya Arslan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7897659/publications.pdf

Version: 2024-02-01

		623734	477307
115	969	14	29
papers	citations	h-index	g-index
115	115	115	985
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	The Comparative Effects of Valsartan and Amlodipine on vWf Levels and N/L Ratio in Patients with Newly Diagnosed Hypertension. Clinical and Experimental Hypertension, 2013, 35, 516-522.	1.3	91
2	Neutrophil to lymphocyte ratio may be predict of mortality in all conditions. British Journal of Cancer, 2013, 109, 3125-3126.	6.4	90
3	Association Between Coronary Artery Ectasia and Neutrophil–Lymphocyte Ratio. Angiology, 2013, 64, 627-632.	1.8	87
4	Evaluation of the mean platelet volume in patients with cardiac syndrome X. Clinics, 2012, 67, 1019-1022.	1.5	77
5	Neutrophils/Lymphocytes Ratio in Patients With Cardiac Syndrome X and Its Association With Carotid Intima–Media Thickness. Clinical and Applied Thrombosis/Hemostasis, 2014, 20, 250-255.	1.7	75
6	Higher Neutrophil to Lymhocyte Ratio in Patients With Metabolic Syndrome. Clinical and Applied Thrombosis/Hemostasis, 2013, 19, 579-579.	1.7	54
7	Red cell distribution width: A novel infl ammatory marker in clinical practice. Cardiology Journal, 2013, 20, 209.	1.2	46
8	Assessment of the relationship between red cell distribution width and cardiac syndrome X. Kardiologia Polska, 2013, 71, 480-484.	0.6	37
9	Red cell distribution width is a predictor of mortality in patients with severe sepsis and septic shock. American Journal of Emergency Medicine, 2013, 31, 989-990.	1.6	36
10	Carotid Intima-Media Thickness in Patients With Slow Coronary Flow and Its Association With Neutrophil-to-Lymphocyte Ratio. Clinical and Applied Thrombosis/Hemostasis, 2014, 20, 393-399.	1.7	33
11	Other Inflammatory Markers Should Not be Forgetten When Assessing the Neutrophil-to-Lymphocyte Ratio. Clinical and Applied Thrombosis/Hemostasis, 2013, 19, 693-694.	1.7	25
12	Carotid Intima Media Thickness and Its Association With Total Bilirubin Levels in Patients With Coronary Artery Ectasia. Angiology, 2020, 71, 425-430.	1.8	25
13	Arterial Stiffness Itself Without Other Inflammatory Markers May Not Provide Information to Clinicians. Journal of Clinical Hypertension, 2013, 15, 303-303.	2.0	23
14	Neutrophil-to-Lymphocyte Ratio in Prognosis of Gastric Cancer. Journal of Gastric Cancer, 2013, 13, 196.	2.5	17
15	Other inflammatory markers ought to be kept in mind when assessing the mean platelet volume in clinical practice. European Archives of Oto-Rhino-Laryngology, 2013, 270, 2373-2374.	1.6	14
16	Epicardial Adipose Tissue Should Be Evaluated with Other Inflammatory Markers in Patients with Subclinical Hypothyroidism. Medical Principles and Practice, 2013, 22, 603-604.	2.4	14
17	Evaluation of Skill-Acquisition Process in Mitral Valve Repair Techniques: A Simulation-Based Study. Journal of Surgical Education, 2013, 70, 318-325.	2.5	12
18	Acute myocardial infarction after prednisolone administration for the treatment of anaphylaxis caused by a wasp sting: online article - case report. Cardiovascular Journal of Africa, 2013, 24, e4-e6.	0.4	12

#	Article	IF	Citations
19	Association between microvascular angina and erectile dsyfunction. International Journal of Impotence Research, 2014, 26, 124-127.	1.8	11
20	Neutrophil to Lymphocyte Ratio May Predict Mortality in Breast Cancer Patients. Journal of Breast Cancer, 2013, 16, 354.	1.9	10
21	The association between red cell distribution width and non-small-cell lung cancer. European Journal of Cardio-thoracic Surgery, 2014, 45, 954-954.	1.4	10
22	The Relation Between Neutrophil–Lymphocyte Ratio and Endothelial Dysfunction. Angiology, 2015, 66, 694-694.	1.8	10
23	Assessment of right ventricular systolic function with dP/dt in healthy subjects: an observational study. Anatolian Journal of Cardiology, 2012, 13, 103-7.	0.4	8
24	Association of quadricuspid aortic valve and ventricular septal defect in a patient who had undergone atrial septal defect surgery. Kardiologia Polska, 2013, 71, 546-546.	0.6	8
25	The Relation between Decreased Glomerular Filtration Rate and Nonvalvular Atrial Fibrillation. Cardiology, 2013, 124, 219-219.	1.4	7
26	Epicardial Fat Thickness and Cardio-Ankle Vascular Index without Other Inflammatory Markers May Not Provide Information to Clinicians about the Systemic Inflammation. Cardiology, 2013, 125, 13-14.	1.4	7
27	Cell-Free Circulating DNA as a Novel Biomarker in Patients with the Acute Coronary Syndrome. Cardiology, 2013, 126, 122-123.	1.4	7
28	Epicardial Fat Thickness Should Be Evaluated with Other Inflammatory Markers and Cardiovascular Risk Factors. Echocardiography, 2013, 30, 739-739.	0.9	6
29	Red Cell Distribution Width in Myocardial Infarction. Medical Principles and Practice, 2015, 24, 584-585.	2.4	6
30	Kommerell diverticulum associated with aberrant left subclavian artery and right-sided aortic arch. European Heart Journal Cardiovascular Imaging, 2013, 14, 764-764.	1.2	5
31	Red Cell Distribution Width Is Related to Stroke in Patients With Heart Failure. Clinical and Applied Thrombosis/Hemostasis, 2015, 21, 190-190.	1.7	5
32	Detachment and dislocation of thermoreactive clips from sternum in late postoperative period due to misuse. Interactive Cardiovascular and Thoracic Surgery, 2012, 14, 491-493.	1.1	4
33	Inflammatory Markers Should Be Assessed Together With Cardiovascular Risk Factors by Clinicians in Masked Hypertension. Journal of Clinical Hypertension, 2013, 15, 443-444.	2.0	4
34	Inflammatory status as a major role of risk factor for atrial fibrillation. Journal of Thrombosis and Thrombolysis, 2014, 37, 540-541.	2.1	4
35	Atrial fibrillation in patients with acute coronary syndromes. International Journal of Cardiology, 2013, 168, 5049.	1.7	3
36	Inflammatory Markers May Predict Long-Term Cardiovascular Mortality in Patients with Acute Coronary Syndrome. Cardiology, 2013, 125, 88-89.	1.4	3

#	Article	IF	Citations
37	YKL-40 levels in patients with coronary artery ectasia. Anatolian Journal of Cardiology, 2013, 14, 97-8.	0.4	3
38	Red cell distribution width in patients with atrial fibrillation. Journal of Internal Medicine, 2014, 275, 545-545.	6.0	3
39	Mean platelet volume can be affected by many factors and should be assessed together with other inflammatory markers. Platelets, 2014, 25, 388-389.	2.3	3
40	Is It Possible to Prevent Acute Kidney Injury in Patients Who Underwent Contrast Medium?. Angiology, 2014, 65, 224-224.	1.8	3
41	Risk factors for new-onset atrial fibrillation. International Journal of Cardiology, 2014, 171, e46.	1.7	3
42	Carotid Intima-Media Thickness and Other Inflammatory Markers in Clinical Practice. Arquivos Brasileiros De Cardiologia, 2013, 100, 585.	0.8	3
43	Parachute Tricuspid Valve in a Patient with Atrial Septal Defect Detected by Two―and Threeâ€Dimensional Echocardiography. Echocardiography, 2012, 29, E255-7.	0.9	2
44	Fragmented QRS in patients with acute myocardial infarction. Heart and Lung: Journal of Acute and Critical Care, 2013, 42, 448.	1.6	2
45	Carotid Intima-Media Thickness: A Novel Inflammatory Marker Which Should Not Be Assessed Alone!. Cardiology, 2013, 124, 207-207.	1.4	2
46	Red cell distribution width without additional cost compared with a relatively expensive test measurement in clinical practice. International Journal of Cardiology, 2013, 168, 4899-4900.	1.7	2
47	Levels of vitamin D and its effects on bone metabolism and cardiovascular system should be assessed after isolation of confounding factors. International Journal of Cardiology, 2013, 168, 628.	1.7	2
48	Do we just assess the left ventricle in pregnant women with structural heart disease?. International Journal of Cardiology, 2013, 168, 591.	1.7	2
49	The relation between N-terminal pro–B-type natriuretic peptide and heart failure. American Journal of Emergency Medicine, 2013, 31, 1533.	1.6	2
50	Heart failure: Not only reduced left ventricular ejection fraction but also reserved ejection fraction!. Heart and Lung: Journal of Acute and Critical Care, 2013, 42, 229.	1.6	2
51	An Additional LDL-Lowering Effect of Amlodipine; Not Only an Antihypertensive?. Clinical and Experimental Hypertension, 2013, 35, 449-453.	1.3	2
52	Retinal vessel abnormalities and coronary artery diseases. Perfusion (United Kingdom), 2013, 28, 465-465.	1.0	2
53	Arterial Stiffness in Patients With Peripheral Arterial Disease. Journal of Clinical Hypertension, 2013, 15, 938-938.	2.0	2
54	Active Matrix Metalloproteinase-9 Is Associated with Clinical In-Stent Restenosis. Cardiology, 2013, 125, 86-87.	1.4	2

#	Article	IF	CITATIONS
55	Non-alcoholic fatty liver disease may be associated with endothelial dysfunction. Upsala Journal of Medical Sciences, 2014, 119, 57-57.	0.9	2
56	Why aortic elasticity differs among classical and non-classical mitral valve prolapsed?. Clinical and Experimental Hypertension, 2014, 36, 148-152.	1.3	2
57	Masked Hypertension as an Unrecognized Destructive Condition. Journal of Clinical Hypertension, 2014, 16, 155-155.	2.0	2
58	Coronary Artery Ectasia as a Histopathological Pattern of Atherosclerosis. Angiology, 2014, 65, 86-86.	1.8	2
59	Heart Rate Recovery Index in Patients with Psoriasis. Medical Principles and Practice, 2014, 23, 192-192.	2.4	2
60	Tricuspid Annular Plane Systolic Excursion and Its Association with Mortality in Critically Ill Patients. Echocardiography, 2015, 32, 1330-1330.	0.9	2
61	Progressive aortic dissection following RCA instent angioplasty. International Journal of Cardiology, 2015, 187, 309-310.	1.7	2
62	Increased red cell distribution width in patients with slow coronary flow. Clinics, 2013, 68, 1288.	1.5	2
63	Carotid intima-media thickness is a relatively inexpensive and favorable prognostic marker in patients with spondyloarthritis. Sao Paulo Medical Journal, 2013, 131, 436-438.	0.9	2
64	A parachute mitral valve accompanying persistent left superior vena cava: assessment by three-dimensional transthoracic echocardiography. Anatolian Journal of Cardiology, 2012, 12, E23-4.	0.4	1
65	Closest friends: Chronic pulmonary disease and systolic heart failure. International Journal of Cardiology, 2013, 168, 2965.	1.7	1
66	Coronary Lesions Complexity in Patients With Stable Coronary Artery Disease. Angiology, 2013, 64, 310-310.	1.8	1
67	What Does Partial MitraClip Detachment Really Mean?. Canadian Journal of Cardiology, 2013, 29, 751.e17.	1.7	1
68	Individuals appropriate for benefit of stem cell therapy in acute myocardial infarction. International Journal of Cardiology, 2013, 168, 2911-2912.	1.7	1
69	Renal failure in patients with acute heart failure. International Journal of Cardiology, 2013, 168, e131.	1.7	1
70	Further Studies Should Evaluate Cardiac Output Measurement by the Nexfin Device. Journal of Cardiothoracic and Vascular Anesthesia, 2013, 27, e35-e36.	1.3	1
71	Absent left main trunk in a patient with subaortic membrane detected by three-dimensional echocardiography. European Heart Journal Cardiovascular Imaging, 2013, 14, 37-37.	1.2	1
72	Coronary angiographapy: a silent risk factor for acute kidney injury after cardiopulmonary bypass. Perfusion (United Kingdom), 2013, 28, 371-371.	1.0	1

#	Article	IF	CITATIONS
73	Higher Pentraxin-3 Level in Patients with Metabolic Syndrome. Medical Principles and Practice, 2013, 22, 513-514.	2.4	1
74	Triple Antiplatelet Therapy in Obese Patients Undergoing Stent Implantation. Angiology, 2013, 64, 559-560.	1.8	1
75	Quadricuspid aortic valve without severe regurgitation in pectus excavatum. Asian Cardiovascular and Thoracic Annals, 2013, 21, 240-240.	0.5	1
76	Response to Impact of Lesion Length on Functional Significance in Intermediate Coronary Lesions. Clinical Cardiology, 2013, 36, 301-301.	1.8	1
77	Clinical features of aviators with coronary artery disease diagnosed by multislice CT angiography. Anatolian Journal of Cardiology, 2014, 14, 150-154.	0.4	1
78	Whether Taken Medication Can Improve Arterial Stiffness or Not. Journal of Clinical Hypertension, 2014, 16, 693-693.	2.0	1
79	Higher mean platelet volume level in patients with pulmonary embolism. Clinical Respiratory Journal, 2014, 8, 251-252.	1.6	1
80	Parameters influencing LVEF improvement with intracoronary bone marrow stem cell delivery in acute myocardial infarction. International Journal of Cardiology, 2014, 177, 644-645.	1.7	1
81	Red Cell Distribution Width may be Related to the Degree of Coronary Collateral Circulation. Clinical and Applied Thrombosis/Hemostasis, 2014, 20, 107-107.	1.7	1
82	Red cell distribution width in renal transplant patients. International Urology and Nephrology, 2014, 46, 1465-1466.	1.4	1
83	Inflammatory Status in Patients with Metabolic Syndrome. Kardiologia Polska, 2013, 71, 212-213.	0.6	1
84	Eat as much as you burn - a good diet and eating less should be more important than an intense exercise program for decreasing morbidity and mortality. Clinics, 2013, 68, 419.	1.5	1
85	Huge interatrial septal aneurysm associated with a multiple atrial septal defect evaluated by transesophageal echocardiography. Turk Kardiyoloji Dernegi Arsivi, 2013, 41, 88-88.	0.5	1
86	The Interaction of Clopidogrel and Proton Pump Inhibitors. Journal of Clinical and Analytical Medicine, 2013, 4, .	0.1	1
87	Can we implant valved mitral prosthesis within all kinds of mitral rings through a transapical approach?. Journal of Thoracic and Cardiovascular Surgery, 2012, 144, 1536-1537.	0.8	0
88	Amplatzer Occluder Preference in Paravalvular Leak Closure?. Canadian Journal of Cardiology, 2013, 29, 1139.e5.	1.7	0
89	Brachial artery aneurysm accompanying a homozygous methylenetetrahydrofolate reductase mutation. Interactive Cardiovascular and Thoracic Surgery, 2013, 16, 912-913.	1.1	0
90	eComment. Three-dimensional printers remodelling cardiac interventions. Interactive Cardiovascular and Thoracic Surgery, 2013, 17, 1050-1050.	1.1	0

#	Article	IF	CITATIONS
91	eComment. Are autologous pericardial valves ideal for valve tissue construction?. Interactive Cardiovascular and Thoracic Surgery, 2013, 16, 128-128.	1.1	O
92	eComment. Renal dysfunction may predict early and late cardiovascular events. Interactive Cardiovascular and Thoracic Surgery, 2013, 17, 643-643.	1.1	0
93	The Role of Tissue Doppler Imaging in Predicting Left Ventricular Filling Pressures in Patients Undergoing Cardiac Surgery: An Intraoperative Study. Echocardiography, 2013, 30, 364-364.	0.9	O
94	eComment. Atrial fibrillation in patients undergoing thoracic surgery. Interactive Cardiovascular and Thoracic Surgery, 2013, 17, 686-687.	1.1	0
95	Patients Should Undergo Conventional Angiography to Detect Any Suspected Coronary Artery Lesions. Internal Medicine, 2013, 52, 699-699.	0.7	0
96	Mean Platelet Volume as a Mirror of All Inflammatory Conditions. European Journal of Ophthalmology, 2014, 24, 454-455.	1.3	0
97	Arterial stiffness in patients with lower urinary tract symptoms. Scandinavian Journal of Urology, 2014, 48, 225-226.	1.0	0
98	The Effect of Different Circadian Blood Pressure Rhythms on Left Ventricular Systolic Dyssynchrony in Patients with Newly Diagnosed Essential Hypertension. Echocardiography, 2014, 31, 120-121.	0.9	0
99	Current Opinion: Mean Platelet Volume Is One of the Most Important Parameters at the First Glance. Medical Principles and Practice, 2014, 23, 189-190.	2.4	0
100	Tiny magnetomers and future of magnetocardiography. International Journal of Cardiology, 2014, 172, e268.	1.7	0
101	Mean platelet volume may be confused in many conditions. Wiener Klinische Wochenschrift, 2014, 126, 248-249.	1.9	0
102	Carotid Intimaâ∈Media Thickness as a Novel Inflammatory Marker in Psoriasis: Comment on the Article by Lin et al. Arthritis Care and Research, 2014, 66, 793-793.	3.4	0
103	Uric Acid Level in Patients with Kidney Disease. Cardiology, 2014, 127, 25-25.	1.4	0
104	Mean platelet volume and glomerular filtration rate: Two important risk determinants in coronary artery disease. Platelets, 2015, 26, 97-98.	2.3	0
105	Right ventricular diastolic function in patients with community-acquired pneumonia. American Journal of Emergency Medicine, 2015, 33, 1521-1522.	1.6	0
106	Sympathetic Activity Index Should Be Kept in Mind When Assessing Autonomic Tonus. Korean Circulation Journal, 2016, 46, 429.	1.9	0
107	A case of double fistulas of right coronary artery to LVOT and LAD. International Journal of Cardiology, 2016, 203, 379-380.	1.7	0
108	Is left ventricular diastolic function impaired in patients with ankylosing spondylitis?. International Journal of Rheumatic Diseases, 2017, 20, 1802-1802.	1.9	0

#	Article	IF	CITATIONS
109	Volume measurement of a cardiac myxomatous lesion with three-dimensional echocardiography. Turk Kardiyoloji Dernegi Arsivi, 2012, 40, 651-651.	0.5	O
110	The value of three dimensional echocardiography in the detection of prosthetic mitral valve dehiscence. Turk Kardiyoloji Dernegi Arsivi, 2012, 40, 652-652.	0.5	0
111	Prediction of hospital events based on the severity of illness. Clinics, 2013, 68, 121-121.	1.5	O
112	The assessment of diastolic dyssynchrony and function after cardiac resynchronisation therapy. Kardiologia Polska, 2013, 71, 439-439.	0.6	0
113	P2 scallop prolapsus resulting from chordae tendineae rupture detected by threedimensional echocardiography. Kardiologia Polska, 2013, 71, 429-429.	0.6	0
114	Further studies should evaluate multiple predispositions in heart failure prognosis. Cardiology Journal, 2013, 20, 211.	1.2	0
115	Re: correlation between ankle-brachial index and microalbuminuria in type 2 diabetes mellitus. Iranian Journal of Kidney Diseases, 2013, 7, 415-6.	0.1	0