

# Hasan Ahmad

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7898594/publications.pdf>

Version: 2024-02-01

55  
papers

852  
citations

516215

16  
h-index

552369

26  
g-index

55  
all docs

55  
docs citations

55  
times ranked

947  
citing authors

#	ARTICLE	IF	CITATIONS
1	Celluloses as Green Support of Palladium Nanoparticles for Application in Heterogeneous Catalysis: A Brief Review. <i>Journal of Cluster Science</i> , 2022, 33, 421-438.	1.7	14
2	Amine functional silica-supported bimetallic Cu-Ni nanocatalyst and investigation of some typical reductions of aromatic nitro-substituents. <i>Colloid and Polymer Science</i> , 2022, 300, 279-296.	1.0	10
3	Supported nanocatalysts: recent developments in microwave synthesis for application in heterogeneous catalysis. <i>Materials Advances</i> , 2022, 3, 859-887.	2.6	17
4	Magnetite incorporated amine-functional SiO <sub>2</sub> support for bimetallic Cu-Ni alloy nanoparticles produced highly effective nanocatalyst. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022, 647, 129044.	2.3	10
5	Silica coating of iron oxide magnetic nanoparticles by reverse microemulsion method and their functionalization with cationic polymer P(NIPAm-co-AMPTMA) for antibacterial vancomycin immobilization. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 611, 125857.	2.3	29
6	Magnetically responsive antibacterial nanocrystalline jute cellulose nanocomposites with moderate catalytic activity. <i>Carbohydrate Polymers</i> , 2021, 251, 117024.	5.1	18
7	Celluloses as support materials for antibacterial agents: a review. <i>Cellulose</i> , 2021, 28, 2715-2761.	2.4	34
8	Mesoporous amine functionalized SiO <sub>2</sub> supported Cu nanocatalyst and a kinetic-mechanistic degradation study of azo dyes. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 617, 126403.	2.3	13
9	Vancomycin conjugated iron oxide nanoparticles for magnetic targeting and efficient capture of Gram-positive and Gram-negative bacteria. <i>RSC Advances</i> , 2021, 11, 36319-36328.	1.7	10
10	Ag impregnated sub-micrometer crystalline jute cellulose particles: Catalytic and antibacterial properties. <i>Carbohydrate Polymers</i> , 2020, 233, 115842.	5.1	35
11	A facile one-pot synthesis of poly(acrylic acid)-functionalized magnetic iron oxide nanoparticles for suppressing reactive oxygen species generation and adsorption of biocatalyst. <i>Materials Research Express</i> , 2020, 7, 016102.	0.8	8
12	A simple <i>in situ</i> synthesis of iron oxide magnetic nanoparticles embedded in thermosensitive polymer for DNA capture. <i>Journal of Materials Research</i> , 2020, 35, 2441-2450.	1.2	9
13	Cationic polyelectrolyte grafted mesoporous magnetic silica composite particles for targeted drug delivery and thrombolysis. <i>Materialia</i> , 2020, 11, 100676.	1.3	14
14	Nickel decorated melamine-formaldehyde resin/polyaniline composites for high specific capacitance. <i>Materials Chemistry and Physics</i> , 2020, 249, 122957.	2.0	12
15	Single step modification of micrometer-sized polystyrene particles by electromagnetic polyaniline and sorption of chromium(VI) metal ions from water. <i>Journal of Applied Polymer Science</i> , 2019, 136, 47524.	1.3	26
16	Biocomposites of synthetic polymer modified microcrystalline jute cellulose particles and their hemolytic behavior. <i>Cellulose</i> , 2019, 26, 8713-8727.	2.4	11
17	Carboxylic acid modified pH-responsive composite polymer particles. <i>Journal of Polymer Engineering</i> , 2019, 39, 671-678.	0.6	3
18	Mesoporous electromagnetic composite particles: Electric current responsive release of biologically active molecules and antibacterial properties. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019, 181, 85-93.	2.5	16

#	ARTICLE	IF	CITATIONS
19	Epoxide functionalized $\text{Al}_2\text{O}_3/\text{Fe}_3\text{O}_4/\text{SiO}_2$ nanocomposite and comparative adsorption behavior of a model reactive azo dye. <i>International Journal of Applied Ceramic Technology</i> , 2019, 16, 1239-1252.	1.1	5
20	Cumulative effect of hydrophobic PLMA and surface epoxide groups in composite polymer particles on adsorption behavior of congo red and direct red-75. <i>Arabian Journal of Chemistry</i> , 2019, 12, 4989-4999.	2.3	10
21	Evaluating the performance of citric acid as stabilizer and doping agent in an environment friendly approach to prepare electromagnetic nanocomposite particles. <i>Polymer Composites</i> , 2018, 39, 4628-4636.	2.3	4
22	Preparation and characterization of magnetic $\text{Al}_2\text{O}_3$ ceramic nanocomposite particles with variable $\text{Fe}_3\text{O}_4$ content and modification with epoxide functional polymer. <i>Ceramics International</i> , 2018, 44, 3951-3959.	2.3	25
23	Zwitterionic poly(2-(methacryloyloxy) ethyl phosphorylcholine) coated mesoporous silica particles and doping with magnetic nanoparticles. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018, 555, 80-87.	2.3	7
24	Physico-chemical, Antioxidant and Antimicrobial Investigation on New Mixed Ligand Complexes Containing bis(2,4,4-trimethylpentyl)dithiophosphinic acid and 2,2'-bipyridine. <i>Oriental Journal of Chemistry</i> , 2018, 34, 1213-1221.	0.1	2
25	Mesoporous magnetic silica particles modified with stimuli-responsive P(NIPAM- <i>b</i> -DMA) valve for controlled loading and release of biologically active molecules. <i>Soft Matter</i> , 2018, 14, 5469-5479.	1.2	30
26	Biocompatible microcrystalline cellulose particles from cotton wool and magnetization via a simple in situ co-precipitation method. <i>Carbohydrate Polymers</i> , 2017, 170, 72-79.	5.1	43
27	Novel Magnetically Doped Epoxide Functional Cross-linked Hydrophobic Poly(lauryl methacrylate) Composite Polymer Particles for Removal of As(III) from Aqueous Solution. <i>Industrial &amp; Engineering Chemistry Research</i> , 2017, 56, 7747-7756.	1.8	13
28	Core-shell structured epoxide functional NiO/SiO <sub>2</sub> nanocomposite particles and photocatalytic decolorization of congo red aqueous solution. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2017, 529, 783-792.	2.3	34
29	Magnetite loaded cross-linked polystyrene composite particles prepared by modified suspension polymerization and their potential use as adsorbent for arsenic(III). <i>Macromolecular Research</i> , 2017, 25, 671-679.	1.0	4
30	Novel carboxyl functional spherical electromagnetic polypyrrole nanocomposite polymer particles with good magnetic and conducting properties. <i>Polymer International</i> , 2016, 65, 1179-1186.	1.6	8
31	A simple route to synthesize conductive stimuli-responsive polypyrrole nanocomposite hydrogel particles with strong magnetic properties and their performance for removal of hexavalent chromium ions from aqueous solution. <i>Journal of Magnetism and Magnetic Materials</i> , 2016, 412, 15-22.	1.0	22
32	Precipitation polymerization in mixed monomer-solvent droplets. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	1.3	2
33	A generalized technique for the encapsulation of nano-sized NiO particles by styrene- <i>b</i> -hydroxyethyl methacrylate copolymer. <i>Polymers for Advanced Technologies</i> , 2015, 26, 1047-1052.	1.6	1
34	Biocompatible SiO <sub>2</sub> in the Fabrication of Stimuli-Responsive Hybrid Composites and Their Application Potential. <i>Journal of Chemistry</i> , 2015, 2015, 1-19.	0.9	6
35	Hydrophobic poly(lauryl methacrylate)-coated magnetic nano-composite particles for removal of organic pollutants. <i>Polymers for Advanced Technologies</i> , 2015, 26, 408-413.	1.6	15
36	Incorporation of iron oxide nanoparticles into temperature-responsive poly (N-isopropylacrylamide-co-acrylic acid) P (NIPAAm-AA) polymer hydrogel. <i>Journal of Polymer Research</i> , 2015, 22, 1.	1.2	26

#	ARTICLE	IF	CITATIONS
37	Surface modification of temperature-responsive polymer particles by an electrically conducting polyaniline shell layer. <i>Polymer International</i> , 2014, 63, 667-673.	1.6	10
38	Magnetically doped multi stimuli-responsive hydrogel microspheres with IPN structure and application in dye removal. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2014, 459, 39-47.	2.3	65
39	Preparation of hydrophobic polymer particles by radical polymerization and subsequent modification into magnetically doped particles. <i>Journal of Applied Polymer Science</i> , 2013, 127, 620-627.	1.3	6
40	Influence of the third monomer on lauryl methacrylate-methyl methacrylate emulsion terpolymerization. <i>Colloid and Polymer Science</i> , 2013, 291, 2111-2120.	1.0	10
41	&lt;l&gt;A Special Issue on&lt;l&gt; Polymer and Hybrid Particles for Biomedical Applications. <i>Journal of Colloid Science and Biotechnology</i> , 2013, 2, 153-154.	0.2	7
42	Magnetic Polyaniline Composites: Recent Developments in Preparation, Properties and Applications. <i>Journal of Colloid Science and Biotechnology</i> , 2013, 2, 155-170.	0.2	13
43	Encapsulation of submicron-sized silica particles by stimuli-responsive copolymer shell layer. <i>Macromolecular Research</i> , 2010, 18, 247-253.	1.0	5
44	Synthesis of Biomimetic Poly(2-(methacryloyloxy)ethyl phosphorylcholine) Nanolatexes via Atom Transfer Radical Dispersion Polymerization in Alcohol/Water Mixtures. <i>Macromolecules</i> , 2010, 43, 6321-6329.	2.2	67
45	Synthesis of Biocompatible Sterically-Stabilized Poly(2-(methacryloyloxy)ethyl phosphorylcholine) Latexes via Dispersion Polymerization in Alcohol/Water Mixtures. <i>Langmuir</i> , 2009, 25, 11442-11449.	1.6	25
46	Magnetic and temperature-sensitive composite polymer particles and adsorption behavior of emulsifiers and trypsin. <i>Macromolecular Research</i> , 2008, 16, 637-643.	1.0	16
47	Synthesis and characterization of dual-responsive micrometer-sized core-shell composite polymer particles. <i>Polymers for Advanced Technologies</i> , 2008, 19, 181-185.	1.6	7
48	Preparation of Micrometer-Sized, Monodisperse Janus-Composite Polymer Particles Having Temperature-Sensitive Polymer Brushes at Half of the Surface by Seeded Atom Transfer Radical Polymerization. <i>Langmuir</i> , 2008, 24, 688-691.	1.6	41
49	Carboxyl functionalized poly(methyl methacrylate-acrylic acid-ethylene glycol dimethacrylate) copolymer particles and their amination with amine-nucleophiles. <i>E-Polymers</i> , 2008, 8, .	1.3	3
50	Activity of Trypsin Adsorbed on Temperature and pH-Responsive Micron-Sized PS/P(NIPAM-MAA-MBAAm) Composite Polymer Particles. <i>Journal of Applied Sciences</i> , 2008, 8, 352-357.	0.1	2
51	Solvency effect of the dispersion medium on the radical polymerization of styrene in non-aqueous dispersion media. <i>E-Polymers</i> , 2007, 7, .	1.3	1
52	Monodispersed Carboxylated Composite Polymer Microspheres and Physical Immobilization of Biomolecules. <i>Polymer Journal</i> , 2007, 39, 428-434.	1.3	4
53	Composite polymer particles with stimuli-responsive surface properties and specific activity of adsorbed/released trypsin. <i>Colloid and Polymer Science</i> , 2007, 285, 715-720.	1.0	14
54	Emulsion copolymerization of hydrophobic and hydrophilic monomers: an experimental study with styrene and 2-hydroxyethyl methacrylate. <i>E-Polymers</i> , 2006, 6, .	1.3	0

#	ARTICLE	IF	CITATIONS
55	Structural conformation of biomolecules released from temperature-sensitive composite polymer particles - a study by circular dichroism. Colloid and Polymer Science, 2002, 280, 310-315.	1.0	10