
## Vincent Kappes

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/789957/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Cell-type- and region-specific modulation of cocaine seeking by micro-RNA-1 in striatal projection neurons. Molecular Psychiatry, 2022, 27, 918-928.	7.9	6
2	Disrupting D1-NMDA or D2-NMDA receptor heteromerization prevents cocaine's rewarding effects but preserves natural reward processing. Science Advances, 2021, 7, eabg5970.	10.3	16
3	CYP46A1 gene therapy deciphers the role of brain cholesterol metabolism in Huntington's disease. Brain, 2019, 142, 2432-2450.	7.6	71
4	Early epigenomic and transcriptional changes reveal Elk-1 transcription factor as a therapeutic target in Huntington's disease. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 24840-24851.	7.1	38
5	Activity-Regulated Cytoskeleton-Associated Protein Accumulates in the Nucleus in Response to Cocaine and Acts as a Brake on Chromatin Remodeling and Long-Term Behavioral Alterations. Biological Psychiatry, 2017, 81, 573-584.	1.3	44
6	Alterations of Molecular and Behavioral Responses to Cocaine by Selective Inhibition of Elk-1 Phosphorylation. Journal of Neuroscience, 2011, 31, 14296-14307.	3.6	42
7	Endocytosis controls glutamate-induced nuclear accumulation of ERK. Molecular and Cellular Neurosciences, 2009, 41, 325-336.	2.2	14
8	A TAT–DEF–Elk-1 Peptide Regulates the Cytonuclear Trafficking of Elk-1 and Controls Cytoskeleton Dynamics. Journal of Neuroscience, 2007, 27, 14448-14458.	3.6	58
9	Cellular distribution and bioactivity of the key steroidogenic enzyme, cytochrome P450side chain cleavage, in sensory neural pathways. Journal of Neurochemistry, 2003, 86, 1233-1246.	3.9	91
10	Characterization and Localization of the Neonatal Fc Receptor in Adult Human Kidney. Journal of the American Society of Nephrology: JASN, 2000, 11, 632-639.	6.1	156