

Richard C Oude Voshaar

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7899714/richard-c-oude-voshaar-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

150
papers

4,344
citations

28
h-index

63
g-index

161
ext. papers

5,515
ext. citations

4.5
avg, IF

5.79
L-index

#	Paper	IF	Citations
150	Daily associations between affect and cognitive performance in older adults with depression and cognitive impairment: a series of seven single-subject studies in the Netherlands.. <i>BMC Geriatrics</i> , 2022 , 22, 133	4.1	
149	Impact of personality functioning and pathological traits on mental wellbeing of older patients with personality disorders.. <i>BMC Psychiatry</i> , 2022 , 22, 214	4.2	0
148	The impact of a history of child abuse on cognitive performance: a cross-sectional study in older patients with a depressive, anxiety, or somatic symptom disorder.. <i>BMC Geriatrics</i> , 2022 , 22, 377	4.1	
147	Depression as a determinant of frailty in late life. <i>Aging and Mental Health</i> , 2021 , 25, 2279-2285	3.5	6
146	Frailty measures in immuno-metabolic subtypes of late-life depression; A two-year prospective study.. <i>Archives of Gerontology and Geriatrics</i> , 2021 , 99, 104603	4	
145	Subtypes of Late-Life Depression: A Data-Driven Approach on Cognitive Domains and Physical Frailty. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, 141-150	6.4	9
144	How Does Behavioural Activation Work? A Systematic Review of the Evidence on Potential Mediators. <i>Psychotherapy and Psychosomatics</i> , 2021 , 90, 85-93	9.4	7
143	Temporal dynamics of depression, cognitive performance and sleep in older persons with depressive symptoms and cognitive impairments: a series of eight single-subject studies. <i>International Psychogeriatrics</i> , 2021 , 1-13	3.4	3
142	Frailty as a Predictor of Mortality in Late-Life Depression: A Prospective Clinical Cohort Study. <i>Journal of Clinical Psychiatry</i> , 2021 , 82,	4.6	3
141	Longitudinal Association between Late-Life Depression (LLD) and Frailty: Findings from a Prospective Cohort Study (MiMiCS-FRAIL). <i>Journal of Nutrition, Health and Aging</i> , 2021 , 25, 895-902	5.2	0
140	A 6-year prospective clinical cohort study on the bidirectional association between frailty and depressive disorder. <i>International Journal of Geriatric Psychiatry</i> , 2021 , 36, 1699-1707	3.9	4
139	Individual differences in the temporal relationship between sleep and agitation: a single-subject study in nursing home residents with dementia experiencing sleep disturbance and agitation. <i>Aging and Mental Health</i> , 2021 , 1-9	3.5	0
138	Patterns of discordance of physical functioning in older persons; different associations for apathy and depression? Results from the NESDO-study. <i>Aging and Mental Health</i> , 2021 , 1-9	3.5	0
137	Knowledge, health beliefs and attitudes towards dementia and dementia risk reduction among descendants of people with dementia: a qualitative study using focus group discussions. <i>BMC Public Health</i> , 2021 , 21, 1344	4.1	1
136	The concept of anorexia of aging in late life depression: A cross-sectional analysis of a cohort study. <i>Archives of Gerontology and Geriatrics</i> , 2021 , 95, 104410	4	1
135	Anxiety in Late-Life Depression: Determinants of the Course of Anxiety and Complete Remission. <i>American Journal of Geriatric Psychiatry</i> , 2021 , 29, 336-347	6.5	0
134	Could Frailty be an Explanatory Factor of the Association between Depression and Other Geriatric Syndromes in Later Life?. <i>Clinical Gerontologist</i> , 2021 , 44, 143-153	2.7	4

133	Serotonin receptor inhibitor is associated with falls independent of frailty in older adults. <i>Aging and Mental Health</i> , 2021 , 25, 219-224	3.5	4
132	Clinical characteristics of late-life depression predicting mortality. <i>Aging and Mental Health</i> , 2021 , 25, 476-483	3.5	9
131	The effect of a multicomponent exercise protocol (VIVIFRAIL [®]) on inflammatory profile and physical performance of older adults with different frailty status: study protocol for a randomized controlled trial. <i>BMC Geriatrics</i> , 2021 , 21, 83	4.1	3
130	Excess mortality in depressive and anxiety disorders: The Lifelines Cohort Study. <i>European Psychiatry</i> , 2021 , 64, e54	6	1
129	Blood Brain-Derived Neurotrophic Factor (BDNF) and Major Depression: Do We Have a Translational Perspective?. <i>Frontiers in Behavioral Neuroscience</i> , 2021 , 15, 626906	3.5	16
128	Course of frailty stratified by physical and mental multimorbidity patterns: a 5-year follow-up of 92,640 participants of the LifeLines cohort study. <i>BMC Medicine</i> , 2021 , 19, 29	11.4	8
127	A prospective study into change of vitamin D levels, depression and frailty among depressed older persons. <i>International Journal of Geriatric Psychiatry</i> , 2021 , 36, 1029-1036	3.9	6
126	Decision-making executive function profile and performance in older adults with major depression: a case-control study. <i>Aging and Mental Health</i> , 2021 , 1-7	3.5	0
125	Impact of childhood trauma on multidimensional frailty in older patients with a unipolar depressive-, anxiety- or somatic symptom disorder. <i>Archives of Gerontology and Geriatrics</i> , 2021 , 96, 104452	4.5	2
124	The association between cardiovascular risk factors and major cardiovascular diseases decreases with increasing frailty levels in geriatric outpatients. <i>Experimental Gerontology</i> , 2021 , 153, 111475	4.5	
123	Adverse health outcomes in vitamin D supplementation trials for depression: A systematic review. <i>Ageing Research Reviews</i> , 2021 , 71, 101442	12	0
122	Impact of borderline personality disorder traits on the association between age and health-related quality of life: A cohort study in the general population. <i>European Psychiatry</i> , 2021 , 64, e33	6	2
121	Knowledge, beliefs and attitudes towards dementia risk assessment and reduction among individuals with a parental family history of dementia. <i>Alzheimer's and Dementia</i> , 2020 , 16, e042533	1.2	
120	Demin: Design and baseline results of a cluster randomized controlled trial investigating the uptake and effectiveness of a dementia risk reduction program in middle-aged descendants of people with recently diagnosed Alzheimer disease or vascular dementia. <i>Alzheimer's and Dementia</i> , 2020 , 16, e042689	1.2	
119	Psychiatric characteristics of older persons with medically unexplained symptoms: A comparison with older patients suffering from medically explained symptoms. <i>European Psychiatry</i> , 2020 , 63, e56	6	1
118	COVID-19: Clinical Challenges in Dutch Geriatric Psychiatry. <i>American Journal of Geriatric Psychiatry</i> , 2020 , 28, 839-843	6.5	7
117	The effects of the COVID-19 virus on mental healthcare for older people in The Netherlands. <i>International Psychogeriatrics</i> , 2020 , 32, 1353-1356	3.4	11
116	(Vi)-rushed Into Online Group Schema Therapy Based Day-Treatment for Older Adults by the COVID-19 Outbreak in the Netherlands. <i>American Journal of Geriatric Psychiatry</i> , 2020 , 28, 983-988	6.5	15

115	Subtyping late-life depression according to inflammatory and metabolic dysregulation: a prospective study. <i>Psychological Medicine</i> , 2020 , 1-11	6.9	4
114	Frailty as a predictor of mortality in older adults within 5 years of psychiatric admission. <i>International Journal of Geriatric Psychiatry</i> , 2020 , 35, 617-625	3.9	9
113	Commentary Letter to the Editor on the Study of Mangino et al.: Euthanasia and Assisted Suicide of Persons with Dementia. <i>American Journal of Geriatric Psychiatry</i> , 2020 , 28, 1229-1230	6.5	1
112	Relationship between affective temperament and major depressive disorder in older adults: A case-control study. <i>Journal of Affective Disorders</i> , 2020 , 277, 949-953	6.6	1
111	Uptake and effectiveness of a tailor-made online lifestyle programme targeting modifiable risk factors for dementia among middle-aged descendants of people with recently diagnosed dementia: study protocol of a cluster randomised controlled trial (Demin study). <i>BMJ Open</i> , 2020 , 10, e039439	3	2
110	Frailty in geriatric psychiatry inpatients: a retrospective cohort study. <i>International Psychogeriatrics</i> , 2020 , 1-9	3.4	4
109	Design and protocol of the multimorbidity and mental health cohort study in frailty and aging (MiMiCS-FRAIL): unraveling the clinical and molecular associations between frailty, somatic disease burden and late life depression. <i>BMC Psychiatry</i> , 2020 , 20, 573	4.2	4
108	Vitamin D deficiency and course of frailty in a depressed older population. <i>Aging and Mental Health</i> , 2020 , 24, 49-55	3.5	5
107	A Cross-National Analysis of the Psychometric Properties of the Geriatric Anxiety Inventory. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2020 , 75, 1475-1483	4.6	7
106	A longitudinal study of the impact of social network size and loneliness on cognitive performance in depressed older adults. <i>Aging and Mental Health</i> , 2020 , 24, 889-897	3.5	12
105	Natural course of neuropsychiatric symptoms in nursing home patients with mental-physical multimorbidity in the first eight months after admission. <i>Aging and Mental Health</i> , 2020 , 24, 155-161	3.5	2
104	Psychotropic drug use in residents with dementia living in small-scaled special care facilities; a longitudinal study. <i>Aging and Mental Health</i> , 2020 , 24, 689-696	3.5	1
103	Trajectories and determinants of functional limitations in late-life depression: A 2-year prospective cohort study. <i>European Psychiatry</i> , 2019 , 62, 90-96	6	3
102	Study design of the Routine Outcome Monitoring for Geriatric Psychiatry & Science (ROM-GPS) project; a cohort study of older patients with affective disorders referred for specialised geriatric mental health care. <i>BMC Psychiatry</i> , 2019 , 19, 182	4.2	4
101	Measuring social support in psychiatric patients and controls: Validation and reliability of the shortened Close Persons Questionnaire. <i>Journal of Psychiatric Research</i> , 2019 , 116, 118-125	5.2	3
100	Sarcopenic obesity predicts nonremission of late-life depression. <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 1226-1234	3.9	9
99	Anxiety sensitivity, its stability and longitudinal association with severity of anxiety symptoms. <i>Scientific Reports</i> , 2019 , 9, 4314	4.9	14
98	Sertraline and Mirtazapine Versus Placebo in Subgroups of Depression in Dementia: Findings From the HTA-SADD Randomized Controlled Trial. <i>American Journal of Geriatric Psychiatry</i> , 2019 , 27, 920-931	6.5	3

97	Frailty and Somatic Comorbidity in Older Patients With Medically Unexplained Symptoms. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 1150-1155	5.9	2
96	Prognostic effect of serum BDNF levels in late-life depression: Moderated by childhood trauma and SSRI usage?. <i>Psychoneuroendocrinology</i> , 2019 , 103, 276-283	5	4
95	Inflammation in older subjects with early- and late-onset depression in the NESDO study: a cross-sectional and longitudinal case-only design. <i>Psychoneuroendocrinology</i> , 2019 , 99, 20-27	5	14
94	The role of metabolic syndrome in late-life depression over 6 years: The NESDO study. <i>Journal of Affective Disorders</i> , 2019 , 257, 735-740	6.6	1
93	Differences in alcohol use between younger and older people: Results from a general population study. <i>Drug and Alcohol Dependence</i> , 2019 , 202, 18-23	4.9	11
92	Effects of Pharmacogenetic Screening for CYP2D6 Among Elderly Starting Therapy With Nortriptyline or Venlafaxine: A Pragmatic Randomized Controlled Trial (CYSCE Trial). <i>Journal of Clinical Psychopharmacology</i> , 2019 , 39, 583-590	1.7	6
91	Non-adherence to cardiovascular drugs in older patients with depression: A population-based cohort study. <i>International Journal of Cardiology</i> , 2019 , 274, 366-371	3.2	9
90	Anxiety as a Risk Factor for Cognitive Decline: A 12-Year Follow-Up Cohort Study. <i>American Journal of Geriatric Psychiatry</i> , 2019 , 27, 42-52	6.5	26
89	Non-adherence to antidepressants among older patients with depression: a longitudinal cohort study in primary care. <i>Family Practice</i> , 2019 , 36, 12-20	1.9	8
88	Associations between testosterone and metabolic syndrome in depressed and non-depressed older men and women. <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 463-471	3.9	2
87	Group schema-focused therapy enriched with psychomotor therapy versus treatment as usual for older adults with cluster B and/or C personality disorders: a randomized trial. <i>BMC Psychiatry</i> , 2019 , 19, 26	4.2	11
86	Anxiety disorders and figural fluency: A measure of executive function. <i>Journal of Affective Disorders</i> , 2018 , 234, 38-44	6.6	6
85	What do nursing home residents with mental-physical multimorbidity need and who actually knows this? A cross-sectional cohort study. <i>International Journal of Nursing Studies</i> , 2018 , 81, 89-97	5.8	25
84	The reciprocal relationship between physical activity and depression: Does age matter?. <i>European Psychiatry</i> , 2018 , 51, 9-15	6	5
83	Correlates of sleep disturbances in depressed older persons: the Netherlands study of depression in older persons (NESDO). <i>Aging and Mental Health</i> , 2018 , 22, 233-238	3.5	9
82	Prognostic significance of social network, social support and loneliness for course of major depressive disorder in adulthood and old age. <i>Epidemiology and Psychiatric Sciences</i> , 2018 , 27, 266-277	5.1	38
81	Pain characteristics of older persons with medically unexplained symptoms, older persons with medically explained symptoms and older persons with depression. <i>Aging and Mental Health</i> , 2018 , 22, 1642-1649	3.5	2
80	Outcome of day treatment for older adults with affective disorders: An observational pre-post design of two transdiagnostic approaches. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, 510-516 ^{3.9}	3.9	4

79	Failure to Respond after Reinstatement of Antidepressant Medication: A Systematic Review. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 268-275	9.4	10
78	Leucocyte telomere length is no molecular marker of physical frailty in late-life depression. <i>Experimental Gerontology</i> , 2018 , 111, 229-234	4.5	6
77	Withdrawal of unnecessary antidepressant medication: a randomised controlled trial in primary care. <i>BJGP Open</i> , 2018 , 1, bjgpopen17X101265	3.1	17
76	When a patient with depression is feeling sleepy, be aware of sleep apnoea. <i>BMJ Case Reports</i> , 2018 , 2018,	0.9	1
75	Death anxiety and its association with hypochondriasis and medically unexplained symptoms: A systematic review. <i>Journal of Psychosomatic Research</i> , 2018 , 115, 58-65	4.1	16
74	A Six-Year Prospective Study of the Prognosis and Predictors in Patients With Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2018 , 26, 985-997	6.5	30
73	Symptomatic and functional recovery in depression in later life. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 1071-1079	4.5	6
72	The importance of personality and life-events in anxious depression: from trait to state anxiety. <i>Aging and Mental Health</i> , 2017 , 21, 1177-1183	3.5	16
71	The Prognostic Effect of Physical Health Complaints With New Cardiac Events and Mortality in Patients With a Myocardial Infarction. <i>Psychosomatics</i> , 2017 , 58, 121-131	2.6	1
70	The influence of thoughts of death and suicidal ideation on the course of depression in older depressed patients. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 882-891	3.9	5
69	The impact of frailty on depressive disorder in later life: Findings from the Netherlands Study of depression in older persons. <i>European Psychiatry</i> , 2017 , 43, 66-72	6	30
68	The relationship between depression and executive function and the impact of vascular disease burden in younger and older adults. <i>Age and Ageing</i> , 2017 , 46, 697-701	3	8
67	Acute Stress Enhances Emotional Face Processing in the Aging Brain. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2017 , 2, 591-598	3.4	10
66	Characteristics and health conditions of a group of nursing home patients with mental-physical multimorbidity - the MAPPING study. <i>International Psychogeriatrics</i> , 2017 , 29, 1037-1047	3.4	11
65	Metabolic dysregulation and late-life depression: a prospective study. <i>Psychological Medicine</i> , 2017 , 47, 1041-1052	6.9	30
64	Non-pharmacological treatment for depressed older patients in primary care: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2017 , 12, e0184666	3.7	44
63	Worry and cognitive control predict course trajectories of anxiety in older adults with late-life depression. <i>European Psychiatry</i> , 2017 , 44, 134-140	6	8
62	Large normal-range TBP and ATXN7 CAG repeat lengths are associated with increased lifetime risk of depression. <i>Translational Psychiatry</i> , 2017 , 7, e1143	8.6	15

61	Behavioural activation by mental health nurses for late-life depression in primary care: a randomized controlled trial. <i>BMC Psychiatry</i> , 2017 , 17, 230	4.2	9
60	Comparison of cognitive functioning as measured by the Ruff Figural Fluency Test and the CogState computerized battery within the LifeLines Cohort Study. <i>BMC Psychology</i> , 2017 , 5, 15	2.8	13
59	The relationship between social functioning and subjective memory complaints in older persons: a population-based longitudinal cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 1059-1071	3.9	20
58	Personalized Feedback on Symptom Dynamics of Psychopathology: A Proof-of-Principle Study. <i>Journal for Person-Oriented Research</i> , 2017 , 3, 1-10	1	41
57	Neutrophil Gelatinase-Associated Lipocalin and its Receptors in Alzheimer's Disease (AD) Brain Regions: Differential Findings in AD with and without Depression. <i>Journal of Alzheimer's Disease</i> , 2017 , 55, 763-776	4.3	22
56	Physical Frailty and Cognitive Functioning in Depressed Older Adults: Findings From the NESDO Study. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 36-43	5.9	38
55	Bifactor Analysis to Disentangle the Depression-Dementia Association. <i>JAMA Psychiatry</i> , 2016 , 73, 1201-1208	14.5	4
54	Social characteristics and care needs of older persons with medically unexplained symptoms: a case-control study. <i>Family Practice</i> , 2016 , 33, 617-625	1.9	1
53	Prognostic association of cardiac anxiety with new cardiac events and mortality following myocardial infarction. <i>British Journal of Psychiatry</i> , 2016 , 209, 400-406	5.4	29
52	Suicide in late-life depression with and without comorbid anxiety disorders. <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 146-52	3.9	27
51	Social relationships and cognitive decline: a systematic review and meta-analysis of longitudinal cohort studies. <i>International Journal of Epidemiology</i> , 2016 , 45, 1169-1206	7.8	95
50	Geriatric characteristics in randomised controlled trials on antidepressant drugs for older adults: a systematic review. <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 990-1003	3.9	21
49	Symptom Dimensions of Depression and 3-Year Incidence of Dementia: Results From the Amsterdam Study of the Elderly. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2016 , 29, 99-107	3.8	12
48	Vitamin D deficiency, depression course and mortality: Longitudinal results from the Netherlands Study on Depression in Older persons (NESDO). <i>Journal of Psychosomatic Research</i> , 2016 , 83, 50-6	4.1	14
47	Illness cognitions in later life: Development and validation of the Extended Illness Cognition Questionnaire (ICQ-Plus). <i>Psychological Assessment</i> , 2016 , 28, 1119-27	5.3	3
46	Anxiety as a Predictor for Cognitive Decline and Dementia: A Systematic Review and Meta-Analysis. <i>American Journal of Geriatric Psychiatry</i> , 2016 , 24, 823-42	6.5	143
45	Cognitive performance in depressed older persons: the impact of vascular burden and remission. A two-year follow-up study. <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 1029-39	3.9	3
44	Value of Physical Activity and Sedentary Behavior in Predicting Depression in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 647-9	5.6	5

43	The inflammatory marker GDF-15 is not independently associated with late-life depression. <i>Journal of Psychosomatic Research</i> , 2016 , 83, 46-9	4.1	5
42	Health-Related Quality of Life in Older Persons with Medically Unexplained Symptoms. <i>American Journal of Geriatric Psychiatry</i> , 2016 , 24, 1117-1127	6.5	11
41	Suicide in patients suffering from late-life anxiety disorders; a comparison with younger patients. <i>International Psychogeriatrics</i> , 2015 , 27, 1197-205	3.4	21
40	Effects and cost-effectiveness of pharmacogenetic screening for CYP2D6 among older adults starting therapy with nortriptyline or venlafaxine: study protocol for a pragmatic randomized controlled trial (CYSCErial). <i>Trials</i> , 2015 , 16, 37	2.8	12
39	The two-year course of late-life depression; results from the Netherlands study of depression in older persons. <i>BMC Psychiatry</i> , 2015 , 15, 20	4.2	73
38	Frailty as a predictor of the incidence and course of depressed mood. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 509-14	5.9	46
37	Social relationships and risk of dementia: A systematic review and meta-analysis of longitudinal cohort studies. <i>Ageing Research Reviews</i> , 2015 , 22, 39-57	12	432
36	Personality disorders in older adults: emerging research issues. <i>Current Psychiatry Reports</i> , 2015 , 17, 538	9.1	39
35	The role of frailty in the association between depression and somatic comorbidity: results from baseline data of an ongoing prospective cohort study. <i>International Journal of Nursing Studies</i> , 2015 , 52, 188-96	5.8	18
34	Leukocyte telomere length and late-life depression. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 423-432	6.5	42
33	Vascular burden and cognitive function in late-life depression. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 514-24	6.5	7
32	Relationship Between Physical Frailty and Low-Grade Inflammation in Late-Life Depression. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 1652-7	5.6	33
31	Comorbid anxiety disorders in late-life depression: results of a cohort study. <i>International Psychogeriatrics</i> , 2015 , 27, 1157-65	3.4	25
30	BDNF serum levels are not related to cognitive functioning in older depressed patients and controls. <i>International Psychogeriatrics</i> , 2015 , 27, 649-56	3.4	10
29	How does ageing affect the impact of medically unexplained symptoms and medically explained symptoms on health-related quality of life?. <i>International Journal of Geriatric Psychiatry</i> , 2015 , 30, 737-43 ^{3.9}	3.9	12
28	Atherosclerosis decreases the impact of neuroticism in late-life depression: hypothesis of vascular apathy. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 801-10	6.5	5
27	Depression in context of low neuroticism is a risk factor for stroke: a 9-year cohort study. <i>Neurology</i> , 2014 , 83, 1692-8	6.5	7
26	Physical, lifestyle, psychological, and social determinants of pain intensity, pain disability, and the number of pain locations in depressed older adults. <i>Pain</i> , 2014 , 155, 2088-96	8	28

25	Sex-specific associations between Neutrophil Gelatinase-Associated Lipocalin (NGAL) and cognitive domains in late-life depression. <i>Psychoneuroendocrinology</i> , 2014 , 48, 169-77	5	16
24	Heterogeneity of late-life depression: relationship with cognitive functioning. <i>International Psychogeriatrics</i> , 2014 , 26, 953-63	3.4	38
23	Defining anxious depression in later life: a scaring heterogeneity in results. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 1375-8	6.5	10
22	Correlates of alcohol abstinence and at-risk alcohol consumption in older adults with depression: the NESDO study. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 866-74	6.5	37
21	Physical (in)activity and depression in older people. <i>Journal of Affective Disorders</i> , 2014 , 161, 65-72	6.6	45
20	BDNF in late-life depression: effect of SSRI usage and interaction with childhood abuse. <i>Psychoneuroendocrinology</i> , 2014 , 43, 81-9	5	13
19	Association between serum brain-derived neurotrophic factor and plasma interleukin-6 in major depressive disorder with melancholic features. <i>Brain, Behavior, and Immunity</i> , 2014 , 36, 71-9	16.6	61
18	Late-life depression symptom profiles are differentially associated with immunometabolic functioning. <i>Brain, Behavior, and Immunity</i> , 2014 , 41, 109-15	16.6	22
17	P2-137: THE ASSOCIATION OF NEUTROPHIL GELATINASE-ASSOCIATED LIPOCALIN WITH COGNITIVE PERFORMANCE IN LATE-LIFE DEPRESSION AND ITS INTERACTIONS WITH GENDER 2014 , 10, P520-P521		1
16	Effectiveness and predictors of outcome in routine out-patient mental health care for older adults. <i>International Psychogeriatrics</i> , 2014 , 1-10	3.4	9
15	Antidepressants differentially related to 1,25-(OH) ² vitamin D ₃ and 25-(OH) vitamin D ₃ in late-life depression. <i>Translational Psychiatry</i> , 2014 , 4, e383	8.6	10
14	Cost-utility analysis of a treatment advice to discontinue inappropriate long-term antidepressant use in primary care. <i>Family Practice</i> , 2014 , 31, 578-84	1.9	16
13	Physical frailty: vulnerability of patients suffering from late-life depression. <i>Aging and Mental Health</i> , 2014 , 18, 570-8	3.5	61
12	Waist circumference and neutrophil gelatinase-associated lipocalin in late-life depression. <i>Brain, Behavior, and Immunity</i> , 2014 , 37, 231-9	16.6	12
11	Prevalence of somatoform disorders and medically unexplained symptoms in old age populations in comparison with younger age groups: a systematic review. <i>Ageing Research Reviews</i> , 2013 , 12, 151-6	12	77
10	Prevalence of frailty in community-dwelling older persons: a systematic review. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 1487-92	5.6	1476
9	The temporal relation between pain and depression: results from the longitudinal aging study Amsterdam. <i>Psychosomatic Medicine</i> , 2012 , 74, 945-51	3.7	58
8	Screening of autism spectrum disorders in the elderly: a contribution to a psychometric approach. <i>International Psychogeriatrics</i> , 2012 , 24, 1187-8	3.4	2

7	The Netherlands study of depression in older persons (NESDO); a prospective cohort study. <i>BMC Research Notes</i> , 2011 , 4, 524	2.3	113
6	Tapering off benzodiazepines in long-term users: an economic evaluation. <i>Pharmacoeconomics</i> , 2006 , 24, 683-94	4.4	12
5	Fear of falling more important than pain and depression for functional recovery after surgery for hip fracture in older people. <i>Psychological Medicine</i> , 2006 , 36, 1635-45	6.9	77
4	Predictors of long-term benzodiazepine abstinence in participants of a randomized controlled benzodiazepine withdrawal program. <i>Canadian Journal of Psychiatry</i> , 2006 , 51, 445-52	4.8	30
3	Strategies for discontinuing long-term benzodiazepine use: meta-analysis. <i>British Journal of Psychiatry</i> , 2006 , 189, 213-20	5.4	141
2	Risk of Four Geriatric Syndromes: A Comparison of Mental Health Care and General Hospital Inpatients. <i>Journal of Frailty & Aging</i> , 2011 , 1, 1-6	2.6	1
1	Schema Therapy in the Nursing Home Setting: A Case Study of a Cognitively Impaired Patient. <i>Clinical Case Studies</i> , 2011 , 10, 153-65	0.6	1