Thomas R Kosten

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7901677/publications.pdf

Version: 2024-02-01

126 papers 4,926 citations

36 h-index 63 g-index

173 all docs

173 docs citations

173 times ranked

5500 citing authors

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Brief Report: Increased Addictive Internet and Substance Use Behavior During the COVIDâ€19 Pandemic in China. American Journal on Addictions, 2020, 29, 268-270. | 1.3 | 334 |
| 2 | Cocaine Vaccine for the Treatment of Cocaine Dependence in Methadone-Maintained Patients. Archives of General Psychiatry, 2009, 66, 1116. | 13.8 | 241 |
| 3 | Vaccine Pharmacotherapy for the Treatment of Cocaine Dependence. Biological Psychiatry, 2005, 58, 158-164. | 0.7 | 202 |
| 4 | Human therapeutic cocaine vaccine: safety and immunogenicity. Vaccine, 2002, 20, 1196-1204. | 1.7 | 174 |
| 5 | Keeping Up with Clinical Advances: Opioid Use Disorder. CNS Spectrums, 2019, 24, 14-24. | 0.7 | 161 |
| 6 | Decreased serum BDNF levels in chronic institutionalized schizophrenia on long-term treatment with typical and atypical antipsychotics. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2009, 33, 1508-1512. | 2.5 | 146 |
| 7 | Decreased levels of serum brain-derived neurotrophic factor in drug-na \tilde{A} -ve first-episode schizophrenia: relationship to clinical phenotypes. Psychopharmacology, 2009, 207, 375-380. | 1.5 | 134 |
| 8 | Low BDNF is associated with cognitive impairment in chronic patients with schizophrenia. Psychopharmacology, 2012, 222, 277-284. | 1.5 | 134 |
| 9 | Review article: Effective management of opioid withdrawal symptoms: A gateway to opioid dependence treatment. American Journal on Addictions, 2019, 28, 55-62. | 1.3 | 131 |
| 10 | Vaccine for cocaine dependence: A randomized double-blind placebo-controlled efficacy trial. Drug and Alcohol Dependence, 2014, 140, 42-47. | 1.6 | 129 |
| 11 | Gender differences in cognitive function of patients with chronic schizophrenia. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2012, 39, 358-363. | 2.5 | 111 |
| 12 | A systematic review and meta-analysis of long term physical and mental sequelae of COVID-19 pandemic: call for research priority and action. Molecular Psychiatry, 2023, 28, 423-433. | 4.1 | 107 |
| 13 | Cognitive and serum BDNF correlates of BDNF Val66Met gene polymorphism in patients with schizophrenia and normal controls. Human Genetics, 2012, 131, 1187-1195. | 1.8 | 103 |
| 14 | Pharmacogenetic Randomized Trial for Cocaine Abuse: Disulfiram and Dopamine \hat{l}^2 -Hydroxylase. Biological Psychiatry, 2013, 73, 219-224. | 0.7 | 99 |
| 15 | Internet Addiction Increases in the General Population During COVIDâ€19: Evidence From China. American Journal on Addictions, 2021, 30, 389-397. | 1.3 | 98 |
| 16 | Mental and neurological disorders and risk of COVID-19 susceptibility, illness severity and mortality: A systematic review, meta-analysis and call for action. EClinical Medicine, 2021, 40, 101111. | 3.2 | 84 |
| 17 | A systematic review and meta-analysis on prevalence of and risk factors associated with depression, anxiety and insomnia in infectious diseases, including COVID-19: a call to action. Molecular Psychiatry, 2022, 27, 3214-3222. | 4.1 | 81 |
| 18 | Superoxide dismutase and cytokines in chronic patients with schizophrenia: association with psychopathology and response to antipsychotics. Psychopharmacology, 2009, 204, 177-184. | 1.5 | 77 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | The novel oxidative stress marker thioredoxin is increased in first-episode schizophrenic patients. Schizophrenia Research, 2009, 113, 151-157. | 1.1 | 73 |
| 20 | Editorial: Challenges to Opioid Use Disorders During COVIDâ€19. American Journal on Addictions, 2020, 29, 174-175. | 1.3 | 68 |
| 21 | Interaction of BDNF with cytokines in chronic schizophrenia. Brain, Behavior, and Immunity, 2016, 51, 169-175. | 2.0 | 62 |
| 22 | Update on pharmacotherapy for treatment of opioid use disorder. Expert Opinion on Pharmacotherapy, 2016, 17, 2307-2318. | 0.9 | 60 |
| 23 | The effect of minocycline on amelioration of cognitive deficits and pro-inflammatory cytokines levels in patients with schizophrenia. Schizophrenia Research, 2019, 212, 92-98. | 1.1 | 57 |
| 24 | Vaccines against stimulants: cocaine and <scp>MA</scp> . British Journal of Clinical Pharmacology, 2014, 77, 368-374. | 1.1 | 56 |
| 25 | The relationship between subjective effects induced by a single dose of ketamine and treatment response in patients with major depressive disorder: A systematic review. Journal of Affective Disorders, 2020, 264, 123-129. | 2.0 | 50 |
| 26 | Elevated plasma superoxide dismutase in first-episode and drug naive patients with schizophrenia: Inverse association with positive symptoms. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2012, 36, 34-38. | 2.5 | 48 |
| 27 | Psychosis and synthetic cannabinoids. Psychiatry Research, 2018, 268, 400-412. | 1.7 | 48 |
| 28 | Genome-Wide Association Studies of Schizophrenia and Bipolar Disorder in a Diverse Cohort of US Veterans. Schizophrenia Bulletin, 2021, 47, 517-529. | 2.3 | 48 |
| 29 | Minocycline adjunctive treatment to risperidone for negative symptoms in schizophrenia: Association with pro-inflammatory cytokine levels. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 85, 69-76. | 2.5 | 46 |
| 30 | Cigarette Smoking in Male Patients with Chronic Schizophrenia in a Chinese Population: Prevalence and Relationship to Clinical Phenotypes. PLoS ONE, 2012, 7, e30937. | 1.1 | 45 |
| 31 | Nicotine dependence and serum BDNF levels in male patients with schizophrenia. Psychopharmacology, 2010, 212, 301-307. | 1.5 | 44 |
| 32 | Mental health services for infectious disease outbreaks including COVID-19: a rapid systematic review. Psychological Medicine, 2020, 50, 2498-2513. | 2.7 | 44 |
| 33 | Interleukin 18 and cognitive impairment in first episode and drug na \tilde{A} ve schizophrenia versus healthy controls. Brain, Behavior, and Immunity, 2013, 32, 105-111. | 2.0 | 42 |
| 34 | A Double-Blind, Placebo-Controlled Trial to Evaluate the Safety, Tolerability, and Pharmacokinetics of Single, Escalating Oral Doses of JDTic. Neuropsychopharmacology, 2015, 40, 2059-2065. | 2.8 | 42 |
| 35 | Cigarette Smoking and Cognitive Function in Chinese Male Schizophrenia: A Case-Control study. PLoS ONE, 2012, 7, e36563. | 1.1 | 41 |
| 36 | Sex difference in QTc prolongation in chronic institutionalized patients with schizophrenia on long-term treatment with typical and atypical antipsychotics. Psychopharmacology, 2011, 216, 9-16. | 1.5 | 39 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 37 | Thioredoxin, a novel oxidative stress marker and cognitive performance in chronic and medicated schizophrenia versus healthy controls. Schizophrenia Research, 2013, 143, 301-306. | 1.1 | 39 |
| 38 | Antagonists in the medical management of opioid use disorders: Historical and existing treatment strategies. American Journal on Addictions, 2018, 27, 177-187. | 1.3 | 38 |
| 39 | Inhibitory behavioral control: A stochastic dynamic causal modeling study comparing cocaine dependent subjects and controls. Neurolmage: Clinical, 2015, 7, 837-847. | 1.4 | 37 |
| 40 | Long-Term Impact of COVID-19 on Mental Health among the General Public: A Nationwide Longitudinal Study in China. International Journal of Environmental Research and Public Health, 2021, 18, 8790. | 1.2 | 37 |
| 41 | Gender differences in socio-demographic and clinical characteristics of methamphetamine inpatients in a Chinese population. Drug and Alcohol Dependence, 2013, 130, 94-100. | 1.6 | 36 |
| 42 | Contribution of IL-10 and its -592 A/C polymorphism to cognitive functions in first-episode drug-naive schizophrenia. Brain, Behavior, and Immunity, 2016, 57, 116-124. | 2.0 | 36 |
| 43 | Outpatient transition to extended-release injectable naltrexone for patients with opioid use disorder: A phase 3 randomized trial. Drug and Alcohol Dependence, 2018, 187, 171-178. | 1.6 | 35 |
| 44 | Insular resting state functional connectivity is associated with gut microbiota diversity. European Journal of Neuroscience, 2019, 50, 2446-2452. | 1.2 | 35 |
| 45 | Neuropsychiatric manifestations of COVID-19, potential neurotropic mechanisms, and therapeutic interventions. Translational Psychiatry, 2021, 11, 499. | 2.4 | 35 |
| 46 | Naltrexone with or without guanfacine for preventing relapse to opiate addiction in StPetersburg, Russia. Drug and Alcohol Dependence, 2013, 132, 674-680. | 1.6 | 34 |
| 47 | Withdrawal Symptoms and Nicotine Dependence Severity Predict Virtual Reality Craving in Cigarette-Deprived Smokers. Nicotine and Tobacco Research, 2015, 17, 796-802. | 1.4 | 33 |
| 48 | Increased serum S100B levels in chronic schizophrenic patients on long-term clozapine or typical antipsychotics. Neuroscience Letters, 2009, 462, 113-117. | 1.0 | 31 |
| 49 | Current status and future prospects for the development of substance abuse vaccines. Expert Review of Vaccines, 2017, 16, 1067-1077. | 2.0 | 31 |
| 50 | Lower serum cytokine levels in smokers than nonsmokers with chronic schizophrenia on long-term treatment with antipsychotics. Psychopharmacology, 2008, 201, 383-389. | 1.5 | 30 |
| 51 | Gender differences in the prevalence, risk and clinical correlates of tardive dyskinesia in Chinese schizophrenia. Psychopharmacology, 2009, 205, 647-654. | 1.5 | 30 |
| 52 | DBH gene as predictor of response in a cocaine vaccine clinical trial. Neuroscience Letters, 2013, 541, 29-33. | 1.0 | 30 |
| 53 | Prevalence, demographic and clinical correlates of suicide attempts in Chinese medicated chronic inpatients with schizophrenia. Journal of Psychiatric Research, 2013, 47, 1370-1375. | 1.5 | 29 |
| 54 | Association between interleukin-6 receptor polymorphism and patients with schizophrenia. Schizophrenia Research, 2008, 102, 346-347. | 1.1 | 28 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Application of programmable bio-nano-chip system for the quantitative detection of drugs of abuse in oral fluids. Drug and Alcohol Dependence, 2015, 153, 306-313. | 1.6 | 28 |
| 56 | Smoking and Serum Lipid Profiles in Schizophrenia. Neuroscience Bulletin, 2016, 32, 383-388. | 1.5 | 28 |
| 57 | COVID-19 Vaccine-Related Psychological Stress Among General Public in China. Frontiers in Psychiatry, 2021, 12, 774504. | 1.3 | 27 |
| 58 | Association of Catecholâ€∢i>O∢/i>â€methyltransferase gene polymorphisms with schizophrenia and negative symptoms in a Chinese population. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2012, 159B, 370-375. | 1.1 | 26 |
| 59 | Can you vaccinate against substance abuse?. Expert Opinion on Biological Therapy, 2013, 13, 1093-1097. | 1.4 | 26 |
| 60 | Altered methamphetamine place conditioning in mice vaccinated with a succinyl-methamphetamine-tetanus-toxoid vaccine. American Journal on Addictions, 2015, 24, 748-755. | 1.3 | 25 |
| 61 | Increased habenular connectivity in opioid users is associated with an α5 subunit nicotinic receptor genetic variant. American Journal on Addictions, 2017, 26, 751-759. | 1.3 | 24 |
| 62 | The Hidden Epidemic of Opioid Overdoses During the Coronavirus Disease 2019 Pandemic. JAMA Psychiatry, 2021, 78, 585. | 6.0 | 24 |
| 63 | Association between monoamine oxidase (MAO)-A gene variants and schizophrenia in a Chinese population. Brain Research, 2009, 1287, 67-73. | 1.1 | 23 |
| 64 | Smoking and tardive dyskinesia in male patients with chronic schizophrenia. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2011, 35, 1765-1769. | 2.5 | 23 |
| 65 | Lower serum interleukin-2 levels in schizophrenic patients with tardive dyskinesia. Psychiatry Research, 2012, 198, 329-331. | 1.7 | 21 |
| 66 | <i>ZNF804A</i> variants confer risk for heroin addiction and affect decision making and gray matter volume in heroin abusers. Addiction Biology, 2016, 21, 657-666. | 1.4 | 21 |
| 67 | Exenatide Adjunct to Nicotine Patch Facilitates Smoking Cessation and May Reduce Post-Cessation Weight Gain: A Pilot Randomized Controlled Trial. Nicotine and Tobacco Research, 2021, 23, 1682-1690. | 1.4 | 21 |
| 68 | Association of Symptoms of Attention Deficit and Hyperactivity with Problematic Internet Use among University Students in Wuhan, China During the COVID-19 Pandemic. Journal of Affective Disorders, 2021, 286, 220-227. | 2.0 | 21 |
| 69 | Clinical symptoms and cognitive impairment associated with male schizophrenia relate to plasma manganese superoxide dismutase activity: A case-control study. Journal of Psychiatric Research, 2013, 47, 1049-1053. | 1.5 | 20 |
| 70 | Association of the manganese superoxide dismutase gene Ala–9Val polymorphism with clinical phenotypes and tardive dyskinesia in schizophrenic patients. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2010, 34, 692-696. | 2.5 | 19 |
| 71 | Gender differences in the prevalence of diabetes mellitus in chronic hospitalized patients with schizophrenia on long-term antipsychotics. Psychiatry Research, 2011, 186, 451-453. | 1.7 | 19 |
| 72 | Reduction of depression-like behavior in rat model induced by ShRNA targeting norepinephrine transporter in locus coeruleus. Translational Psychiatry, 2020, 10, 130. | 2.4 | 19 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 73 | Fentanyl conjugate vaccine by injected or mucosal delivery with dmLT or LTA1 adjuvants implicates IgA in protection from drug challenge. Npj Vaccines, 2021, 6, 69. | 2.9 | 19 |
| 74 | BDNF Val66Met Variant and Smoking in a Chinese Population. PLoS ONE, 2012, 7, e53295. | 1.1 | 18 |
| 75 | Current status of vaccines for substance use disorders: A brief review of human studies. Journal of the Neurological Sciences, 2022, 434, 120098. | 0.3 | 18 |
| 76 | Increased S100B serum levels in schizophrenic patients with tardive dyskinesia: Association with dyskinetic movements. Journal of Psychiatric Research, 2010, 44, 429-433. | 1.5 | 17 |
| 77 | Altered anterior cingulate cortex to hippocampus effective connectivity in response to drug cues in men with cocaine use disorder. Psychiatry Research - Neuroimaging, 2018, 271, 59-66. | 0.9 | 17 |
| 78 | Current status of immunotherapies for addiction. Annals of the New York Academy of Sciences, 2021, 1489, 3-16. | 1.8 | 17 |
| 79 | Preclinical efficacy of an antiâ€methamphetamine vaccine using E6020 adjuvant. American Journal on Addictions, 2019, 28, 119-126. | 1.3 | 16 |
| 80 | Pharmacogenetic Role of <i>Dopamine Transporter</i> (<i>SLC6A3</i>) Variation on Response to Disulfiram Treatment for Cocaine Addiction. American Journal on Addictions, 2019, 28, 311-317. | 1.3 | 16 |
| 81 | Going from the bedside back to the bench with ecopipam: a new strategy for cocaine pharmacotherapy development. Psychopharmacology, 2001, 155, 327-329. | 1.5 | 15 |
| 82 | The Val66Met polymorphism of the brain-derived neurotrophic factor gene is not associated with risk for schizophrenia and tardive dyskinesia in Han Chinese population. Schizophrenia Research, 2010, 120, 240-242. | 1.1 | 15 |
| 83 | Pharmacotherapy for Stimulant-Related Disorders. Current Psychiatry Reports, 2013, 15, 415. | 2.1 | 14 |
| 84 | Pharmacogenetics of <i>Dopamine βâ€Hydroxylase</i> in cocaine dependence therapy with doxazosin. Addiction Biology, 2019, 24, 531-538. | 1.4 | 14 |
| 85 | Orbitofrontal, dorsal striatum, and habenula functional connectivity in psychiatric patients with substance use problems. Addictive Behaviors, 2020, 108, 106457. | 1.7 | 14 |
| 86 | Buprenorphine for the treatment of posttraumatic stress disorder. American Journal on Addictions, 2019, 28, 86-91. | 1.3 | 13 |
| 87 | Association of functional dopamine-beta-hydroxylase (DBH) 19bp insertion/deletion polymorphism with smoking severity in male schizophrenic smokers. Schizophrenia Research, 2012, 141, 48-53. | 1.1 | 12 |
| 88 | The dopamine b-hydroxylase 19 bp insertion/deletion polymorphism was associated with first-episode but not medicated chronic schizophrenia. Journal of Psychiatric Research, 2012, 46, 733-737. | 1.5 | 12 |
| 89 | Subjective and Cardiovascular Effects of Intravenous Methamphetamine during Perindopril Maintenance: A Randomized, Double-Blind, Placebo-Controlled Human Laboratory Study. International Journal of Neuropsychopharmacology, 2016, 19, pyw029. | 1.0 | 12 |
| 90 | Serum IL-18 level, clinical symptoms and IL-18-607A/C polymorphism among chronic patients with schizophrenia in a Chinese Han population. Psychoneuroendocrinology, 2016, 68, 140-147. | 1.3 | 12 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 91 | One-day tropisetron treatment improves cognitive deficits and P50 inhibition deficits in schizophrenia. Neuropsychopharmacology, 2020, 45, 1362-1368. | 2.8 | 12 |
| 92 | Cognitive Deficits and Clinical Symptoms with Hippocampal Subfields in First-Episode and Never-Treated Patients with Schizophrenia. Cerebral Cortex, 2021, 31, 89-96. | 1.6 | 12 |
| 93 | Epidemiological trends and the advances of treatments of amphetamineâ€type stimulants (ATS) in China. American Journal on Addictions, 2014, 23, 313-317. | 1.3 | 11 |
| 94 | Elevated serum levels of tumor necrosis factor- \hat{l}_{\pm} in clozapine-associated obesity in chronic schizophrenia. Schizophrenia Research, 2008, 106, 367-368. | 1.1 | 10 |
| 95 | Altered interleukin-3 serum levels in drug-naÃ-ve and neuroleptic-treated schizophrenic patients. Schizophrenia Research, 2008, 106, 369-370. | 1.1 | 10 |
| 96 | Dopamine D3 receptor-preferring agonist enhances the subjective effects of cocaine in humans. Psychiatry Research, 2015, 230, 44-49. | 1.7 | 10 |
| 97 | Guanfacine Attenuates Adverse Effects of Dronabinol (THC) on Working Memory in Adolescent-Onset Heavy Cannabis Users: A Pilot Study. Journal of Neuropsychiatry and Clinical Neurosciences, 2018, 30, 66-76. | 0.9 | 10 |
| 98 | FAAH variant Pro129Thr modulates subjective effects produced by cocaine administration. American Journal on Addictions, 2018, 27, 567-573. | 1.3 | 10 |
| 99 | An Opioid for Depression?. American Journal of Psychiatry, 2016, 173, 446-447. | 4.0 | 9 |
| 100 | Exenatide once weekly for smoking cessation. Medicine (United States), 2018, 97, e9567. | 0.4 | 9 |
| 101 | Reinforcement sensitivity underlying treatment-seeking smokers' affect, smoking reinforcement motives, and affective responses Psychology of Addictive Behaviors, 2015, 29, 300-311. | 1.4 | 8 |
| 102 | Cigarette smoking, type 2 diabetes mellitus, and glucagon-like peptide-1 receptor agonists as a potential treatment for smokers with diabetes: An integrative review. Diabetes Research and Clinical Practice, 2019, 149, 78-88. | 1.1 | 7 |
| 103 | Lofexidine in Combination With Oral Naltrexone for Opioid Use Disorder Relapse Prevention: A Pilot Randomized, Doubleâ€Blind, Placeboâ€Controlled Study. American Journal on Addictions, 2019, 28, 480-488. | 1.3 | 6 |
| 104 | Psychopharmacology: neuroimmune signaling in psychiatric disease-developing vaccines against abused drugs using toll-like receptor agonists. Psychopharmacology, 2019, 236, 2899-2907. | 1.5 | 6 |
| 105 | Process genes list: An approach to link genetics and human brain imaging. Journal of Neuroscience Methods, 2020, 339, 108695. | 1.3 | 5 |
| 106 | A randomized trial of safety and pharmacodynamic interactions between a selective glucocorticoid receptor antagonist, PT150, and ethanol in healthy volunteers. Scientific Reports, 2021, 11, 9876. | 1.6 | 5 |
| 107 | Opioid Use Disorder After Self-medicating Pain From Traumatic Brain Injury. JAMA Psychiatry, 2018, 75, 649. | 6.0 | 4 |
| 108 | Cingulate Cortex Structural Alterations in Substance Use Disorder Psychiatric Inpatients. American Journal on Addictions, 2021, 30, 72-79. | 1.3 | 4 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | The OPRD1 rs678849 variant influences outcome of disulfiram treatment for cocaine dependency in methadone-maintained patients. Psychiatric Genetics, 2021, 31, 88-94. | 0.6 | 4 |
| 110 | Neurobiology of Opioid Use Disorder and Comorbid Traumatic Brain Injury. JAMA Psychiatry, 2018, 75, 642. | 6.0 | 3 |
| 111 | Hospital Stay in Synthetic Cannabinoid Users With Bipolar Disorder, Schizophrenia, or Other Psychotic Disorders Compared With Cannabis Users. Journal of Studies on Alcohol and Drugs, 2019, 80, 230-235. | 0.6 | 3 |
| 112 | Next Generation Programmable Bio-Nano-Chip System for On-Site Detection in Oral Fluids. Journal of Drug Abuse, 2015, 1, 1-6. | 0.2 | 3 |
| 113 | Smoking reduction and quality of life in chronic patients with schizophrenia in a Chinese population-A pilot study. American Journal on Addictions, 2016, 25, 86-90. | 1.3 | 2 |
| 114 | Psychopathology and personality traits associated with driving while intoxicated in Beijing, China: Implications for interventions. American Journal on Addictions, 2017, 26, 374-378. | 1.3 | 2 |
| 115 | Cognitive performance of patients with opioid use disorder transitioned to extended-release injectable naltrexone from buprenorphine: Post hoc analysis of exploratory results of a phase 3 randomized controlled trial. Addictive Behaviors, 2020, 111, 106538. | 1.7 | 2 |
| 116 | Altered habenula resting state functional connectivity in deprived veteran tobacco smokers: A pilot study. Bulletin of the Menninger Clinic, 2020, 84, 21-34. | 0.3 | 2 |
| 117 | General Approaches to Substance and Polydrug Use Disorders. , 0, , 957-970. | | 2 |
| 118 | Comorbid alcohol use and post-traumatic stress disorders: Pharmacotherapy with aldehyde dehydrogenase 2 inhibitors versus current agents. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2022, 115, 110506. | 2.5 | 2 |
| 119 | A Double-Blind, Placebo-Controlled Trial Demonstrating the Safety, Tolerability, and Pharmacokinetics of Single, Escalating Oral Doses of RTI-336. Frontiers in Pharmacology, 2018, 9, 712. | 1.6 | 1 |
| 120 | A Novel Approach to Link Genetics and Human MRI Identifies AKAP7-Dependent Subicular/Prefrontal Functional Connectivity as Altered in Suicidality. Chronic Stress, 2022, 6, 247054702210837. | 1.7 | 1 |
| 121 | Moderation of buprenorphine therapy for cocaine dependence efficacy by variation of the Prodynorphin gene. European Journal of Clinical Pharmacology, 2022, 78, 965-973. | 0.8 | 1 |
| 122 | Low-Dose Ziprasidone in Combination with Sertraline for First-Episode Drug-NaÃ-ve Patients with Schizophrenia: a Randomized Controlled Trial. Neurotherapeutics, 2022, 19, 1037-1046. | 2.1 | 1 |
| 123 | General Approaches to Substance Use Disorders. , 2015, , 1394-1400. | | 0 |
| 124 | "Just one bad high:―Considering synthetic cannabinoid outcome expectancies in adolescents. American Journal on Addictions, 2016, 25, 620-622. | 1.3 | 0 |
| 125 | Editorial. American Journal on Addictions, 2018, 27, 5-6. | 1.3 | 0 |
| 126 | Evolution of the Journal of the American Academy of Addiction Psychiatry: The American Journal on Addictions, 2020, 29, 375-377. | 1.3 | 0 |