Francesco Pezzella

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7901785/publications.pdf

Version: 2024-02-01

74 papers

6,234 citations

32 h-index 70 g-index

75 all docs

75 docs citations

75 times ranked 9207 citing authors

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Detection of elevated levels of tumourâ€associated microRNAs in serum of patients with diffuse large Bâ€cell lymphoma. British Journal of Haematology, 2008, 141, 672-675. | 2.5 | 1,570 |
| 2 | bcl-2 Protein in Non-Small-Cell Lung Carcinoma. New England Journal of Medicine, 1993, 329, 690-694. | 27.0 | 652 |
| 3 | bcl-2 in normal human breast and carcinoma, association with oestrogen receptor-positive, epidermal growth factor receptor-negative tumours and in situ cancer. British Journal of Cancer, 1994, 69, 135-139. | 6.4 | 301 |
| 4 | Vessel co-option in cancer. Nature Reviews Clinical Oncology, 2019, 16, 469-493. | 27.6 | 285 |
| 5 | Stromal CD8+ T-cell Density—A Promising Supplement to TNM Staging in Non–Small Cell Lung Cancer. Clinical Cancer Research, 2015, 21, 2635-2643. | 7.0 | 269 |
| 6 | Coexpression of hypoxia-inducible factors 1alpha and 2alpha, carbonic anhydrase IX, and vascular endothelial growth factor in nasopharyngeal carcinoma and relationship to survival. Clinical Cancer Research, 2002, 8, 2595-604. | 7.0 | 237 |
| 7 | Vessel coâ€option in primary human tumors and metastases: an obstacle to effective antiâ€angiogenic treatment?. Cancer Medicine, 2013, 2, 427-436. | 2.8 | 231 |
| 8 | Relation of hypoxia-inducible factor-2 alpha (HIF-2 alpha) expression in tumor-infiltrative macrophages to tumor angiogenesis and the oxidative thymidine phosphorylase pathway in Human breast cancer. Cancer Research, 2002, 62, 1326-9. | 0.9 | 156 |
| 9 | Expression of microRNAs in diffuse large B cell lymphoma is associated with immunophenotype, survival and transformation from follicular lymphoma. Journal of Cellular and Molecular Medicine, 2009, 13, 1248-1260. | 3.6 | 154 |
| 10 | Expression of TRAIL and TRAIL receptors in normal and malignant tissues. Cell Research, 2005, 15 , $430-438$. | 12.0 | 153 |
| 11 | HR23B is a biomarker for tumor sensitivity to HDAC inhibitor-based therapy. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 6532-6537. | 7.1 | 141 |
| 12 | Adjuvant capecitabine plus bevacizumab versus capecitabine alone in patients with colorectal cancer (QUASAR 2): an open-label, randomised phase 3 trial. Lancet Oncology, The, 2016, 17, 1543-1557. | 10.7 | 129 |
| 13 | Genome-wide Loss-of-Function Screen Reveals an Important Role for the Proteasome in HDAC Inhibitor-Induced Apoptosis. Cancer Cell, 2009, 15, 57-66. | 16.8 | 120 |
| 14 | Non-angiogenic tumours and their influence on cancer biology. Nature Reviews Cancer, 2018, 18, 323-336. | 28.4 | 113 |
| 15 | The 14;18 translocation in European cases of follicular lymphoma: comparison of Southern blotting and the polymerase chain reaction. British Journal of Haematology, 1990, 76, 58-64. | 2.5 | 109 |
| 16 | Surveillance for the detection of early lung cancer in patients with bronchial dysplasia. Thorax, 2007, 62, 43-50. | 5.6 | 98 |
| 17 | Overexpression of the Oxygen Sensors PHD-1, PHD-2, PHD-3, and FIH Is Associated with Tumor Aggressiveness in Pancreatic Endocrine Tumors. Clinical Cancer Research, 2008, 14, 6634-6639. | 7.0 | 84 |
| 18 | Arylamine N-acetyltransferase-1 is highly expressed in breast cancers and conveys enhanced growth and resistance to etoposide in vitro. Molecular Cancer Research, 2003, 1, 826-35. | 3.4 | 84 |

| # | Article | IF | Citations |
|----|---|------|-----------|
| 19 | Flow cytometric detection of the mitochondrial BCL-2 protein in normal and neoplastic human lymphoid cells. Cytometry, 1992, 13, 502-509. | 1.8 | 83 |
| 20 | Gene expression signature for angiogenic and nonangiogenic non-small-cell lung cancer. Oncogene, 2005, 24, 1212-1219. | 5.9 | 83 |
| 21 | BNIP3 as a Progression Marker in Primary Human Breast Cancer; Opposing Functions in In situ Versus Invasive Cancer. Clinical Cancer Research, 2007, 13, 467-474. | 7.0 | 81 |
| 22 | Microvessel density as a prognostic factor in non-small-cell lung carcinoma: a meta-analysis of individual patient data. Lancet Oncology, The, 2007, 8, 488-499. | 10.7 | 68 |
| 23 | The Anti-VEGF(R) Drug Discovery Legacy: Improving Attrition Rates by Breaking the Vicious Cycle of Angiogenesis in Cancer. Cancers, 2021, 13, 3433. | 3.7 | 67 |
| 24 | Lung Cancers Detected by Screening with Spiral Computed Tomography Have a Malignant Phenotype when Analyzed by cDNA Microarray. Clinical Cancer Research, 2004, 10, 6023-6028. | 7.0 | 64 |
| 25 | TRAP1 Regulates Proliferation, Mitochondrial Function, and Has Prognostic Significance in NSCLC. Molecular Cancer Research, 2014, 12, 660-669. | 3.4 | 59 |
| 26 | Atrial fibrillation is associated with cardiac hypoxia. Cardiovascular Pathology, 2010, 19, 102-111. | 1.6 | 57 |
| 27 | CD31 angiogenesis and combined expression of HIF-1α and HIF-2α are prognostic in primary clear-cell renal cell carcinoma (CC-RCC), but HIFα transcriptional products are not: implications for antiangiogenic trials and HIFα biomarker studies in primary CC-RCC. Carcinogenesis, 2012, 33, 1717-1725. | 2.8 | 54 |
| 28 | Tumor necrosis factor receptor-associated protein 1(TRAP1) regulates genes involved in cell cycle and metastases. Cancer Letters, 2010, 296, 194-205. | 7.2 | 46 |
| 29 | An Immunocytochemical Study of p53 and <i>bcl</i> -2 Protein Expression in Hodgkin's Disease. American Journal of Clinical Pathology, 1993, 99, 663-667. | 0.7 | 44 |
| 30 | Overview on the Different Patterns of Tumor Vascularization. Cells, 2021, 10, 639. | 4.1 | 40 |
| 31 | Different Growth Patterns of Non-Small Cell Lung Cancer Represent Distinct Biologic Subtypes. Annals of Thoracic Surgery, 2008, 85, 395-405. | 1.3 | 37 |
| 32 | Tertiary lymphoid structure score: a promising approach to refine the TNM staging in resected non-small cell lung cancer. British Journal of Cancer, 2021, 124, 1680-1689. | 6.4 | 37 |
| 33 | Hypoxia and Myocardial Remodeling in Human Cardiac Allografts: A Time-course Study. Journal of Heart and Lung Transplantation, 2009, 28, 1119-1126. | 0.6 | 36 |
| 34 | Proline-Hydroxylated Hypoxia-Inducible Factor $1\hat{l}_{\pm}$ (HIF- $1\hat{l}_{\pm}$) Upregulation in Human Tumours. PLoS ONE, 2014, 9, e88955. | 2.5 | 36 |
| 35 | Phosphorylated KDR can be located in the nucleus of neoplastic cells. Cell Research, 2006, 16, 93-98. | 12.0 | 34 |
| 36 | <i>Igf2</i> pathway dependency of the <i>Trp53</i> developmental and tumour phenotypes. EMBO Molecular Medicine, 2012, 4, 705-718. | 6.9 | 31 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 37 | Phosphorylated VEGFR2/KDR receptors are widely expressed in Bâ€cell nonâ€Hodgkin's lymphomas and correlate with hypoxia inducible factor activation. Hematological Oncology, 2008, 26, 219-224. | 1.7 | 30 |
| 38 | Vascular coâ€option and vasculogenic mimicry mediate resistance to antiangiogenic strategies. Cancer Reports, 2022, 5, e1318. | 1.4 | 24 |
| 39 | Somatic genetic changes accompanying lung tumor development. Genes Chromosomes and Cancer, 2005, 44, 65-75. | 2.8 | 23 |
| 40 | Expression of prolyl-hydroxylases PHD-1, 2 and 3 and of the asparagine hydroxylase FIH in non-small cell lung cancer relates to an activated HIF pathway. Cancer Letters, 2008, 262, 87-93. | 7.2 | 22 |
| 41 | Association between hypoxic volume and underlying hypoxia-induced gene expression in oropharyngeal squamous cell carcinoma. British Journal of Cancer, 2017, 116, 1057-1064. | 6.4 | 20 |
| 42 | Next-Generation Sequencing Analysis Reveals Differential Expression Profiles of MiRNA-mRNA Target Pairs in KSHV-Infected Cells. PLoS ONE, 2015, 10, e0126439. | 2.5 | 19 |
| 43 | Lactate dehydrogenase 5 expression in non-Hodgkin B-cell lymphomas is associated with hypoxia regulated proteins. Leukemia and Lymphoma, 2008, 49, 2181-2186. | 1.3 | 18 |
| 44 | Nonâ€angiogenic tumours unveil a new chapter in cancer biology. Journal of Pathology, 2015, 235, 381-383. | 4.5 | 17 |
| 45 | Nuclear and membrane expression of the angiogenesis regulator deltaâ€like ligand 4 (DLL4) in normal and malignant human tissues. Histopathology, 2009, 54, 598-606. | 2.9 | 16 |
| 46 | Gene expression assays as prognostic and predictive markers in early stage non-small cell lung cancer. Journal of Thoracic Disease, 2012, 4, 212-3. | 1.4 | 16 |
| 47 | Why some tumours trigger neovascularisation and others don't: the story thus far. Chinese Journal of Cancer, 2016, 35, 18. | 4.9 | 15 |
| 48 | Immunohistological recognition of cyclin D1 expression by non-lymphoid cells among lymphoid neoplastic cells. Apmis, 2014, 122, 183-191. | 2.0 | 14 |
| 49 | The Role of JMY in p53 Regulation. Cancers, 2018, 10, 173. | 3.7 | 14 |
| 50 | Overexpression of LC3A autophagy protein in follicular and diffuse large B-cell lymphomas. Hematology/ Oncology and Stem Cell Therapy, 2013, 6, 20-25. | 0.9 | 13 |
| 51 | The Landscape of the Heritable Cancer Genome. Cancer Research, 2021, 81, 2588-2599. | 0.9 | 13 |
| 52 | JMY protein, a regulator of P53 and cytoplasmic actin filaments, is expressed in normal and neoplastic tissues. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2014, 465, 715-722. | 2.8 | 12 |
| 53 | Evidence Showing That Tumors Can Grow Without Angiogenesis and Can Switch Between Angiogenic and Nonangiogenic Phenotypes. Journal of the National Cancer Institute, 2016, 108, djw032. | 6.3 | 11 |
| 54 | Dissecting the heritable risk of breast cancer: From statistical methods to susceptibility genes. Seminars in Cancer Biology, 2021, 72, 175-184. | 9.6 | 10 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Vascular Co-Option and Other Alternative Modalities of Growth of Tumor Vasculature in Glioblastoma. Frontiers in Oncology, 2022, 12, 874554. | 2.8 | 10 |
| 56 | Gene Signatures Stratify Computed Tomography Screening Detected Lung Cancer in High-Risk Populations. EBioMedicine, 2015, 2, 831-840. | 6.1 | 7 |
| 57 | Twenty years after: the beautiful hypothesis and the ugly facts. Chinese Journal of Cancer, 2016, 35, 22. | 4.9 | 7 |
| 58 | Vessel co-option and angiotropic extravascular migratory metastasis: a continuum of tumour growth and spread?. British Journal of Cancer, 2022, 126, 973-980. | 6.4 | 7 |
| 59 | NUB1 and FAT10 Proteins as Potential Novel Biomarkers in Cancer: A Translational Perspective. Cells, 2021, 10, 2176. | 4.1 | 5 |
| 60 | On coalescent angiogenesis and the remarkable flexibility of blood vessels. Angiogenesis, 2022, 25, 1-3. | 7.2 | 5 |
| 61 | When Cancer Co-opts the Vasculature. New England Journal of Medicine, 2014, 370, 2146-2147. | 27.0 | 4 |
| 62 | Rapid Emergence of Chronic Lymphocytic Leukemia During JAK2 Inhibitor Therapy in a Patient With Myelofibrosis. HemaSphere, 2020, 4, e356. | 2.7 | 4 |
| 63 | Blood vessel invasion and other variables as predictors of long-term survival in Japanese and British patients with primary invasive breast cancer. International Journal of Clinical and Experimental Pathology, 2014, 7, 7967-78. | 0.5 | 4 |
| 64 | HBV and HIV expression in lymph nodes of HIV positive LAS patients: histology and in situ hybridization. Molecular and Cellular Probes, 1989, 3, 125-132. | 2.1 | 3 |
| 65 | Early squamous cell lung carcinoma: prognostic biomarkers for the many. Thorax, 2019, 74, 527-528. | 5.6 | 3 |
| 66 | Inhibition of NEDD8 and FAT10 ligase activities through the degrading enzyme NEDD8 ultimate buster 1: A potential anticancer approach. Oncology Letters, 2016, 12, 4287-4296. | 1.8 | 2 |
| 67 | Pharmacogenetics implementation in the clinics: information and guidelines for germline variants. , 2019, 2, 595-607. | | 2 |
| 68 | Exosomes: recruits for tumour surveillance?. Journal of Thoracic Disease, 2017, 9, 4295-4299. | 1.4 | 1 |
| 69 | Nonangiogenic tumor growth. , 2020, , 15-32. | | 1 |
| 70 | Comprehensive mutagenesis identifies the peptide repertoire of a p53 T-cell receptor mimic antibody that displays no toxicity in mice transgenic for human HLA-A*0201. PLoS ONE, 2021, 16, e0249967. | 2.5 | 1 |
| 71 | The diverse lives of TRAP1. Oncoscience, 2014, 1, 560-561. | 2.2 | 1 |
| 72 | 128â€Genomic insights of ecg strain patten in aortic stenosis: t wave inversion and st-segment depression are underlined by different molecular pathways. Heart, 2017, 103, A97.1-A97. | 2.9 | 0 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | 130â€The convergence and divergence of molecular pathways in lv hypertrophy defined by ecg voltage versus lv mass in patients with aortic stenosis. Heart, 2017, 103, A98.1-A98. | 2.9 | 0 |
| 74 | Tumors and Blood Vessel Interactions: A Changing Hallmark of Cancer. , 2017, , 504-504. | | 0 |