

# Bao-Long Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7903823/publications.pdf>

Version: 2024-02-01

138  
papers

3,447  
citations

126708

33  
h-index

174990

52  
g-index

138  
all docs

138  
docs citations

138  
times ranked

1896  
citing authors

#	ARTICLE	IF	CITATIONS
1	Supramolecular isomers in the same crystal: a new type of entanglement involving ribbons of rings and 2D (4,4) networks polycatenated in a 3D architecture. <i>Chemical Communications</i> , 2005, , 2333.	2.2	151
2	A luminescent zinc( $\text{II}$ ) coordination polymer with unusual (3,4,4)-coordinated self-catenated 3D network for selective detection of nitroaromatics and ferric and chromate ions: a versatile luminescent sensor. <i>Dalton Transactions</i> , 2018, 47, 6189-6198.	1.6	147
3	Extended Networks of $\text{Co}^{2+}$ and $\text{Mn}^{2+}$ Bridged by $\text{NCS}^-/\text{N}_3^-$ Anions and Flexible Long Spacers: Syntheses, Structures, and Magnetic Properties. <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 3277-3286.	1.0	125
4	A New "Opened-Cube" $(\text{H}_2\text{O})_{10}$ Cluster and Undulated Water Chain in Porous Metal-Organic Frameworks. <i>Crystal Growth and Design</i> , 2008, 8, 3902-3904.	1.4	111
5	Three Supramolecular Isomers of Square Grid Networks from the Assembly of a Flexible Spacer and $\text{Co}(\text{NCS})_2$ Structures and Polymer Transformation. <i>Crystal Growth and Design</i> , 2006, 6, 994-998.	1.4	107
6	Solvent-controlled assembly of supramolecular isomers: 2D (4,4) network, 1D ribbons of ring, and both 2D (4,4) networks and 1D ribbons of rings polycatenated in a 3D array. <i>CrystEngComm</i> , 2009, 11, 997.	1.3	85
7	Structural Versatility of Eight Zinc(II) Coordination Polymers Constructed with a Long Flexible Ligand 1,4-Bis(1,2,4-triazol-1-yl)butane. <i>Crystal Growth and Design</i> , 2009, 9, 3997-4005.	1.4	84
8	Syntheses and structures of five cadmium(II) coordination polymers from 1,2-bis(1,2,4-triazol-1-yl)ethane. <i>Polyhedron</i> , 2004, 23, 3133-3141.	1.0	82
9	Construction of $\text{Cu}(\text{II})$ , $\text{Zn}(\text{II})$ and $\text{Cd}(\text{II})$ metal-organic frameworks of bis(1,2,4-triazol-4-yl)ethane and benzenetricarboxylate: syntheses, structures and photocatalytic properties. <i>CrystEngComm</i> , 2015, 17, 2544-2552.	1.3	76
10	A Two-Dimensional Metal-Organic Framework Based on a Ferromagnetic Pentanuclear Copper(II). <i>Inorganic Chemistry</i> , 2010, 49, 1266-1270.	1.9	73
11	Tuning Cobalt Coordination Architectures by Bis(1,2,4-triazol-1-ylmethyl)benzene Position Isomers and 5-Nitroisophthalate. <i>Crystal Growth and Design</i> , 2012, 12, 3992-3997.	1.4	70
12	An unusual porous cationic metal-organic framework based on a tetranuclear hydroxyl-copper(II) cluster for fast and highly efficient dichromate trapping through a single-crystal to single-crystal process. <i>Chemical Communications</i> , 2017, 53, 1860-1863.	2.2	68
13	Self-assembly of five cobalt(II) coordination polymers from 1,2-bis(1,2,4-triazol-1-yl)ethane. <i>Polyhedron</i> , 2006, 25, 1875-1883.	1.0	59
14	MOF derived CoP-decorated nitrogen-doped carbon polyhedrons/reduced graphene oxide composites for high performance supercapacitors. <i>Dalton Transactions</i> , 2019, 48, 10661-10668.	1.6	55
15	Title is missing!. <i>Transition Metal Chemistry</i> , 2002, 27, 372-376.	0.7	53
16	Tuning zinc(II) coordination polymers based on bis(1,2,4-triazol-1-yl)ethane and 5-substituted 1,3-benzenedicarboxylates: syntheses, structures and properties. <i>CrystEngComm</i> , 2013, 15, 471-481.	1.3	51
17	A bifunctional cationic metal-organic framework based on unprecedented nonanuclear copper( $\text{II}$ ) cluster for high dichromate and chromate trapping and highly efficient photocatalytic degradation of organic dyes under visible light irradiation. <i>Dalton Transactions</i> , 2018, 47, 9103-9113.	1.6	51
18	A polythreading coordination array formed from 2D grid networks and 1D chains. <i>CrystEngComm</i> , 2011, 13, 3342.	1.3	49

#	ARTICLE	IF	CITATIONS
19	A 2D copper(I) metal-organic framework: Synthesis, structure and luminescence sensing for cupric, ferric, chromate and TNP. <i>Dyes and Pigments</i> , 2020, 175, 108159.	2.0	48
20	Two novel manganese coordination polymers containing both double-stranded chain and single chain or double-stranded chain. <i>Inorganic Chemistry Communication</i> , 2004, 7, 949-952.	1.8	47
21	Synthesis, crystal structure and luminescent properties of a novel cadmium coordination polymer with unprecedented one-dimensional hetero-triple-stranded chain. <i>Inorganic Chemistry Communication</i> , 2004, 7, 1181-1183.	1.8	47
22	Anion-dependent structural diversity in cadmium coordination polymers of flexible bis(1,2,4-triazol-1-yl)butane. <i>Inorganic Chemistry Communication</i> , 2008, 11, 1079-1081.	1.8	46
23	Construction of three coordination polymers based on tetranuclear copper(II) clusters: syntheses, structures and photocatalytic properties. <i>CrystEngComm</i> , 2016, 18, 2490-2499.	1.3	46
24	A (3,14)-connected three-dimensional metal-organic framework based on the unprecedented enneanuclear copper(II) cluster $[Cu_9(\mu_3-OH)_4(\mu_2-OH)_2]$ . <i>CrystEngComm</i> , 2013, 15, 9154.	1.3	42
25	A new strategy to obtain tetranuclear cobalt(II) metal-organic frameworks based on the $[Co_4(\mu_3-OH)_2(\mu_2-OH)_3]$ cluster: synthesis, structures and properties. <i>Dalton Transactions</i> , 2016, 45, 15078-15088.	1.6	42
26	Synthesis, structure, spectral characteristic and photocatalytic degradation of organic dyes of a copper metal-organic framework based on tri(triazole) and pimelate. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019, 214, 372-377.	2.0	41
27	Synthesis, crystal structure and magnetic behavior of two cobalt coordination polymers with 1,2-bis(1,2,4-triazol-1-yl)ethane and dicyanamide. <i>Polyhedron</i> , 2007, 26, 5219-5224.	1.0	40
28	A polythreading array formed by a (3,5)-connected 3D anionic network and 1D cationic chains: synthesis, structure, and catalytic properties. <i>Dalton Transactions</i> , 2013, 42, 9771.	1.6	39
29	Title is missing!. <i>Transition Metal Chemistry</i> , 1999, 24, 622-627.	0.7	38
30	A polythreading coordination array formed from a 3D microporous cation network and 1D anion ladders. <i>CrystEngComm</i> , 2012, 14, 1201-1204.	1.3	38
31	Sonochemical synthesis and characterization of four nanostructural nickel coordination polymers and photocatalytic degradation of methylene blue. <i>Ultrasonics Sonochemistry</i> , 2019, 56, 213-228.	3.8	36
32	Syntheses, crystal structures and magnetic properties of three copper(II) coordination polymers with the flexible ligand 1,2-bis(1,2,4-triazol-1-yl)ethane or 1,2-bis(imidazol-1-yl)ethane. <i>Journal of Molecular Structure</i> , 2006, 782, 143-149.	1.8	34
33	A series of Cd(II) coordination polymers based on flexible bis(triazole) and multicarboxylate ligands: topological diversity, entanglement and properties. <i>CrystEngComm</i> , 2017, 19, 5797-5808.	1.3	34
34	An unusual three-dimensional porous framework complex $\{[Cu(en)_2][KCr(CN)_6]\}_n$ (en = 1,2-ethylenediamine). <i>CrystEngComm</i> , 2010, 12, 142-147.	2.2	33
35	Syntheses and crystal structures of four manganese coordination polymers with 1,4-bis(1,2,4-triazol-1-yl)butane. <i>Journal of Molecular Structure</i> , 2006, 796, 129-138.	1.8	33
36	Structurally versatile cadmium coordination polymers based on bis(1,2,4-triazol)ethane and rigid aromatic multicarboxylates: syntheses, structures and properties. <i>CrystEngComm</i> , 2014, 16, 1632.	1.3	33

#	ARTICLE	IF	CITATIONS
37	A series of five-coordinated copper coordination polymers for efficient degradation of organic dyes under visible light irradiation. <i>RSC Advances</i> , 2017, 7, 23432-23443.	1.7	32
38	Syntheses, structures and magnetic properties of five iron(II) coordination polymers with flexible bis(imidazole) and bis(triazole) ligands. <i>Polyhedron</i> , 2012, 31, 77-81.	1.0	31
39	An unusual (4,4)-connected 3D porous cadmium metal-organic framework as a luminescent sensor for detection of nitrobenzene. <i>RSC Advances</i> , 2016, 6, 56035-56041.	1.7	31
40	Synthesis and structure of a novel infinite triple helices coordination polymer $\{[\text{Mn}(\text{bipy})(\text{azpy})_2(\text{NCS})_2] \cdot \text{H}_2\text{O}\}_n$ (bipy=4,4'-bipyridine, azpy = 4,4'-azobispyridine). <i>Inorganic Chemistry Communication</i> , 2001, 4, 451-453.	1.8	30
41	Syntheses, structures and luminescent properties of three cadmium coordination polymers with 1,3-bis(1,2,4-triazol-1-ylmethyl)benzene. <i>Journal of Molecular Structure</i> , 2008, 876, 288-293.	1.8	29
42	The 3D and 2D cadmium coordination polymers as luminescent sensors for detection of nitroaromatics. <i>Journal of Luminescence</i> , 2017, 188, 356-364.	1.5	29
43	Syntheses, structures and characteristic of three copper(II) coordination polymers with flexible ligand 1,4-bis(1,2,4-triazol-1-ylmethyl)benzene. <i>Journal of Molecular Structure</i> , 2005, 741, 235-240.	1.8	28
44	Syntheses, structures and luminescence of zinc and cadmium coordination polymers with bis(1,2,4-triazol-1-yl)butane and benzenedicarboxylate. <i>Inorganic Chemistry Communication</i> , 2008, 11, 1273-1275.	1.8	28
45	A novel T4(1)6(1) water tape encapsulated in a (3,3)-connected 2D copper metal-organic framework. <i>CrystEngComm</i> , 2012, 14, 79-82.	1.3	28
46	Structural versatility of seven copper(ii) coordination polymers constructed with the long flexible ligand 1,4-bis(1,2,4-triazol-1-yl)butane. <i>CrystEngComm</i> , 2011, 13, 6090.	1.3	27
47	Seven structural versatile coordination polymers based on a flexible bis(triazole) and polycarboxylate co-ligands: syntheses, structures and properties. <i>CrystEngComm</i> , 2013, 15, 3630.	1.3	25
48	Synthesis, structures and luminescent properties of two silver supramolecular isomers with one-dimensional concavo-convex chain and dimer metallacycle. <i>Inorganic Chemistry Communication</i> , 2006, 9, 216-219.	1.8	24
49	A copper coordination polymer based on bis(imidazole) and thiophenedicarboxylate for photocatalytic degradation of organic dyes under visible light irradiation. <i>Inorganic Chemistry Communication</i> , 2017, 85, 16-20.	1.8	24
50	Two novel zinc coordination polymers based on bis(1,2,4-triazole-1-yl)ethane and benzenedicarboxyl. <i>Journal of Coordination Chemistry</i> , 2004, 57, 1361-1367.	0.8	23
51	Theoretical and experimental study of the conformational, structural analysis and vibrational spectra of 1,2-bis(1,2,4-triazole-1-yl)ethane. <i>Journal of Molecular Structure</i> , 2004, 691, 159-163.	1.8	23
52	An unusual (3,10)-coordinated 3D network coordination polymer as a potential luminescent sensor for detection of nitroaromatics and ferric ion. <i>Journal of Luminescence</i> , 2018, 199, 126-132.	1.5	23
53	An unusual three-dimensional coordination network formed by parallel polythreading of two-fold polycatenated (6,3) layers. <i>CrystEngComm</i> , 2012, 14, 4161.	1.3	22
54	A novel two-dimensional network self-assembled by $[\text{Cd}(4,4'\text{-azobispyridine})_3(\text{H}_2\text{O})_2]_{n2n+}$ cations simultaneously through themselves hydrogen-bonding and $\pi$ - $\pi$ stacking interactions. <i>Inorganic Chemistry Communication</i> , 2003, 6, 141-144.	1.8	21

#	ARTICLE	IF	CITATIONS
55	A novel three-dimensional network silver coordination polymer with flexible bis(1,2,4-triazol-4-yl)ethane. <i>Inorganic Chemistry Communication</i> , 2010, 13, 844-846.	1.8	21
56	Syntheses, structures and photocatalytic properties of a series of cobalt coordination polymers based on flexible bis(triazole) and dicarboxylate ligands. <i>Polyhedron</i> , 2017, 121, 61-69.	1.0	21
57	Syntheses and structures of three new coordination polymers with the flexible 1,2-bis(1,2,4-triazol-1-yl)ethane ligand. <i>Journal of Coordination Chemistry</i> , 2006, 59, 513-522.	0.8	20
58	Syntheses, structures and properties of eight coordination polymers based on bis(imidazole) and biscalboxylate ligands. <i>Polyhedron</i> , 2016, 104, 1-8.	1.0	19
59	A Manganese-Based Coordination Polymer Containing No Solvent as a High Performance Anode in Li-Ion Batteries. <i>Crystal Growth and Design</i> , 2019, 19, 6503-6510.	1.4	19
60	Syntheses and structures of three cobalt(II) complexes with thiocyanate and 1,2-bis(benzotriazol-1-yl)ethane. <i>Journal of Molecular Structure</i> , 2006, 788, 194-199.	1.8	18
61	Syntheses, structures and luminescent properties of a dimer and an one-dimensional chain coordination polymer with the flexible bis(triazole) and hydroxybenzoate ligands. <i>Journal of Molecular Structure</i> , 2007, 837, 263-268.	1.8	18
62	Syntheses and structures of three zinc coordination polymers with 1-D zigzag chain, double chain, and triple chain. <i>Journal of Coordination Chemistry</i> , 2009, 62, 2358-2366.	0.8	18
63	Anion-controlled four silver coordination polymers with flexible bis(1,2,4-triazol-4-yl)ethane. <i>Inorganica Chimica Acta</i> , 2011, 376, 612-618.	1.2	18
64	Two zinc coordination polymers showing five-fold interpenetrated diamondoid network and 2D $\uparrow$ 3D inclined polycatenation motif. <i>Inorganic Chemistry Communication</i> , 2014, 44, 41-45.	1.8	16
65	Syntheses, structures and properties of two zinc coordination polymers based on bis(triazole) and sulfoisophthalate. <i>RSC Advances</i> , 2014, 4, 14241.	1.7	16
66	Syntheses, structures and photocatalytic properties of two coordination polymers based on bis(1,2,4-triazol-4-ylmethyl)benzene and multicarboxylates. <i>Inorganic Chemistry Communication</i> , 2015, 52, 34-37.	1.8	16
67	Title is missing!. <i>Transition Metal Chemistry</i> , 2002, 27, 786-789.	0.7	15
68	Four coordination polymers derived from 4-amino-3,5-bis(3-pyridyl)-1,2,4-triazole and copper sulfate. <i>Inorganic Chemistry Communication</i> , 2010, 13, 976-980.	1.8	15
69	A (3,4)-connected two-dimensional copper coordination polymer with a 2D $\uparrow$ 3D polycatenation network. <i>Journal of Molecular Structure</i> , 2010, 964, 5-8.	1.8	14
70	Syntheses, structures, properties of a series of coordination polymers with flexible bis(imidazole) and dicarboxylate ligands. <i>Polyhedron</i> , 2017, 133, 82-91.	1.0	14
71	Syntheses, structures and properties of structural diversity of 3D coordination polymers based on bis(imidazole) and dicarboxylate. <i>Polyhedron</i> , 2019, 162, 303-310.	1.0	14
72	Visible-light-driven and ultrasonic-assisted copper metal-organic frameworks and graphene oxide nanocomposite for decolorization of dyes. <i>Journal of Solid State Chemistry</i> , 2021, 304, 122627.	1.4	14

#	ARTICLE	IF	CITATIONS
73	Two unusual 3D and 2D zinc coordination polymers containing 2D or 1D [Zn <sub>2</sub> (btec)] <sub>n</sub> based on flexible bis(triazole) and rigid benzenetetracarboxylate co-ligands. <i>Inorganic Chemistry Communication</i> , 2012, 26, 37-41.	1.8	13
74	Synthesis, Crystal Structure and Magnetic Property of [Mn <sub>2</sub> (mal) <sub>2</sub> (H <sub>2</sub> O) <sub>2</sub> (hmt)] <sub>n</sub> : A Novel Three-Dimensional Network Self-Assembled by hmt (hmt = Hexamethylenetetramine and mal =) <i>Tj ETQq0 0 0 rgBT 10 Overlock 10 Tf 50 69</i>	1.8	10
75	Syntheses and structures of two copper coordination polymers with <i>bis</i> (1,2,4-triazol-1-ylmethyl)benzene and benzenedicarboxylate. <i>Journal of Coordination Chemistry</i> , 2009, 62, 3819-3827.	0.8	12
76	Tuning cadmium coordination architectures using 1,4-bis(1,2,4-triazol-1-ylmethyl)benzene and sulfoisophthalate. <i>RSC Advances</i> , 2014, 4, 24594.	1.7	12
77	Syntheses, structures and photocatalytic properties of three copper(II) coordination polymers. <i>Inorganic Chemistry Communication</i> , 2016, 70, 185-188.	1.8	12
78	An unusual (4,6)-coordinated copper(II) coordination polymer: High efficient degradation of organic dyes under visible light irradiation and electrochemical properties. <i>Polyhedron</i> , 2018, 148, 81-87.	1.0	12
79	Syntheses, structures, and luminescence of three 4-connected zinc coordination polymers with bis(1,2,4-triazol-1-yl)propane and benzenedicarboxylate. <i>Journal of Coordination Chemistry</i> , 2011, 64, 2878-2889.	0.8	11
80	Synthesis, structures and luminescence properties of three manganese coordination polymers with bis(1,2,4-triazol-1-ylmethyl)benzene. <i>Inorganic Chemistry Communication</i> , 2008, 11, 260-264.	1.8	10
81	Crystal Structure and Luminescence of [Eu(TTA) <sub>3</sub> ·DAF]·0.5C <sub>7</sub> H <sub>8</sub> Complex Excited by Visible Light. <i>Chinese Journal of Chemistry</i> , 2001, 19, 766-771.	2.6	10
82	Four cadmium coordination polymers modulated by bis(triazol-1-yl)propane and inorganic anions: Syntheses, structures and properties. <i>Polyhedron</i> , 2013, 52, 1009-1015.	1.0	10
83	Tuning zinc coordination architectures by benzenedicarboxylate position isomers and bis(triazole). <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015, 147, 20-25.	2.0	10
84	Synthesis, structure and photocatalytic properties of an unusual tetranuclear copper(II) coordination polymer. <i>Inorganic Chemistry Communication</i> , 2016, 73, 134-137.	1.8	10
85	Construction of five zinc coordination polymers with 4-substituted bis(triazole) and multicarboxylate ligands: Syntheses, structures and properties. <i>Polyhedron</i> , 2018, 155, 223-231.	1.0	10
86	Metal-organic frameworks based on tetra(imidazole) and multicarboxylate: Syntheses, structures, luminescence, photocatalytic and sonocatalytic degradation of methylene blue. <i>Polyhedron</i> , 2021, 197, 115052.	1.0	10
87	Synthesis and structures of two uranyl <i>bis</i> -diketonate complexes [UO <sub>2</sub> (DBM) <sub>2</sub> (DEDPU)] and [UO <sub>2</sub> (PMBP) <sub>2</sub> (DEDPU)]. <i>Journal of Coordination Chemistry</i> , 2008, 61, 917-925.	0.8	9
88	Two cobalt coordination polymers with a highly undulated 2-D network and a 2-D (4,4) network. <i>Journal of Coordination Chemistry</i> , 2010, 63, 2307-2316.	0.8	9
89	Syntheses, structures and properties of three cobalt coordination polymers based on flexible bis(triazole) and 5-nitroisophthalate co-ligands. <i>Journal of Molecular Structure</i> , 2013, 1038, 194-199.	1.8	9
90	Syntheses, structures and luminescence of a series of coordination polymers constructed with 4-substituted 1,2,4-triazole and biscarboxylate co-ligands. <i>RSC Advances</i> , 2015, 5, 107166-107178.	1.7	9



#	ARTICLE	IF	CITATIONS
91	Syntheses, structures and photocatalytic degradation of organic dyes for two isostructural copper coordination polymers involving <i>in situ</i> hydroxylation reaction. <i>Journal of Coordination Chemistry</i> , 2018, 71, 1392-1402.	0.8	9
92	Synthesis, structure and photocatalytic degradation of organic dyes of a copper(II) metal-organic framework (Cu-MOF) with a 4-coordinated three-dimensional CdSO <sub>4</sub> topology. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2019, 75, 1053-1059.	0.2	9
93	Syntheses of two copper metal-organic frameworks with tri(1,2,4-triazole) and biscarboxylate and graphene oxide composites for decomposition of dye by visible-light driven and ultrasonic assisted. <i>Journal of Solid State Chemistry</i> , 2022, 307, 122864.	1.4	9
94	Title is missing!. <i>Journal of Chemical Crystallography</i> , 2001, 31, 357-361.	0.5	8
95	Title is missing!. <i>Transition Metal Chemistry</i> , 2001, 26, 369-371.	0.7	8
96	Two nickel coordination polymers with flexible ligand 1,3,5-tri(1,2,4-triazol-1-ylmethyl)-2,4,6-trimethylbenzene. <i>Inorganic Chemistry Communication</i> , 2009, 12, 1161-1163.	1.8	8
97	An unusual (4,6)-connected three dimensional framework and a two-dimensional (6,3) network based on flexible and rigid co-ligands. <i>Inorganic Chemistry Communication</i> , 2012, 21, 76-79.	1.8	8
98	Four cadmium coordination polymers based on a flexible bis(triazole) ligand and benzenedicarboxylate isomers. <i>Polyhedron</i> , 2014, 83, 228-235.	1.0	8
99	Syntheses, structures and luminescence of two cadmium entangled coordination polymers based on bis(imidazole) and biscarboxylate ligands. <i>Inorganic Chemistry Communication</i> , 2015, 57, 84-88.	1.8	8
100	Syntheses, structures, and properties of two- and three-dimensional coordination polymers based on bis(imidazole) and glutarate ligands. <i>Journal of Coordination Chemistry</i> , 2015, 68, 1213-1223.	0.8	8
101	A Co-MOF with a (4,4)-connected binodal two-dimensional topology: synthesis, structure and photocatalytic properties. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2020, 76, 23-29.	0.2	8
102	Synthesis, Structure and Characterization of the Cyano-Bridged Heteropolymer Poly{[Bis(Trimethylenediamine)Copper(II)][Hexacyanocobalt(III)]} Perchlorate Dihydrate with a Two-Dimensional Framework. <i>Journal of Coordination Chemistry</i> , 2002, 55, 1191-1198.	0.8	7
103	Syntheses and structures of three manganese coordination polymers with 1,4-bis(imidazol-1-yl)butane. <i>Journal of Coordination Chemistry</i> , 2008, 61, 750-759.	0.8	7
104	Syntheses and structures of two hydrogen bonding frameworks with bis(triazole) and 1,2,4,5-benzenetetracarboxylate. <i>Journal of Molecular Structure</i> , 2009, 929, 73-78.	1.8	7
105	Synthesis, Structure and Characterization of Two-dimensional Network Copper Complex [Cu <sub>3</sub> (nta) <sub>2</sub> (azpy) <sub>2</sub> (H <sub>2</sub> O) <sub>2</sub> ·6H <sub>2</sub> O·0.6] Chinese <i>Journal of Chemistry</i> , 2002, 20, 187-190.		7
106	A novel (2,3,5)-connected double interpenetrating three-dimensional network cadmium coordination polymer with flexible tri(triazole) and dicyanamide ligands. <i>Inorganic Chemistry Communication</i> , 2011, 14, 49-51.	1.8	7
107	Syntheses, structures and luminescence of three cadmium coordination polymers based on 1,2-bis(1,2,4-triazol-1-ylmethyl)benzene. <i>Journal of Coordination Chemistry</i> , 2013, 66, 789-799.	0.8	7
108	Two independent, 1-D metal-organic nanotubes based on rings or helical chain units. <i>Journal of Coordination Chemistry</i> , 2014, 67, 1317-1331.	0.8	7

#	ARTICLE	IF	CITATIONS
109	Two cadmium coordination polymers showing three-fold interpenetrated and self-catenated three-dimensional networks. <i>Inorganic Chemistry Communication</i> , 2014, 46, 24-28.	1.8	7
110	A 2D cadmium metal-organic framework: Synthesis, structure and luminescence sensing for chromate, permanganate, cupric, silver and ferric. <i>Applied Organometallic Chemistry</i> , 2020, 34, e5977.	1.7	7
111	Synthesis, Characterization and Crystal Structure of a One-Dimensional Chain Copper Bipyridine Complex Bridged Through an Azobispyridine Ligand. <i>Journal of Coordination Chemistry</i> , 2002, 55, 1183-1189.	0.8	6
112	Syntheses and structures of three disulfoxide uranyl complexes. <i>Journal of Coordination Chemistry</i> , 2010, 63, 3006-3015.	0.8	6
113	Hydrogen Bond Networks of Three Cobalt Coordination Polymers Based on Bis(triazole) and Benzenedicarboxylate Isomers. <i>Chinese Journal of Chemistry</i> , 2011, 29, 2591-2596.	2.6	6
114	Two Unusual Two-dimensional (4,4) Network Cadmium Coordination Polymers Based on Flexible Bis(triazole) and Rigid Benzenedicarboxylate Co-ligands. <i>Chinese Journal of Chemistry</i> , 2012, 30, 1813-1818.	2.6	6
115	Syntheses, structures and properties of Mn(II), Zn(II) and Ag(I) coordination polymers with 2-(1,2,4-triazol-1-yl)acetate. <i>Journal of Molecular Structure</i> , 2013, 1031, 175-179.	1.8	6
116	Synthesis, Structure and Properties of an Unusual 2D Network Zinc Coordination Polymer Based on Pentanuclear Zinc Cluster. <i>Chinese Journal of Chemistry</i> , 2014, 32, 626-630.	2.6	6
117	Syntheses, structural diversity and properties of a series of coordination polymers based on 4-substituted bis(triazole) and multicarboxylate ligands. <i>Polyhedron</i> , 2018, 145, 53-62.	1.0	6
118	Template self-assembly of cyano-bridged supramolecular complexes $\{[\text{Cu}(\text{en})_2][\text{KM}(\text{CN})_6]\}_n$ (M = Cr(III), Ti, Zr, Hf, U, Th, Pu, Am, Cm, Bk, Cf, Fm, Md, No, Lr). <i>Journal of Molecular Structure</i> , 2018, 170, 1-10.	0.8	5
119	Syntheses and structures of two new uranyl complexes $[\text{UO}_2(\text{DPDPU})_2(\text{NO}_3)_2](\text{C}_6\text{H}_5\text{CH}_3)$ and $[\text{UO}_2(\text{PMBP})_2(\text{DPDPU})](\text{CH}_3\text{C}_6\text{H}_4\text{CH}_3)0.5$ . <i>Journal of Coordination Chemistry</i> , 2006, 59, 1609-1614.	0.8	5
120	Syntheses, structures and luminescent properties of three cadmium coordination polymers derived from (4-carboxymethoxy-phenyl)-acetate. <i>Journal of Molecular Structure</i> , 2011, 998, 233-239.	1.8	5
121	Three 4-connected nickel coordination polymers affording a 3-D CdSO <sub>4</sub> network and two 2-D (4,4) networks. <i>Journal of Coordination Chemistry</i> , 2011, 64, 4254-4263.	0.8	5
122	Two intriguing hydroxy-copper(II) coordination polymers with bis(triazole) and bicarboxylate ligands: Syntheses, structures and photocatalytic degradation of organic dyes. <i>Journal of Molecular Structure</i> , 2017, 1143, 146-152.	1.8	5
123	Synthesis, structure and luminescent properties of a new two-dimensional (4,4) network cadmium coordination polymer with dicyanamide and benzimidazole ligands. <i>Journal of Coordination Chemistry</i> , 2006, 59, 1443-1449.	0.8	4
124	Syntheses, Structures and Properties of Four Manganese Coordination Polymers Derived from 4-Amino-3,5-bis(imidazol-1-yl)methyl-1,2,4-triazole. <i>Chinese Journal of Chemistry</i> , 2011, 29, 178-184.	2.6	4
125	Three cobalt coordination polymers based on bis(1,2,4-triazol-1-ylmethyl)benzene positional isomer ligands and thiocyanate. <i>Journal of Coordination Chemistry</i> , 2012, 65, 3372-3382.	0.8	4
126	Syntheses, crystal structures and luminescent properties of three novel manganese coordination polymers with two-dimensional (6,3) honeycomb and (4,4) networks. <i>Journal of Molecular Structure</i> , 2012, 1029, 8-14.	1.8	4



#	ARTICLE	IF	CITATIONS
127	Syntheses and Structures of Three Copper Coordination Polymers Based on Bis(triazol-1-ylmethyl)benzene. Chinese Journal of Chemistry, 2012, 30, 1479-1484.	2.6	4
128	Two Novel Self-Assemblies of the Calix[4]arene Derivatives and Their Structures. Journal of Inclusion Phenomena and Macrocyclic Chemistry, 2003, 45, 9-11.	1.6	3
129	Syntheses and structures of three new coordination polymers with the flexible 1,4-bis(imidazol-1-yl)butane ligand. Journal of Coordination Chemistry, 2008, 61, 2926-2934.	0.8	2
130	Syntheses, structures, and luminescence of three anion-dependent cadmium coordination polymers. Journal of Coordination Chemistry, 2012, 65, 1803-1811.	0.8	2
131	Synthesis, Structure, and Properties of a Zinc Coordination Polymer With Flexible Ligand 1,4-Bis(1,2,4-triazol-1-ylmethyl)-2,3,5,6-tetramethylbenzene. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 2013, 43, 1112-1117.	0.6	2
132	Construction of (3,8)-connected three-dimensional cobalt(II) and copper(II) coordination polymers with 1,3-bis[(1,2,4-triazol-4-yl)methyl]benzene and benzene-1,3,5-tricarboxylate ligands. Acta Crystallographica Section C, Structural Chemistry, 2019, 75, 960-968.	0.2	2
133	Synthesis, structure and properties of a 3D coordination polymer based on tetranuclear copper(I) and a tetra(triazole) ligand. Journal of Coordination Chemistry, 2020, 73, 2042-2054.	0.8	2
134	A Novel Self-Assembled Supramolecular Complex {[Cu(n)(en) <sub>2</sub> ·H <sub>2</sub> O][Cu(I) <sub>2</sub> (CN) <sub>4</sub> ]} <sub>n</sub> with Honeycomb-Like Structure and Its Adsorption Properties. Chinese Journal of Chemistry, 2002, 20, 1472-1476.	2.6	1
135	Synthesis, Structure and Luminescent Properties of a Two-dimensional Network Asymmetric Biscarboxylate Silver(I) Coordination Polymer. Journal of Inorganic and Organometallic Polymers and Materials, 2012, 22, 892-896.	1.9	1
136	Tuning Manganese Coordination Polymers With Bis(1,2,4-triazol-1-ylmethyl)benzene Position Isomer Ligands and Thiocyanate. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 2013, 43, 897-902.	0.6	1
137	Syntheses, Structures, and Luminescence of Three Manganese Coordination Polymers With Flexible Bistriazole and Rigid Benzenedicarboxylate Ligands. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 2016, 46, 1656-1663.	0.6	1
138	Topology of two copper(II) coordination polymers with tetra(triazole) and dicarboxylate, photocatalytic and sonocatalytic decomposition of MB. Journal of Coordination Chemistry, 0, , 1-14.	0.8	1