

Bao-Long Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7903823/publications.pdf>

Version: 2024-02-01

138
papers

3,447
citations

126708

33
h-index

174990

52
g-index

138
all docs

138
docs citations

138
times ranked

1896
citing authors

#	ARTICLE	IF	CITATIONS
1	Syntheses of two copper metal-organic frameworks with tri(1,2,4-triazole) and biscarboxylate and graphene oxide composites for decomposition of dye by visible-light driven and ultrasonic assisted. <i>Journal of Solid State Chemistry</i> , 2022, 307, 122864.	1.4	9
2	Metal-organic frameworks based on tetra(imidazole) and multicarboxylate: Syntheses, structures, luminescence, photocatalytic and sonocatalytic degradation of methylene blue. <i>Polyhedron</i> , 2021, 197, 115052.	1.0	10
3	Visible-light-driven and ultrasonic-assisted copper metal-organic frameworks and graphene oxide nanocomposite for decolorization of dyes. <i>Journal of Solid State Chemistry</i> , 2021, 304, 122627.	1.4	14
4	A Co-MOF with a (4,4)-connected binodal two-dimensional topology: synthesis, structure and photocatalytic properties. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2020, 76, 23-29.	0.2	8
5	A 2D copper(I) metal-organic framework: Synthesis, structure and luminescence sensing for cupric, ferric, chromate and TNP. <i>Dyes and Pigments</i> , 2020, 175, 108159.	2.0	48
6	Synthesis, structure and properties of a 3D coordination polymer based on tetranuclear copper(I) and a tetra(triazole) ligand. <i>Journal of Coordination Chemistry</i> , 2020, 73, 2042-2054.	0.8	2
7	A 2D cadmium metal-organic framework: Synthesis, structure and luminescence sensing for chromate, permanganate, cupric, silver and ferric. <i>Applied Organometallic Chemistry</i> , 2020, 34, e5977.	1.7	7
8	Synthesis, structure and photocatalytic degradation of organic dyes of a copper(II) metal-organic framework (Cu-MOF) with a 4-coordinated three-dimensional CdSO ₄ topology. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2019, 75, 1053-1059.	0.2	9
9	A Manganese-Based Coordination Polymer Containing No Solvent as a High Performance Anode in Li-Ion Batteries. <i>Crystal Growth and Design</i> , 2019, 19, 6503-6510.	1.4	19
10	Construction of (3,8)-connected three-dimensional cobalt(II) and copper(II) coordination polymers with 1,3-bis[(1,2,4-triazol-4-yl)methyl]benzene and benzene-1,3,5-tricarboxylate ligands. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2019, 75, 960-968.	0.2	2
11	MOF derived CoP-decorated nitrogen-doped carbon polyhedrons/reduced graphene oxide composites for high performance supercapacitors. <i>Dalton Transactions</i> , 2019, 48, 10661-10668.	1.6	55
12	Sonochemical synthesis and characterization of four nanostructural nickel coordination polymers and photocatalytic degradation of methylene blue. <i>Ultrasonics Sonochemistry</i> , 2019, 56, 213-228.	3.8	36
13	Synthesis, structure, spectral characteristic and photocatalytic degradation of organic dyes of a copper metal-organic framework based on tri(triazole) and pimelate. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019, 214, 372-377.	2.0	41
14	Syntheses, structures and properties of structural diversity of 3D coordination polymers based on bis(imidazole) and dicarboxylate. <i>Polyhedron</i> , 2019, 162, 303-310.	1.0	14
15	A luminescent zinc(II) coordination polymer with unusual (3,4,4)-coordinated self-catenated 3D network for selective detection of nitroaromatics and ferric and chromate ions: a versatile luminescent sensor. <i>Dalton Transactions</i> , 2018, 47, 6189-6198.	1.6	147
16	Syntheses, structures and photocatalytic degradation of organic dyes for two isostructural copper coordination polymers involving <i>in situ</i> hydroxylation reaction. <i>Journal of Coordination Chemistry</i> , 2018, 71, 1392-1402.	0.8	9
17	An unusual (4,6)-coordinated copper(II) coordination polymer: High efficient degradation of organic dyes under visible light irradiation and electrochemical properties. <i>Polyhedron</i> , 2018, 148, 81-87.	1.0	12
18	Syntheses, structural diversity and properties of a series of coordination polymers based on 4-substituted bis(triazole) and multicarboxylate ligands. <i>Polyhedron</i> , 2018, 145, 53-62.	1.0	6

#	ARTICLE	IF	CITATIONS
19	An unusual (3,10)-coordinated 3D network coordination polymer as a potential luminescent sensor for detection of nitroaromatics and ferric ion. <i>Journal of Luminescence</i> , 2018, 199, 126-132.	1.5	23
20	Construction of five zinc coordination polymers with 4-substituted bis(triazole) and multicarboxylate ligands: Syntheses, structures and properties. <i>Polyhedron</i> , 2018, 155, 223-231.	1.0	10
21	A bifunctional cationic metal-organic framework based on unprecedented nonanuclear copper(Cu^{II}) cluster for high dichromate and chromate trapping and highly efficient photocatalytic degradation of organic dyes under visible light irradiation. <i>Dalton Transactions</i> , 2018, 47, 9103-9113.	1.6	51
22	An unusual porous cationic metal-organic framework based on a tetranuclear hydroxyl-copper(II) cluster for fast and highly efficient dichromate trapping through a single-crystal to single-crystal process. <i>Chemical Communications</i> , 2017, 53, 1860-1863.	2.2	68
23	A copper coordination polymer based on bis(imidazole) and thiophenedicarboxylate for photocatalytic degradation of organic dyes under visible light irradiation. <i>Inorganic Chemistry Communication</i> , 2017, 85, 16-20.	1.8	24
24	Two intriguing hydroxy-copper(II) coordination polymers with bis(triazole) and bicarboxylate ligands: Syntheses, structures and photocatalytic degradation of organic dyes. <i>Journal of Molecular Structure</i> , 2017, 1143, 146-152.	1.8	5
25	A series of five-coordinated copper coordination polymers for efficient degradation of organic dyes under visible light irradiation. <i>RSC Advances</i> , 2017, 7, 23432-23443.	1.7	32
26	Syntheses, structures, properties of a series of coordination polymers with flexible bis(imidazole) and dicarboxylate ligands. <i>Polyhedron</i> , 2017, 133, 82-91.	1.0	14
27	The 3D and 2D cadmium coordination polymers as luminescent sensors for detection of nitroaromatics. <i>Journal of Luminescence</i> , 2017, 188, 356-364.	1.5	29
28	A series of Cd(Cd^{II}) coordination polymers based on flexible bis(triazole) and multicarboxylate ligands: topological diversity, entanglement and properties. <i>CrystEngComm</i> , 2017, 19, 5797-5808.	1.3	34
29	Syntheses, structures and photocatalytic properties of a series of cobalt coordination polymers based on flexible bis(triazole) and dicarboxylate ligands. <i>Polyhedron</i> , 2017, 121, 61-69.	1.0	21
30	Synthesis, structure and photocatalytic properties of an unusual tetranuclear copper(II) coordination polymer. <i>Inorganic Chemistry Communication</i> , 2016, 73, 134-137.	1.8	10
31	Syntheses, structures and photocatalytic properties of three copper(II) coordination polymers. <i>Inorganic Chemistry Communication</i> , 2016, 70, 185-188.	1.8	12
32	A new strategy to obtain tetranuclear cobalt(Co^{II}) metal-organic frameworks based on the $[\text{Co}_4(\mu_3\text{-OH})_2(\mu_2\text{-L})_2]$ cluster: synthesis, structures and properties. <i>Dalton Transactions</i> , 2016, 45, 15078-15088.	1.6	42
33	Syntheses, Structures, and Luminescence of Three Manganese Coordination Polymers With Flexible Bistriazole and Rigid Benzenedicarboxylate Ligands. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2016, 46, 1656-1663.	0.6	1
34	An unusual (4,4)-connected 3D porous cadmium metal-organic framework as a luminescent sensor for detection of nitrobenzene. <i>RSC Advances</i> , 2016, 6, 56035-56041.	1.7	31
35	Syntheses, structures and properties of eight coordination polymers based on bis(imidazole) and biscarboxylate ligands. <i>Polyhedron</i> , 2016, 104, 1-8.	1.0	19
36	Construction of three coordination polymers based on tetranuclear copper(Cu^{II}) clusters: syntheses, structures and photocatalytic properties. <i>CrystEngComm</i> , 2016, 18, 2490-2499.	1.3	46

#	ARTICLE	IF	CITATIONS
37	Syntheses, structures and luminescence of two cadmium entangled coordination polymers based on bis(imidazole) and biscarboxylate ligands. <i>Inorganic Chemistry Communication</i> , 2015, 57, 84-88.	1.8	8
38	Syntheses, structures and luminescence of a series of coordination polymers constructed with 4-substituted 1,2,4-triazole and biscarboxylate co-ligands. <i>RSC Advances</i> , 2015, 5, 107166-107178.	1.7	9
39	Syntheses, structures and photocatalytic properties of two coordination polymers based on bis(1,2,4-triazol-4-ylmethyl)benzene and multicarboxylates. <i>Inorganic Chemistry Communication</i> , 2015, 52, 34-37.	1.8	16
40	Construction of Cu(II), Zn(II) and Cd(II) metal-organic frameworks of bis(1,2,4-triazol-4-yl)ethane and benzenetricarboxylate: syntheses, structures and photocatalytic properties. <i>CrystEngComm</i> , 2015, 17, 2544-2552.	1.3	76
41	Syntheses, structures, and properties of two- and three-dimensional coordination polymers based on bis(imidazole) and glutarate ligands. <i>Journal of Coordination Chemistry</i> , 2015, 68, 1213-1223.	0.8	8
42	Tuning zinc coordination architectures by benzenedicarboxylate position isomers and bis(triazole). <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015, 147, 20-25.	2.0	10
43	Two independent, 1-D metal-organic nanotubes based on rings or helical chain units. <i>Journal of Coordination Chemistry</i> , 2014, 67, 1317-1331.	0.8	7
44	Synthesis, Structure and Properties of an Unusual 2D Network Zinc Coordination Polymer Based on Pentanuclear Zinc Cluster. <i>Chinese Journal of Chemistry</i> , 2014, 32, 626-630.	2.6	6
45	Two zinc coordination polymers showing five-fold interpenetrated diamondoid network and 2D'3D inclined polycatenation motif. <i>Inorganic Chemistry Communication</i> , 2014, 44, 41-45.	1.8	16
46	Structurally versatile cadmium coordination polymers based on bis(1,2,4-triazol)ethane and rigid aromatic multicarboxylates: syntheses, structures and properties. <i>CrystEngComm</i> , 2014, 16, 1632.	1.3	33
47	Tuning cadmium coordination architectures using 1,4-bis(1,2,4-triazol-1-ylmethyl)benzene and sulfoisophthalate. <i>RSC Advances</i> , 2014, 4, 24594.	1.7	12
48	Syntheses, structures and properties of two zinc coordination polymers based on bis(triazole) and sulfoisophthalate. <i>RSC Advances</i> , 2014, 4, 14241.	1.7	16
49	Four cadmium coordination polymers based on a flexible bis(triazole) ligand and benzenedicarboxylate isomers. <i>Polyhedron</i> , 2014, 83, 228-235.	1.0	8
50	Two cadmium coordination polymers showing three-fold interpenetrated and self-catenated three-dimensional networks. <i>Inorganic Chemistry Communication</i> , 2014, 46, 24-28.	1.8	7
51	A (3,14)-connected three-dimensional metal-organic framework based on the unprecedented enneanuclear copper(II) cluster $[\text{Cu}_9(\frac{1}{4}3\text{-OH})_4(\frac{1}{4}2\text{-OH})_2]$. <i>CrystEngComm</i> , 2013, 15, 9154.	1.3	42
52	Tuning zinc(II) coordination polymers based on bis(1,2,4-triazol-1-yl)ethane and 5-substituted 1,3-benzenedicarboxylates: syntheses, structures and properties. <i>CrystEngComm</i> , 2013, 15, 471-481.	1.3	51
53	Four cadmium coordination polymers modulated by bis(triazol-1-yl)propane and inorganic anions: Syntheses, structures and properties. <i>Polyhedron</i> , 2013, 52, 1009-1015.	1.0	10
54	Syntheses, structures and properties of three cobalt coordination polymers based on flexible bis(triazole) and 5-nitroisophthalate coligands. <i>Journal of Molecular Structure</i> , 2013, 1038, 194-199.	1.8	9

#	ARTICLE	IF	CITATIONS
55	Synthesis, Structure, and Properties of a Zinc Coordination Polymer With Flexible Ligand 1,4-Bis(1,2,4-triazol-1-ylmethyl)-2,3,5,6-tetramethylbenzene. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2013, 43, 1112-1117.	0.6	2
56	Seven structural versatile coordination polymers based on a flexible bis(triazole) and polycarboxylate co-ligands: syntheses, structures and properties. <i>CrystEngComm</i> , 2013, 15, 3630.	1.3	25
57	A polythreading array formed by a (3,5)-connected 3D anionic network and 1D cationic chains: synthesis, structure, and catalytic properties. <i>Dalton Transactions</i> , 2013, 42, 9771.	1.6	39
58	Syntheses, structures and properties of Mn(II), Zn(II) and Ag(I) coordination polymers with 2-(1,2,4-triazol-1-yl)acetate. <i>Journal of Molecular Structure</i> , 2013, 1031, 175-179.	1.8	6
59	Syntheses, structures and luminescence of three cadmium coordination polymers based on 1,2-bis(1,2,4-triazol-1-ylmethyl)benzene. <i>Journal of Coordination Chemistry</i> , 2013, 66, 789-799.	0.8	7
60	Tuning Manganese Coordination Polymers With Bis(1,2,4-triazol-1-ylmethyl)benzene Position Isomer Ligands and Thiocyanate. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2013, 43, 897-902.	0.6	1
61	Three cobalt coordination polymers based on bis(1,2,4-triazol-1-ylmethyl)benzene positional isomer ligands and thiocyanate. <i>Journal of Coordination Chemistry</i> , 2012, 65, 3372-3382.	0.8	4
62	Two unusual 3D and 2D zinc coordination polymers containing 2D or 1D [Zn ₂ (btec)] _n based on flexible bis(triazole) and rigid benzenetetracarboxylate co-ligands. <i>Inorganic Chemistry Communication</i> , 2012, 26, 37-41.	1.8	13
63	A polythreading coordination array formed from a 3D microporous cation network and 1D anion ladders. <i>CrystEngComm</i> , 2012, 14, 1201-1204.	1.3	38
64	Syntheses, structures, and luminescence of three anion-dependent cadmium coordination polymers. <i>Journal of Coordination Chemistry</i> , 2012, 65, 1803-1811.	0.8	2
65	Tuning Cobalt Coordination Architectures by Bis(1,2,4-triazol-1-ylmethyl)benzene Position Isomers and 5-Nitroisophthalate. <i>Crystal Growth and Design</i> , 2012, 12, 3992-3997.	1.4	70
66	Syntheses, crystal structures and luminescent properties of three novel manganese coordination polymers with two-dimensional (6,3) honeycomb and (4,4) networks. <i>Journal of Molecular Structure</i> , 2012, 1029, 8-14.	1.8	4
67	An unusual (4,6)-connected three dimensional framework and a two-dimensional (6,3) network based on flexible and rigid co-ligands. <i>Inorganic Chemistry Communication</i> , 2012, 21, 76-79.	1.8	8
68	Two Unusual Two-dimensional (4,4) Network Cadmium Coordination Polymers Based on Flexible Bis(triazole) and Rigid Benzenedicarboxylate Co-ligands. <i>Chinese Journal of Chemistry</i> , 2012, 30, 1813-1818.	2.6	6
69	A novel T ₄ (1)6(1) water tape encapsulated in a (3,3)-connected 2D copper metal-organic framework. <i>CrystEngComm</i> , 2012, 14, 79-82.	1.3	28
70	An unusual three-dimensional coordination network formed by parallel polythreading of two-fold polycatenated (6,3) layers. <i>CrystEngComm</i> , 2012, 14, 4161.	1.3	22
71	Syntheses and Structures of Three Copper Coordination Polymers Based on Bis(triazol-1-ylmethyl)benzene. <i>Chinese Journal of Chemistry</i> , 2012, 30, 1479-1484.	2.6	4
72	Synthesis, Structure and Luminescent Properties of a Two-dimensional Network Asymmetric Biscarboxylate Silver(I) Coordination Polymer. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2012, 22, 892-896.	1.9	1

#	ARTICLE	IF	CITATIONS
73	Syntheses, structures and magnetic properties of five iron(II) coordination polymers with flexible bis(imidazole) and bis(triazole) ligands. <i>Polyhedron</i> , 2012, 31, 77-81.	1.0	31
74	A polythreading coordination array formed from 2D grid networks and 1D chains. <i>CrystEngComm</i> , 2011, 13, 3342.	1.3	49
75	Syntheses, structures, and luminescence of three 4-connected zinc coordination polymers with bis(1,2,4-triazol-1-yl)propane and benzenedicarboxylate. <i>Journal of Coordination Chemistry</i> , 2011, 64, 2878-2889.	0.8	11
76	Structural versatility of seven copper(II) coordination polymers constructed with the long flexible ligand 1,4-bis(1,2,4-triazol-1-yl)butane. <i>CrystEngComm</i> , 2011, 13, 6090.	1.3	27
77	Anion-controlled four silver coordination polymers with flexible bis(1,2,4-triazol-4-yl)ethane. <i>Inorganica Chimica Acta</i> , 2011, 376, 612-618.	1.2	18
78	Hydrogen Bond Networks of Three Cobalt Coordination Polymers Based on Bis(triazole) and Benzenedicarboxylate Isomers. <i>Chinese Journal of Chemistry</i> , 2011, 29, 2591-2596.	2.6	6
79	Syntheses, Structures and Properties of Four Manganese Coordination Polymers Derived from 4-amino-3,5-bis(imidazol-1-yl)methyl-1,2,4-triazole. <i>Chinese Journal of Chemistry</i> , 2011, 29, 178-184.	2.6	4
80	A novel (2,3,5)-connected double interpenetrating three-dimensional network cadmium coordination polymer with flexible tri(triazole) and dicyanamide ligands. <i>Inorganic Chemistry Communication</i> , 2011, 14, 49-51.	1.8	7
81	Syntheses, structures and luminescent properties of three cadmium coordination polymers derived from (4-carboxymethoxy-phenyl)-acetate. <i>Journal of Molecular Structure</i> , 2011, 998, 233-239.	1.8	5
82	Three 4-connected nickel coordination polymers affording a 3-D CdSO ₄ network and two 2-D (4,4) networks. <i>Journal of Coordination Chemistry</i> , 2011, 64, 4254-4263.	0.8	5
83	A (3,4)-connected two-dimensional copper coordination polymer with a 2D+3D polycatenation network. <i>Journal of Molecular Structure</i> , 2010, 964, 5-8.	1.8	14
84	A novel three-dimensional network silver coordination polymer with flexible bis(1,2,4-triazol-4-yl)ethane. <i>Inorganic Chemistry Communication</i> , 2010, 13, 844-846.	1.8	21
85	Four coordination polymers derived from 4-amino-3,5-bis(3-pyridyl)-1,2,4-triazole and copper sulfate. <i>Inorganic Chemistry Communication</i> , 2010, 13, 976-980.	1.8	15
86	Two cobalt coordination polymers with a highly undulated 2-D network and a 2-D (4,4) network. <i>Journal of Coordination Chemistry</i> , 2010, 63, 2307-2316.	0.8	9
87	Syntheses and structures of three disulfoxide uranyl complexes. <i>Journal of Coordination Chemistry</i> , 2010, 63, 3006-3015.	0.8	6
88	A Two-Dimensional Metal-Organic Framework Based on a Ferromagnetic Pentanuclear Copper(II). <i>Inorganic Chemistry</i> , 2010, 49, 1266-1270.	1.9	73
89	Syntheses and structures of three zinc coordination polymers with 1-D zigzag chain, double chain, and triple chain. <i>Journal of Coordination Chemistry</i> , 2009, 62, 2358-2366.	0.8	18
90	Syntheses and structures of two hydrogen bonding frameworks with bis(triazole) and 1,2,4,5-benzenetetracarboxylate. <i>Journal of Molecular Structure</i> , 2009, 929, 73-78.	1.8	7

#	ARTICLE	IF	CITATIONS
91	Two nickel coordination polymers with flexible ligand 1,3,5-tri(1,2,4-triazol-1-ylmethyl)-2,4,6-trimethylbenzene. <i>Inorganic Chemistry Communication</i> , 2009, 12, 1161-1163.	1.8	8
92	Structural Versatility of Eight Zinc(II) Coordination Polymers Constructed with a Long Flexible Ligand 1,4-Bis(1,2,4-triazol-1-yl)butane. <i>Crystal Growth and Design</i> , 2009, 9, 3997-4005.	1.4	84
93	Syntheses and structures of two copper coordination polymers with <i>bis</i> (1,2,4-triazol-1-ylmethyl)benzene and benzenedicarboxylate. <i>Journal of Coordination Chemistry</i> , 2009, 62, 3819-3827.	0.8	12
94	Solvent-controlled assembly of supramolecular isomers: 2D (4,4) network, 1D ribbons of ring, and both 2D (4,4) networks and 1D ribbons of rings polycatenated in a 3D array. <i>CrystEngComm</i> , 2009, 11, 997.	1.3	85
95	Synthesis, structures and luminescence properties of three manganese coordination polymers with <i>bis</i> (1,2,4-triazol-1-ylmethyl)benzene. <i>Inorganic Chemistry Communication</i> , 2008, 11, 260-264.	1.8	10
96	Anion-dependent structural diversity in cadmium coordination polymers of flexible <i>bis</i> (1,2,4-triazol-1-yl)butane. <i>Inorganic Chemistry Communication</i> , 2008, 11, 1079-1081.	1.8	46
97	Syntheses, structures and luminescence of zinc and cadmium coordination polymers with <i>bis</i> (1,2,4-triazol-1-yl)butane and benzenedicarboxylate. <i>Inorganic Chemistry Communication</i> , 2008, 11, 1273-1275.	1.8	28
98	Syntheses, structures and luminescent properties of three cadmium coordination polymers with 1,3- <i>bis</i> (1,2,4-triazol-1-ylmethyl)benzene. <i>Journal of Molecular Structure</i> , 2008, 876, 288-293.	1.8	29
99	Syntheses and structures of three manganese coordination polymers with 1,4- <i>bis</i> (imidazol-1-yl)butane. <i>Journal of Coordination Chemistry</i> , 2008, 61, 750-759.	0.8	7
100	A New "Opened-Cube"(H ₂ O) ₁₀ Cluster and Undulated Water Chain in Porous Metal-Organic Frameworks. <i>Crystal Growth and Design</i> , 2008, 8, 3902-3904.	1.4	111
101	Syntheses and structures of three new coordination polymers with the flexible 1,4- <i>bis</i> (imidazol-1-yl)butane ligand. <i>Journal of Coordination Chemistry</i> , 2008, 61, 2926-2934.	0.8	2
102	Synthesis and structures of two uranyl ²⁺ -diketonate complexes [UO ₂ (DBM) ₂ (DEDPU)] and [UO ₂ (PMBP) ₂ (DEDPU)]. <i>Journal of Coordination Chemistry</i> , 2008, 61, 917-925.	0.8	9
103	Syntheses, structures and luminescent properties of a dimer and an one-dimensional chain coordination polymer with the flexible <i>bis</i> (triazole) and hydroxybenzoate ligands. <i>Journal of Molecular Structure</i> , 2007, 837, 263-268.	1.8	18
104	Synthesis, crystal structure and magnetic behavior of two cobalt coordination polymers with 1,2- <i>bis</i> (1,2,4-triazol-1-yl)ethane and dicyanamide. <i>Polyhedron</i> , 2007, 26, 5219-5224.	1.0	40
105	Syntheses and structures of two new uranyl complexes [UO ₂ (DPDPU) ₂ (NO ₃) ₂](C ₆ H ₅ CH ₃) and [UO ₂ (PMBP) ₂ (DPDPU)](CH ₃ C ₆ H ₄ CH ₃) _{0.5} . <i>Journal of Coordination Chemistry</i> , 2006, 59, 1609-1614.	0.8	5
106	Three Supramolecular Isomers of Square Grid Networks from the Assembly of a Flexible Spacer and Co(NCS) ₂ Structures and Polymer Transformation. <i>Crystal Growth and Design</i> , 2006, 6, 994-998.	1.4	107
107	Synthesis, structures and luminescent properties of two silver supramolecular isomers with one-dimensional concavo-convex chain and dimer metallacycle. <i>Inorganic Chemistry Communication</i> , 2006, 9, 216-219.	1.8	24
108	Syntheses and structures of three cobalt(II) complexes with thiocyanate and 1,2- <i>bis</i> (benzotriazol-1-yl)ethane. <i>Journal of Molecular Structure</i> , 2006, 788, 194-199.	1.8	18

#	ARTICLE	IF	CITATIONS
127	Synthesis, Characterization and Crystal Structure of a One-Dimensional Chain Copper Bipyridine Complex Bridged Through an Azobispyridine Ligand. <i>Journal of Coordination Chemistry</i> , 2002, 55, 1183-1189.	0.8	6
128	Title is missing!. <i>Transition Metal Chemistry</i> , 2002, 27, 372-376.	0.7	53
129	Title is missing!. <i>Transition Metal Chemistry</i> , 2002, 27, 786-789.	0.7	15
130	Synthesis, Structure and Characterization of Two-dimensional Network Copper Complex $[Cu_3(NTA)_2(AZPY)_2(H_2O)_6] \cdot 6H_2O$. <i>Chinese Journal of Chemistry</i> , 2002, 20, 187-190.	2.6	7
131	A Novel Self-assembled Supramolecular Complex $\{[Cu(en)_2 \cdot H_2O][Cu(en)_2(CN)_4]\}_n$ with Honeycomb-like Structure and Its Adsorption Properties. <i>Chinese Journal of Chemistry</i> , 2002, 20, 1472-1476.	2.6	1
132	Synthesis and structure of a novel infinite triple helices coordination polymer $\{[Mn(bipy)(azpy)_2(NCS)_2] \cdot H_2O\}_n$ (bipy = 4,4'-bipyridine, azpy = 4,4'-azobispyridine). <i>Inorganic Chemistry Communication</i> , 2001, 4, 451-453.	1.8	30
133	Title is missing!. <i>Journal of Chemical Crystallography</i> , 2001, 31, 357-361.	0.5	8
134	Title is missing!. <i>Transition Metal Chemistry</i> , 2001, 26, 369-371.	0.7	8
135	Crystal Structure and Luminescence of $[Eu(TTA)_3 \cdot DAF] \cdot 0.5C_7H_8$ Complex Excited by Visible Light. <i>Chinese Journal of Chemistry</i> , 2001, 19, 766-771.	2.6	10
136	An unusual three-dimensional porous framework complex $\{[Cu(en)_2][KCr(CN)_6]\}_n$ (en = 1,2-ethylenediamine). <i>Journal of Coordination Chemistry</i> , 2001, 50, 382-387.	2.2	33
137	Title is missing!. <i>Transition Metal Chemistry</i> , 1999, 24, 622-627.	0.7	38
138	Topology of two copper(II) coordination polymers with tetra(triazole) and dicarboxylate, photocatalytic and sonocatalytic decomposition of MB. <i>Journal of Coordination Chemistry</i> , 0, , 1-14.	0.8	1