

Cristina SÃ¡ez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/790547/publications.pdf>

Version: 2024-02-01

262
papers

11,162
citations

28190

55
h-index

49773

87
g-index

263
all docs

263
docs citations

263
times ranked

5884
citing authors

#	ARTICLE	IF	CITATIONS
1	Adapting the low-cost pre-disinfection column PREDICO for simultaneous softening and disinfection of pore water. <i>Chemosphere</i> , 2022, 287, 132334.	4.2	1
2	Exploring the pressurized heterogeneous electro-Fenton process and modelling the system. <i>Chemical Engineering Journal</i> , 2022, 431, 133280.	6.6	8
3	Toward real applicability of electro-ozonizers: Paying attention to the gas phase using actual commercial PEM electrolyzers technology. <i>Chemosphere</i> , 2022, 289, 133141.	4.2	8
4	Scale-up in PEM electro-ozonizers for the degradation of organics. <i>Separation and Purification Technology</i> , 2022, 284, 120261.	3.9	8
5	Disinfection of polymicrobial urines by electrochemical oxidation: Removal of antibiotic-resistant bacteria and genes. <i>Journal of Hazardous Materials</i> , 2022, 426, 128028.	6.5	20
6	Scale-up of Ru-based mesh anodes for the degradation of synthetic hospital wastewater. <i>Separation and Purification Technology</i> , 2022, 285, 120260.	3.9	3
7	High levofloxacin removal in the treatment of synthetic human urine using Ti/MMO/ZnO photo-electrocatalyst. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 107317.	3.3	9
8	Electrochemical Production of Hydrogen Peroxide in Perchloric Acid Supporting Electrolytes for the Synthesis of Chlorine Dioxide. <i>Industrial & Engineering Chemistry Research</i> , 2022, 61, 3263-3271.	1.8	8
9	Full and Sustainable Electrochemical Production of Chlorine Dioxide. <i>Catalysts</i> , 2022, 12, 315.	1.6	4
10	Towards the production of chlorine dioxide from electrochemically <i>in situ</i> produced solutions of chlorate. <i>Journal of Chemical Technology and Biotechnology</i> , 2022, 97, 2024-2031.	1.6	6
11	Electrochemical removal of pharmaceutical micropollutants from groundwater. <i>Journal of Electroanalytical Chemistry</i> , 2022, 910, 116173.	1.9	2
12	The integration of ZVI-dehalogenation and electrochemical oxidation for the treatment of complex effluents polluted with iodinated compounds. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 107587.	3.3	4
13	On the way to raising the technology readiness level of diamond electrolysis. <i>Current Opinion in Electrochemistry</i> , 2022, 33, 100928.	2.5	1
14	Enhancing soil vapor extraction with EKSF for the removal of HCHs. <i>Chemosphere</i> , 2022, 296, 134052.	4.2	9
15	Electro-Fenton-Based Technologies for Selectively Degrading Antibiotics in Aqueous Media. <i>Catalysts</i> , 2022, 12, 602.	1.6	4
16	Influence of pressure and cell design on the production of ozone and organic degradation. <i>Separation and Purification Technology</i> , 2022, 297, 121529.	3.9	7
17	Enhancement of UV disinfection of urine matrixes by electrochemical oxidation. <i>Journal of Hazardous Materials</i> , 2021, 410, 124548.	6.5	23
18	Improving the degradation of low concentration of microcystin-LR with PEM electrolyzers and photo-electrolyzers. <i>Separation and Purification Technology</i> , 2021, 259, 118189.	3.9	8

#	ARTICLE	IF	CITATIONS
19	Photocatalytic performance of Ti/MMO/ZnO at degradation of levofloxacin: Effect of pH and chloride anions. <i>Journal of Electroanalytical Chemistry</i> , 2021, 880, 114894.	1.9	20
20	Promoting the formation of Co (III) electrocatalyst with diamond anodes. <i>Journal of Electroanalytical Chemistry</i> , 2021, 882, 115007.	1.9	6
21	Electrochemically Assisted Soil Washing for the Remediation of Non-polar and Volatile Pollutants. <i>Current Pollution Reports</i> , 2021, 7, 180-193.	3.1	3
22	Understanding ozone generation in electrochemical cells at mild pHs. <i>Electrochimica Acta</i> , 2021, 376, 138033.	2.6	27
23	The role of chloramines on the electrodisinfection of <i>Klebsiella pneumoniae</i> in hospital urines. <i>Chemical Engineering Journal</i> , 2021, 409, 128253.	6.6	23
24	Towards a higher photostability of ZnO photo-electrocatalysts in the degradation of organics by using MMO substrates. <i>Chemosphere</i> , 2021, 271, 129451.	4.2	13
25	Novel Ti/RuO ₂ IrO ₂ anode to reduce the dangerousness of antibiotic polluted urines by Fenton-based processes. <i>Chemosphere</i> , 2021, 270, 129344.	4.2	24
26	A review on the electrochemical production of chlorine dioxide from chlorates and hydrogen peroxide. <i>Current Opinion in Electrochemistry</i> , 2021, 27, 100685.	2.5	18
27	Disinfection of urines using an electro-ozonizer. <i>Electrochimica Acta</i> , 2021, 382, 138343.	2.6	12
28	New insights about the electrochemical production of ozone. <i>Current Opinion in Electrochemistry</i> , 2021, 27, 100697.	2.5	28
29	Electrochemically-based hybrid oxidative technologies for the treatment of micropollutants in drinking water. <i>Chemical Engineering Journal</i> , 2021, 414, 128531.	6.6	19
30	Electrochemical generation of ozone using a PEM electrolyzer at acidic pHs. <i>Separation and Purification Technology</i> , 2021, 267, 118672.	3.9	21
31	Continuous electro-scrubbers for the removal of perchloroethylene: Keys for selection. <i>Journal of Electroanalytical Chemistry</i> , 2021, 892, 115267.	1.9	3
32	Electroscrubbers for removing volatile organic compounds and odorous substances from polluted gaseous streams. <i>Current Opinion in Electrochemistry</i> , 2021, 28, 100718.	2.5	4
33	Towards a more realistic heterogeneous electro-Fenton. <i>Journal of Electroanalytical Chemistry</i> , 2021, 895, 115475.	1.9	14
34	Treatment of toluene gaseous streams using packed column electro-scrubbers and cobalt mediators. <i>Journal of Electroanalytical Chemistry</i> , 2021, 895, 115500.	1.9	5
35	Outstanding performance of the microwave-made MMO-Ti/RuO ₂ IrO ₂ anode on the removal of antimicrobial activity of Penicillin G by photoelectrolysis. <i>Chemical Engineering Journal</i> , 2021, 420, 129999.	6.6	19
36	Scale-up of electrokinetic permeable reactive barriers for the removal of organochlorine herbicide from spiked soils. <i>Journal of Hazardous Materials</i> , 2021, 417, 126078.	6.5	15

#	ARTICLE	IF	CITATIONS
37	Cobalt mediated electro-scrubbers for the degradation of gaseous perchloroethylene. <i>Chemosphere</i> , 2021, 279, 130525.	4.2	4
38	Electrochemical systems equipped with 2D and 3D microwave-made anodes for the highly efficient degradation of antibiotics in urine. <i>Electrochimica Acta</i> , 2021, 392, 139012.	2.6	20
39	Comparison of the performance of packed column and jet electro-scrubbers for the removal of toluene. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 106114.	3.3	6
40	A review on disinfection technologies for controlling the antibiotic resistance spread. <i>Science of the Total Environment</i> , 2021, 797, 149150.	3.9	37
41	Is ozone production able to explain the good performance of CabECO [®] technology in wastewater treatment?. <i>Electrochimica Acta</i> , 2021, 396, 139262.	2.6	6
42	Photoelectrocatalytic treatment of levofloxacin using Ti/MMO/ZnO electrode. <i>Chemosphere</i> , 2021, 284, 131303.	4.2	10
43	Pressurized electro-Fenton for the reduction of the environmental impact of antibiotics. <i>Separation and Purification Technology</i> , 2021, 276, 119398.	3.9	27
44	Electrochemical Technologies to Decrease the Chemical Risk of Hospital Wastewater and Urine. <i>Molecules</i> , 2021, 26, 6813.	1.7	13
45	Production of Chlorine Dioxide Using Hydrogen Peroxide and Chlorates. <i>Catalysts</i> , 2021, 11, 1478.	1.6	8
46	A comparison between flow-through cathode and mixed tank cells for the electro-Fenton process with conductive diamond anode. <i>Chemosphere</i> , 2020, 238, 124854.	4.2	19
47	Testing different strategies for the remediation of soils polluted with lindane. <i>Chemical Engineering Journal</i> , 2020, 381, 122674.	6.6	25
48	Improving photolytic treatments with electrochemical technology. <i>Separation and Purification Technology</i> , 2020, 235, 116229.	3.9	9
49	Innovative photoelectrochemical cell for the removal of CHCs from soil washing wastes. <i>Separation and Purification Technology</i> , 2020, 230, 115876.	3.9	13
50	Assessing the performance of electrochemical oxidation using DSA [®] and BDD anodes in the presence of UVC light. <i>Chemosphere</i> , 2020, 238, 124575.	4.2	39
51	Understanding the electrolytic generation of sulfate and chlorine oxidative species with different boron-doped diamond anodes. <i>Journal of Electroanalytical Chemistry</i> , 2020, 857, 113756.	1.9	46
52	Photoelectrolysis of clopyralid wastes with a novel laser-prepared MMO-RuO ₂ TiO ₂ anode. <i>Chemosphere</i> , 2020, 244, 125455.	4.2	27
53	Treatment of mining wastewater polluted with cyanide by coagulation processes: A mechanistic study. <i>Separation and Purification Technology</i> , 2020, 237, 116345.	3.9	46
54	Jet electro-absorbers for the treatment of gaseous perchloroethylene wastes. <i>Chemical Engineering Journal</i> , 2020, 395, 125096.	6.6	13

#	ARTICLE	IF	CITATIONS
55	Removal of antibiotic resistant bacteria by electrolysis with diamond anodes: A pretreatment or a tertiary treatment?. <i>Journal of Water Process Engineering</i> , 2020, 38, 101557.	2.6	18
56	New electrochemical processes for the environmental sustainability. <i>Chemosphere</i> , 2020, 257, 127188.	4.2	1
57	Electro-disinfection with BDD-electrodes featuring PEM technology. <i>Separation and Purification Technology</i> , 2020, 248, 117081.	3.9	28
58	How to avoid the formation of hazardous chlorates and perchlorates during electro-disinfection with diamond anodes?. <i>Journal of Environmental Management</i> , 2020, 265, 110566.	3.8	11
59	Biodegradability improvement of clopyralid wastes through electrolysis using different diamond anodes. <i>Environmental Research</i> , 2020, 188, 109747.	3.7	8
60	Testing the role of electrode materials on the electro-Fenton and photoelectro-Fenton degradation of clopyralid. <i>Journal of Electroanalytical Chemistry</i> , 2020, 871, 114291.	1.9	23
61	Testing and scaling-up of a novel Ti/Ru _{0.7} Ti _{0.3} O ₂ mesh anode in a microfluidic flow-through reactor. <i>Chemical Engineering Journal</i> , 2020, 398, 125568.	6.6	21
62	On the Degradation of 17- β Estradiol Using Boron Doped Diamond Electrodes. <i>Processes</i> , 2020, 8, 710.	1.3	9
63	Improving biodegradability of clopyralid wastes by photoelectrolysis: The role of the anode material. <i>Journal of Electroanalytical Chemistry</i> , 2020, 864, 114084.	1.9	15
64	Electro-Absorbers: A Comparison on Their Performance with Jet-Absorbers and Absorption Columns. <i>Catalysts</i> , 2020, 10, 653.	1.6	14
65	Electro-ozonizers: A new approach for an old problem. <i>Separation and Purification Technology</i> , 2020, 241, 116701.	3.9	26
66	Clopyralid degradation by AOPs enhanced with zero valent iron. <i>Journal of Hazardous Materials</i> , 2020, 392, 122282.	6.5	19
67	Improving biotreatability of hazardous effluents combining ZVI, electrolysis and photolysis. <i>Science of the Total Environment</i> , 2020, 713, 136647.	3.9	9
68	Testing the use of cells equipped with solid polymer electrolytes for electro-disinfection. <i>Science of the Total Environment</i> , 2020, 725, 138379.	3.9	26
69	Improving the biodegradability of hospital urines polluted with chloramphenicol by the application of electrochemical oxidation. <i>Science of the Total Environment</i> , 2020, 725, 138430.	3.9	46
70	Improvement of electrochemical oxidation efficiency through combination with adsorption processes. <i>Journal of Environmental Management</i> , 2020, 262, 110364.	3.8	23
71	Influence of the doping level of boron-doped diamond anodes on the removal of penicillin G from urine matrixes. <i>Science of the Total Environment</i> , 2020, 736, 139536.	3.9	35
72	Operating the CabECO [®] membrane electrolytic technology in continuous mode for the direct disinfection of highly fecal-polluted water. <i>Separation and Purification Technology</i> , 2019, 208, 110-115.	3.9	30

#	ARTICLE	IF	CITATIONS
73	Anodic oxidation for the remediation of soils polluted with perchloroethylene. <i>Journal of Chemical Technology and Biotechnology</i> , 2019, 94, 288-294.	1.6	9
74	Development of a novel electrochemical coagulant dosing unit for water treatment. <i>Journal of Chemical Technology and Biotechnology</i> , 2019, 94, 216-221.	1.6	7
75	Environmental applications of electrochemical technology. What is needed to enable full-scale applications?. <i>Current Opinion in Electrochemistry</i> , 2019, 16, 149-156.	2.5	87
76	Can the substrate of the diamond anodes influence on the performance of the electrosynthesis of oxidants?. <i>Journal of Electroanalytical Chemistry</i> , 2019, 850, 113416.	1.9	19
77	Towards the scale up of a pressurized-jet microfluidic flow-through reactor for cost-effective electro-generation of H ₂ O ₂ . <i>Journal of Cleaner Production</i> , 2019, 211, 1259-1267.	4.6	50
78	Enhanced electrolytic treatment for the removal of clopyralid and lindane. <i>Chemosphere</i> , 2019, 234, 132-138.	4.2	27
79	Reactor design as a critical input in the electrochemical production of peroxyacetic acid. <i>Journal of Chemical Technology and Biotechnology</i> , 2019, 94, 2955-2960.	1.6	6
80	Effects of ultrasound irradiation on the electrochemical treatment of wastes containing micelles. <i>Applied Catalysis B: Environmental</i> , 2019, 248, 108-114.	10.8	19
81	The Role of Mediated Oxidation on the Electro-irradiated Treatment of Amoxicillin and Ampicillin Polluted Wastewater. <i>Catalysts</i> , 2019, 9, 9.	1.6	19
82	Electrolysis with diamond anodes of the effluents of a combined soil washing "ZVI dechlorination process. <i>Journal of Hazardous Materials</i> , 2019, 369, 577-583.	6.5	9
83	A comparison of the electrolysis of soil washing wastes with active and non-active electrodes. <i>Chemosphere</i> , 2019, 225, 19-26.	4.2	16
84	The Role of the Anode Material in Selective Penicillin G Oxidation in Urine. <i>ChemElectroChem</i> , 2019, 6, 1376-1384.	1.7	31
85	Electrochemical production of perchlorate as an alternative for the valorization of brines. <i>Chemosphere</i> , 2019, 220, 637-643.	4.2	9
86	A new electrochemically-based process for the removal of perchloroethylene from gaseous effluents. <i>Chemical Engineering Journal</i> , 2019, 361, 609-614.	6.6	15
87	Competitive Anodic Oxidation of Methyl Paraben and Propylene Glycol: Keys to Understand the Process. <i>ChemElectroChem</i> , 2019, 6, 771-778.	1.7	9
88	Techno-economic analysis of the scale-up process of electrochemically-assisted soil remediation. <i>Journal of Environmental Management</i> , 2019, 231, 570-575.	3.8	19
89	Electrochemical dewatering for the removal of hazardous species from sludge. <i>Journal of Environmental Management</i> , 2019, 233, 768-773.	3.8	8
90	Integrating ZVI-dehalogenation into an electrolytic soil-washing cell. <i>Separation and Purification Technology</i> , 2019, 211, 28-34.	3.9	11

#	ARTICLE	IF	CITATIONS
91	Coupling Ultrasound to the Electrooxidation of Methyl Paraben Synthetic Wastewater: Effect of Frequency and Supporting Electrolyte. <i>ChemElectroChem</i> , 2019, 6, 1199-1205.	1.7	21
92	Sono- and photoelectrocatalytic processes for the removal of ionic liquids based on the 1-butyl-3-methylimidazolium cation. <i>Journal of Hazardous Materials</i> , 2019, 372, 77-84.	6.5	16
93	Effect of the electrolyte on the electrolysis and photoelectrolysis of synthetic methyl paraben polluted wastewater. <i>Separation and Purification Technology</i> , 2019, 208, 201-207.	3.9	32
94	On the design of a jet-aerated microfluidic flow-through reactor for wastewater treatment by electro-Fenton. <i>Separation and Purification Technology</i> , 2019, 208, 123-129.	3.9	40
95	Radiation-assisted electrochemical processes in semi-pilot scale for the removal of clopyralid from soil washing wastes. <i>Separation and Purification Technology</i> , 2019, 208, 100-109.	3.9	27
96	The pressurized jet aerator: A new aeration system for high-performance H ₂ O ₂ electrolyzers. <i>Electrochemistry Communications</i> , 2018, 89, 19-22.	2.3	35
97	Coupling Photo and Sono Technologies with BDD Anodic Oxidation for Treating Soil-Washing Effluent Polluted with Atrazine. <i>Journal of the Electrochemical Society</i> , 2018, 165, E262-E267.	1.3	18
98	A new strategy for the electrolytic removal of organics based on adsorption onto granular activated carbon. <i>Electrochemistry Communications</i> , 2018, 90, 47-50.	2.3	35
99	Disinfection of urine by conductive-diamond electrochemical oxidation. <i>Applied Catalysis B: Environmental</i> , 2018, 229, 63-70.	10.8	48
100	Enhanced electrokinetic remediation of polluted soils by anolyte pH conditioning. <i>Chemosphere</i> , 2018, 199, 477-485.	4.2	46
101	Electrolysis with diamond anodes: Eventually, there are refractory species!. <i>Chemosphere</i> , 2018, 195, 771-776.	4.2	18
102	Are electrochemical fences effective in the retention of pollution?. <i>Separation and Purification Technology</i> , 2018, 201, 19-24.	3.9	5
103	Electrolytic and electro-irradiated technologies for the removal of chloramphenicol in synthetic urine with diamond anodes. <i>Water Research</i> , 2018, 128, 383-392.	5.3	61
104	Influence of the supporting electrolyte on the removal of ionic liquids by electrolysis with diamond anodes. <i>Catalysis Today</i> , 2018, 313, 203-210.	2.2	17
105	Water transport in electrokinetic remediation of unsaturated kaolinite. Experimental and numerical study. <i>Separation and Purification Technology</i> , 2018, 192, 196-204.	3.9	31
106	Removal of pharmaceuticals from the urine of polymedicated patients: A first approach. <i>Chemical Engineering Journal</i> , 2018, 331, 606-614.	6.6	36
107	Electro-bioremediation at the prototype scale: What it should be learned for the scale-up. <i>Chemical Engineering Journal</i> , 2018, 334, 2030-2038.	6.6	33
108	Removal of 2,4-D herbicide in soils using a combined process based on washing and adsorption electrochemically assisted. <i>Separation and Purification Technology</i> , 2018, 194, 19-25.	3.9	22

#	ARTICLE	IF	CITATIONS
109	ZVI " Reactive barriers for the remediation of soils polluted with clopyralid: Are they really Worth?. Chemical Engineering Journal, 2018, 350, 100-107.	6.6	30
110	Improving the catalytic effect of peroxodisulfate and peroxodiphosphate electrochemically generated at diamond electrode by activation with light irradiation. Chemosphere, 2018, 207, 774-780.	4.2	21
111	Can CabECO® technology be used for the disinfection of highly faecal-polluted surface water?. Chemosphere, 2018, 209, 346-352.	4.2	30
112	Development of an innovative approach for low-impact wastewater treatment: A microfluidic flow-through electrochemical reactor. Chemical Engineering Journal, 2018, 351, 766-772.	6.6	55
113	Pre-disinfection columns to improve the performance of the direct electro-disinfection of highly faecal-polluted surface water. Journal of Environmental Management, 2018, 222, 135-140.	3.8	12
114	Toward the Development of Efficient Electro-Fenton Reactors for Soil Washing Wastes through Microfluidic Cells. Industrial & Engineering Chemistry Research, 2018, 57, 10709-10717.	1.8	23
115	Reversible electrokinetic adsorption barriers for the removal of organochlorine herbicide from spiked soils. Science of the Total Environment, 2018, 640-641, 629-636.	3.9	24
116	Indirect Electrochemical Oxidation by Using Ozone, Hydrogen Peroxide, and Ferrate. , 2018, , 165-192.		8
117	UV assisted electrochemical technologies for the removal of oxyfluorfen from soil washing wastes. Chemical Engineering Journal, 2017, 318, 2-9.	6.6	34
118	Applicability of electrochemical oxidation using diamond anodes to the treatment of a sulfonylurea herbicide. Catalysis Today, 2017, 280, 192-198.	2.2	29
119	Treatment of ex-situ soil-washing fluids polluted with petroleum by anodic oxidation, photolysis, sonolysis and combined approaches. Chemical Engineering Journal, 2017, 310, 581-588.	6.6	61
120	Treating soil-washing fluids polluted with oxyfluorfen by sono-electrolysis with diamond anodes. Ultrasonics Sonochemistry, 2017, 34, 115-122.	3.8	40
121	Combining bioadsorption and photoelectrochemical oxidation for the treatment of soil-washing effluents polluted with herbicide 2,4-DE. Journal of Chemical Technology and Biotechnology, 2017, 92, 83-89.	1.6	31
122	Removal of chlorsulfuron and 2,4-D from spiked soil using reversible electrokinetic adsorption barriers. Separation and Purification Technology, 2017, 178, 147-153.	3.9	22
123	Treatment of Soil-Washing Effluents Polluted with Herbicide Oxyfluorfen by Combined Biosorption"Electrolysis. Industrial & Engineering Chemistry Research, 2017, 56, 1903-1910.	1.8	22
124	Removal of pendimethalin from soil washing effluents using electrolytic and electro-irradiated technologies based on diamond anodes. Applied Catalysis B: Environmental, 2017, 213, 190-197.	10.8	35
125	Is it really important the addition of salts for the electrolysis of soil washing effluents?. Electrochimica Acta, 2017, 246, 372-379.	2.6	40
126	Removal of sulfate from mining waters by electrocoagulation. Separation and Purification Technology, 2017, 182, 87-93.	3.9	73

#	ARTICLE	IF	CITATIONS
127	Multiphysics Implementation of Electrokinetic Remediation Models for Natural Soils and Porewaters. <i>Electrochimica Acta</i> , 2017, 225, 93-104.	2.6	58
128	Improving the Efficiency of Carbon Cloth for the Electrogeneration of H ₂ O ₂ : Role of Polytetrafluoroethylene and Carbon Black Loading. <i>Industrial & Engineering Chemistry Research</i> , 2017, 56, 12588-12595.	1.8	80
129	Effect of pressure on the electrochemical generation of hydrogen peroxide in undivided cells on carbon felt electrodes. <i>Electrochimica Acta</i> , 2017, 248, 169-177.	2.6	59
130	A microfluidic flow-through electrochemical reactor for wastewater treatment: A proof-of-concept. <i>Electrochemistry Communications</i> , 2017, 82, 85-88.	2.3	43
131	Remediation of soils polluted with lindane using surfactant-aided soil washing and electrochemical oxidation. <i>Journal of Hazardous Materials</i> , 2017, 339, 232-238.	6.5	73
132	The jet aerator as oxygen supplier for the electrochemical generation of H ₂ O ₂ . <i>Electrochimica Acta</i> , 2017, 246, 466-474.	2.6	47
133	Irradiated-assisted electrochemical processes for the removal of persistent pollutants from real wastewater. <i>Separation and Purification Technology</i> , 2017, 175, 428-434.	3.9	28
134	Reversible electrokinetic adsorption barriers for the removal of atrazine and oxyfluorfen from spiked soils. <i>Journal of Hazardous Materials</i> , 2017, 322, 413-420.	6.5	53
135	Treatment of real effluents from the pharmaceutical industry: A comparison between Fenton oxidation and conductive-diamond electro-oxidation. <i>Journal of Environmental Management</i> , 2017, 195, 216-223.	3.8	51
136	Scale-up of the electrokinetic fence technology for the removal of pesticides. Part I: Some notes about the transport of inorganic species. <i>Chemosphere</i> , 2017, 166, 540-548.	4.2	44
137	Scale-up of the electrokinetic fence technology for the removal of pesticides. Part II: Does size matter for removal of herbicides?. <i>Chemosphere</i> , 2017, 166, 549-555.	4.2	53
138	Photoelectrocatalytic Oxidation of Methyl Orange on a TiO ₂ Nanotubular Anode Using a Flow Cell. <i>Chemical Engineering and Technology</i> , 2016, 39, 135-141.	0.9	29
139	Removal of oxyfluorfen from spiked soils using electrokinetic soil flushing with the surrounding arrangements of electrodes. <i>Science of the Total Environment</i> , 2016, 559, 94-102.	3.9	25
140	Removal of oxyfluorfen from spiked soils using electrokinetic fences. <i>Separation and Purification Technology</i> , 2016, 167, 55-62.	3.9	20
141	What happens to inorganic nitrogen species during conductive diamond electrochemical oxidation of real wastewater?. <i>Electrochemistry Communications</i> , 2016, 67, 65-68.	2.3	41
142	Removal of oxyfluorfen from spiked soils using electrokinetic soil flushing with linear rows of electrodes. <i>Chemical Engineering Journal</i> , 2016, 294, 65-72.	6.6	32
143	Scale-up on electrokinetic remediation: Engineering and technological parameters. <i>Journal of Hazardous Materials</i> , 2016, 315, 135-143.	6.5	55
144	Electrochemical jet-cell for the in-situ generation of hydrogen peroxide. <i>Electrochemistry Communications</i> , 2016, 71, 65-68.	2.3	104

#	ARTICLE	IF	CITATIONS
145	Prescale-Up of Electro-Bioremediation Processes. , 2016, , .		2
146	Electrokinetic Remediation of Soils Polluted with Pesticides: Flushing and Fence Technologies. , 2016, , .		1
147	Scale-up of electrolytic and photoelectrolytic processes for water reclaiming: a preliminary study. Environmental Science and Pollution Research, 2016, 23, 19713-19722.	2.7	19
148	Integration of anodic and cathodic processes for the synergistic electrochemical production of peracetic acid. Electrochemistry Communications, 2016, 73, 1-4.	2.3	13
149	Use of conductive diamond photo-electrochemical oxidation for the removal of pesticide glyphosate. Separation and Purification Technology, 2016, 167, 127-135.	3.9	42
150	Removal of algae from biological cultures: a challenge for electrocoagulation?. Journal of Chemical Technology and Biotechnology, 2016, 91, 82-87.	1.6	15
151	Towards the scale-up of electrolysis with diamond anodes: effect of stacking on the electrochemical oxidation of 2,4 D. Journal of Chemical Technology and Biotechnology, 2016, 91, 742-747.	1.6	19
152	Solar-powered electrokinetic remediation for the treatment of soil polluted with the herbicide 2,4-D. Electrochimica Acta, 2016, 190, 371-377.	2.6	49
153	Application of electrokinetic soil flushing to four herbicides: A comparison. Chemosphere, 2016, 153, 205-211.	4.2	44
154	Removal of herbicide glyphosate by conductive-diamond electrochemical oxidation. Applied Catalysis B: Environmental, 2016, 188, 305-312.	10.8	82
155	Optimization of a combined electrocoagulation-electroflotation reactor. Environmental Science and Pollution Research, 2016, 23, 9700-9711.	2.7	12
156	Removal of oxyfluorfen from ex-situ soil washing fluids using electrolysis with diamond anodes. Journal of Environmental Management, 2016, 171, 260-266.	3.8	33
157	Performance of wind-powered soil electroremediation process for the removal of 2,4-D from soil. Journal of Environmental Management, 2016, 171, 128-132.	3.8	16
158	Electrolytic and electro-irradiated processes with diamond anodes for the oxidation of persistent pollutants and disinfection of urban treated wastewater. Journal of Hazardous Materials, 2016, 319, 93-101.	6.5	91
159	Electrokinetic flushing with surrounding electrode arrangements for the remediation of soils that are polluted with 2,4-D: A case study in a pilot plant. Science of the Total Environment, 2016, 545-546, 256-265.	3.9	39
160	The effect of the sp ³ /sp ² carbon ratio on the electrochemical oxidation of 2,4-D with p-Si BDD anodes. Electrochimica Acta, 2016, 187, 119-124.	2.6	54
161	Geotechnical behaviour of low-permeability soils in surfactant-enhanced electrokinetic remediation. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2016, 51, 44-51.	0.9	12
162	Remediation of soils polluted with 2,4-D by electrokinetic soil flushing with facing rows of electrodes: A case study in a pilot plant. Chemical Engineering Journal, 2016, 285, 128-136.	6.6	54

#	ARTICLE	IF	CITATIONS
163	Removal of pesticide 2,4-D by conductive-diamond photoelectrochemical oxidation. <i>Applied Catalysis B: Environmental</i> , 2016, 180, 733-739.	10.8	40
164	A wind-powered BDD electrochemical oxidation process for the removal of herbicides. <i>Journal of Environmental Management</i> , 2015, 158, 36-39.	3.8	46
165	Removal of herbicide 2,4-D using conductive-diamond sono-electrochemical oxidation. <i>Separation and Purification Technology</i> , 2015, 149, 24-30.	3.9	40
166	Activation by light irradiation of oxidants electrochemically generated during Rhodamine B elimination. <i>Journal of Electroanalytical Chemistry</i> , 2015, 757, 144-149.	1.9	26
167	Combined soil washing and CDEO for the removal of atrazine from soils. <i>Journal of Hazardous Materials</i> , 2015, 300, 129-134.	6.5	75
168	Solar-powered CDEO for the treatment of wastewater polluted with the herbicide 2,4-D. <i>Chemical Engineering Journal</i> , 2015, 277, 64-69.	6.6	27
169	Conductive diamond electrochemical oxidation of caffeine-intensified biologically treated urban wastewater. <i>Chemosphere</i> , 2015, 136, 281-288.	4.2	29
170	The role of particle size on the conductive diamond electrochemical oxidation of soil-washing effluent polluted with atrazine. <i>Electrochemistry Communications</i> , 2015, 55, 26-29.	2.3	64
171	Irradiation-assisted electrochemical processes for the removal of persistent organic pollutants from wastewater. <i>Journal of Applied Electrochemistry</i> , 2015, 45, 799-808.	1.5	48
172	Electrochemically assisted fences for the electroremediation of soils polluted with 2,4-D: A case study in a pilot plant. <i>Separation and Purification Technology</i> , 2015, 156, 234-241.	3.9	46
173	Is it worth the use of bipolar electrodes in electrolytic wastewater treatment processes?. <i>Chemical Engineering Journal</i> , 2015, 264, 310-315.	6.6	13
174	Influence of mediated processes on the removal of Rhodamine with conductive-diamond electrochemical oxidation. <i>Applied Catalysis B: Environmental</i> , 2015, 166-167, 454-459.	10.8	69
175	Electrochemical removal of dimethyl phthalate with diamond anodes. <i>Journal of Chemical Technology and Biotechnology</i> , 2014, 89, 282-289.	1.6	28
176	Electroremediation of a natural soil polluted with phenanthrene in a pilot plant. <i>Journal of Hazardous Materials</i> , 2014, 265, 142-150.	6.5	71
177	Coupling photo and sono technologies to improve efficiencies in conductive diamond electrochemical oxidation. <i>Applied Catalysis B: Environmental</i> , 2014, 144, 121-128.	10.8	57
178	Coupling ultraviolet light and ultrasound irradiation with Conductive-Diamond Electrochemical Oxidation for the removal of progesterone. <i>Electrochimica Acta</i> , 2014, 140, 20-26.	2.6	56
179	Using a new photo-reactor to promote conductive-diamond electrochemical oxidation of dimethyl phthalate. <i>Journal of Chemical Technology and Biotechnology</i> , 2014, 89, 1251-1258.	1.6	24
180	Removal of phenanthrene from synthetic kaolin soils by electrokinetic soil flushing. <i>Separation and Purification Technology</i> , 2014, 132, 33-40.	3.9	42

#	ARTICLE	IF	CITATIONS
181	High efficiencies in the electrochemical oxidation of an anthraquinonic dye with conductive-diamond anodes. <i>Environmental Science and Pollution Research</i> , 2014, 21, 8442-8450.	2.7	34
182	Production of oxidants via electrolysis of carbonate solutions with conductive-diamond anodes. <i>Chemical Engineering Journal</i> , 2013, 230, 272-278.	6.6	59
183	Sonoelectrolysis of Wastewaters Polluted with Dimethyl Phthalate. <i>Industrial & Engineering Chemistry Research</i> , 2013, 52, 9674-9682.	1.8	31
184	The Treatment of Actual Industrial Wastewaters Using Electrochemical Techniques. <i>Electrocatalysis</i> , 2013, 4, 252-258.	1.5	19
185	Optimization methodology based on neural networks and genetic algorithms applied to electro-coagulation processes. <i>Open Chemistry</i> , 2013, 11, 1213-1224.	1.0	5
186	Arsenic Removal from High-Arsenic Water Sources by Coagulation and Electrocoagulation. <i>Separation Science and Technology</i> , 2013, 48, 508-514.	1.3	20
187	Modelling and cost evaluation of electro-coagulation processes for the removal of anions from water. <i>Separation and Purification Technology</i> , 2013, 107, 219-227.	3.9	30
188	Electrochemical Degradation of the Reactive Red 141 Dye Using a Boron-Doped Diamond Anode. <i>Water, Air, and Soil Pollution</i> , 2013, 224, 1.	1.1	36
189	On the applications of peroxodiphosphate produced by BDD-electrolyses. <i>Chemical Engineering Journal</i> , 2013, 233, 8-13.	6.6	54
190	Degradation of caffeine by conductive diamond electrochemical oxidation. <i>Chemosphere</i> , 2013, 93, 1720-1725.	4.2	58
191	Removal of triclosan by conductive diamond electrolysis and sonoelectrolysis. <i>Journal of Chemical Technology and Biotechnology</i> , 2013, 88, 823-828.	1.6	43
192	Electrochemical coagulation of treated wastewaters for reuse. <i>Desalination and Water Treatment</i> , 2013, 51, 3381-3388.	1.0	18
193	Use of conductive-diamond electrochemical-oxidation for the disinfection of several actual treated wastewaters. <i>Chemical Engineering Journal</i> , 2012, 211-212, 463-469.	6.6	71
194	Conductive-diamond electrochemical oxidation of chlorpyrifos in wastewater and identification of its main degradation products by LC-TOFMS. <i>Chemosphere</i> , 2012, 89, 1169-1176.	4.2	22
195	Electrochemical dosing of iron and aluminum in continuous processes: A key step to explain electro-coagulation processes. <i>Separation and Purification Technology</i> , 2012, 98, 102-108.	3.9	86
196	Electrocoagulation of the effluents from surfactant-aided soil-remediation processes. <i>Separation and Purification Technology</i> , 2012, 98, 88-93.	3.9	28
197	Electrochemical Degradation of a Real Pharmaceutical Effluent. <i>Water, Air, and Soil Pollution</i> , 2012, 223, 2685-2694.	1.1	48
198	Influence of the supporting electrolyte on the electrolyses of dyes with conductive-diamond anodes. <i>Chemical Engineering Journal</i> , 2012, 184, 221-227.	6.6	82

#	ARTICLE	IF	CITATIONS
199	The use of a combined process of surfactant-aided soil washing and coagulation for PAH-contaminated soils treatment. Separation and Purification Technology, 2012, 88, 46-51.	3.9	97
200	Metoprolol abatement from wastewaters by electrochemical oxidation with boron doped diamond anodes. Journal of Chemical Technology and Biotechnology, 2012, 87, 225-231.	1.6	34
201	Electrolysis of progesterone with conductive diamond electrodes. Journal of Chemical Technology and Biotechnology, 2012, 87, 1173-1178.	1.6	32
202	Removal of sulfamethoxazole from waters and wastewaters by conductive diamond electrochemical oxidation. Journal of Chemical Technology and Biotechnology, 2012, 87, 1441-1449.	1.6	56
203	Electrochemical Synthesis of Peroxyacetic Acid Using Conductive Diamond Electrodes. Industrial & Engineering Chemistry Research, 2011, 50, 10889-10893.	1.8	21
204	Improvements in the Electrochemical Production of Ferrates with Conductive Diamond Anodes Using Goethite as Raw Material and Ultrasound. Industrial & Engineering Chemistry Research, 2011, 50, 7073-7076.	1.8	22
205	Use of low current densities in electrolyses with conductive-diamond electrochemical "Oxidation to disinfect treated wastewaters for reuse. Electrochemistry Communications, 2011, 13, 1268-1270.	2.3	55
206	Removal of nitrates from groundwater by electrocoagulation. Chemical Engineering Journal, 2011, 171, 1012-1017.	6.6	133
207	Electrochemical phosphates removal using iron and aluminium electrodes. Chemical Engineering Journal, 2011, 172, 137-143.	6.6	108
208	Removal of arsenic by iron and aluminium electrochemically assisted coagulation. Separation and Purification Technology, 2011, 79, 15-19.	3.9	67
209	Electrochemical production of perchlorates using conductive diamond electrolyses. Chemical Engineering Journal, 2011, 166, 710-714.	6.6	148
210	Influence of the Type of Surfactant on the Mobility of Flushing Fluids for Electro-Remediation Processes. Separation Science and Technology, 2011, 46, 2148-2156.	1.3	24
211	Electro-osmotic fluxes in multi-well electro-remediation processes. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2011, 46, 1549-1557.	0.9	28
212	Modeling of Electrochemical Process for the Treatment of Wastewater Containing Organic Pollutants. , 2010, , 99-124.		0
213	Electrochemical technologies for the regeneration of urban wastewaters. Electrochimica Acta, 2010, 55, 8160-8164.	2.6	91
214	Electrochemical synthesis of perbromate using conductive-diamond anodes. Journal of Applied Electrochemistry, 2010, 40, 1715-1719.	1.5	18
215	Study of the production of hydrogen bubbles at low current densities for electroflotation processes. Journal of Chemical Technology and Biotechnology, 2010, 85, 1368-1373.	1.6	32
216	Electrochemical synthesis of ferrate in presence of ultrasound using boron doped diamond anodes. Electrochemistry Communications, 2010, 12, 644-646.	2.3	28

#	ARTICLE	IF	CITATIONS
217	Use of conductive-diamond electrochemical oxidation for wastewater treatment. <i>Catalysis Today</i> , 2010, 151, 173-177.	2.2	146
218	Ten steps modeling of electrolysis processes by using neural networks. <i>Environmental Modelling and Software</i> , 2010, 25, 74-81.	1.9	45
219	Improving the Efficiencies of Batch Coagulation Processes with Small Modifications in the pH. <i>Separation Science and Technology</i> , 2010, 45, 1411-1417.	1.3	6
220	Conductive-Diamond Electrochemical Oxidation of Surfactant-Aided Soil-Washing Effluents. <i>Industrial & Engineering Chemistry Research</i> , 2010, 49, 9631-9635.	1.8	37
221	Technical and economic comparison of conventional and electrochemical coagulation processes. <i>Journal of Chemical Technology and Biotechnology</i> , 2009, 84, 702-710.	1.6	29
222	Synthesis of novel oxidants by electrochemical technology. <i>Journal of Applied Electrochemistry</i> , 2009, 39, 2143-2149.	1.5	190
223	Costs of the electrochemical oxidation of wastewaters: A comparison with ozonation and Fenton oxidation processes. <i>Journal of Environmental Management</i> , 2009, 90, 410-420.	3.8	330
224	The pH as a key parameter in the choice between coagulation and electrocoagulation for the treatment of wastewaters. <i>Journal of Hazardous Materials</i> , 2009, 163, 158-164.	6.5	128
225	A comparison between Conductive-Diamond Electrochemical Oxidation and other Advanced Oxidation Processes for the treatment of synthetic melanoidins. <i>Journal of Hazardous Materials</i> , 2009, 164, 120-125.	6.5	46
226	Treatment of door-manufacturing factories wastewaters using CDEO and other AOPsA comparison. <i>Journal of Hazardous Materials</i> , 2009, 168, 358-363.	6.5	11
227	Electrocatalytic properties of diamond in the oxidation of a persistent pollutant. <i>Applied Catalysis B: Environmental</i> , 2009, 89, 645-650.	10.8	83
228	Oxidation of enrofloxacin with conductive-diamond electrochemical oxidation, ozonation and Fenton oxidation. A comparison. <i>Water Research</i> , 2009, 43, 2131-2138.	5.3	101
229	Electrooxidation of Brown-Colored Molasses Wastewater. Effect of the Electrolyte Salt on the Process Efficiency. <i>Industrial & Engineering Chemistry Research</i> , 2009, 48, 1298-1301.	1.8	37
230	Treatment of actual metalworking wastewaters by coagulation combined with electrochemical oxidation. <i>International Journal of Environmental Engineering</i> , 2009, 1, 238.	0.1	1
231	Modelling of wastewater electrocoagulation processesPart II: Application to dye-polluted wastewaters and oil-in-water emulsions. <i>Separation and Purification Technology</i> , 2008, 60, 147-154.	3.9	32
232	Electrosynthesis of ferrates with diamond anodes. <i>AIChE Journal</i> , 2008, 54, 1600-1607.	1.8	40
233	Modelling of wastewater electrocoagulation processesPart I. General description and application to kaolin-polluted wastewaters. <i>Separation and Purification Technology</i> , 2008, 60, 155-161.	3.9	39
234	Coagulation and electrocoagulation of oil-in-water emulsions. <i>Journal of Hazardous Materials</i> , 2008, 151, 44-51.	6.5	190

#	ARTICLE	IF	CITATIONS
235	Influence of the characteristics of p-Si BDD anodes on the efficiency of peroxodiphosphate electrosynthesis process. <i>Electrochemistry Communications</i> , 2008, 10, 602-606.	2.3	50
236	Electrochemical oxidation of alcohols and carboxylic acids with diamond anodes. <i>Electrochimica Acta</i> , 2008, 53, 2144-2153.	2.6	86
237	Use of electrochemical technology to increase the quality of the effluents of bio-oxidation processes. A case studied. <i>Chemosphere</i> , 2008, 72, 1080-1085.	4.2	31
238	The Role of the Characteristics of p-Si BDD Anodes on the Efficiency of Wastewater Electro-oxidation Processes. <i>Electrochemical and Solid-State Letters</i> , 2008, 11, E15.	2.2	29
239	Advanced oxidation processes for the treatment of olive-oil mills wastewater. <i>Chemosphere</i> , 2007, 67, 832-838.	4.2	167
240	Effect of the Operating Conditions on the Oxidation Mechanisms in Conductive-Diamond Electrolyses. <i>Journal of the Electrochemical Society</i> , 2007, 154, E37.	1.3	83
241	Study of the Electrocoagulation Process Using Aluminum and Iron Electrodes. <i>Industrial & Engineering Chemistry Research</i> , 2007, 46, 6189-6195.	1.8	178
242	Electrochemical Oxidation of Wastewaters Polluted with Aromatics and Heterocyclic Compounds. <i>Journal of the Electrochemical Society</i> , 2007, 154, E165.	1.3	43
243	Electrochemical incineration of dyes using a boron-doped diamond anode. <i>Journal of Chemical Technology and Biotechnology</i> , 2007, 82, 575-581.	1.6	99
244	Electrochemical synthesis of ferrate using boron doped diamond anodes. <i>Electrochemistry Communications</i> , 2007, 9, 2286-2290.	2.3	45
245	Electrochemical treatment of the pollutants generated in an ink-manufacturing process. <i>Journal of Hazardous Materials</i> , 2007, 146, 552-557.	6.5	57
246	Electrochemical synthesis of peroxomonophosphate using boron-doped diamond anodes. <i>Journal of Applied Electrochemistry</i> , 2007, 38, 93-100.	1.5	56
247	Production of electricity from the treatment of urban waste water using a microbial fuel cell. <i>Journal of Power Sources</i> , 2007, 169, 198-204.	4.0	217
248	Electrochemical Oxidation of Azoic Dyes with Conductive-Diamond Anodes. <i>Industrial & Engineering Chemistry Research</i> , 2006, 45, 3468-3473.	1.8	121
249	Advanced oxidation processes for the treatment of wastes polluted with azoic dyes. <i>Electrochimica Acta</i> , 2006, 52, 325-331.	2.6	138
250	A comparison of hydrogen cloud explosion models and the study of the vulnerability of the damage caused by an explosion of H ₂ H ₂ . <i>International Journal of Hydrogen Energy</i> , 2006, 31, 1780-1790.	3.8	36
251	Electrochemical treatment of the effluent of a fine chemical manufacturing plant. <i>Journal of Hazardous Materials</i> , 2006, 138, 173-181.	6.5	83
252	Detoxification of synthetic industrial wastewaters using electrochemical oxidation with boron-doped diamond anodes. <i>Journal of Chemical Technology and Biotechnology</i> , 2006, 81, 352-358.	1.6	38

#	ARTICLE	IF	CITATIONS
253	Treatment of Fenton-refractory olive oil mill wastes by electrochemical oxidation with boron-doped diamond anodes. <i>Journal of Chemical Technology and Biotechnology</i> , 2006, 81, 1331-1337.	1.6	96
254	Electrochemical oxidation of phenolic wastes with boron-doped diamond anodes. <i>Water Research</i> , 2005, 39, 2687-2703.	5.3	354
255	Electrochemical Synthesis of Peroxodiphosphate Using Boron-Doped Diamond Anodes. <i>Journal of the Electrochemical Society</i> , 2005, 152, D191.	1.3	114
256	Electrochemical Oxidation of Hydroquinone, Resorcinol, and Catechol on Boron-Doped Diamond Anodes. <i>Environmental Science & Technology</i> , 2005, 39, 7234-7239.	4.6	181
257	Electrochemical oxidation of several chlorophenols on diamond electrodes: Part II. Influence of waste characteristics and operating conditions. <i>Journal of Applied Electrochemistry</i> , 2004, 34, 87-94.	1.5	115
258	Electrochemical treatment of 2,4-dinitrophenol aqueous wastes using boron-doped diamond anodes. <i>Electrochimica Acta</i> , 2004, 49, 4641-4650.	2.6	122
259	Electrochemical Oxidation of Polyhydroxybenzenes on Boron-Doped Diamond Anodes. <i>Industrial & Engineering Chemistry Research</i> , 2004, 43, 6629-6637.	1.8	85
260	Electrochemical Treatment of 4-Nitrophenol-Containing Aqueous Wastes Using Boron-Doped Diamond Anodes. <i>Industrial & Engineering Chemistry Research</i> , 2004, 43, 1944-1951.	1.8	208
261	Electrochemical oxidation of several chlorophenols on diamond electrodes Part I. Reaction mechanism. <i>Journal of Applied Electrochemistry</i> , 2003, 33, 917-927.	1.5	134
262	Combined electrooxidation and assisted electrochemical coagulation of aqueous phenol wastes. <i>Journal of Applied Electrochemistry</i> , 2002, 32, 1241-1246.	1.5	33