
Chaowei Hu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7907872/publications.pdf Version: 2024-02-01



Снастиет Ни

#	Article	IF	CITATIONS
1	Disordered gut microbiota and alterations in metabolic patterns are associated with atrial fibrillation. GigaScience, 2019, 8, .	3.3	123
2	Dysbiotic gut microbes may contribute to hypertension by limiting vitamin D production. Clinical Cardiology, 2019, 42, 710-719.	0.7	48
3	Shifts in gut microbiome and metabolome are associated with risk of recurrent atrial fibrillation. Journal of Cellular and Molecular Medicine, 2020, 24, 13356-13369.	1.6	27
4	Increased Circulating Angiopoietin-Like Protein 8 Levels Are Associated with Thoracic Aortic Dissection and Higher Inflammatory Conditions. Cardiovascular Drugs and Therapy, 2020, 34, 65-77.	1.3	25
5	Angiopoietin-like protein 8 accelerates atherosclerosis in ApoEâ^'/â^' mice. Atherosclerosis, 2020, 307, 63-71.	0.4	22
6	Chronic IntermittentÂHypoxia Participates in the Pathogenesis of Atherosclerosis and Perturbs the Formation of Intestinal Microbiota. Frontiers in Cellular and Infection Microbiology, 2021, 11, 560201.	1.8	19
7	Extracellular Vesicles Derived from Intermittent Hypoxia–Treated Red Blood Cells Impair Endothelial Function Through Regulating eNOS Phosphorylation and ET-1 Expression. Cardiovascular Drugs and Therapy, 2021, 35, 901-913.	1.3	15
8	Impact of chronic intermittent hypoxia on the long non oding RNA and mRNA expression profiles in myocardial infarction. Journal of Cellular and Molecular Medicine, 2021, 25, 421-433.	1.6	11
9	The Clinical Role of Angiopoietin-Like Protein 3 in Evaluating Coronary Artery Disease in Patients with Obstructive Sleep Apnea. Cardiovascular Drugs and Therapy, 2020, 34, 773-780.	1.3	10
10	Potential Role of mRNAs and LncRNAs in Chronic Intermittent Hypoxia Exposure-Aggravated Atherosclerosis. Frontiers in Genetics, 2020, 11, 290.	1.1	9
11	p38/JNK Is Required for the Proliferation and Phenotype Changes of Vascular Smooth Muscle Cells Induced by L3MBTL4 in Essential Hypertension. International Journal of Hypertension, 2020, 2020, 1-12.	0.5	6
12	Increased levels of VCAM-1 is associated with higher occurrence of coronary artery disease in adults with moderate to severe obstructive sleep apnea. Sleep Medicine, 2021, 85, 131-137.	0.8	3
13	Authors' Response to the Letter to the Editor: Increased Circulating Angiopoietin-Like Protein 8 Levels Are Associated with Thoracic Aortic Dissection and Higher Inflammatory Conditions. Cardiovascular Drugs and Therapy, 2020, 34, 881-881.	1.3	0