
## Henriette Thisted Horsdal

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7908552/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Endogenous and Antipsychotic-Related Risks for Diabetes Mellitus in Young People With Schizophrenia: A Danish Population-Based Cohort Study. American Journal of Psychiatry, 2017, 174, 686-694.	7.2	103
2	Polygenic Risk Score for Schizophrenia and Treatment-Resistant Schizophrenia. Schizophrenia Bulletin, 2017, 43, 1064-1069.	4.3	76
3	Association of Secondary Preventive Cardiovascular Treatment After Myocardial Infarction With Mortality Among Patients With Schizophrenia. JAMA Psychiatry, 2018, 75, 1234.	11.0	62
4	Genetic liability to ADHD and substance use disorders in individuals with ADHD. Addiction, 2020, 115, 1368-1377.	3.3	47
5	C-reactive protein and white blood cell levels in schizophrenia, bipolar disorders and depression - associations with mortality and psychiatric outcomes: a population-based study. European Psychiatry, 2017, 44, 164-172.	0.2	46
6	Trends in the psychopharmacological treatment of bipolar disorder: a nationwide register-based study. Acta Neuropsychiatrica, 2016, 28, 75-84.	2.1	38
7	Association of Childhood Exposure to Nitrogen Dioxide and Polygenic Risk Score for Schizophrenia With the Risk of Developing Schizophrenia. JAMA Network Open, 2019, 2, e1914401.	5.9	29
8	Association Between Childhood Green Space, Genetic Liability, and the Incidence of Schizophrenia. Schizophrenia Bulletin, 2020, 46, 1629-1637.	4.3	28
9	Otitis media, antibiotics, and risk of autism spectrum disorder. Autism Research, 2018, 11, 1432-1440.	3.8	26
10	Antidiabetic treatments and risk of hospitalisation with myocardial infarction: a nationwide case–control study. Pharmacoepidemiology and Drug Safety, 2011, 20, 331-337.	1.9	23
11	Use of Statins and Risk of Hospitalization With Dementia. Alzheimer Disease and Associated Disorders, 2009, 23, 18-22.	1.3	22
12	Schizophrenia polygenic risk scores, urbanicity and treatment-resistant schizophrenia. Schizophrenia Research, 2019, 212, 79-85.	2.0	19
13	Type of Preadmission Antidiabetic Treatment and Outcome among Patients with Ischemic Stroke: A Nationwide Follow-up Study. Journal of Stroke and Cerebrovascular Diseases, 2012, 21, 717-725.	1.6	18
14	Association between Global Assessment of Functioning scores and indicators of functioning, severity, and prognosis in first-time schizophrenia. Clinical Epidemiology, 2016, Volume 8, 323-332.	3.0	18
15	Validation of an algorithm-based definition of treatment resistance in patients with schizophrenia. Schizophrenia Research, 2018, 197, 294-297.	2.0	16
16	Urban-Rural Differences in Schizophrenia Risk: Multilevel Survival Analyses of Individual- and Neighborhood-Level Indicators, Urbanicity and Population Density in a Danish National Cohort Study. Schizophrenia Bulletin Open, 2022, 3, .	1.7	16
17	Metabolic profile at first-time schizophrenia diagnosis: a population-based cross-sectional study. Neuropsychiatric Disease and Treatment, 2017, Volume 13, 621-630.	2.2	13
18	Adolescent residential mobility, genetic liability and risk of schizophrenia, bipolar disorder and major depression. British Journal of Psychiatry, 2020, 217, 390-396.	2.8	11

#	Article	IF	CITATIONS
19	Câ€reactive protein levels and treatment resistance in schizophrenia—A Danish populationâ€based cohort study. Human Psychopharmacology, 2017, 32, e2632.	1.5	10
20	Association between global functioning at first schizophrenia diagnosis and treatment resistance. Microbial Biotechnology, 2018, 12, 1198-1202.	1.7	6
21	A life course approach to understanding associations between natural environments and mental well-being for the Danish blood donor cohort. Health and Place, 2021, 72, 102678.	3.3	5