

Jose Sanchez-Moreno

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7908674/publications.pdf>

Version: 2024-02-01

114
papers

10,960
citations

28736

57
h-index

34195

103
g-index

118
all docs

118
docs citations

118
times ranked

7242
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy of an integrative approach for bipolar disorder: preliminary results from a randomized controlled trial. <i>Psychological Medicine</i> , 2022, 52, 4094-4105.	2.7	12
2	Fatal suicidal behavior in Bipolar II patients after their first hospitalization. <i>Revista De Psiquiatr�a Y Salud Mental</i> , 2022, , .	1.0	0
3	Does cognitive impairment in bipolar disorder impact on a SIMPLe app use?. <i>Journal of Affective Disorders</i> , 2021, 282, 488-494.	2.0	10
4	Elevated Extracellular Free-Water in a Multicentric First-Episode Psychosis Sample, Decrease During the First 2 Years of Illness. <i>Schizophrenia Bulletin</i> , 2020, 46, 846-856.	2.3	10
5	Effects of an integrative approach to bipolar disorders combining psychoeducation, mindfulness-based cognitive therapy and functional remediation: Study protocol for a randomized controlled trial. <i>Revista De Psiquiatr�a Y Salud Mental (English Edition)</i> , 2020, 13, 165-173.	0.2	0
6	Effects of an integrative approach to bipolar disorders combining psychoeducation, mindfulness-based cognitive therapy and functional remediation: Study protocol for a randomized controlled trial. <i>Revista De Psiquiatr�a Y Salud Mental</i> , 2020, 13, 165-173.	1.0	5
7	Neutrophil Count Is Associated With Reduced Gray Matter and Enlarged Ventricles in First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2019, 45, 846-858.	2.3	41
8	Lifetime Psychotic Symptoms, Subthreshold Depression and Cognitive Impairment as Barriers to Functional Recovery in Patients with Bipolar Disorder. <i>Journal of Clinical Medicine</i> , 2019, 8, 1046.	1.0	25
9	Improving Functioning, Quality of Life, and Well-being in Patients With Bipolar Disorder. <i>International Journal of Neuropsychopharmacology</i> , 2019, 22, 467-477.	1.0	64
10	Spanish validation of the Barcelona TEMPS-A questionnaire in patients with bipolar disorder and general population. <i>Journal of Affective Disorders</i> , 2019, 249, 199-207.	2.0	11
11	Factors associated with poor functional outcome in bipolar disorder: sociodemographic, clinical, and neurocognitive variables. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 145-154.	2.2	60
12	Psychometric properties of the well-being index (WHO-5) spanish version in a sample of euthymic patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 228, 153-159.	2.0	34
13	Treatment of Functional Impairment in Patients with Bipolar Disorder. <i>Current Psychiatry Reports</i> , 2017, 19, 3.	2.1	45
14	Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. <i>European Neuropsychopharmacology</i> , 2017, 27, 350-359.	0.3	26
15	Behavioural activation training for depression. <i>Lancet, The</i> , 2017, 389, 367.	6.3	5
16	Cognitive Impairment in Bipolar Disorder: Treatment and Prevention Strategies. <i>International Journal of Neuropsychopharmacology</i> , 2017, 20, 670-680.	1.0	174
17	Manual motor speed dysfunction as a neurocognitive endophenotype in euthymic bipolar disorder patients and their healthy relatives. Evidence from a 5-year follow-up study. <i>Journal of Affective Disorders</i> , 2017, 215, 156-162.	2.0	26
18	High Cognitive Reserve in Bipolar Disorders as a Moderator of Neurocognitive Impairment. <i>European Psychiatry</i> , 2017, 41, S116-S116.	0.1	0

#	ARTICLE	IF	CITATIONS
19	Treatment of neurocognitive symptoms in unipolar depression: A systematic review and future perspectives. <i>Journal of Affective Disorders</i> , 2017, 221, 205-221.	2.0	56
20	High cognitive reserve in bipolar disorders as a moderator of neurocognitive impairment. <i>Journal of Affective Disorders</i> , 2017, 208, 621-627.	2.0	51
21	Cognitive reserve in bipolar disorder: relation to cognition, psychosocial functioning and quality of life. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 386-398.	2.2	103
22	Psychoeducation in bipolar disorder with a SIMPLe smartphone application: Feasibility, acceptability and satisfaction. <i>Journal of Affective Disorders</i> , 2016, 200, 58-66.	2.0	110
23	Family functioning in bipolar disorder: Characteristics, congruity between patients and relatives, and clinical correlates. <i>Psychiatry Research</i> , 2016, 245, 66-73.	1.7	13
24	The role of family interventions in bipolar disorder: A systematic review. <i>Clinical Psychology Review</i> , 2016, 43, 47-57.	6.0	73
25	Self-monitoring and psychoeducation in bipolar patients with a smart-phone application (SIMPLe) project: design, development and studies protocols. <i>BMC Psychiatry</i> , 2015, 15, 52.	1.1	57
26	e-HCL-32: a useful, valid and user friendly tool in the screening of bipolar II disorder. <i>Comprehensive Psychiatry</i> , 2015, 56, 283-288.	1.5	9
27	Inverse and Direct Cancer Comorbidity in People with Central Nervous System Disorders: A Meta-Analysis of Cancer Incidence in 577,013 Participants of 50 Observational Studies. <i>Psychotherapy and Psychosomatics</i> , 2014, 83, 89-105.	4.0	164
28	Psychosocial interventions in bipolar disorder: What, for whom, and when. <i>Journal of Affective Disorders</i> , 2014, 156, 46-55.	2.0	159
29	The impact of repeated manic episodes and executive dysfunction on work adjustment in bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 247-254.	1.8	34
30	Clinical implications of predominant polarity and the polarity index in bipolar disorder: a naturalistic study. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 366-374.	2.2	74
31	Depressive disorders and suicide: Epidemiology, risk factors, and burden. <i>Neuroscience and Biobehavioral Reviews</i> , 2013, 37, 2372-2374.	2.9	131
32	Validity and reliability of a rating scale on subjective cognitive deficits in bipolar disorder (COBRA). <i>Journal of Affective Disorders</i> , 2013, 150, 29-36.	2.0	116
33	Treatment strategies according to clinical features in a naturalistic cohort study of bipolar patients: A principal component analysis of lifetime pharmacological and biophysics treatment options. <i>European Neuropsychopharmacology</i> , 2013, 23, 263-275.	0.3	29
34	Lower rate of depressive switch following antimanic treatment with second-generation antipsychotics versus haloperidol. <i>Journal of Affective Disorders</i> , 2013, 144, 191-198.	2.0	28
35	Towards a clinical staging for bipolar disorder: Defining patient subtypes based on functional outcome. <i>Journal of Affective Disorders</i> , 2013, 144, 65-71.	2.0	105
36	The symptom structure of bipolar acute episodes: In search for the mixing link. <i>Journal of Affective Disorders</i> , 2013, 149, 56-66.	2.0	52

#	ARTICLE	IF	CITATIONS
37	Long-term (3-year) neurocognitive effectiveness of antipsychotic medications in first-episode non-affective psychosis: a randomized comparison of haloperidol, olanzapine, and risperidone. <i>Psychopharmacology</i> , 2013, 227, 615-625.	1.5	23
38	The Clinical Implications Of Cognitive Impairment and Allostatic Load in Bipolar Disorder. <i>European Psychiatry</i> , 2013, 28, 21-29.	0.1	119
39	Neurocognitive Training in Patients with Bipolar Disorders: Current Status and Perspectives. <i>Psychotherapy and Psychosomatics</i> , 2012, 81, 250-252.	4.0	26
40	Origins of Psychiatric Hospitalization in Medieval Spain. <i>Psychiatric Quarterly</i> , 2012, 83, 419-430.	1.1	23
41	Subthreshold symptoms in bipolar disorder: Impact on neurocognition, quality of life and disability. <i>Journal of Affective Disorders</i> , 2012, 136, 650-659.	2.0	156
42	Factors associated with initial treatment response with antidepressants in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2011, 21, 362-369.	0.3	31
43	Differential outcome of bipolar patients receiving antidepressant monotherapy versus combination with an antimanic drug. <i>Journal of Affective Disorders</i> , 2011, 129, 321-326.	2.0	49
44	Mania and depression. Mixed, not stirred. <i>Journal of Affective Disorders</i> , 2011, 133, 105-113.	2.0	75
45	Gender differences in a cohort study of 604 bipolar patients: The role of predominant polarity. <i>Journal of Affective Disorders</i> , 2011, 133, 443-449.	2.0	149
46	Are bipolar II patients cognitively impaired? A systematic review. <i>Psychological Medicine</i> , 2011, 41, 1791-1803.	2.7	65
47	Functional Remediation for Bipolar Disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2011, 7, 112-116.	0.6	82
48	Clinical and neurocognitive predictors of functional outcome in bipolar euthymic patients: A long-term, follow-up study. <i>Journal of Affective Disorders</i> , 2010, 121, 156-160.	2.0	273
49	Psychotic versus non-psychotic bipolar II disorder. <i>Journal of Affective Disorders</i> , 2010, 126, 55-60.	2.0	58
50	Functional impairment in bipolar II disorder: Is it as disabling as bipolar I?. <i>Journal of Affective Disorders</i> , 2010, 127, 71-76.	2.0	75
51	The switch from conventional to atypical antipsychotic treatment should not be based exclusively on the presence of cognitive deficits. A pilot study in individuals with schizophrenia. <i>BMC Psychiatry</i> , 2010, 10, 47.	1.1	13
52	Efficacy of modern antipsychotics in placebo-controlled trials in bipolar depression: a meta-analysis. <i>International Journal of Neuropsychopharmacology</i> , 2010, 13, 5.	1.0	93
53	The role and impact of contextual factors on functioning in patients with bipolar disorder. <i>Disability and Rehabilitation</i> , 2010, 32, S94-S104.	0.9	33
54	Why Do Clinicians Maintain Antidepressants in Some Patients With Acute Mania?. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1000-1006.	1.1	43

#	ARTICLE	IF	CITATIONS
55	Group psychoeducation for stabilised bipolar disorders: 5-year outcome of a randomised clinical trial. <i>British Journal of Psychiatry</i> , 2009, 194, 260-265.	1.7	312
56	Psychoeducation for bipolar II disorder: An exploratory, 5-year outcome subanalysis. <i>Journal of Affective Disorders</i> , 2009, 112, 30-35.	2.0	78
57	Screening for bipolar disorder in a Spanish sample of outpatients with current major depressive episode. <i>Journal of Affective Disorders</i> , 2009, 114, 299-304.	2.0	38
58	Predominant polarity and temperament in bipolar and unipolar affective disorders. <i>Journal of Affective Disorders</i> , 2009, 119, 28-33.	2.0	68
59	Treatment-resistant bipolar depression: towards a new definition. <i>Acta Psychiatrica Scandinavica</i> , 2009, 120, 429-440.	2.2	63
60	Clinical predictors of functional outcome of bipolar patients in remission. <i>Bipolar Disorders</i> , 2009, 11, 401-409.	1.1	156
61	Functioning and Disability in Bipolar Disorder: An Extensive Review. <i>Psychotherapy and Psychosomatics</i> , 2009, 78, 285-297.	4.0	348
62	Clinical Factors as Predictors on Functional Impairment in Bipolar Disorder. <i>European Psychiatry</i> , 2009, 24, .	0.1	0
63	Bipolar disorder preceded by substance abuse: A different phenotype with not so poor outcome?. <i>World Journal of Biological Psychiatry</i> , 2009, 10, 209-216.	1.3	19
64	Neurocognitive Dysfunctions in Euthymic Bipolar Patients With and Without Prior History of Alcohol Use. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1120-1127.	1.1	67
65	Long-Term Mental Health Resource Utilization and Cost of Care Following Group Psychoeducation or Unstructured Group Support for Bipolar Disorders. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 378-386.	1.1	96
66	Treatment Nonadherence and Neurocognitive Impairment in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1017-1023.	1.1	108
67	Motor speed predicts stability of cognitive deficits in both schizophrenic and bipolar I patients at one-year follow-up. <i>European Journal of Psychiatry</i> , 2009, 23, .	0.7	9
68	Neurocognitive endophenotypes (Endophenocognitypes) from studies of relatives of bipolar disorder subjects: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2008, 32, 1426-1438.	2.9	189
69	Depression Subtypes in Bipolar I and II Disorders. <i>Psychopathology</i> , 2008, 41, 111-114.	1.1	41
70	Weight gain in bipolar disorder: pharmacological treatment as a contributing factor. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 4-18.	2.2	151
71	Functional impairment and previous suicide attempts in bipolar disorder. <i>Acta Neuropsychiatrica</i> , 2008, 20, 300-306.	1.0	14
72	Adaptation and validation of the Spanish version of the Mood Disorder Questionnaire for the detection of bipolar disorder. <i>Bipolar Disorders</i> , 2008, 10, 400-412.	1.1	51

#	ARTICLE	IF	CITATIONS
73	Impact of caregiver group psychoeducation on the course and outcome of bipolar patients in remission: a randomized controlled trial. <i>Bipolar Disorders</i> , 2008, 10, 511-519.	1.1	168
74	Predominant polarity in bipolar disorder: Diagnostic implications. <i>Journal of Affective Disorders</i> , 2008, 107, 45-51.	2.0	98
75	Subsyndromal depressive symptoms in patients with bipolar and unipolar disorder during clinical remission. <i>Journal of Affective Disorders</i> , 2008, 107, 169-174.	2.0	57
76	Neurocognitive and clinical predictors of functional outcome in patients with schizophrenia and bipolar I disorder at one-year follow-up. <i>Journal of Affective Disorders</i> , 2008, 109, 286-299.	2.0	256
77	Ethical questions in human clinical psychopharmacology: should the focus be on placebo administration?. <i>Journal of Psychopharmacology</i> , 2008, 22, 590-597.	2.0	9
78	Functional Impairment in Patients with Remitted Bipolar Disorder. <i>Psychotherapy and Psychosomatics</i> , 2008, 77, 390-392.	4.0	68
79	Acute and long-term treatment of mania. <i>Dialogues in Clinical Neuroscience</i> , 2008, 10, 165-179.	1.8	57
80	Neurocognitive Impairment in Bipolar Patients With and Without History of Psychosis. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 233-239.	1.1	142
81	Validity and reliability of the Functioning Assessment Short Test (FAST) in bipolar disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007, 3, 5.	0.6	605
82	Clinical and prognostic implications of seasonal pattern in bipolar disorder: a 10-year follow-up of 302 patients. <i>Psychological Medicine</i> , 2007, 37, 1595-1599.	2.7	64
83	Developing core sets for persons with bipolar disorder based on the International Classification of Functioning, Disability and Health. <i>Bipolar Disorders</i> , 2007, 9, 16-24.	1.1	46
84	Functional outcome in bipolar disorder: the role of clinical and cognitive factors. <i>Bipolar Disorders</i> , 2007, 9, 103-113.	1.1	497
85	A case of manic episode during treatment with 5-fluorouracil, epirubicin and cyclophosphamide for breast cancer. <i>General Hospital Psychiatry</i> , 2007, 29, 461-463.	1.2	12
86	Cross validation with the mood disorder questionnaire (MDQ) of an instrument for the detection of hypomania in Spanish: The 32 item hypomania symptom check list (HCL-32). <i>Journal of Affective Disorders</i> , 2007, 101, 43-55.	2.0	102
87	Bipolar I patients with and without a history of psychotic symptoms: Do they differ in their cognitive functioning?. <i>Journal of Psychiatric Research</i> , 2007, 41, 265-272.	1.5	89
88	Relevance of Family History of Suicide in the Long-Term Outcome of Bipolar Disorders. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 1517-1521.	1.1	21
89	Clinical correlates of first-episode polarity in bipolar disorder. <i>Comprehensive Psychiatry</i> , 2006, 47, 433-437.	1.5	123
90	Cognitive Functioning in Bipolar Patients Receiving Lamotrigine. <i>Journal of Clinical Psychopharmacology</i> , 2006, 26, 178-181.	0.7	49

#	ARTICLE	IF	CITATIONS
91	Clinical and therapeutic implications of predominant polarity in bipolar disorder. <i>Journal of Affective Disorders</i> , 2006, 93, 13-17.	2.0	272
92	What really matters to bipolar patients' caregivers: Sources of family burden. <i>Journal of Affective Disorders</i> , 2006, 94, 157-163.	2.0	104
93	Cognitive impairment in bipolar II disorder. <i>British Journal of Psychiatry</i> , 2006, 189, 254-259.	1.7	226
94	Adaptation and validation of the Portuguese version of the Lithium Knowledge Test (LKT) of bipolar patients treated with lithium: cross-over study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2006, 2, 34.	0.6	3
95	A Double-Blind, Randomized, Placebo-Controlled, Prophylaxis Study of Adjunctive Gabapentin for Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 473-477.	1.1	83
96	Identifying and improving non-adherence in bipolar disorders. <i>Bipolar Disorders</i> , 2005, 7, 24-31.	1.1	164
97	Stabilizing the stabilizer: group psychoeducation enhances the stability of serum lithium levels. <i>Bipolar Disorders</i> , 2005, 7, 32-36.	1.1	90
98	Treatment guidelines for bipolar disorder: A critical review. <i>Journal of Affective Disorders</i> , 2005, 86, 1-10.	2.0	153
99	Evidence-based research on the efficacy of psychologic interventions in bipolar disorders: A critical review. <i>Current Psychiatry Reports</i> , 2005, 7, 449-455.	2.1	34
100	Neuropsychological Disturbances and Cerebral Blood Flow in Bipolar Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 227-234.	1.3	44
101	Do Cognitive Complaints in Euthymic Bipolar Patients Reflect Objective Cognitive Impairment?. <i>Psychotherapy and Psychosomatics</i> , 2005, 74, 295-302.	4.0	130
102	An Open-Label Study of Amisulpride in the Treatment of Mania. <i>Journal of Clinical Psychiatry</i> , 2005, 66, 575-578.	1.1	35
103	Process of adaptation to Spanish of the Temperament Evaluation of Memphis, Pisa, Paris and San Diego Scale. Self applied version (TEMPS-A). <i>Actas Espanolas De Psiquiatria</i> , 2005, 33, 325-30.	0.1	11
104	Impact of a Psychoeducational Family Intervention on Caregivers of Stabilized Bipolar Patients. <i>Psychotherapy and Psychosomatics</i> , 2004, 73, 312-319.	4.0	149
105	Cognitive impairment in euthymic bipolar patients: implications for clinical and functional outcome. <i>Bipolar Disorders</i> , 2004, 6, 224-232.	1.1	517
106	Psychoeducation in bipolar patients with comorbid personality disorders. <i>Bipolar Disorders</i> , 2004, 6, 294-298.	1.1	100
107	Acute and continuation risperidone monotherapy in mania. <i>Human Psychopharmacology</i> , 2004, 19, 41-45.	0.7	30
108	Cognitive Function Across Manic or Hypomanic, Depressed, and Euthymic States in Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2004, 161, 262-270.	4.0	943

#	ARTICLE	IF	CITATIONS
109	Effects on Weight and Outcome of Long-term Olanzapine-Topiramate Combination Treatment in Bipolar Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2004, 24, 374-378.	0.7	57
110	Comparison of Rapid-Cycling and Non-Rapid-Cycling Bipolar I Manic Patients During Treatment With Olanzapine. <i>Journal of Clinical Psychiatry</i> , 2004, 65, 1420-1428.	1.1	69
111	Adjunctive topiramate in bipolar II disorder. <i>World Journal of Biological Psychiatry</i> , 2003, 4, 172-176.	1.3	18
112	1-Year Follow-Up of Patients Treated With Risperidone and Topiramate for a Manic Episode. <i>Journal of Clinical Psychiatry</i> , 2003, 64, 834-839.	1.1	29
113	Neuropsychological Performance in Depressed and Euthymic Bipolar Patients. <i>Neuropsychobiology</i> , 2002, 46, 16-21.	0.9	67
114	Overshadowing in the spatial domain. <i>Learning and Behavior</i> , 1999, 27, 391-398.	3.4	53