

Yen-Wen Wu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7908686/yen-wen-wu-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

211
papers

3,034
citations

30
h-index

45
g-index

222
ext. papers

3,573
ext. citations

3.7
avg, IF

4.78
L-index

#	Paper	IF	Citations
211	The waist-to-body mass index ratio as an anthropometric predictor for cardiovascular outcome in subjects with established atherosclerotic cardiovascular disease.. <i>Scientific Reports</i> , 2022 , 12, 804	4.9	1
210	Randomized controlled trial of early endoscopy for upper gastrointestinal bleeding in acute coronary syndrome patients.. <i>Scientific Reports</i> , 2022 , 12, 5798	4.9	0
209	Risk Management for Radiation-Induced Cardiovascular Disease (RICVD): The 2022 Consensus Statement of the Taiwan Society for Therapeutic Radiology and Oncology (TASTRO) and Taiwan Society of Cardiology (TSOC).. <i>Acta Cardiologica Sinica</i> , 2022 , 38, 1-12	1.1	1
208	Multivessel versus Culprit-Only Revascularization Strategies in Cardiac Arrest Survivors.. <i>Acta Cardiologica Sinica</i> , 2022 , 38, 175-186	1.1	
207	Cardiac Function after Modern Radiation Therapy with Volumetric Modulated Arc Therapy or Helical Tomotherapy for Advanced Left-Breast Cancer Receiving Regional Nodal Irradiation. <i>Bioengineering</i> , 2022 , 9, 213	5.3	
206	2022 Taiwan lipid guidelines for primary prevention. <i>Journal of the Formosan Medical Association</i> , 2022 ,	3.2	1
205	Exercise Capacity and Quality of Life in Pulmonary Arterial Hypertension. <i>Acta Cardiologica Sinica</i> , 2021 , 37, 74-85	1.1	
204	2021 Advocacy Statements for the Role of Tc-Pyrophosphate Scintigraphy in the Diagnosis of Transthyretin Cardiac Amyloidosis: A Report of the Taiwan Society of Cardiology and the Society of Nuclear Medicine of the Republic of China. <i>Acta Cardiologica Sinica</i> , 2021 , 37, 221-231	1.1	1
203	2021 TSOC Expert Consensus on the Clinical Features, Diagnosis, and Clinical Management of Cardiac Manifestations of Fabry Disease. <i>Acta Cardiologica Sinica</i> , 2021 , 37, 337-354	1.1	1
202	The Characteristics and Outcomes of Patients with Heart Failure and Reduced Ejection Fraction: The Eligibility of Novel Heart Failure Medications. <i>Acta Cardiologica Sinica</i> , 2021 , 37, 394-403	1.1	
201	An Overview of Cardio-Oncology, a New Frontier to Be Explored. <i>Acta Cardiologica Sinica</i> , 2021 , 37, 457-463		1
200	Diagnostic Effect of Attenuation Correction in Myocardial Perfusion Imaging in Different Coronary Arteries: A Systematic Review and Meta-Analysis. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 756060	5.4	
199	Long-term prognostic value of computed tomography-based attenuation correction on thallium-201 myocardial perfusion imaging: A cohort study. <i>PLoS ONE</i> , 2021 , 16, e0258983	3.7	0
198	Preoperative 2-[F]FDG PET-CT aids in the prognostic stratification for patients with primary ampullary carcinoma. <i>European Radiology</i> , 2021 , 31, 8040-8049	8	0
197	Elevated serum uric acid is associated with incident hypertension in the health according to various contemporary blood pressure guidelines. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 1209-1218	4.5	3
196	Blood gas phenotyping and tracheal intubation timing in adult in-hospital cardiac arrest: a retrospective cohort study. <i>Scientific Reports</i> , 2021 , 11, 10480	4.9	
195	Adherence to healthy lifestyle improved clinical outcomes in coronary artery disease patients after coronary intervention. <i>Journal of the Chinese Medical Association</i> , 2021 , 84, 596-605	2.8	1

194	Integration of quantitative absolute myocardial blood flow estimates from dynamic CZT-SPECT improves the detection of coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2021 , 1	2.1	1
193	Associations of thoracic cage size and configuration with outcomes of adult in-hospital cardiac arrest: A retrospective cohort study. <i>Journal of the Formosan Medical Association</i> , 2021 , 120, 371-379	3.2	0
192	Circulating fatty-acid binding-protein 4 levels predict CV events in patients after coronary interventions. <i>Journal of the Formosan Medical Association</i> , 2021 , 120, 728-736	3.2	1
191	2021 Consensus Pathway of the Taiwan Society of Cardiology on Novel Therapy for Type 2 Diabetes. <i>JACC Asia</i> , 2021 , 1, 129-146		
190	Modulators of Mortality Benefit From Peri-Angioplasty Adjunctive Tirofiban in Patients With ST-Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Circulation Journal</i> , 2021 , 85, 166-174	2.9	
189	Sex, racial differences and healthy aging in normative reference ranges on diastolic function in Ethnic Asians: 2016 ASE guideline revisited. <i>Journal of the Formosan Medical Association</i> , 2021 , 120, 2160-2175 ²	3.2	2
188	Prognostic indicators for the onset of ischaemic versus haemorrhagic stroke in stable coronary artery disease.. <i>Medicine (United States)</i> , 2021 , 100, e27973	1.8	
187	Fatty-Acid-Binding Protein 4 as a Novel Contributor to Mononuclear Cell Activation and Endothelial Cell Dysfunction in Atherosclerosis. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	4
186	Association of Arachidonic Acid-derived Lipid Mediators with Subsequent Onset of Acute Myocardial Infarction in Patients with Coronary Artery Disease. <i>Scientific Reports</i> , 2020 , 10, 8105	4.9	12
185	Associations between Central Obesity and Outcomes of Adult In-hospital Cardiac Arrest: A Retrospective Cohort Study. <i>Scientific Reports</i> , 2020 , 10, 4604	4.9	6
184	2020 Consensus of Taiwan Society of Cardiology on the pharmacological management of patients with type 2 diabetes and cardiovascular diseases. <i>Journal of the Chinese Medical Association</i> , 2020 , 83, 587-621	2.8	3
183	The relationship between atrial fibrillation and frailty in community-dwelling older adults. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 90, 104103	4	1
182	Potential impacts of high-sensitivity creatine kinase-MB on long-term clinical outcomes in patients with stable coronary heart disease. <i>Scientific Reports</i> , 2020 , 10, 5638	4.9	5
181	Association between Low-Grade Inflammation and Left Ventricular Diastolic Dysfunction in Patients with Metabolic Syndrome and Hyperuricemia. <i>Acta Cardiologica Sinica</i> , 2020 , 36, 483-492	1.1	3
180	Clinical Feasibility of Biofunctionalized Magnetic Nanoparticles for Detecting Multiple Cardiac Biomarkers in Emergency Chest Pain Patients. <i>Acta Cardiologica Sinica</i> , 2020 , 36, 649-659	1.1	1
179	Associations between intra-arrest blood glucose level and outcomes of adult in-hospital cardiac arrest: A 10-year retrospective cohort study. <i>Resuscitation</i> , 2020 , 146, 103-110	4	4
178	Obese cardiogenic arrest survivors with significant coronary artery disease had worse in-hospital mortality and neurological outcomes. <i>Scientific Reports</i> , 2020 , 10, 18638	4.9	3
177	Prognostic effect of high-density lipoprotein cholesterol level in patients with atherosclerotic cardiovascular disease under statin treatment. <i>Scientific Reports</i> , 2020 , 10, 21835	4.9	1

176	The clinical usefulness of phase analysis in detecting coronary artery disease using dipyridamole thallium-201-gated myocardial perfusion imaging with a cadmium-zinc-telluride camera. <i>Journal of Nuclear Cardiology</i> , 2020 , 27, 241-250	2.1	1
175	A performance guide for major risk factors control in patients with atherosclerotic cardiovascular disease in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2020 , 119, 674-684	3.2	5
174	Clinical significance of quantitative assessment of glucose utilization in patients with ischemic cardiomyopathy. <i>Journal of Nuclear Cardiology</i> , 2020 , 27, 269-279	2.1	6
173	Obesity is associated with poor prognosis in cardiogenic arrest survivors receiving coronary angiography. <i>Journal of the Formosan Medical Association</i> , 2020 , 119, 861-868	3.2	2
172	Outcomes associated with amiodarone and lidocaine for the treatment of adult in-hospital cardiac arrest with shock-refractory pulseless ventricular tachyarrhythmia. <i>Journal of the Formosan Medical Association</i> , 2020 , 119, 327-334	3.2	3
171	Associations between early intra-arrest blood acidemia and outcomes of adult in-hospital cardiac arrest: A retrospective cohort study. <i>Journal of the Formosan Medical Association</i> , 2020 , 119, 644-651	3.2	4
170	The clinical value and safety of ECG-gated dipyridamole myocardial perfusion imaging in patients with aortic stenosis. <i>Scientific Reports</i> , 2019 , 9, 12443	4.9	2
169	Ticagrelor in patients with diabetes and stable coronary artery disease with a history of previous percutaneous coronary intervention (THEMIS-PCI): a phase 3, placebo-controlled, randomised trial. <i>Lancet, The</i> , 2019 , 394, 1169-1180	4.0	106
168	Reinforcement of patient education improved physicians adherence to guideline-recommended medical therapy after acute coronary syndrome. <i>PLoS ONE</i> , 2019 , 14, e0217444	3.7	4
167	Relationship Between Body Mass Index, Antidiabetic Agents, and Midterm Mortality in Patients With Both Type 2 Diabetes Mellitus and Acute Coronary Syndrome. <i>Journal of the American Heart Association</i> , 2019 , 8, e011215	6	6
166	Factors associated with the decision to terminate resuscitation early for adult in-hospital cardiac arrest: Influence of family in an East Asian society. <i>PLoS ONE</i> , 2019 , 14, e0213168	3.7	3
165	The benefit of secondary prevention with oat fiber in reducing future cardiovascular event among CAD patients after coronary intervention. <i>Scientific Reports</i> , 2019 , 9, 3091	4.9	8
164	Stenosis and revascularization of the coronary artery are associated with outcomes in presumed cardiogenic arrest survivors: A multi-center retrospective cohort study. <i>Resuscitation</i> , 2019 , 137, 52-60	4	7
163	Circulating TNFSF14 (Tumor Necrosis Factor Superfamily 14) Predicts Clinical Outcome in Patients With Stable Coronary Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2019 , 39, 1240-1252	4.4	7
162	Prognostic performance of simplified out-of-hospital cardiac arrest (OHCA) and cardiac arrest hospital prognosis (CAHP) scores in an East Asian population: A prospective cohort study. <i>Resuscitation</i> , 2019 , 137, 133-139	4	11
161	MicroRNA let-7-TGFBR3 signalling regulates cardiomyocyte apoptosis after infarction. <i>EBioMedicine</i> , 2019 , 46, 236-247	8.8	17
160	Clinical significance of quantitative assessment of right ventricular glucose metabolism in patients with heart failure with reduced ejection fraction. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 46, 2601-2609	8.8	5
159	Modulating effects of immediate neuroprognosis on early coronary angiography and targeted temperature management following out-of-hospital cardiac arrest: A retrospective cohort study. <i>Resuscitation</i> , 2019 , 143, 42-49	4	1

158	Systemic lupus erythematosus is associated with poor outcome after acute myocardial infarction. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019 , 29, 1400-1407	4.5	6
157	Successful Resolution of Left Ventricular Thrombus after ST-Elevation Myocardial Infarction by Edoxaban in a Patient with High Bleeding Risk. <i>Acta Cardiologica Sinica</i> , 2019 , 35, 85-88	1.1	4
156	Efficacy and Safety of Renal Denervation for Patients with Uncontrolled Hypertension in Taiwan: 3-Year Results From the Global SYMPLICITY Registry-Taiwan (GSR-Taiwan). <i>Acta Cardiologica Sinica</i> , 2019 , 35, 618-626	1.1	4
155	The Correlation between Waist-Hip Ratio and Achieving Therapeutic Lipid Goals in Taiwan. <i>Acta Cardiologica Sinica</i> , 2019 , 35, 605-614	1.1	2
154	2019 Focused Update of the Guidelines of the Taiwan Society of Cardiology for the Diagnosis and Treatment of Heart Failure. <i>Acta Cardiologica Sinica</i> , 2019 , 35, 244-283	1.1	31
153	Cognitive impairment in patients with end-stage renal disease: Accelerated brain aging?. <i>Journal of the Formosan Medical Association</i> , 2019 , 118, 867-875	3.2	14
152	Comparison of Home and Ambulatory Blood Pressure Measurements in Association With Preclinical Hypertensive Cardiovascular Damage. <i>Journal of Cardiovascular Nursing</i> , 2019 , 34, 106-114	2.1	4
151	The dose-response effects of uric acid on the prevalence of metabolic syndrome and electrocardiographic left ventricular hypertrophy in healthy individuals. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019 , 29, 30-38	4.5	14
150	Impact of type D personality on clinical outcomes in Asian patients with stable coronary artery disease. <i>Journal of the Formosan Medical Association</i> , 2019 , 118, 721-729	3.2	14
149	Improved diagnostic accuracy of thallium-201 myocardial perfusion single-photon emission computed tomography with CT attenuation correction. <i>Journal of Nuclear Cardiology</i> , 2019 , 26, 1584-1595 ^{2,1}		9
148	2018 consensus of the Taiwan Society of Cardiology and the Diabetes Association of Republic of China (Taiwan) on the pharmacological management of patients with type 2 diabetes and cardiovascular diseases. <i>Journal of the Chinese Medical Association</i> , 2018 , 81, 189-222	2.8	14
147	Clinical Utility of FDG PET/CT in Patients with Autoimmune Pancreatitis: a Case-Control Study. <i>Scientific Reports</i> , 2018 , 8, 3651	4.9	28
146	Mechanical dyssynchrony and diastolic dysfunction are common in LVH: a pilot correlation study using Doppler echocardiography and CZT gated-SPECT MPI. <i>Scientific Reports</i> , 2018 , 8, 4182	4.9	6
145	Associations between body size and outcomes of adult in-hospital cardiac arrest: A retrospective cohort study. <i>Resuscitation</i> , 2018 , 130, 67-72	4	11
144	Implementation of extracorporeal membrane oxygenation before primary percutaneous coronary intervention may improve the survival of patients with ST-segment elevation myocardial infarction and refractory cardiogenic shock. <i>International Journal of Cardiology</i> , 2018 , 269, 45-50	3.2	20
143	Hyperuricemia Is Associated With a Higher Prevalence of Metabolic Syndrome in Military Individuals. <i>Military Medicine</i> , 2018 , 183, e391-e395	1.3	12
142	Validation of the Cardiac Arrest Survival Postresuscitation In-hospital (CASPRI) score in an East Asian population. <i>PLoS ONE</i> , 2018 , 13, e0202938	3.7	12
141	In-Hospital Implementation of Evidence-Based Medications is Associated with Improved Survival in Diabetic Patients with Acute Coronary Syndrome - Data from TSOCS ACS-DM Registry. <i>Acta Cardiologica Sinica</i> , 2018 , 34, 211-223	1.1	15

140	Heart Rate Behind Systemic Inflammatory Response Syndrome Associated with One-Year Mortality in the Patients with Acute Myocardial Infarction?. <i>Acta Cardiologica Sinica</i> , 2018 , 34, 291	1.1	
139	O1-14-05: ACCELERATED BRAIN AGING IN NON-DEMENTED DIALYSIS PATIENTS 2018 , 14, P260-P260		
138	The association between long-term glycaemic control, glycaemic gap and neurological outcome of in-hospital cardiac arrest in diabetics: A retrospective cohort study. <i>Resuscitation</i> , 2018 , 133, 18-24	4	6
137	The prognostic significance of heart-type fatty acid binding protein in patients with stable coronary heart disease. <i>Scientific Reports</i> , 2018 , 8, 14410	4.9	14
136	On-treatment lipid profiles to predict the cardiovascular outcomes in ASCVD patients comorbid with chronic kidney disease - The multi-center T-SPARCLE registry study. <i>Journal of the Formosan Medical Association</i> , 2018 , 117, 814-824	3.2	5
135	Identification of new biosignatures for clinical outcomes in stable coronary artery disease - The study protocol and initial observations of a prospective follow-up study in Taiwan. <i>BMC Cardiovascular Disorders</i> , 2017 , 17, 42	2.3	13
134	Association of low serum albumin concentration and adverse cardiovascular events in stable coronary heart disease. <i>International Journal of Cardiology</i> , 2017 , 241, 1-5	3.2	43
133	Diagnostic and Prognostic Implications of Exercise Treadmill and Rest First-Pass Radionuclide Angiography in Patients With Pulmonary Hypertension. <i>Clinical Nuclear Medicine</i> , 2017 , 42, e392-e399	1.7	2
132	Lipid lowering therapy in patients with atherosclerotic cardiovascular diseases: Which matters in the real world? Statin intensity or low-density lipoprotein cholesterol level? - Data from a multicenter registry cohort study in Taiwan. <i>PLoS ONE</i> , 2017 , 12, e0186861	3.7	18
131	Outcomes of adults with in-hospital cardiac arrest after implementation of the 2010 resuscitation guidelines. <i>International Journal of Cardiology</i> , 2017 , 249, 214-219	3.2	5
130	Optimal achieved blood pressure for patients with stable coronary artery disease. <i>Scientific Reports</i> , 2017 , 7, 10137	4.9	5
129	Clinical value of radionuclide shuntography by qualitative methods in hydrocephalic adult patients with suspected ventriculoperitoneal shunt malfunction. <i>Medicine (United States)</i> , 2017 , 96, e6767	1.8	6
128	Relationship of serum uric acid and Killip class on mortality after acute ST-segment elevation myocardial infarction and primary percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2017 , 226, 26-33	3.2	21
127	Increased heterogeneity of brain perfusion is an early marker of central nervous system involvement in antiphospholipid antibody carriers. <i>PLoS ONE</i> , 2017 , 12, e0182344	3.7	1
126	The relationship between serum fibrosis markers and restrictive ventricular filling in patients with heart failure with reduced ejection fraction: A technetium-99m radionuclide ventriculography study. <i>Oncotarget</i> , 2017 , 8, 2381-2390	3.3	3
125	Longitudinal evaluation of myocardial glucose metabolism and contractile function in obese type 2 diabetic db/db mice using small-animal dynamic F-FDG PET and echocardiography. <i>Oncotarget</i> , 2017 , 8, 87795-87808	3.3	6
124	One-Year Outcomes of Acute Decompensated Systolic Heart Failure in Taiwan: Lessons from TSOC-HFrEF Registry. <i>Acta Cardiologica Sinica</i> , 2017 , 33, 127-138	1.1	21
123	SYNTAX Score of Infarct-Related Artery Other Than the Number of Coronary Balloon Inflations and Deflations as an Independent Predictor of Contrast-Induced Acute Kidney Injury in Patients with ST-Segment Elevation Myocardial Infarction. <i>Acta Cardiologica Sinica</i> , 2017 , 33, 362-376	1.1	5

122	Associations among gender, marital status, and outcomes of adult in-hospital cardiac arrest: A retrospective cohort study. <i>Resuscitation</i> , 2016 , 107, 1-6	4	15
121	The Obesity-Mortality Paradox in Patients With Heart Failure in Taiwan and a Collaborative Meta-Analysis for East Asian Patients. <i>American Journal of Cardiology</i> , 2016 , 118, 1011-8	3	27
120	Diagnostic Performance of Attenuation-Corrected Myocardial Perfusion Imaging for Coronary Artery Disease: A Systematic Review and Meta-Analysis. <i>Journal of Nuclear Medicine</i> , 2016 , 57, 1893-1898	8.9	38
119	The association between timing of tracheal intubation and outcomes of adult in-hospital cardiac arrest: A retrospective cohort study. <i>Resuscitation</i> , 2016 , 105, 59-65	4	19
118	The influences of adrenaline dosing frequency and dosage on outcomes of adult in-hospital cardiac arrest: A retrospective cohort study. <i>Resuscitation</i> , 2016 , 103, 125-130	4	5
117	Comparison of biventricular ejection fractions using cadmium-zinc-telluride SPECT and planar equilibrium radionuclide angiography. <i>Journal of Nuclear Cardiology</i> , 2016 , 23, 348-61	2.1	10
116	Is insulin truly harmful in diabetic patients undergoing percutaneous coronary intervention?. <i>Journal of Cardiology</i> , 2016 , 67, 303	3	
115	The effects of calcium and sodium bicarbonate on severe hyperkalaemia during cardiopulmonary resuscitation: A retrospective cohort study of adult in-hospital cardiac arrest. <i>Resuscitation</i> , 2016 , 98, 105-11	4	23
114	Outcomes of Adult In-Hospital Cardiac Arrest Treated with Targeted Temperature Management: A Retrospective Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0166148	3.7	5
113	Baseline Hemoglobin Levels Associated with One-Year Mortality in ST-Segment Elevation Myocardial Infarction Patients. <i>Acta Cardiologica Sinica</i> , 2016 , 32, 656-666	1.1	7
112	Renal Function Should be Considered in Determining Superiority of Drug-Eluting Stents over Bare-Metal Stents in Patients with Acute Coronary Syndrome. <i>Acta Cardiologica Sinica</i> , 2016 , 32, 120	1.1	
111	The Incremental Diagnostic Performance of Coronary Computed Tomography Angiography Added to Myocardial Perfusion Imaging in Patients with Intermediate-to-High Cardiovascular Risk. <i>Acta Cardiologica Sinica</i> , 2016 , 32, 145-55	1.1	5
110	TSOC-HFrEF Registry: A Registry of Hospitalized Patients with Decompensated Systolic Heart Failure: Description of Population and Management. <i>Acta Cardiologica Sinica</i> , 2016 , 32, 400-11	1.1	40
109	Is Shorter Door-to-Balloon Time Associated with a Double Risk of Major Adverse Cardiac Events? Use of Drug-Eluting Stents Should Be Considered. <i>Acta Cardiologica Sinica</i> , 2016 , 32, 514-5	1.1	
108	The Clinical Value of Cardiac PET in Heart Failure 2016 , 171-182		
107	Associations between blood glucose level and outcomes of adult in-hospital cardiac arrest: a retrospective cohort study. <i>Cardiovascular Diabetology</i> , 2016 , 15, 118	8.7	10
106	Clinical significance of right ventricular activity on treadmill thallium-201 myocardial single-photon emission computerized tomography using cadmium-zinc-telluride cameras. <i>Nuclear Medicine Communications</i> , 2016 , 37, 650-7	1.6	5
105	Conjunctival Melanoma on 18F-FDG PET/CT as a Second Primary Cancer. <i>Clinical Nuclear Medicine</i> , 2016 , 41, 237-8	1.7	2

104	Benign incidental findings of osteopoikilosis on Tc-99m MDP bone SPECT/CT: A case report and literature review. <i>Medicine (United States)</i> , 2016 , 95, e3868	1.8	8
103	Rapid Early Triage by Leukocytosis and the Thrombolysis in Myocardial Infarction (TIMI) Risk Score for ST-Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention: An Observational Study. <i>Medicine (United States)</i> , 2016 , 95, e2857	1.8	7
102	Effects of 12 weeks of atorvastatin therapy on myocardial fibrosis and circulating fibrosis biomarkers in statin-naïve patients with hypertension with atherosclerosis. <i>Journal of Investigative Medicine</i> , 2016 , 64, 1194-9	2.9	7
101	Data-driven respiratory motion tracking and compensation in CZT cameras: a comprehensive analysis of phantom and human images. <i>Journal of Nuclear Cardiology</i> , 2015 , 22, 308-18	2.1	23
100	Monitoring of serum lactate level during cardiopulmonary resuscitation in adult in-hospital cardiac arrest. <i>Critical Care</i> , 2015 , 19, 344	10.8	22
99	The Benefit from Anti-Inflammatory Properties of Colchicine in Cardiovascular Diseases. <i>American Journal of Cardiology</i> , 2015 , 116, 493	3	0
98	Patient Selection Is Critical in Rate or Rhythm Control of Atrial Fibrillation or Flutter. <i>Annals of Emergency Medicine</i> , 2015 , 66, 562-3	2.1	
97	CXCR4 Antagonist TG-0054 Mobilizes Mesenchymal Stem Cells, Attenuates Inflammation, and Preserves Cardiac Systolic Function in a Porcine Model of Myocardial Infarction. <i>Cell Transplantation</i> , 2015 , 24, 1313-28	4	23
96	Improvement of Cerebral Glucose Metabolism in Symptomatic Patients With Carotid Artery Stenosis After Stenting. <i>Clinical Nuclear Medicine</i> , 2015 , 40, 701-7	1.7	5
95	Serum Angiotensin-Like Protein 2 Concentrations Are Independently Associated with Heart Failure. <i>PLoS ONE</i> , 2015 , 10, e0138678	3.7	20
94	Extramedullary Soft Tissue Involvement and Discrepant Osseous Uptake on Tc-99m MDP and Ga-67 Citrate Scintigraphy in a Patient With Multiple Myeloma: A Case Report and Literature Review. <i>Medicine (United States)</i> , 2015 , 94, e995	1.8	1
93	Mesenteric Ischemia Mimicking ST-Segment Elevation Myocardial Infarction. <i>New England Journal of Medicine</i> , 2015 , 373, 780-1	59.2	3
92	Determinants for achieving the LDL-C target of lipid control for secondary prevention of cardiovascular events in Taiwan. <i>PLoS ONE</i> , 2015 , 10, e0116513	3.7	26
91	Early Myocardial Repolarization Heterogeneity Is Detected by Magnetocardiography in Diabetic Patients with Cardiovascular Risk Factors. <i>PLoS ONE</i> , 2015 , 10, e0133192	3.7	3
90	Incremental Diagnostic Performance of Combined Parameters in the Detection of Severe Coronary Artery Disease Using Exercise Gated Myocardial Perfusion Imaging. <i>PLoS ONE</i> , 2015 , 10, e0134485	3.7	8
89	Hyperuricemia as an Outcome Predictor in Patients with ST-Segment Elevation Myocardial Infarction: Too Good to be True?. <i>Acta Cardiologica Sinica</i> , 2015 , 31, 87-8	1.1	
88	Association of Plasma Thrombospondin-1 Level with Cardiovascular Disease and Mortality in Hemodialysis Patients. <i>Acta Cardiologica Sinica</i> , 2015 , 31, 113-9	1.1	8
87	Association of lower extremity arterial calcification with amputation and mortality in patients with symptomatic peripheral artery disease. <i>PLoS ONE</i> , 2014 , 9, e90201	3.7	41

86	Association of esophageal inflammation, obesity and gastroesophageal reflux disease: from FDG PET/CT perspective. <i>PLoS ONE</i> , 2014 , 9, e92001	3.7	18
85	Evaluation of circulating adipokines and abdominal obesity as predictors of significant myocardial ischemia using gated single-photon emission computed tomography. <i>PLoS ONE</i> , 2014 , 9, e97710	3.7	5
84	Comparison the prognostic value of galectin-3 and serum markers of cardiac extracellular matrix turnover in patients with chronic systolic heart failure. <i>International Journal of Medical Sciences</i> , 2014 , 11, 1098-106	3.7	14
83	Impact on pulmonary arterial pressures after repeated endovascular thrombectomy of dialysis grafts: a prospective follow-up study. <i>Journal of Vascular and Interventional Radiology</i> , 2014 , 25, 1883-9	2.4	3
82	Normal values and symptom correlation of a simplified oatmeal-based gastric emptying study in the Chinese population. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 1873-82	4	10
81	QTc Heterogeneity in Rest Magnetocardiography is Sensitive to Detect Coronary Artery Disease: In Comparison with Stress Myocardial Perfusion Imaging. <i>Acta Cardiologica Sinica</i> , 2014 , 30, 445-54	1.1	6
80	Association between serum adipocyte fatty-acid binding protein concentrations, left ventricular function and myocardial perfusion abnormalities in patients with coronary artery disease. <i>Cardiovascular Diabetology</i> , 2013 , 12, 105	8.7	23
79	Serum adipocyte fatty acid-binding protein levels in patients with critical illness are associated with insulin resistance and predict mortality. <i>Critical Care</i> , 2013 , 17, R22	10.8	19
78	Association of the recovery of objective abnormal cerebral perfusion with neurocognitive improvement after carotid revascularization. <i>Journal of the American College of Cardiology</i> , 2013 , 61, 2503-9	15.1	30
77	Left ventricle metastasis of esophageal cancer mimicking myocardial infarction in myocardial perfusion scintigraphy. <i>International Journal of Cardiology</i> , 2013 , 167, e184-6	3.2	7
76	Usefulness of PET/CT for the differentiation and characterization of periampullary lesions. <i>Clinical Nuclear Medicine</i> , 2013 , 38, 703-8	1.7	10
75	Gender differences in myocardial perfusion defect in asymptomatic postmenopausal women and men with and without diabetes mellitus. <i>Journal of Womens Health</i> , 2013 , 22, 439-44	3	8
74	Usefulness of magnetocardiography to detect coronary artery disease and cardiac allograft vasculopathy. <i>Circulation Journal</i> , 2013 , 77, 1783-90	2.9	11
73	Influence of non-alcoholic fatty liver disease on autonomic changes evaluated by the time domain, frequency domain, and symbolic dynamics of heart rate variability. <i>PLoS ONE</i> , 2013 , 8, e61803	3.7	55
72	Prognostic significance of adipocytokines in systolic heart failure patients. <i>European Journal of Clinical Investigation</i> , 2012 , 42, 1079-86	4.6	6
71	The effects of 3-month atorvastatin therapy on arterial inflammation, calcification, abdominal adipose tissue and circulating biomarkers. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012 , 39, 399-407	8.8	83
70	Carotid stenting improves cognitive function in asymptomatic cerebral ischemia. <i>International Journal of Cardiology</i> , 2012 , 157, 104-7	3.2	36
69	Atypical thymic carcinoid associated with coronary artery spasm: incidental finding of myocardial perfusion imaging. <i>International Journal of Cardiology</i> , 2012 , 161, e31-3	3.2	2

68	Relationship between bone mineral density and serum osteoprotegerin in patients with chronic heart failure. <i>PLoS ONE</i> , 2012 , 7, e44242	3.7	17
67	Comparative study between endoscopic ultrasonography and positron emission tomography-computed tomography in staging patients with esophageal squamous cell carcinoma. <i>Ecological Management and Restoration</i> , 2012 , 25, 40-7	3	28
66	Asymmetric intense bilateral adrenal uptake on [18F]fluorodeoxyglucose positron emission tomography/computed tomography in a patient with solitary pulmonary nodule. <i>Journal of Clinical Oncology</i> , 2012 , 30, e83-5	2.2	3
65	Postoperative lymphocele demonstrated by lymphoscintigraphy SPECT/CT. <i>Clinical Nuclear Medicine</i> , 2012 , 37, 374-6	1.7	6
64	Home-based exercise improves the quality of life and physical function but not the psychological status of people with chronic heart failure: a randomised trial. <i>Journal of Physiotherapy</i> , 2011 , 57, 157-63 ^{2,9}		3 ⁰
63	The application of infrared thermography in evaluation of patients at high risk for lower extremity peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2011 , 54, 1074-80	3.5	59
62	Sex-specific normal limits of left ventricular ejection fraction and volumes estimated by gated myocardial perfusion imaging in adult patients in Taiwan: a comparison between two quantitative methods. <i>Nuclear Medicine Communications</i> , 2011 , 32, 113-20	1.6	14
61	Diagnostic value of 18F-FDG-PET/CT in indeterminate infiltrative hepatic lesions in an endemic area of viral hepatitis. <i>Nuclear Medicine Communications</i> , 2011 , 32, 252-9	1.6	3
60	F-18 FDG PET images for subcutaneous panniculitis-like T-cell lymphoma. <i>Clinical Nuclear Medicine</i> , 2011 , 36, 66-9	1.7	37
59	The role of lymphoscintigraphy in diagnosis and monitor the response of physiotherapeutic technique in congenital lymphedema. <i>Clinical Nuclear Medicine</i> , 2011 , 36, e11-2	1.7	8
58	Continuous intravenous infusion of prostaglandin E1 improves myocardial perfusion reserve in patients with ischemic heart disease assessed by positron emission tomography: a pilot study. <i>Annals of Nuclear Medicine</i> , 2011 , 25, 462-8	2.5	6
57	Exercise training increases myocardial perfusion in residual viable myocardium within infarct zone. <i>Journal of Magnetic Resonance Imaging</i> , 2011 , 34, 60-8	5.6	4
56	Neurocognitive improvement after carotid artery stenting in patients with chronic internal carotid artery occlusion and cerebral ischemia. <i>Stroke</i> , 2011 , 42, 2850-4	6.7	59
55	Myocardial perfusion image in asymptomatic postmenopausal women with physical inactivity and overweight. <i>Obesity Facts</i> , 2011 , 4, 372-8	5.1	6
54	The diagnostic and prognostic effectiveness of F-18 sodium fluoride PET-CT in detecting bone metastases for hepatocellular carcinoma patients. <i>Nuclear Medicine Communications</i> , 2010 , 31, 637-45	1.6	46
53	The relationship between aminoterminal propeptide of type III procollagen and heart rate variability parameters in heart failure patients: a potential serum marker to evaluate cardiac autonomic control and sudden cardiac death. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010 , 48, 1821-7	5.9	14
52	PET assessment of myocardial perfusion reserve inversely correlates with intravascular ultrasound findings in angiographically normal cardiac transplant recipients. <i>Journal of Nuclear Medicine</i> , 2010 , 51, 906-12	8.9	48
51	Cerebral perfusion changes in hemiplegic migraine: illustrated by Tc-99m ECD brain perfusion scan. <i>Clinical Nuclear Medicine</i> , 2010 , 35, 456-8	1.7	12

50	131I-6beta-iodomethyl-19-norcholesterol SPECT/CT for primary aldosteronism patients with inconclusive adrenal venous sampling and CT results. <i>Journal of Nuclear Medicine</i> , 2009 , 50, 1631-7	8.9	83
49	Usefulness of 201Tl SPECT/CT relative to 18F-FDG PET/CT in detecting recurrent skull base nasopharyngeal carcinoma. <i>Head and Neck</i> , 2009 , 31, 717-24	4.2	6
48	Elevated blood urea nitrogen-to-creatinine ratio increased the risk of hospitalization and all-cause death in patients with chronic heart failure. <i>Clinical Research in Cardiology</i> , 2009 , 98, 487-92	6.1	43
47	The relationship between serum galectin-3 and serum markers of cardiac extracellular matrix turnover in heart failure patients. <i>Clinica Chimica Acta</i> , 2009 , 409, 96-9	6.2	117
46	Association of circulating matrix metalloproteinase-1, but not adiponectin, with advanced coronary artery disease. <i>Atherosclerosis</i> , 2009 , 204, 293-7	3.1	16
45	The clinical implications of blood adiponectin in cardiometabolic disorders. <i>Journal of the Formosan Medical Association</i> , 2009 , 108, 353-66	3.2	52
44	Myocardial infarction without coronary artery stenosis illustrated by Tc-99m pyrophosphate scan, cardiac magnetic resonance imaging, and myocardial perfusion scintigraphy. <i>Clinical Nuclear Medicine</i> , 2009 , 34, 734-6	1.7	
43	Unusual finding of thoracic kidney on myocardial perfusion imaging using SPECT/CT. <i>Clinical Nuclear Medicine</i> , 2009 , 34, 379-80	1.7	3
42	Effect of cardiac rehabilitation on myocardial perfusion reserve in postinfarction patients. <i>American Journal of Cardiology</i> , 2008 , 101, 1395-402	3	21
41	Left ventricular functional analysis using 64-slice multidetector row computed tomography: comparison with left ventriculography and cardiovascular magnetic resonance. <i>Cardiology</i> , 2008 , 109, 135-42	1.6	26
40	Estimation of global and regional cardiac function using 64-slice computed tomography: a comparison study with echocardiography, gated-SPECT and cardiovascular magnetic resonance. <i>International Journal of Cardiology</i> , 2008 , 128, 69-76	3.2	80
39	High serum level of matrix metalloproteinase-1 and its rapid surge after intervention in patients with significant carotid atherosclerosis. <i>Journal of the Formosan Medical Association</i> , 2008 , 107, 93-8	3.2	12
38	Interactive 3D hybrid PET/CT imaging in the identification of myocardial viability in patients after myocardial infarction: feasibility study and clinical implications. <i>Journal of the Formosan Medical Association</i> , 2008 , 107, 470-7	3.2	1
37	Home-based exercise increases exercise capacity but not quality of life in people with chronic heart failure: a systematic review. <i>Australian Journal of Physiotherapy</i> , 2008 , 54, 87-93		53
36	Procedural safety and potential vascular complication of endovascular recanalization for chronic cervical internal carotid artery occlusion. <i>Circulation: Cardiovascular Interventions</i> , 2008 , 1, 119-25	6	63
35	Impaired exercise capacity in diabetic patients after coronary bypass surgery: effects of diastolic and endothelial function. <i>Cardiology</i> , 2008 , 110, 191-8	1.6	13
34	Efficacy of a home-based exercise program for orthotopic heart transplant recipients. <i>Cardiology</i> , 2008 , 111, 87-93	1.6	31
33	Perfusion of residual viable myocardium in nontransmural infarct zone after intervention: MR quantitative myocardial blood flow measurement. <i>Radiology</i> , 2008 , 249, 820-8	20.5	5

32	Heterogeneous reduction of myocardial oxidative metabolism in patients with ischemic and dilated cardiomyopathy using C-11 acetate PET. <i>Circulation Journal</i> , 2008 , 72, 786-92	2.9	15
31	Intravascular ultrasound correlates with coronary flow reserve and predicts the survival in angiographically normal cardiac transplant recipients. <i>Cardiology</i> , 2008 , 109, 93-8	1.6	14
30	Usefulness of lymphoscintigraphy in demonstrating lymphedema in patients with Noonan syndrome. <i>Clinical Nuclear Medicine</i> , 2008 , 33, 226-7	1.7	3
29	¹⁸ F-FDG PET for the lymph node staging of non-small cell lung cancer in a tuberculosis-endemic country: is dual time point imaging worth the effort?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008 , 35, 1305-15	8.8	62
28	Prevalence of concomitant atherosclerotic arterial diseases in patients with significant cervical carotid artery stenosis in Taiwan. <i>International Journal of Cardiovascular Imaging</i> , 2007 , 23, 433-9	2.5	18
27	Myocardial viability by contrast-enhanced cardiovascular magnetic resonance in patients with coronary artery disease: comparison with gated single-photon emission tomography and FDG position emission tomography. <i>International Journal of Cardiovascular Imaging</i> , 2007 , 23, 757-65	2.5	20
26	First-pass myocardial perfusion cardiovascular magnetic resonance at 3 Tesla. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2007 , 9, 633-44	6.9	21
25	Comparison of contrast-enhanced MRI with (¹⁸ F)-FDG PET/ ²⁰¹ Tl SPECT in dysfunctional myocardium: relation to early functional outcome after surgical revascularization in chronic ischemic heart disease. <i>Journal of Nuclear Medicine</i> , 2007 , 48, 1096-103	8.9	49
24	Coronary angiography by 64-detector row computed tomography using low dose of contrast material with saline chaser: influence of total injection volume on vessel attenuation. <i>Journal of Computer Assisted Tomography</i> , 2007 , 31, 272-80	2.2	55
23	F-18 FDG PET/CT illustrating tumor invasion in the IVC from adrenocortical carcinoma. <i>Clinical Nuclear Medicine</i> , 2007 , 32, 891-2	1.7	5
22	Evaluation of three-dimensional navigator-gated whole heart MR coronary angiography: the importance of systolic imaging in subjects with high heart rates. <i>European Journal of Radiology</i> , 2007 , 61, 91-6	4.7	14
21	Complementary appearance of glucose and lipid metabolism in cardiac sarcoidosis. <i>International Journal of Cardiology</i> , 2007 , 116, 281-3	3.2	4
20	Identification of lipomatous metaplasia in old infarcted myocardium by cardiovascular magnetic resonance and computed tomography. <i>International Journal of Cardiology</i> , 2007 , 115, e15-6	3.2	16
19	Extensive scar myocardium in hypertrophic cardiomyopathy with severe myocardial bridge. <i>International Journal of Cardiology</i> , 2007 , 115, e105-7	3.2	5
18	Structural and functional assessment of arrhythmogenic right ventricular dysplasia/cardiomyopathy by multi-slice computed tomography: comparison with cardiovascular magnetic resonance. <i>International Journal of Cardiology</i> , 2007 , 115, e118-21	3.2	21
17	Radio-guided sentinel lymph node biopsy using periareolar injection technique for patients with early breast cancer. <i>Journal of the Formosan Medical Association</i> , 2007 , 106, 44-50	3.2	8
16	Improved cost-effectiveness for management of chronic heart failure by combined home-based intervention with clinical nursing specialists. <i>Journal of the Formosan Medical Association</i> , 2007 , 106, 313-9	3.2	28
15	Characterization of plaques using ¹⁸ F-FDG PET/CT in patients with carotid atherosclerosis and correlation with matrix metalloproteinase-1. <i>Journal of Nuclear Medicine</i> , 2007 , 48, 227-33	8.9	62

14	Enhanced external counterpulsation reduces lung/heart ratio at stress in patients with coronary artery disease. <i>Cardiology</i> , 2006 , 106, 237-40	1.6	3
13	Intravascular ultrasound evidence of angiographically silent allograft vasculopathy inversely correlates with circulating level of hepatocyte growth factor. <i>Journal of Heart and Lung Transplantation</i> , 2006 , 25, 1456-61	5.8	7
12	Usefulness of progressive inhomogeneity of myocardial perfusion and chronotropic incompetence in detecting cardiac allograft vasculopathy: evaluation with dobutamine thallium-201 myocardial SPECT. <i>Cardiology</i> , 2005 , 104, 156-61	1.6	4
11	Diagnostic and prognostic value of dobutamine thallium-201 single-photon emission computed tomography after heart transplantation. <i>Journal of Heart and Lung Transplantation</i> , 2005 , 24, 544-50	5.8	39
10	99mTc-HL91 is inferior to 201Tl in scintigraphic detection of chronic myocardial ischaemia. <i>Nuclear Medicine Communications</i> , 2005 , 26, 1119-23	1.6	2
9	Assessment of myocardial viability using F-18 fluorodeoxyglucose/Tc-99m sestamibi dual-isotope simultaneous acquisition SPECT: comparison with Tl-201 stress-reinjection SPECT. <i>Journal of Nuclear Cardiology</i> , 2005 , 12, 451-9	2.1	9
8	Using 18-fluoro-2-deoxyglucose positron emission tomography in detecting infectious endocarditis/endoarteritis: a preliminary report. <i>Academic Radiology</i> , 2004 , 11, 316-21	4.3	48
7	FDG PET manifestation of lobular panniculitis. <i>Clinical Nuclear Medicine</i> , 2004 , 29, 442-3	1.7	5
6	Gallium-67 scintigraphy and f-18 fluorodeoxyglucose position emission tomography in posttransplant lymphoproliferative disorder. <i>Clinical Nuclear Medicine</i> , 2004 , 29, 329-31	1.7	4
5	Different fibrovascularization rate between coralline hydroxyapatite and high density porous polyethylene (Medpore) measured by 99mTc-MDP bone scintigraphy 6 months after intraorbital implantation. <i>Nuclear Medicine Communications</i> , 2003 , 24, 1237-41	1.6	12
4	Aortic dissection detected on three-phase bone scintigraphy. <i>Clinical Nuclear Medicine</i> , 2003 , 28, 858-60	1.7	1
3	Tl-201 myocardial SPECT in differentiation of ischemic from nonischemic dilated cardiomyopathy in patients with left ventricular dysfunction. <i>Journal of Nuclear Cardiology</i> , 2003 , 10, 369-74	2.1	30
2	Value of circulating adhesion molecules in assessing cardiac allograft vasculopathy. <i>Journal of Heart and Lung Transplantation</i> , 2003 , 22, 1284-7	5.8	12
1	Late atrioventricular block after heart transplantation. <i>Journal of the Formosan Medical Association</i> , 2003 , 102, 121-3	3.2	1