

Laszlo Nagy

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/791104/laszlo-nagy-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

166
papers

16,030
citations

52
h-index

126
g-index

185
ext. papers

17,505
ext. citations

9.1
avg. IF

6.15
L-index

#	Paper	IF	Citations
166	A growth factor-expressing macrophage subpopulation orchestrates regenerative inflammation via GDF-15. <i>Journal of Experimental Medicine</i> , 2022 , 219,	16.6	6
165	Omecamtiv mecarbil evokes diastolic dysfunction and leads to periodic electromechanical alternans. <i>Basic Research in Cardiology</i> , 2021 , 116, 24	11.8	1
164	Myeloid cell diversification during regenerative inflammation: Lessons from skeletal muscle. <i>Seminars in Cell and Developmental Biology</i> , 2021 , 119, 89-100	7.5	3
163	Heme cytotoxicity is the consequence of endoplasmic reticulum stress in atherosclerotic plaque progression. <i>Scientific Reports</i> , 2021 , 11, 10435	4.9	1
162	Diet-dependent natriuretic peptide receptor C expression in adipose tissue is mediated by PPAR α via long-range distal enhancers. <i>Journal of Biological Chemistry</i> , 2021 , 297, 100941	5.4	1
161	Transcriptional repression shapes the identity and function of tissue macrophages. <i>FEBS Open Bio</i> , 2021 , 11, 3218-3229	2.7	2
160	Oxidation of Hemoglobin Drives a Proatherogenic Polarization of Macrophages in Human Atherosclerosis. <i>Antioxidants and Redox Signaling</i> , 2021 , 35, 917-950	8.4	2
159	Sympathetic activation in heart failure with reduced and mildly reduced ejection fraction: the role of aetiology. <i>ESC Heart Failure</i> , 2021 ,	3.7	1
158	Global Run-on Sequencing (GRO-Seq). <i>Methods in Molecular Biology</i> , 2021 , 2351, 25-39	1.4	2
157	Unorthodox Transcriptional Mechanisms of Lipid-Sensing Nuclear Receptors in Macrophages: Are We Opening a New Chapter?. <i>Frontiers in Endocrinology</i> , 2020 , 11, 609099	5.7	2
156	Agonist binding directs dynamic competition among nuclear receptors for heterodimerization with retinoid X receptor. <i>Journal of Biological Chemistry</i> , 2020 , 295, 10045-10061	5.4	14
155	Myeloid ALX/FPR2 regulates vascularization following tissue injury. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 14354-14364	11.5	15
154	Association between Foramen Size and Febrile Seizure Status in the Pediatric Population: A Two-Center Retrospective Analysis. <i>Journal of Neurosciences in Rural Practice</i> , 2020 , 11, 430-435	1.1	1
153	Intracardiac Fibrinolysis and Endothelium Activation Related to Atrial Fibrillation Ablation with Different Techniques. <i>Cardiology Research and Practice</i> , 2020 , 2020, 1570483	1.9	3
152	Unraveling the Hierarchy of and Factors That Determine the DNA Binding by Peroxisome Proliferator-Activated Receptor α <i>Molecular and Cellular Biology</i> , 2020 , 40,	4.8	3
151	Glucocorticoids counteract hypertrophic effects of myostatin inhibition in dystrophic muscle. <i>JCI Insight</i> , 2020 , 5,	9.9	9
150	Simultaneous Mapping of Molecular Proximity and Comobility Reveals Agonist-Enhanced Dimerization and DNA Binding of Nuclear Receptors. <i>Analytical Chemistry</i> , 2020 , 92, 2207-2215	7.8	4

149	Uninterrupted Dabigatran Administration Provides Greater Inhibition against Intracardiac Activation of Hemostasis as Compared to Vitamin K Antagonists during Cryoballoon Catheter Ablation of Atrial Fibrillation. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	1
148	The transcription factor EGR2 is the molecular linchpin connecting STAT6 activation to the late, stable epigenomic program of alternative macrophage polarization. <i>Genes and Development</i> , 2020 , 34, 1474-1492	12.6	11
147	Investigation of de novo mutations in a schizophrenia case-parent trio by induced pluripotent stem cell-based in vitro disease modeling: convergence of schizophrenia- and autism-related cellular phenotypes. <i>Stem Cell Research and Therapy</i> , 2020 , 11, 504	8.3	3
146	Motif grammar: The basis of the language of gene expression. <i>Computational and Structural Biotechnology Journal</i> , 2020 , 18, 2026-2032	6.8	7
145	The BACH1-HMOX1 Regulatory Axis Is Indispensable for Proper Macrophage Subtype Specification and Skeletal Muscle Regeneration. <i>Journal of Immunology</i> , 2019 , 203, 1532-1547	5.3	14
144	Identification and characterization of a novel anti-inflammatory lipid isolated from <i>Mycobacterium vaccae</i> , a soil-derived bacterium with immunoregulatory and stress resilience properties. <i>Psychopharmacology</i> , 2019 , 236, 1653-1670	4.7	16
143	Signal Integration of IFN-I and IFN-II With TLR4 Involves Sequential Recruitment of STAT1-Complexes and NF κ B to Enhance Pro-inflammatory Transcription. <i>Frontiers in Immunology</i> , 2019 , 10, 1253	8.4	15
142	Gene expression analysis of vascular pathophysiology related to anti-TNF treatment in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2019 , 21, 94	5.7	6
141	Dynamic changes to lipid mediators support transitions among macrophage subtypes during muscle regeneration. <i>Nature Immunology</i> , 2019 , 20, 626-636	19.1	67
140	Labelled regulatory elements are pervasive features of the macrophage genome and are dynamically utilized by classical and alternative polarization signals. <i>Nucleic Acids Research</i> , 2019 , 47, 2778-2792	20.1	7
139	Hepatocyte-Macrophage Acetoacetate Shuttle Protects against Tissue Fibrosis. <i>Cell Metabolism</i> , 2019 , 29, 383-398.e7	24.6	46
138	The IL-4/STAT6/PPAR δ signaling axis is driving the expansion of the RXR heterodimer cistrome, providing complex ligand responsiveness in macrophages. <i>Nucleic Acids Research</i> , 2018 , 46, 4425-4439	20.1	30
137	Liver X Receptor Nuclear Receptors Are Transcriptional Regulators of Dendritic Cell Chemotaxis. <i>Molecular and Cellular Biology</i> , 2018 , 38,	4.8	19
136	A Pharmacogenetic Approach to the Treatment of Patients With Mutations. <i>Diabetes</i> , 2018 , 67, 1086-1092	2.9	21
135	The Transcription Factor STAT6 Mediates Direct Repression of Inflammatory Enhancers and Limits Activation of Alternatively Polarized Macrophages. <i>Immunity</i> , 2018 , 48, 75-90.e6	32.3	106
134	Transcriptional regulation of macrophage cholesterol efflux and atherogenesis by a long noncoding RNA. <i>Nature Medicine</i> , 2018 , 24, 304-312	50.5	123
133	Consumption of conjugated linoleic acid (CLA)-supplemented diet during colitis development ameliorates gut inflammation without causing steatosis in mice. <i>Journal of Nutritional Biochemistry</i> , 2018 , 57, 238-245	6.3	5
132	Arginine Methyltransferase PRMT8 Provides Cellular Stress Tolerance in Aging Motoneurons. <i>Journal of Neuroscience</i> , 2018 , 38, 7683-7700	6.6	17

131	In vivo GDF3 administration abrogates aging related muscle regeneration delay following acute sterile injury. <i>Aging Cell</i> , 2018 , 17, e12815	9.9	17
130	Dynamic transcriptional control of macrophage miRNA signature via inflammation responsive enhancers revealed using a combination of next generation sequencing-based approaches. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2018 , 1861, 14-28	6	8
129	RXR heterodimers orchestrate transcriptional control of neurogenesis and cell fate specification. <i>Molecular and Cellular Endocrinology</i> , 2018 , 471, 51-62	4.4	11
128	Extensive and functional overlap of the STAT6 and RXR cistromes in the active enhancer repertoire of human CD14+ monocyte derived differentiating macrophages. <i>Molecular and Cellular Endocrinology</i> , 2018 , 471, 63-74	4.4	6
127	The Nuclear Receptor PPAR γ Controls Progressive Macrophage Polarization as a Ligand-Insensitive Epigenomic Ratchet of Transcriptional Memory. <i>Immunity</i> , 2018 , 49, 615-626.e6	32.3	67
126	Interactions of retinoids with the ABC transporters P-glycoprotein and Breast Cancer Resistance Protein. <i>Scientific Reports</i> , 2017 , 7, 41376	4.9	16
125	Leukocyte Overexpression of Intracellular NAMPT Attenuates Atherosclerosis by Regulating PPAR α Dependent Monocyte Differentiation and Function. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017 , 37, 1157-1167	9.4	20
124	MSTO1 is a cytoplasmic pro-mitochondrial fusion protein, whose mutation induces myopathy and ataxia in humans. <i>EMBO Molecular Medicine</i> , 2017 , 9, 967-984	12	41
123	Commentaries on Viewpoint: Loopomics: a new functional approach to life. <i>Journal of Applied Physiology</i> , 2017 , 123, 1014-1015	3.7	
122	Titin isoforms are increasingly protected against oxidative modifications in developing rat cardiomyocytes. <i>Free Radical Biology and Medicine</i> , 2017 , 113, 224-235	7.8	8
121	Nucleosome stability measured in situ by automated quantitative imaging. <i>Scientific Reports</i> , 2017 , 7, 12734	4.9	11
120	Retinoid X receptor suppresses a metastasis-promoting transcriptional program in myeloid cells via a ligand-insensitive mechanism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 10725-10730	11.5	17
119	In situ macrophage phenotypic transition is affected by altered cellular composition prior to acute sterile muscle injury. <i>Journal of Physiology</i> , 2017 , 595, 5815-5842	3.9	25
118	Differentiation of Adipocytes in Monolayer from Mouse Embryonic Stem Cells. <i>Methods in Molecular Biology</i> , 2016 , 1341, 407-15	1.4	2
117	Nuclear Receptors in Immune Function 2016 , 146-156		
116	Macrophage PPAR α Lipid Activated Transcription Factor Controls the Growth Factor GDF3 and Skeletal Muscle Regeneration. <i>Immunity</i> , 2016 , 45, 1038-1051	32.3	84
115	Prediction and Validation of Gene Regulatory Elements Activated During Retinoic Acid Induced Embryonic Stem Cell Differentiation. <i>Journal of Visualized Experiments</i> , 2016 ,	1.6	2
114	Decreased peroxisome proliferator-activated receptor α level and signalling in sebaceous glands of patients with acne vulgaris. <i>Clinical and Experimental Dermatology</i> , 2016 , 41, 547-51	1.8	13

113	The IL-4/STAT6 signaling axis establishes a conserved microRNA signature in human and mouse macrophages regulating cell survival via miR-342-3p. <i>Genome Medicine</i> , 2016 , 8, 63	14.4	30
112	Motif oriented high-resolution analysis of ChIP-seq data reveals the topological order of CTCF and cohesin proteins on DNA. <i>BMC Genomics</i> , 2016 , 17, 637	4.5	18
111	Is the Mouse a Good Model of Human PPAR γ Related Metabolic Diseases?. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	12
110	ORM-3819 promotes cardiac contractility through Ca(2+) sensitization in combination with selective PDE III inhibition, a novel approach to inotropy. <i>European Journal of Pharmacology</i> , 2016 , 775, 120-9	5.3	3
109	Highly Dynamic Transcriptional Signature of Distinct Macrophage Subsets during Sterile Inflammation, Resolution, and Tissue Repair. <i>Journal of Immunology</i> , 2016 , 196, 4771-82	5.3	99
108	OCT4 Acts as an Integrator of Pluripotency and Signal-Induced Differentiation. <i>Molecular Cell</i> , 2016 , 63, 647-661	17.6	47
107	PRMT1 and PRMT8 regulate retinoic acid-dependent neuronal differentiation with implications to neuropathology. <i>Stem Cells</i> , 2015 , 33, 726-41	5.8	35
106	Genomewide effects of peroxisome proliferator-activated receptor gamma in macrophages and dendritic cells--revealing complexity through systems biology. <i>European Journal of Clinical Investigation</i> , 2015 , 45, 964-75	4.6	8
105	9-cis-13,14-Dihydroretinoic Acid Is an Endogenous Retinoid Acting as RXR Ligand in Mice. <i>PLoS Genetics</i> , 2015 , 11, e1005213	6	78
104	Combination of IgG N-glycomics and corresponding transcriptomics data to identify anti-TNF- α treatment responders in inflammatory diseases. <i>Electrophoresis</i> , 2015 , 36, 1330-5	3.6	9
103	PPAR γ -mediated and arachidonic acid-dependent signaling is involved in differentiation and lipid production of human sebocytes. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 910-920	4.3	56
102	The intriguing complexities of mammalian gene regulation: how to link enhancers to regulated genes. Are we there yet?. <i>FEBS Letters</i> , 2014 , 588, 2379-91	3.8	14
101	Highly efficient differentiation of embryonic stem cells into adipocytes by ascorbic acid. <i>Stem Cell Research</i> , 2014 , 13, 88-97	1.6	31
100	Causes and pathophysiology of heart failure with preserved ejection fraction. <i>Heart Failure Clinics</i> , 2014 , 10, 389-98	3.3	22
99	Ligand binding shifts highly mobile retinoid X receptor to the chromatin-bound state in a coactivator-dependent manner, as revealed by single-cell imaging. <i>Molecular and Cellular Biology</i> , 2014 , 34, 1234-45	4.8	29
98	PPAR α activation but not PPAR α haplodeficiency affects proangiogenic potential of endothelial cells and bone marrow-derived progenitors. <i>Cardiovascular Diabetology</i> , 2014 , 13, 150	8.7	10
97	Inotropes and inodilators for acute heart failure: sarcomere active drugs in focus. <i>Journal of Cardiovascular Pharmacology</i> , 2014 , 64, 199-208	3.1	17
96	Measuring expression levels of small regulatory RNA molecules from body fluids and formalin-fixed, paraffin-embedded samples. <i>Methods in Molecular Biology</i> , 2014 , 1182, 105-19	1.4	6

95	The active enhancer network operated by liganded RXR supports angiogenic activity in macrophages. <i>Genes and Development</i> , 2014 , 28, 1562-77	12.6	68
94	PPAR ζ activation but not PPAR ζ haplodeficiency affects proangiogenic potential of endothelial cells and bone marrow-derived progenitors. <i>Cardiovascular Diabetology</i> , 2014 , 13, 150	8.7	9
93	Mapping the genomic binding sites of the activated retinoid X receptor in murine bone marrow-derived macrophages using chromatin immunoprecipitation sequencing. <i>Methods in Molecular Biology</i> , 2014 , 1204, 15-24	1.4	13
92	Pro-inflammatory cytokines negatively regulate PPAR α -mediated gene expression in both human and murine macrophages via multiple mechanisms. <i>Immunobiology</i> , 2013 , 218, 1336-44	3.4	26
91	A novel method to predict regulatory regions based on histone mark landscapes in macrophages. <i>Immunobiology</i> , 2013 , 218, 1416-27	3.4	11
90	Pharmacogenetics and pharmacogenomics in rheumatology. <i>Immunologic Research</i> , 2013 , 56, 325-33	4.3	19
89	The role of lipid-activated nuclear receptors in shaping macrophage and dendritic cell function: From physiology to pathology. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 132, 264-86	11.5	109
88	Nuclear receptors as regulators of stem cell and cancer stem cell metabolism. <i>Seminars in Cell and Developmental Biology</i> , 2013 , 24, 716-23	7.5	7
87	Reprogramming of lysosomal gene expression by interleukin-4 and Stat6. <i>BMC Genomics</i> , 2013 , 14, 853	4.5	14
86	Hmgb1 can facilitate activation of the matrilin-1 gene promoter by Sox9 and L-Sox5/Sox6 in early steps of chondrogenesis. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2013 , 1829, 1075-91	6	8
85	Tissue LyC6- macrophages are generated in the absence of circulating LyC6- monocytes and Nur77 in a model of muscle regeneration. <i>Journal of Immunology</i> , 2013 , 191, 5695-701	5.3	61
84	Nuclear receptor mediated mechanisms of macrophage cholesterol metabolism. <i>Molecular and Cellular Endocrinology</i> , 2013 , 368, 85-98	4.4	19
83	RDH10, RALDH2, and CRABP2 are required components of PPAR β -directed ATRA synthesis and signaling in human dendritic cells. <i>Journal of Lipid Research</i> , 2013 , 54, 2458-74	6.3	15
82	Peripheral blood derived gene panels predict response to infliximab in rheumatoid arthritis and Crohn's disease. <i>Genome Medicine</i> , 2013 , 5, 59	14.4	24
81	A7.20 Response to Infliximab Therapy can be Predicted using Distinct, Non-Overlapping Gene Panels of Peripheral Blood Gene Expression in Rheumatoid Arthritis and Crohn's Disease. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, A55.1-A55	2.4	1
80	Genome wide mapping reveals PDE4B as an IL-2 induced STAT5 target gene in activated human PBMCs and lymphoid cancer cells. <i>PLoS ONE</i> , 2013 , 8, e57326	3.7	8
79	A versatile method to design stem-loop primer-based quantitative PCR assays for detecting small regulatory RNA molecules. <i>PLoS ONE</i> , 2013 , 8, e55168	3.7	77
78	Association of peroxisome proliferator-activated receptor gamma polymorphisms with inflammatory bowel disease in a Hungarian cohort. <i>Inflammatory Bowel Diseases</i> , 2012 , 18, 472-9	4.5	12

77	Identification of novel markers of alternative activation and potential endogenous PPAR α ligand production mechanisms in human IL-4 stimulated differentiating macrophages. <i>Immunobiology</i> , 2012 , 217, 1301-14	3.4	33
76	Peripheral blood gene expression and IgG glycosylation profiles as markers of tocilizumab treatment in rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2012 , 39, 916-28	4.1	22
75	Ethanol increases phosphate-mediated mineralization and osteoblastic transformation of vascular smooth muscle cells. <i>Journal of Cellular and Molecular Medicine</i> , 2012 , 16, 2219-26	5.6	5
74	The triad of success in personalised medicine: pharmacogenomics, biotechnology and regulatory issues from a Central European perspective. <i>New Biotechnology</i> , 2012 , 29, 741-50	6.4	3
73	Nuclear hormone receptors enable macrophages and dendritic cells to sense their lipid environment and shape their immune response. <i>Physiological Reviews</i> , 2012 , 92, 739-89	47.9	159
72	Would eating carrots protect your liver? A new role involving NKT cells for retinoic acid in hepatitis. <i>European Journal of Immunology</i> , 2012 , 42, 1677-80	6.1	7
71	Carboxypeptidase-M is regulated by lipids and CSFs in macrophages and dendritic cells and expressed selectively in tissue granulomas and foam cells. <i>Laboratory Investigation</i> , 2012 , 92, 345-61	5.9	13
70	Chronic obstructive pulmonary disease-specific gene expression signatures of alveolar macrophages as well as peripheral blood monocytes overlap and correlate with lung function. <i>Respiration</i> , 2011 , 81, 499-510	3.7	37
69	PPARs are a unique set of fatty acid regulated transcription factors controlling both lipid metabolism and inflammation. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2011 , 1812, 1007-22	6.9	525
68	Gene expression profiles in peripheral blood for the diagnosis of autoimmune diseases. <i>Trends in Molecular Medicine</i> , 2011 , 17, 223-33	11.5	39
67	Retinoid Signaling is a Context-Dependent Regulator of Embryonic Stem Cells 2011 ,		1
66	Structural basis for the assembly of the SMRT/NCOR core transcriptional repression machinery. <i>Nature Structural and Molecular Biology</i> , 2011 , 18, 177-84	17.6	114
65	Live-cell fluorescence correlation spectroscopy dissects the role of coregulator exchange and chromatin binding in retinoic acid receptor mobility. <i>Journal of Cell Science</i> , 2011 , 124, 3631-42	5.3	36
64	Peroxisome proliferator-activated receptor β -regulated cathepsin D is required for lipid antigen presentation by dendritic cells. <i>Journal of Immunology</i> , 2011 , 187, 240-7	5.3	17
63	Factor XIII-A is involved in the regulation of gene expression in alternatively activated human macrophages. <i>Thrombosis and Haemostasis</i> , 2010 , 104, 709-17	7	28
62	Activation of liver X receptor sensitizes human dendritic cells to inflammatory stimuli. <i>Journal of Immunology</i> , 2010 , 184, 5456-65	5.3	59
61	Research resource: transcriptome profiling of genes regulated by RXR and its permissive and nonpermissive partners in differentiating monocyte-derived dendritic cells. <i>Molecular Endocrinology</i> , 2010 , 24, 2218-31		59
60	Activation of retinoic acid receptor signaling coordinates lineage commitment of spontaneously differentiating mouse embryonic stem cells in embryoid bodies. <i>FEBS Letters</i> , 2010 , 584, 3123-30	3.8	26

59	STAT6 transcription factor is a facilitator of the nuclear receptor PPAR γ -regulated gene expression in macrophages and dendritic cells. <i>Immunity</i> , 2010 , 33, 699-712	32.3	284
58	Analyses of association between PPAR gamma and EPHX1 polymorphisms and susceptibility to COPD in a Hungarian cohort, a case-control study. <i>BMC Medical Genetics</i> , 2010 , 11, 152	2.1	20
57	Peripheral blood gene expression patterns discriminate among chronic inflammatory diseases and healthy controls and identify novel targets. <i>BMC Medical Genomics</i> , 2010 , 3, 15	3.7	78
56	1,25-dihydroxyvitamin D3 is an autonomous regulator of the transcriptional changes leading to a tolerogenic dendritic cell phenotype. <i>Journal of Immunology</i> , 2009 , 182, 2074-83	5.3	158
55	Mycobacterium bovis bacillus Calmette-Gu \acute{e} rin infection induces TLR2-dependent peroxisome proliferator-activated receptor gamma expression and activation: functions in inflammation, lipid metabolism, and pathogenesis. <i>Journal of Immunology</i> , 2009 , 183, 1337-45	5.3	131
54	Transient receptor potential vanilloid-1 signaling as a regulator of human sebocyte biology. <i>Journal of Investigative Dermatology</i> , 2009 , 129, 329-39	4.3	58
53	Oxysterol signaling links cholesterol metabolism and inflammation via the liver X receptor in macrophages. <i>Molecular Aspects of Medicine</i> , 2009 , 30, 134-52	16.7	61
52	Nuclear receptor signalling in dendritic cells connects lipids, the genome and immune function. <i>EMBO Journal</i> , 2008 , 27, 2353-62	13	70
51	Structural basis for the activation of PPARgamma by oxidized fatty acids. <i>Nature Structural and Molecular Biology</i> , 2008 , 15, 924-31	17.6	321
50	Nuclear receptors, transcription factors linking lipid metabolism and immunity: the case of peroxisome proliferator-activated receptor gamma. <i>European Journal of Clinical Investigation</i> , 2008 , 38, 695-707	4.6	50
49	The many faces of PPARgamma: anti-inflammatory by any means?. <i>Immunobiology</i> , 2008 , 213, 789-803	3.4	130
48	Functional ABCG1 expression induces apoptosis in macrophages and other cell types. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2008 , 1778, 2378-87	3.8	19
47	Endocannabinoids enhance lipid synthesis and apoptosis of human sebocytes via cannabinoid receptor-2-mediated signaling. <i>FASEB Journal</i> , 2008 , 22, 3685-95	0.9	111
46	Potential Therapeutic Use of PPARgamma-Programed Human Monocyte-Derived Dendritic Cells in Cancer Vaccination Therapy. <i>PPAR Research</i> , 2008 , 2008, 473804	4.3	0
45	Monoclonal antibody proteomics: discovery and prevalidation of chronic obstructive pulmonary disease biomarkers in a single step. <i>Electrophoresis</i> , 2007 , 28, 4401-6	3.6	16
44	Ribonucleoprotein-masked nicks at 50-kbp intervals in the eukaryotic genomic DNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 14964-9	11.5	18
43	Differentiation of CD1a $^{-}$ and CD1a $^{+}$ monocyte-derived dendritic cells is biased by lipid environment and PPARgamma. <i>Blood</i> , 2007 , 109, 643-52	2.2	96
42	PPARgamma regulates the function of human dendritic cells primarily by altering lipid metabolism. <i>Blood</i> , 2007 , 110, 3271-80	2.2	98

41	PPARgamma in immunity and inflammation: cell types and diseases. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2007 , 1771, 1014-30	5	115
40	Chip-on-beads: flow-cytometric evaluation of chromatin immunoprecipitation. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2006 , 69, 1086-91	4.6	8
39	PPARgamma controls CD1d expression by turning on retinoic acid synthesis in developing human dendritic cells. <i>Journal of Experimental Medicine</i> , 2006 , 203, 2351-62	16.6	162
38	Peroxisome proliferator-activated receptor gamma-regulated ABCG2 expression confers cytoprotection to human dendritic cells. <i>Journal of Biological Chemistry</i> , 2006 , 281, 23812-23	5.4	132
37	Non-DNA binding, dominant-negative, human PPARgamma mutations cause lipodystrophic insulin resistance. <i>Cell Metabolism</i> , 2006 , 4, 303-11	24.6	143
36	SLAM/SLAM interactions inhibit CD40-induced production of inflammatory cytokines in monocyte-derived dendritic cells. <i>Blood</i> , 2006 , 107, 2821-9	2.2	40
35	Twenty years of nuclear receptors: Conference on Nuclear Receptors: from Chromatin to Disease. <i>EMBO Reports</i> , 2006 , 7, 579-84	6.5	5
34	PPARgamma, a lipid-activated transcription factor as a regulator of dendritic cell function. <i>Annals of the New York Academy of Sciences</i> , 2006 , 1088, 207-18	6.5	52
33	PPARgamma controls CD1d expression by turning on retinoic acid synthesis in developing human dendritic cells. <i>Journal of Cell Biology</i> , 2006 , 175, i1-i1	7.3	1
32	Genome-wide localization of histone 4 arginine 3 methylation in a differentiation primed myeloid leukemia cell line. <i>Immunobiology</i> , 2005 , 210, 141-52	3.4	8
31	Accelerated recovery of 5-fluorouracil-damaged bone marrow after rosiglitazone treatment. <i>European Journal of Pharmacology</i> , 2005 , 522, 122-9	5.3	9
30	Roles for lipid-activated transcription factors in atherosclerosis. <i>Molecular Nutrition and Food Research</i> , 2005 , 49, 1072-4	5.9	9
29	Identification of factor XIII-A as a marker of alternative macrophage activation. <i>Cellular and Molecular Life Sciences</i> , 2005 , 62, 2132-9	10.3	85
28	Coagulation factor XIII-A. A flow cytometric intracellular marker in the classification of acute myeloid leukemias. <i>Thrombosis and Haemostasis</i> , 2005 , 94, 454-9	7	14
27	Retinoids potentiate peroxisome proliferator-activated receptor gamma action in differentiation, gene expression, and lipid metabolic processes in developing myeloid cells. <i>Molecular Pharmacology</i> , 2005 , 67, 1935-43	4.3	43
26	Arginine methylation provides epigenetic transcription memory for retinoid-induced differentiation in myeloid cells. <i>Molecular and Cellular Biology</i> , 2005 , 25, 5648-63	4.8	51
25	Transcriptional regulation of human CYP27 integrates retinoid, peroxisome proliferator-activated receptor, and liver X receptor signaling in macrophages. <i>Molecular and Cellular Biology</i> , 2004 , 24, 8154-66	4.8	99
24	Retinoid X receptors: X-ploring their (patho)physiological functions. <i>Cell Death and Differentiation</i> , 2004 , 11 Suppl 2, S126-43	12.7	192

23	Mechanism of the nuclear receptor molecular switch. <i>Trends in Biochemical Sciences</i> , 2004 , 29, 317-24	10.3	318
22	Activation of PPARgamma specifies a dendritic cell subtype capable of enhanced induction of iNKT cell expansion. <i>Immunity</i> , 2004 , 21, 95-106	32.3	126
21	Molecular determinants of the balance between co-repressor and co-activator recruitment to the retinoic acid receptor. <i>Journal of Biological Chemistry</i> , 2003 , 278, 43797-806	5.4	24
20	The structural basis for the specificity of retinoid-X receptor-selective agonists: new insights into the role of helix H12. <i>Journal of Biological Chemistry</i> , 2002 , 277, 11385-91	5.4	59
19	PPAR-gamma dependent and independent effects on macrophage-gene expression in lipid metabolism and inflammation. <i>Nature Medicine</i> , 2001 , 7, 48-52	50.5	942
18	Differential effects of rexinoids and thiazolidinediones on metabolic gene expression in diabetic rodents. <i>Molecular Pharmacology</i> , 2001 , 59, 765-73	4.3	100
17	A PPAR gamma-LXR-ABCA1 pathway in macrophages is involved in cholesterol efflux and atherogenesis. <i>Molecular Cell</i> , 2001 , 7, 161-71	17.6	1141
16	Role for peroxisome proliferator-activated receptor alpha in oxidized phospholipid-induced synthesis of monocyte chemotactic protein-1 and interleukin-8 by endothelial cells. <i>Circulation Research</i> , 2000 , 87, 516-21	15.7	266
15	Essential roles of retinoic acid signaling in interdigital apoptosis and control of BMP-7 expression in mouse autopods. <i>Developmental Biology</i> , 1999 , 208, 30-43	3.1	105
14	Regulation of macrophage gene expression by peroxisome-proliferator-activated receptor gamma: implications for cardiovascular disease. <i>Current Opinion in Lipidology</i> , 1999 , 10, 485-90	4.4	45
13	Role of the histone deacetylase complex in acute promyelocytic leukaemia. <i>Nature</i> , 1998 , 391, 811-4	50.4	998
12	A transgenic mouse model for the study of apoptosis during limb development. <i>Cell Death and Differentiation</i> , 1998 , 5, 126	12.7	6
11	Retinoid-induced apoptosis in normal and neoplastic tissues. <i>Cell Death and Differentiation</i> , 1998 , 5, 11-9	12.7	100
10	Oxidized LDL regulates macrophage gene expression through ligand activation of PPARgamma. <i>Cell</i> , 1998 , 93, 229-40	56.2	1560
9	PPARgamma promotes monocyte/macrophage differentiation and uptake of oxidized LDL. <i>Cell</i> , 1998 , 93, 241-52	56.2	1541
8	Lack of induction of tissue transglutaminase but activation of the preexisting enzyme in c-Myc-induced apoptosis of CHO cells. <i>Biochemical and Biophysical Research Communications</i> , 1997 , 236, 280-4	3.4	7
7	Nuclear receptor repression mediated by a complex containing SMRT, mSin3A, and histone deacetylase. <i>Cell</i> , 1997 , 89, 373-80	56.2	1120
6	Nuclear receptor coactivator ACTR is a novel histone acetyltransferase and forms a multimeric activation complex with P/CAF and CBP/p300. <i>Cell</i> , 1997 , 90, 569-80	56.2	1311

5	The promoter of the mouse tissue transglutaminase gene directs tissue-specific, retinoid-regulated and apoptosis-linked expression. <i>Cell Death and Differentiation</i> , 1997 , 4, 534-47	12.7	50
4	Retinoic acid induction of the tissue transglutaminase promoter is mediated by a novel response element. <i>Molecular and Cellular Endocrinology</i> , 1996 , 120, 203-12	4.4	23
3	Identification and characterization of a versatile retinoid response element (retinoic acid receptor response element-retinoid X receptor response element) in the mouse tissue transglutaminase gene promoter. <i>Journal of Biological Chemistry</i> , 1996 , 271, 4355-65	5.4	102
2	Retinoid-regulated expression of BCL-2 and tissue transglutaminase during the differentiation and apoptosis of human myeloid leukemia (HL-60) cells. <i>Leukemia Research</i> , 1996 , 20, 499-505	2.7	42
1	Retinoic acid receptor transcripts in human umbilical vein endothelial cells. <i>Biochemical and Biophysical Research Communications</i> , 1991 , 179, 32-8	3.4	8