

Andrew J Vickers

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7911304/andrew-j-vickers-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

549
papers

37,711
citations

94
h-index

179
g-index

621
ext. papers

45,827
ext. citations

6.4
avg, IF

7.62
L-index

#	Paper	IF	Citations
549	Prevalence of High-Risk Prostate Cancer Metastasis to Cloquet's Iliioinguinal Lymph Node.. <i>Journal of Urology</i> , 2022 , 101097JU00000000000002439	2.5	1
548	Optimal Dissemination of Scientific Manuscripts via Social Media: A Prospective Trial Comparing Visual Abstracts Versus Key Figures in Consecutive Original Manuscripts Published in European Urology.. <i>European Urology</i> , 2022 ,	10.2	5
547	Commentary on Aschmann et al: How do we incorporate harms in analyses of randomized trials?. <i>Clinical Trials</i> , 2022 , 17407745211068547	2.2	
546	A Nationwide Analysis of Risk of Prostate Cancer Diagnosis and Mortality following an Initial Negative TRUS-Biopsy with Long-Term Follow-Up.. <i>Journal of Urology</i> , 2022 , 101097JU00000000000002497	2.5	0
545	Gynecologic Survivorship Tool: Development, Implementation, and Symptom Outcomes.. <i>JCO Clinical Cancer Informatics</i> , 2022 , 6, e2100154	5.2	0
544	A qualitative analysis of caregiver burden during the recovery process in ambulatory cancer surgery.. <i>Supportive Care in Cancer</i> , 2022 , 1	3.9	0
543	Oncologic Outcomes of Total Length Gleason Pattern 4 on Biopsy in Men with Grade Group 2 Prostate Cancer.. <i>Journal of Urology</i> , 2022 , 101097JU00000000000002685	2.5	0
542	Association of Family History of Cancer with Clinical and Pathological Outcomes for Prostate Cancer Patients on Active Surveillance.. <i>Journal of Urology</i> , 2022 , 101097JU00000000000002668	2.5	0
541	Prostate cancer polygenic risk score and prediction of lethal prostate cancer.. <i>Npj Precision Oncology</i> , 2022 , 6, 25	9.8	2
540	Individualised non-contrast MRI-based risk estimation and shared decision-making in men with a suspicion of prostate cancer: protocol for multicentre randomised controlled trial (multi-IMPROD V.2.0).. <i>BMJ Open</i> , 2022 , 12, e053118	3	
539	Reply to Benjamin Davies, Keith Kowalczyk RE: Zachary Klaassen, Emily Vertosick, Andrew J. Vickers, et al. Optimal Dissemination of Scientific Manuscripts via Social Media: A Prospective Trial Comparing Visual Abstracts Versus Key Figures in Consecutive Original Manuscripts. <i>Eur Urol</i> . In press. https://doi.org/10.1016/j.eururo.2022.01.041 . <i>European Urology</i> , 2022 , 82, e12-e12	10.2	
538	Low-Grade Prostate Cancer: Time to Stop Calling It Cancer.. <i>Journal of Clinical Oncology</i> , 2022 , JCO2200123	12.3	6
537	Reply by Authors.. <i>Journal of Urology</i> , 2022 , 101097JU0000000000000249103	2.5	
536	Clinically Significant Risk Thresholds in the Management of Primary Cutaneous Melanoma: A Survey of Melanoma Experts.. <i>Annals of Surgical Oncology</i> , 2022 ,	3.1	2
535	Polygenic risk scores to stratify cancer screening should predict mortality not incidence. <i>Npj Precision Oncology</i> , 2022 , 6,	9.8	0
534	Do the effects of acupuncture vary between acupuncturists? Analysis of the Acupuncture Trialists' Collaboration individual patient data meta-analysis. <i>Acupuncture in Medicine</i> , 2021 , 39, 309-317	1.9	3
533	Prospective validation of microseminoprotein-In added to the 4Kscore in predicting high-grade prostate cancer in an international multicentre cohort. <i>BJU International</i> , 2021 , 128, 218-224	5.6	0

532	Health-related Quality of Life for Patients Undergoing Radical Cystectomy: Results of a Large Prospective Cohort. <i>European Urology</i> , 2021 , 81, 294-294	10.2	3
531	Sexual and Gender Minority Persons' Perception of the Female Sexual Function Index. <i>Journal of Sexual Medicine</i> , 2021 , 18, 2020-2027	1.1	1
530	Decision curve analysis to evaluate the clinical benefit of prediction models. <i>Spine Journal</i> , 2021 , 21, 1643-1648	4.3	3
529	Establishing a global quality of care benchmark report. <i>Health Informatics Journal</i> , 2021 , 27, 14604582211015704	10.1	4
528	Applying decision curve analysis to spine surgery. <i>Seminars in Spine Surgery</i> , 2021 , 33, 100873	0.2	0
527	Reply to: "Ketorolac Following Mastectomy: Is There an Increased Risk of Reoperation?". <i>Annals of Surgical Oncology</i> , 2021 , 28, 777-778	3.1	1
526	Frailty based on the memorial Sloan Kettering Frailty Index is associated with surgical decision making, clinical trial participation, and overall survival among older women with ovarian cancer. <i>Gynecologic Oncology</i> , 2021 , 161, 687-692	4.9	1
525	Association Between Electronic Patient Symptom Reporting With Alerts and Potentially Avoidable Urgent Care Visits After Ambulatory Cancer Surgery. <i>JAMA Surgery</i> , 2021 , 156, 740-746	5.4	6
524	A Randomized Controlled Trial Evaluating Electronic Outpatient Symptom Monitoring After Ambulatory Cancer Surgery. <i>Annals of Surgery</i> , 2021 , 274, 441-448	7.8	3
523	Active surveillance for prostate cancer. <i>Translational Andrology and Urology</i> , 2021 , 10, 2809-2819	2.3	4
522	Effects of Magnetic Resonance Imaging Targeting on Overdiagnosis and Overtreatment of Prostate Cancer. <i>European Urology</i> , 2021 , 80, 567-572	10.2	7
521	Identifying patients with chronic pain who respond to acupuncture: results from an individual patient data meta-analysis. <i>Acupuncture in Medicine</i> , 2021 , 39, 83-90	1.9	1
520	Routine Opioid Prescriptions Are Not Necessary After Breast Excisional Biopsy or Lumpectomy Procedures. <i>Annals of Surgical Oncology</i> , 2021 , 28, 303-309	3.1	3
519	Reply to Yi Sun, Fengxiang Sun, Qiang Wei, Jin Huang, and Ruiqi Duan Letter to the Editor re: Andrew Vickers, Sigrid V. Carlsson, Matthew Cooperberg. Routine Use of Magnetic Resonance Imaging for Early Detection of Prostate Cancer Is Not Justified by the Clinical Trial Evidence. <i>Eur Urol</i> , 2021 , 76, 2021-17	10.2	1
518	The Role of Magnetic Resonance Imaging and Positron Emission Tomography/Computed Tomography in the Primary Staging of Newly Diagnosed Prostate Cancer: A Systematic Review of the Literature. <i>European Urology Oncology</i> , 2021 , 4, 370-395	6.7	9
517	Call to increase statistical collaboration in sports science, sport and exercise medicine and sports physiotherapy. <i>British Journal of Sports Medicine</i> , 2021 , 55, 118-122	10.3	13
516	What is a good medical choice?. <i>Cancer</i> , 2021 , 127, 1933-1934	6.4	1
515	Intraoperative Ketorolac is Associated with Risk of Reoperation After Mastectomy: A Single-Center Examination. <i>Annals of Surgical Oncology</i> , 2021 , 28, 5134-5140	3.1	6

514	Patient accrual and understanding of informed consent in a two-stage consent design. <i>Clinical Trials</i> , 2021 , 18, 377-382	2.2	0
513	Higher-Order Musical Temporal Structure in Bird Song. <i>Frontiers in Psychology</i> , 2021 , 12, 629456	3.4	0
512	Development and Pilot Implementation of a Remote Monitoring System for Acute Toxicity Using Electronic Patient-Reported Outcomes for Patients Undergoing Radiation Therapy for Breast Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021 , 111, 979-991	4	1
511	Limited versus Extended Pelvic Lymph Node Dissection for Prostate Cancer: A Randomized Clinical Trial. <i>European Urology Oncology</i> , 2021 , 4, 532-539	6.7	13
510	Addition of Prostate Volume and Prostate-specific Antigen Density to Memorial Sloan Kettering Cancer Center Prostate Cancer Nomograms. <i>European Urology Open Science</i> , 2021 , 30, 13-15	0.9	0
509	Shared Medical Appointments for Prostate Cancer Active Surveillance Follow-Up Visits. <i>Urology Practice</i> , 2021 , 8, 541-545	0.8	0
508	Reply to Francesco Montorsi, Giorgio Gandaglia, and Alberto Briganti Letter to the Editor re: Andrew J. Vickers. Effects of Magnetic Resonance Imaging Targeting on Overdiagnosis and Overtreatment of Prostate Cancer. <i>Eur Urol</i> 2021;80:567-72. <i>European Urology</i> , 2021 , 80, e149	10.2	
507	The Duration of Antibiotics Prophylaxis at the Time of Catheter Removal after Radical Prostatectomy: Clinically Integrated, Cluster, Randomized Trial. <i>Journal of Urology</i> , 2021 , 206, 662-668	2.5	1
506	Predictive value of preoperative neutrophil-to-lymphocyte ratio in localized prostate cancer: results from a surgical series at a high-volume institution. <i>Minerva Urology and Nephrology</i> , 2021 , 73, 481-488	2.3	2
505	Characterization of Symptoms after Radical Prostatectomy and Their Relation to Postoperative Complications. <i>Journal of Urology</i> , 2021 , 101097JU00000000000002202	2.5	0
504	Defining the Impact of Family History on Detection of High-grade Prostate Cancer in a Large Multi-institutional Cohort.. <i>European Urology</i> , 2021 ,	10.2	1
503	Asian-American Race and Urinary Continence After Radical Prostatectomy. <i>European Urology Open Science</i> , 2020 , 22, 51-53	0.9	2
502	The Four-Kallikrein Panel Is Effective in Identifying Aggressive Prostate Cancer in a Multiethnic Population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1381-1388	4	15
501	Guidelines for Reporting of Figures and Tables for Clinical Research in Urology. <i>Urology</i> , 2020 , 142, 1-13	1.6	2
500	A pre-specified model based on four kallikrein markers in blood improves predictions of adverse pathology and biochemical recurrence after radical prostatectomy. <i>British Journal of Cancer</i> , 2020 , 123, 604-609	8.7	3
499	Guidelines for Reporting of Figures and Tables for Clinical Research in Urology. <i>BJU International</i> , 2020 , 126, 14-25	5.6	0
498	Systematic review of the use of "magnitude-based inference" in sports science and medicine. <i>PLoS ONE</i> , 2020 , 15, e0235318	3.7	13
497	Statistical Analysis and Reporting Guidelines for CHEST. <i>Chest</i> , 2020 , 158, S3-S11	5.3	4

496	Reply to K.P. Weinfurt et al. <i>Journal of Clinical Oncology</i> , 2020 , 38, 653-654	2.2	
495	Lifetime Benefits and Harms of Prostate-Specific Antigen-Based Risk-Stratified Screening for Prostate Cancer. <i>Journal of the National Cancer Institute</i> , 2020 , 112, 1013-1020	9.7	14
494	Interfaces for collecting data from patients: 10 golden rules. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2020 , 27, 498-500	8.6	1
493	Biomarker Evaluation and Clinical Development. <i>Société Internationale Diurologie Journal</i> , 2020 , 1, 16-22	0.1	
492	Reply by Authors. <i>Journal of Urology</i> , 2020 , 203, 1121	2.5	
491	Reply by Authors. <i>Journal of Urology</i> , 2020 , 204, 287-288	2.5	
490	Guidelines for Reporting of Figures and Tables for Clinical Research in Urology. <i>European Urology</i> , 2020 , 78, 97-109	10.2	2
489	Long-Term Outcomes of Active Surveillance for Prostate Cancer: The Memorial Sloan Kettering Cancer Center Experience. <i>Journal of Urology</i> , 2020 , 203, 1122-1127	2.5	24
488	Risk of Metastasis in Men with Grade Group 2 Prostate Cancer Managed with Active Surveillance at a Tertiary Cancer Center. <i>Journal of Urology</i> , 2020 , 203, 1117-1121	2.5	13
487	Prespecified 4-Kallikrein Marker Model at Age 50 or 60 for Early Detection of Lethal Prostate Cancer in a Large Population Based Cohort of Asymptomatic Men Followed for 20 Years. <i>Journal of Urology</i> , 2020 , 204, 281-288	2.5	8
486	Role of Changes in Magnetic Resonance Imaging or Clinical Stage in Evaluation of Disease Progression for Men with Prostate Cancer on Active Surveillance. <i>European Urology</i> , 2020 , 77, 501-507	10.2	34
485	Risk Factors for Infection after Prostate Biopsy in the United States. <i>Urology</i> , 2020 , 138, 113-118	1.6	3
484	Updating the International Index of Erectile Function: Evaluation of a Large Clinical Data Set. <i>Journal of Sexual Medicine</i> , 2020 , 17, 126-132	1.1	2
483	Relative Contribution of Sampling and Grading to the Quality of Prostate Biopsy: Results from a Single High-volume Institution. <i>European Urology Oncology</i> , 2020 , 3, 474-480	6.7	5
482	Erectile Function and Sexual Satisfaction: The Importance of Asking About Sexual Desire. <i>Journal of Sexual Medicine</i> , 2020 , 17, 349-352	1.1	3
481	Screening for Prostate Cancer. <i>Medical Clinics of North America</i> , 2020 , 104, 1051-1062	7	17
480	The Predictive Approaches to Treatment effect Heterogeneity (PATH) Statement. <i>Annals of Internal Medicine</i> , 2020 , 172, 35-45	8	79
479	The Predictive Approaches to Treatment effect Heterogeneity (PATH) Statement: Explanation and Elaboration. <i>Annals of Internal Medicine</i> , 2020 , 172, W1-W25	8	36

478	Electronic patient-reported symptom monitoring in patients recovering from ambulatory minimally invasive gynecologic surgery: A prospective pilot study. <i>Gynecologic Oncology</i> , 2020 , 159, 187-194	4.9	6
477	Reply to Benjamin S. Simpson, Lina M. Carmona Echeverria, Joseph M. Norris, Hashim U. Ahmed, Caroline M. Moore, and Hayley C. Whitaker@ Letter to the Editor re: Gregory T. Chesnut, Emily A. Vertosick, Nicole Benfante, et al. Role of Changes in Magnetic Resonance Imaging or Clinical Stage in Evaluation of Disease Progression for Men with Prostate Cancer on Active Surveillance. <i>Eur Urol</i>	10.2	
476	Association of Geriatric Comanagement and 90-Day Postoperative Mortality Among Patients Aged 75 Years and Older With Cancer. <i>JAMA Network Open</i> , 2020 , 3, e209265	10.4	20
475	Value of Partial Nephrectomy for Renal Cortical Tumors of cT2 or Greater Stage: A Risk-benefit Analysis of Renal Function Preservation Versus Increased Postoperative Morbidity. <i>European Urology Oncology</i> , 2020 , 3, 365-371	6.7	7
474	Practice Patterns in Reporting Tertiary Grades at Radical Prostatectomy: Survey of a Large Group of Experienced Urologic Pathologists. <i>Archives of Pathology and Laboratory Medicine</i> , 2020 , 144, 356-360	5	1
473	Kallikrein markers performance in pretreatment blood to predict early prostate cancer recurrence and metastasis after radical prostatectomy among very high-risk men. <i>Prostate</i> , 2020 , 80, 51-56	4.2	2
472	Androgen deprivation therapy in men with node-positive prostate cancer treated with postoperative radiotherapy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 204-209	2.8	5
471	Interim Results from the IMPACT Study: Evidence for Prostate-specific Antigen Screening in BRCA2 Mutation Carriers. <i>European Urology</i> , 2019 , 76, 831-842	10.2	78
470	Toward Responsible, Informed Decision Making for Prostate Cancer Treatment Decisions. <i>Journal of Clinical Oncology</i> , 2019 , 37, 3462	2.2	2
469	Definitive and sustained increase in prostate cancer metastases in the United States. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 988-990	2.8	3
468	Magnitude-based Inference is not Bayesian and is not a valid method of inference. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2019 , 29, 1428-1436	4.6	17
467	Suitability of outpatient or ambulatory extended recovery cancer surgeries for obese patients. <i>Journal of Clinical Anesthesia</i> , 2019 , 58, 111-116	1.9	5
466	Can We Improve the Preoperative Prediction of Prostate Cancer Recurrence With Multiparametric MRI?. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e745-e750	3.3	5
465	Racial Disparities in Low-Risk Prostate Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 1726-1727	27.4	3
464	Development and Evaluation of a New Frailty Index for Older Surgical Patients With Cancer. <i>JAMA Network Open</i> , 2019 , 2, e193545	10.4	38
463	Impact of Acute Kidney Injury and Its Duration on Long-term Renal Function After Partial Nephrectomy. <i>European Urology</i> , 2019 , 76, 398-403	10.2	42
462	A Systematic Review of the Literature Demonstrates Some Errors in the Use of Decision Curve Analysis but Generally Correct Interpretation of Findings. <i>Medical Decision Making</i> , 2019 , 39, 493-498	2.5	10
461	Response to Chappell. <i>Clinical Trials</i> , 2019 , 16, 216	2.2	1

460	Developing an effective strategy to improve the detection of significant prostate cancer by combining the 4Kscore and multiparametric MRI. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 672-677	2.8	8
459	Validation of Patient-Reported Outcomes: A Low Bar. <i>Journal of Clinical Oncology</i> , 2019 , 37, 1990-1992	2.2	5
458	Multi-cohort modeling strategies for scalable globally accessible prostate cancer risk tools. <i>BMC Medical Research Methodology</i> , 2019 , 19, 191	4.7	2
457	A simple, step-by-step guide to interpreting decision curve analysis. <i>Diagnostic and Prognostic Research</i> , 2019 , 3, 18	5.5	156
456	Impact of intraoperative remifentanyl on postoperative pain and opioid use in thyroid surgery. <i>Journal of Surgical Oncology</i> , 2019 , 120, 1456-1461	2.8	4
455	Clinical Usefulness of Total Length of Gleason Pattern 4 on Biopsy in Men with Grade Group 2 Prostate Cancer. <i>Journal of Urology</i> , 2019 , 201, 77-82	2.5	16
454	Clinical Usefulness of Prostate and Tumor Volume Related Parameters following Radical Prostatectomy for Localized Prostate Cancer. <i>Journal of Urology</i> , 2019 , 201, 535-540	2.5	10
453	Guidelines for Reporting of Statistics for Clinical Research in Urology. <i>Journal of Urology</i> , 2019 , 201, 595-604	2.5	23
452	The Impact of Experience on the Risk of Surgical Margins and Biochemical Recurrence after Robot-Assisted Radical Prostatectomy: A Learning Curve Study. <i>Journal of Urology</i> , 2019 , 202, 108-113	2.5	40
451	Ambulatory cancer care electronic symptom self-reporting (ACCESS) for surgical patients: a randomised controlled trial protocol. <i>BMJ Open</i> , 2019 , 9, e030863	3	15
450	The Effect of Patient Characteristics on Acupuncture Treatment Outcomes: An Individual Patient Data Meta-Analysis of 20,827 Chronic Pain Patients in Randomized Controlled Trials. <i>Clinical Journal of Pain</i> , 2019 , 35, 428-434	3.5	15
449	Introducing BREAST-Q Computerized Adaptive Testing: Short and Individualized Patient-Reported Outcome Assessment following Reconstructive Breast Surgery. <i>Plastic and Reconstructive Surgery</i> , 2019 , 143, 679-684	2.7	9
448	Outcomes and Safety Among Patients With Obstructive Sleep Apnea Undergoing Cancer Surgery Procedures in a Freestanding Ambulatory Surgical Facility. <i>Anesthesia and Analgesia</i> , 2019 , 129, 360-368	3.9	12
447	Are We Improving Erectile Function Recovery After Radical Prostatectomy? Analysis of Patients Treated over the Last Decade. <i>European Urology</i> , 2019 , 75, 221-228	10.2	45
446	Baseline Prostate-specific Antigen Level in Midlife and Aggressive Prostate Cancer in Black Men. <i>European Urology</i> , 2019 , 75, 399-407	10.2	23
445	Development and Validation of Crosswalks for Patient-reported Sexual and Urinary Outcomes Between Commonly Used Instruments. <i>European Urology</i> , 2019 , 75, 723-730	10.2	6
444	Comments on "Net reclassification index at event rate: Properties and relationships". <i>Statistics in Medicine</i> , 2019 , 38, 497-498	2.3	1
443	Joint pain and falls among women with breast cancer on aromatase inhibitors. <i>Supportive Care in Cancer</i> , 2019 , 27, 2195-2202	3.9	6

442	Reply to Kathryn L. Penney, Massimo Loda, and Meir J. Stampfer Letter to the Editor re: Melissa Assel, Anders Dahlin, David Ulmert, et al. Association Between Lead Time and Prostate Cancer Grade: Evidence of Grade Progression from Long-term Follow-up of Large Population-based Cohorts Not Subject to Prostate-specific Antigen Screening. <i>Eur Urol</i> 2018;73:961-7. <i>European Urology</i> , 2019, 75, e56	10.2	
441	Guidelines for reporting of statistics for clinical research in urology. <i>BJU International</i> , 2019, 123, 401-410	9.6	24
440	Redesigning Prostate Cancer Screening Strategies to Reduce Overdiagnosis. <i>Clinical Chemistry</i> , 2019, 65, 39-41	5.5	9
439	A Four-kallikrein Panel and ßMicroseminoprotein in Predicting High-grade Prostate Cancer on Biopsy: An Independent Replication from the Finnish Section of the European Randomized Study of Screening for Prostate Cancer. <i>European Urology Focus</i> , 2019, 5, 561-567	5.1	7
438	Acupuncture for breast cancer-related lymphedema: a randomized controlled trial. <i>Breast Cancer Research and Treatment</i> , 2018, 170, 77-87	4.4	20
437	Rejoinder. <i>Clinical Trials</i> , 2018, 15, 25-26	2.2	1
436	Twenty-year Risk of Prostate Cancer Death by Midlife Prostate-specific Antigen and a Panel of Four Kallikrein Markers in a Large Population-based Cohort of Healthy Men. <i>European Urology</i> , 2018, 73, 941-948	10.2	22
435	Value of Intact Prostate Specific Antigen and Human Kallikrein 2 in the 4 Kallikrein Predictive Model: An Individual Patient Data Meta-Analysis. <i>Journal of Urology</i> , 2018, 199, 1470-1474	2.5	8
434	Re: Decision Support with the Personal Patient Profile-Prostate: A Multicenter Randomized Trial: D. L. Berry, F. Hong, T. M. Blonquist, B. Halpenny, C. P. Filson, V. A. Master, M. G. S. Sanda, P. Chang, G. W. Chien, R. A. Jones, T. L. Krupski, S. Wolpin, L. Wilson, J. H. Hayes, Q.-D. Trinh, M. Sokoloff and P. Somayaji <i>J Urol</i> 2018;199:89-97. <i>Journal of Urology</i> , 2018, 199, 1632-1633	2.5	
433	Risk Based Surveillance after Surgical Treatment of Renal Cell Carcinoma. <i>Journal of Urology</i> , 2018, 200, 61-67	2.5	7
432	Prostate-specific antigen velocity in a prospective prostate cancer screening study of men with genetic predisposition. <i>British Journal of Cancer</i> , 2018, 118, 266-276	8.7	9
431	Survival Outcomes of Men with Lymph Node-positive Prostate Cancer After Radical Prostatectomy: A Comparative Analysis of Different Postoperative Management Strategies. <i>European Urology</i> , 2018, 73, 890-896	10.2	59
430	Genetic Polymorphisms of CFH and ARMS2 Do Not Predict Response to Antioxidants and Zinc in Patients with Age-Related Macular Degeneration: Independent Statistical Evaluations of Data from the Age-Related Eye Disease Study. <i>Ophthalmology</i> , 2018, 125, 391-397	7.3	28
429	Association Between Lead Time and Prostate Cancer Grade: Evidence of Grade Progression from Long-term Follow-up of Large Population-based Cohorts Not Subject to Prostate-specific Antigen Screening. <i>European Urology</i> , 2018, 73, 961-967	10.2	8
428	Concordance between patient-reported and physician-reported sexual function after radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 80.e1-80.e6	2.8	2
427	Improved Recovery of Erectile Function in Younger Men after Radical Prostatectomy: Does it Justify Immediate Surgery in Low-risk Patients?. <i>European Urology</i> , 2018, 73, 33-37	10.2	6
426	Biopsy Core Features are Poor Predictors of Adverse Pathology in Men with Grade Group 1 Prostate Cancer. <i>Journal of Urology</i> , 2018, 199, 961-968	2.5	4
425	Use of Digital Rectal Examination as an Adjunct to Prostate Specific Antigen in the Detection of Clinically Significant Prostate Cancer. <i>Journal of Urology</i> , 2018, 199, 947-953	2.5	24

424	A phase IIA trial of acupuncture to reduce chemotherapy-induced peripheral neuropathy severity during neoadjuvant or adjuvant weekly paclitaxel chemotherapy in breast cancer patients. <i>European Journal of Cancer</i> , 2018 , 101, 12-19	7.5	39
423	Re: Tobias Nordström, Andrew Vickers, Melissa Assel, Hans Lilja, Henrik Gröbberg, Martin Eklund. Comparison Between the Four-kallikrein Panel and Prostate Health Index for Predicting Prostate Cancer. <i>Eur Urol</i> 2015;68:139-46. <i>European Urology</i> , 2018 , 74, e35-e36	10.2	2
422	Statistical Code for Clinical Research Papers in a High-Impact Specialist Medical Journal. <i>Annals of Internal Medicine</i> , 2018 , 168, 832-833	8	5
421	Temporal Trend in Incidental Prostate Cancer Detection at Surgery for Benign Prostatic Hyperplasia. <i>Urology</i> , 2018 , 122, 152-157	1.6	17
420	Pharmacogenomics of antioxidant supplementation to prevent age-related macular degeneration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E5639	11.5	1
419	Value of a Statistical Model Based on Four Kallikrein Markers in Blood, Commercially Available as 4Kscore, in All Reasonable Prostate Biopsy Subgroups. <i>European Urology</i> , 2018 , 74, 535-536	10.2	5
418	Long-term prediction of prostate cancer diagnosis and death using PSA and obesity related anthropometrics at early middle age: data from the malmö preventive project. <i>Oncotarget</i> , 2018 , 9, 5778-5785	2.3	1
417	Tumor copy number alteration burden is a pan-cancer prognostic factor associated with recurrence and death. <i>ELife</i> , 2018 , 7,	8.9	114
416	Just-in-time consent: The ethical case for an alternative to traditional informed consent in randomized trials comparing an experimental intervention with usual care. <i>Clinical Trials</i> , 2018 , 15, 3-8	2.2	9
415	Acupuncture for Chronic Pain: Update of an Individual Patient Data Meta-Analysis. <i>Journal of Pain</i> , 2018 , 19, 455-474	5.2	290
414	Comparison of Physician-Documented Versus Patient-Reported Collection of Comorbidities Among Patients With Prostate Cancer Upon First Visit to the Urology Clinic. <i>JCO Clinical Cancer Informatics</i> , 2018 , 2, 1-10	5.2	4
413	Incorporating Multiple Perspectives Into the Development of an Electronic Survivorship Platform for Head and Neck Cancer. <i>JCO Clinical Cancer Informatics</i> , 2018 , 2, 1-15	5.2	10
412	Comparison of Postradical Cystectomy Ileus Rates Using GIA-80 Versus GIA-60 Intestinal Stapler Device. <i>Urology</i> , 2018 , 122, 121-126	1.6	5
411	Challenges in Adopting Level 1 Evidence for Multiparametric Magnetic Resonance Imaging as a Biomarker for Prostate Cancer Screening. <i>JAMA Oncology</i> , 2018 , 4, 1663-1664	13.4	19
410	Reporting and Interpreting Decision Curve Analysis: A Guide for Investigators. <i>European Urology</i> , 2018 , 74, 796-804	10.2	239
409	Randomized Trial Comparing Open Radical Cystectomy and Robot-assisted Laparoscopic Radical Cystectomy: Oncologic Outcomes. <i>European Urology</i> , 2018 , 74, 465-471	10.2	114
408	A Contemporary Prostate Biopsy Risk Calculator Based on Multiple Heterogeneous Cohorts. <i>European Urology</i> , 2018 , 74, 197-203	10.2	48
407	Effects of pathological upstaging or upgrading on metastasis and cancer-specific mortality in men with clinical low-risk prostate cancer. <i>BJU International</i> , 2018 , 122, 1003-1009	5.6	17

406	Reply. <i>Ophthalmology</i> , 2018 , 125, e35	7.3	
405	Long-Term Cancer Specific Anxiety in Men Undergoing Active Surveillance of Prostate Cancer: Findings from a Large Prospective Cohort. <i>Journal of Urology</i> , 2018 , 200, 1250-1255	2.5	30
404	Screening for Prostate Cancer Starting at Age 50-54 Years. A Population-based Cohort Study. <i>European Urology</i> , 2017 , 71, 46-52	10.2	26
403	Implementation of Dynamically Updated Prediction Models at the Point of Care at a Major Cancer Center: Making Nomograms More Like Netflix. <i>Urology</i> , 2017 , 102, 1-3	1.6	5
402	A Systematic Approach to Discussing Active Surveillance with Patients with Low-risk Prostate Cancer. <i>European Urology</i> , 2017 , 71, 866-871	10.2	20
401	Decision Curves, Calibration, and Subgroups. <i>Journal of Clinical Oncology</i> , 2017 , 35, 472-473	2.2	5
400	Impact of self-reported data on the acquisition of multi-generational family history and lifestyle factors among women seen in a high-risk breast screening program: a focus on modifiable risk factors and genetic referral. <i>Breast Cancer Research and Treatment</i> , 2017 , 162, 275-282	4.4	2
399	Response to "Comment on: Decisional Conflict, Regret, and the Burden of Rational Decision Making". <i>Medical Decision Making</i> , 2017 , 37, E362	2.5	1
398	Interpreting Patient Reported Urinary and Sexual Function Outcomes across Multiple Validated Instruments. <i>Journal of Urology</i> , 2017 , 198, 671-677	2.5	8
397	A systematic review of instrumental variable analyses using geographic region as an instrument. <i>Cancer Epidemiology</i> , 2017 , 51, 49-55	2.8	1
396	The Brier score does not evaluate the clinical utility of diagnostic tests or prediction models. <i>Diagnostic and Prognostic Research</i> , 2017 , 1, 19	5.5	32
395	Preexisting Cardiovascular Risk and Subsequent Heart Failure Among Non-Hodgkin Lymphoma Survivors. <i>Journal of Clinical Oncology</i> , 2017 , 35, 3837-3843	2.2	27
394	Incidence and Effect of Thromboembolic Events in Radical Cystectomy Patients Undergoing Preoperative Chemotherapy for Muscle-invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2017 , ,	3.3	7
393	Electronic Rapid Fitness Assessment: A Novel Tool for Preoperative Evaluation of the Geriatric Oncology Patient. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2017 , 15, 172-179	7.3	40
392	Manifesto: towards a clinically-oriented psychometrics. <i>Health and Quality of Life Outcomes</i> , 2017 , 15, 83	3	1
391	Detection of High Grade Prostate Cancer among PLCO Participants Using a Prespecified 4-Kallikrein Marker Panel. <i>Journal of Urology</i> , 2017 , 197, 1041-1047	2.5	20
390	Prostate Specific Antigen and Prostate Cancer in Chinese Men Undergoing Initial Prostate Biopsies Compared with Western Cohorts. <i>Journal of Urology</i> , 2017 , 197, 90-96	2.5	26
389	Properties of the 4-Kallikrein Panel Outside the Diagnostic Gray Zone: Meta-Analysis of Patients with Positive Digital Rectal Examination or Prostate Specific Antigen 10 ng/ml and Above. <i>Journal of Urology</i> , 2017 , 197, 607-613	2.5	13

388	The National Cancer Institute® Conference on Acupuncture for Symptom Management in Oncology: State of the Science, Evidence, and Research Gaps. <i>Journal of the National Cancer Institute Monographs</i> , 2017 , 2017,	4.8	53
387	Cost-effectiveness of adjunct non-pharmacological interventions for osteoarthritis of the knee. <i>PLoS ONE</i> , 2017 , 12, e0172749	3.7	38
386	Acupuncture for chronic pain and depression in primary care: a programme of research. <i>Programme Grants for Applied Research</i> , 2017 , 5, 1-316	1.5	20
385	A Four-kallikrein Panel Predicts High-grade Cancer on Biopsy: Independent Validation in a Community Cohort. <i>European Urology</i> , 2016 , 69, 505-11	10.2	65
384	Can Confirmatory Biopsy be Omitted in Patients with Prostate Cancer Favorable Diagnostic Features on Active Surveillance?. <i>Journal of Urology</i> , 2016 , 195, 74-9	2.5	21
383	A Contemporary Prostate Cancer Grading System: A Validated Alternative to the Gleason Score. <i>European Urology</i> , 2016 , 69, 428-35	10.2	762
382	Adverse Pathologic Features at Radical Prostatectomy: Effect of Preoperative Risk on Oncologic Outcomes. <i>European Urology</i> , 2016 , 69, 143-8	10.2	39
381	Acupuncture for the prevention of episodic migraine. <i>The Cochrane Library</i> , 2016 , CD001218	5.2	99
380	Beyond prostate-specific antigen: utilizing novel strategies to screen men for prostate cancer. <i>Current Opinion in Urology</i> , 2016 , 26, 459-65	2.8	26
379	Change/Percent Change From Baseline 2016 , 1-7		1
378	Clinical Findings and Treatment Outcomes in Patients with Extraprostatic Extension Identified on Prostate Biopsy. <i>Journal of Urology</i> , 2016 , 196, 703-8	2.5	10
377	Successful external validation of a model to predict other cause mortality in localized prostate cancer. <i>BMC Medicine</i> , 2016 , 14, 25	11.4	15
376	Baseline Prostate-Specific Antigen Levels in Midlife Predict Lethal Prostate Cancer. <i>Journal of Clinical Oncology</i> , 2016 , 34, 2705-11	2.2	48
375	Longitudinal assessment of quality of life after surgery, conformal brachytherapy, and intensity-modulated radiation therapy for prostate cancer. <i>Radiotherapy and Oncology</i> , 2016 , 118, 85-91	5.3	34
374	The Memorial Sloan Kettering Cancer Center Recommendations for Prostate Cancer Screening. <i>Urology</i> , 2016 , 91, 12-8	1.6	42
373	Net benefit approaches to the evaluation of prediction models, molecular markers, and diagnostic tests. <i>BMJ, The</i> , 2016 , 352, i6	5.9	325
372	Impact of stage migration and practice changes on high-risk prostate cancer: results from patients treated with radical prostatectomy over the last two decades. <i>BJU International</i> , 2016 , 117, 740-7	5.6	22
371	Acupuncture for the prevention of tension-type headache. <i>The Cochrane Library</i> , 2016 , 4, CD007587	5.2	66

370	NCCN Guidelines Insights: Prostate Cancer Early Detection, Version 2.2016. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2016 , 14, 509-19	7.3	223
369	An empirical study of race times in recreational endurance runners. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2016 , 8, 26	2.4	37
368	Reply to Re: The Memorial Sloan Kettering Cancer Center Recommendations for Prostate Cancer Screening. <i>Urology</i> , 2016 , 95, 224	1.6	
367	Methods for network meta-analysis of continuous outcomes using individual patient data: a case study in acupuncture for chronic pain. <i>BMC Medical Research Methodology</i> , 2016 , 16, 131	4.7	8
366	Estimating the harms and benefits of prostate cancer screening as used in common practice versus recommended good practice: A microsimulation screening analysis. <i>Cancer</i> , 2016 , 122, 3386-3393	6.4	14
365	Prognostic and Prediction Tools in Bladder Cancer: A Comprehensive Review of the Literature. <i>European Urology</i> , 2015 , 68, 238-53	10.2	168
364	Nomogram Predicting Prostate Cancer-specific Mortality for Men with Biochemical Recurrence After Radical Prostatectomy. <i>European Urology</i> , 2015 , 67, 1160-1167	10.2	133
363	Improving patient prostate cancer risk assessment: Moving from static, globally-applied to dynamic, practice-specific risk calculators. <i>Journal of Biomedical Informatics</i> , 2015 , 56, 87-93	10.2	23
362	Comparison Between the Four-kallikrein Panel and Prostate Health Index for Predicting Prostate Cancer. <i>European Urology</i> , 2015 , 68, 139-46	10.2	123
361	Are we ready to predict late effects? A systematic review of clinically useful prediction models. <i>European Journal of Cancer</i> , 2015 , 51, 758-66	7.5	15
360	The Next Generation of Clinical Decision Making Tools: Development of a Real-Time Prediction Tool for Outcome of Prostate Biopsy in Response to a Continuously Evolving Prostate Cancer Landscape. <i>Journal of Urology</i> , 2015 , 194, 58-64	2.5	10
359	Four flawed arguments against prostate-specific antigen screening (and 1 good one). <i>Urology</i> , 2015 , 85, 491-4	1.6	4
358	Nonlinear modeling was applied thoughtfully for risk prediction: the Prostate Biopsy Collaborative Group. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 426-34	5.7	7
357	Ambulatory Extended Recovery: Safely Transitioning to Overnight Observation for Minimally Invasive Prostatectomy. <i>Urology Practice</i> , 2015 , 2, 121-125	0.8	4
356	Anthropometric Measures at Multiple Times Throughout Life and Prostate Cancer Diagnosis, Metastasis, and Death. <i>European Urology</i> , 2015 , 68, 1076-82	10.2	11
355	Predicting Life Expectancy in Men Diagnosed with Prostate Cancer. <i>European Urology</i> , 2015 , 68, 756-65	10.2	43
354	Clinical Consultation Guide: How to Optimize the Use of Prostate-specific Antigen in the Current Era. <i>European Urology Focus</i> , 2015 , 1, 149-151	5.1	
353	Transparent Reporting of a multivariable prediction model for Individual Prognosis or Diagnosis (TRIPOD): explanation and elaboration. <i>Annals of Internal Medicine</i> , 2015 , 162, W1-73	8	1815

352	Gleason 6 Prostate Cancer: Translating Biology into Population Health. <i>Journal of Urology</i> , 2015 , 194, 626-34	2.5	62
351	Unexpected Long-term Improvements in Urinary and Erectile Function in a Large Cohort of Men with Self-reported Outcomes Following Radical Prostatectomy. <i>European Urology</i> , 2015 , 68, 899-905	10.2	47
350	Predicting high-grade cancer at ten-core prostate biopsy using four kallikrein markers measured in blood in the ProtecT study. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	116
349	Improving the Specificity of Screening for Lethal Prostate Cancer Using Prostate-specific Antigen and a Panel of Kallikrein Markers: A Nested Case-Control Study. <i>European Urology</i> , 2015 , 68, 207-13	10.2	92
348	Minimally Invasive Partial Nephrectomy Versus Laparoscopic Cryoablation for Patients Newly Diagnosed with a Single Small Renal Mass. <i>European Urology Focus</i> , 2015 , 1, 66-72	5.1	5
347	Calibration of risk prediction models: impact on decision-analytic performance. <i>Medical Decision Making</i> , 2015 , 35, 162-9	2.5	147
346	NCCN Clinical Practice Guidelines Prostate Cancer Early Detection, Version 2.2015. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2015 , 13, 1534-61	7.3	45
345	The Lake Wobegon Effect: Why Most Patients Are at Below-Average Risk. <i>Annals of Internal Medicine</i> , 2015 , 162, 866-7	8	13
344	Informed decision making about prostate cancer screening. <i>Annals of Internal Medicine</i> , 2015 , 162, 457-88		
343	Prognostic Model for Predicting Survival in Patients with Disease Recurrence Following Radical Cystectomy. <i>European Urology Focus</i> , 2015 , 1, 75-81	5.1	4
342	Long-term oncological outcomes of a phase II trial of neoadjuvant chemohormonal therapy followed by radical prostatectomy for patients with clinically localised, high-risk prostate cancer. <i>BJU International</i> , 2015 , 116, 50-6	5.6	12
341	Preoperative predictive model of recovery of urinary continence after radical prostatectomy. <i>BJU International</i> , 2015 , 116, 577-83	5.6	54
340	Extended pelvic lymph node dissection in patients with prostate cancer previously treated with surgery for lower urinary tract symptoms. <i>BJU International</i> , 2015 , 116, 366-72	5.6	3
339	A systematic literature review of life expectancy prediction tools for patients with localized prostate cancer. <i>Journal of Urology</i> , 2015 , 193, 1938-42	2.5	22
338	Lessons of War: Turning Data Into Decisions. <i>EBioMedicine</i> , 2015 , 2, 1235-42	8.8	18
337	Comparing Open Radical Cystectomy and Robot-assisted Laparoscopic Radical Cystectomy: A Randomized Clinical Trial. <i>European Urology</i> , 2015 , 67, 1042-1050	10.2	337
336	Decision analysis of dutasteride use for patients with negative prostate biopsy. <i>Urology</i> , 2015 , 85, 337-41.6		2
335	Reply: To PMID 25623680. <i>Urology</i> , 2015 , 85, 342	1.6	

334	Defining a standard set of patient-centered outcomes for men with localized prostate cancer. <i>European Urology</i> , 2015 , 67, 460-7	10.2	136
333	Guidelines for reporting of statistics in European Urology. <i>European Urology</i> , 2015 , 67, 181-7	10.2	63
332	Empirical estimates of prostate cancer overdiagnosis by age and prostate-specific antigen. <i>BMC Medicine</i> , 2014 , 12, 26	11.4	58
331	Targeted prostate cancer screening in BRCA1 and BRCA2 mutation carriers: results from the initial screening round of the IMPACT study. <i>European Urology</i> , 2014 , 66, 489-99	10.2	156
330	The added value of percentage of free to total prostate-specific antigen, PCA3, and a kallikrein panel to the ERSPC risk calculator for prostate cancer in prescreened men. <i>European Urology</i> , 2014 , 66, 1109-15	10.2	67
329	Can we deliver randomized trials of focal therapy in prostate cancer?. <i>Nature Reviews Clinical Oncology</i> , 2014 , 11, 482-91	19.4	47
328	Effects of surgeon variability on oncologic and functional outcomes in a population-based setting. <i>BMC Urology</i> , 2014 , 14, 25	2.2	17
327	A commentary on PSA velocity and doubling time for clinical decisions in prostate cancer. <i>Urology</i> , 2014 , 83, 592-6	1.6	37
326	Cancer-associated changes in the expression of TMPRSS2-ERG, PCA3, and SPINK1 in histologically benign tissue from cancerous vs noncancerous prostatectomy specimens. <i>Urology</i> , 2014 , 83, 511.e1-7	1.6	15
325	Effect of repeated prostate biopsies on erectile function in men on active surveillance for prostate cancer. <i>Journal of Urology</i> , 2014 , 191, 744-9	2.5	33
324	Prostate Cancer Prevention Trial risk calculator 2.0 for the prediction of low- vs high-grade prostate cancer. <i>Urology</i> , 2014 , 83, 1362-7	1.6	155
323	Change/Percent Change From Baseline 2014 ,		1
322	Prostate cancer early detection, version 1.2014. Featured updates to the NCCN Guidelines. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2014 , 12, 1211-9; quiz 1219	7.3	65
321	Response from the author. <i>Clinical Trials</i> , 2014 , 11, 628	2.2	
320	Copy number alteration burden predicts prostate cancer relapse. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 11139-44	11.5	218
319	Inhibition of circulating dipeptidyl peptidase 4 activity in patients with metastatic prostate cancer. <i>Molecular and Cellular Proteomics</i> , 2014 , 13, 3082-96	7.6	25
318	Influence of blood prostate specific antigen levels at age 60 on benefits and harms of prostate cancer screening: population based cohort study. <i>BMJ, The</i> , 2014 , 348, g2296	5.9	53
317	A simple schema for informed decision making about prostate cancer screening. <i>Annals of Internal Medicine</i> , 2014 , 161, 441-2	8	15

316	How to interpret a small increase in AUC with an additional risk prediction marker: decision analysis comes through. <i>Statistics in Medicine</i> , 2014 , 33, 3946-59	2.3	39
315	Clinical trials in crisis: Four simple methodologic fixes. <i>Clinical Trials</i> , 2014 , 11, 615-21	2.2	36
314	Predictors of survival in patients with disease recurrence after radical nephroureterectomy. <i>BJU International</i> , 2014 , 113, 911-7	5.6	17
313	Acupuncture for chronic pain. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 955-6	27.4	131
312	Prostate cancer mortality in areas with high and low prostate cancer incidence. <i>Journal of the National Cancer Institute</i> , 2014 , 106, dju007	9.7	29
311	Urinary cell mRNA profiles and differential diagnosis of acute kidney graft dysfunction. <i>Journal of the American Society of Nephrology: JASN</i> , 2014 , 25, 1586-97	12.7	36
310	Reply: To PMID 24824406. <i>Urology</i> , 2014 , 84, 163	1.6	
309	Relative value of race, family history and prostate specific antigen as indications for early initiation of prostate cancer screening. <i>Journal of Urology</i> , 2014 , 192, 724-8	2.5	27
308	Combining smoking information and molecular markers improves prognostication in patients with urothelial carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 433-40	2.8	28
307	Counseling the post-radical prostatectomy patients about functional recovery: high predictiveness of current status. <i>Urology</i> , 2014 , 84, 158-63	1.6	15
306	Gender-specific differences in clinicopathologic outcomes following radical cystectomy: an international multi-institutional study of more than 8000 patients. <i>European Urology</i> , 2014 , 66, 913-9	10.2	77
305	Evaluating the Prostate Cancer Prevention Trial High Grade Prostate Cancer Risk Calculator in 10 international biopsy cohorts: results from the Prostate Biopsy Collaborative Group. <i>World Journal of Urology</i> , 2014 , 32, 185-91	4	23
304	Multimorbidity and evidence generation. <i>Journal of General Internal Medicine</i> , 2014 , 29, 653-60	4	36
303	Increasing value and reducing waste: addressing inaccessible research. <i>Lancet, The</i> , 2014 , 383, 257-66	40	515
302	Influence of control group on effect size in trials of acupuncture for chronic pain: a secondary analysis of an individual patient data meta-analysis. <i>PLoS ONE</i> , 2014 , 9, e93739	3.7	71
301	Who should be included in a clinical trial of screening for bladder cancer?: a decision analysis of data from the Prostate, Lung, Colorectal and Ovarian Cancer Screening Trial. <i>Cancer</i> , 2013 , 119, 143-9	6.4	27
300	Acupuncture for the treatment of post-chemotherapy chronic fatigue: a randomized, blinded, sham-controlled trial. <i>Supportive Care in Cancer</i> , 2013 , 21, 1735-41	3.9	40
299	Writing up clinical research: a statistician's view. <i>Journal of General Internal Medicine</i> , 2013 , 28, 1127-9	4	4

298	Treating metastatic disease: Which survival model is best suited for the clinic?. <i>Clinical Orthopaedics and Related Research</i> , 2013 , 471, 843-50	2.2	34
297	Four-hundredfold overestimation of biopsy mortality. <i>BJU International</i> , 2013 , 111, E16-7	5.6	1
296	Predictive value of four kallikrein markers for pathologically insignificant compared with aggressive prostate cancer in radical prostatectomy specimens: results from the European Randomized Study of Screening for Prostate Cancer section Rotterdam. <i>European Urology</i> , 2013 , 64, 693-9	10.2	64
295	A phase II, randomized, controlled trial of acupuncture for reduction of Postcolectomy Ileus. <i>Annals of Surgical Oncology</i> , 2013 , 20, 1164-9	3.1	23
294	Words of wisdom: Re: Comparative effectiveness of alternative prostate-specific antigen-based prostate cancer screening strategies: model estimates of potential benefits and harms. <i>European Urology</i> , 2013 , 64, 682-3	10.2	0
293	Re: Alberto Briganti, Thomas Wiegel, Steven Joniau, et al. early salvage radiation therapy does not compromise cancer control in patients with pT3N0 prostate cancer after radical prostatectomy: results of a match-controlled multi-institutional analysis. <i>Eur Urol</i> 2012;62:472-87: statistical concerns with Briganti's radiotherapy analysis. <i>European Urology</i> , 2013 , 64, e56	10.2	2
292	A systematic review of the volume-outcome relationship for radical prostatectomy. <i>European Urology</i> , 2013 , 64, 786-98	10.2	136
291	A case-mix-adjusted comparison of early oncological outcomes of open and robotic prostatectomy performed by experienced high volume surgeons. <i>BJU International</i> , 2013 , 111, 206-12	5.6	32
290	Timing of curative treatment for prostate cancer: a systematic review. <i>European Urology</i> , 2013 , 64, 204-15	10.2	80
289	A simple decision analytic solution to the comparison of two binary diagnostic tests. <i>Statistics in Medicine</i> , 2013 , 32, 1865-76	2.3	11
288	Statistics notes: missing outcomes in randomised trials. <i>BMJ, The</i> , 2013 , 346, f3438	5.9	31
287	Strategy for detection of prostate cancer based on relation between prostate specific antigen at age 40-55 and long term risk of metastasis: case-control study. <i>BMJ, The</i> , 2013 , 346, f2023	5.9	150
286	Responses to the Acupuncture Trialists Collaboration individual patient data meta-analysis. <i>Acupuncture in Medicine</i> , 2013 , 31, 98-100	1.9	4
285	Evaluation of prediction models for decision-making: beyond calibration and discrimination. <i>PLoS Medicine</i> , 2013 , 10, e1001491	11.6	30
284	In reply. <i>JAMA Internal Medicine</i> , 2013 , 173, 714	11.5	
283	Levels of beta-microseminoprotein in blood and risk of prostate cancer in multiple populations. <i>Journal of the National Cancer Institute</i> , 2013 , 105, 237-43	9.7	34
282	The Prostate Cancer Prevention Trial risk calculator and the relationship between prostate-specific antigen and biopsy outcome. <i>Cancer</i> , 2013 , 119, 3007-11	6.4	14
281	Acupuncture in the treatment of upper-limb lymphedema: results of a pilot study. <i>Cancer</i> , 2013 , 119, 2455-61	6.4	52

280	Association of cancer with moderately impaired renal function at baseline in a large, representative, population-based cohort followed for up to 30 years. <i>International Journal of Cancer</i> , 2013 , 133, 1452-8	7.5	48
279	Anti-GD2 antibody 3F8 and barley-derived (1 → 3),(1 → 4)-β-glucan: A Phase I study in patients with chemoresistant neuroblastoma. <i>Oncolimmunology</i> , 2013 , 2, e23402	7.2	28
278	Evaluation of markers and risk prediction models: overview of relationships between NRI and decision-analytic measures. <i>Medical Decision Making</i> , 2013 , 33, 490-501	2.5	55
277	Can one blood draw replace transrectal ultrasonography-estimated prostate volume to predict prostate cancer risk?. <i>BJU International</i> , 2013 , 112, 602-9	5.6	8
276	If something looks too good to be true, it probably is. <i>BJU International</i> , 2013 , 112, 430-1	5.6	0
275	Counterpoint: Prostate-specific antigen velocity is not of value for early detection of cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2013 , 11, 286-90	7.3	6
274	Characteristics of acupuncture treatment associated with outcome: an individual patient meta-analysis of 17,922 patients with chronic pain in randomised controlled trials. <i>PLoS ONE</i> , 2013 , 8, e77438	3.7	77
273	Evaluation of multiple risk-associated single nucleotide polymorphisms versus prostate-specific antigen at baseline to predict prostate cancer in unscreened men. <i>European Urology</i> , 2012 , 61, 471-7	10.2	41
272	Risk-based prostate cancer screening. <i>European Urology</i> , 2012 , 61, 652-61	10.2	87
271	Individualized estimation of the benefit of radical prostatectomy from the Scandinavian Prostate Cancer Group randomized trial. <i>European Urology</i> , 2012 , 62, 204-9	10.2	76
270	Words of wisdom. Re: Prostate cancer screening in the randomized prostate, lung, colorectal, and ovarian cancer screening trial: mortality results after 13 years of follow-up. <i>European Urology</i> , 2012 , 62, 353	10.2	
269	The role of comparative effectiveness research in transfusion medicine clinical trials: proceedings of a National Heart, Lung, and Blood Institute workshop. <i>Transfusion</i> , 2012 , 52, 1363-78	2.9	8
268	The trifecta: great concept, lousy statistic. <i>BJU International</i> , 2012 , 110, 771-2	5.6	3
267	Feasibility study of a clinically-integrated randomized trial of modifications to radical prostatectomy. <i>Trials</i> , 2012 , 13, 23	2.8	4
266	Acupuncture for chronic pain: individual patient data meta-analysis. <i>Archives of Internal Medicine</i> , 2012 , 172, 1444-53		667
265	Evaluating the PCPT risk calculator in ten international biopsy cohorts: results from the Prostate Biopsy Collaborative Group. <i>World Journal of Urology</i> , 2012 , 30, 181-7	4	50
264	Comparison of three different tools for prediction of seminal vesicle invasion at radical prostatectomy. <i>European Urology</i> , 2012 , 62, 590-6	10.2	10
263	Reply to Michael Froehner and Manfred P. Wirth Letter to the Editor re: Andrew Vickers, Caroline Bennette, Gunnar Steineck, et al. Individualized Estimation of the Benefit of Radical Prostatectomy from the Scandinavian Prostate Cancer Group Randomized Trial. <i>Eur Urol</i> 2012;62:2049. <i>European Urology</i> , 2012 , 62, e54	10.2	

262	PSA Velocity and Doubling Time in Diagnosis and Prognosis of Prostate Cancer. <i>British Journal of Medical and Surgical Urology</i> , 2012 , 5, 162-168		60
261	Pelvic lymph node dissection for patients with elevated risk of lymph node invasion during radical prostatectomy: comparison of open, laparoscopic and robot-assisted procedures. <i>Journal of Endourology</i> , 2012 , 26, 748-53	2.7	40
260	Risk of cancer-specific mortality following recurrence after radical nephroureterectomy. <i>Annals of Surgical Oncology</i> , 2012 , 19, 4337-44	3.1	42
259	We need a better marker for prostate cancer. How about renaming PSA?. <i>Urology</i> , 2012 , 79, 254-5	1.6	6
258	Screening for prostate cancer with prostate-specific antigen testing: American Society of Clinical Oncology Provisional Clinical Opinion. <i>Journal of Clinical Oncology</i> , 2012 , 30, 3020-5	2.2	110
257	Against quantiles: categorization of continuous variables in epidemiologic research, and its discontents. <i>BMC Medical Research Methodology</i> , 2012 , 12, 21	4.7	196
256	Screening for prostate cancer: early detection or overdetected?. <i>Annual Review of Medicine</i> , 2012 , 63, 161-70	17.4	31
255	Predicting prostate cancer many years before diagnosis: how and why?. <i>World Journal of Urology</i> , 2012 , 30, 131-5	4	15
254	Importance of prostate volume in the European Randomised Study of Screening for Prostate Cancer (ERSPC) risk calculators: results from the prostate biopsy collaborative group. <i>World Journal of Urology</i> , 2012 , 30, 149-55	4	81
253	Novel approaches to improve prostate cancer diagnosis and management in early-stage disease. <i>BJU International</i> , 2012 , 109 Suppl 2, 1-7	5.6	14
252	Assessing the incremental value of diagnostic and prognostic markers: a review and illustration. <i>European Journal of Clinical Investigation</i> , 2012 , 42, 216-28	4.6	136
251	Prostate cancer screening: facts, statistics, and interpretation in response to the US Preventive Services Task Force Review. <i>Journal of Clinical Oncology</i> , 2012 , 30, 2581-4	2.2	97
250	Pilot randomized controlled trial of individual meaning-centered psychotherapy for patients with advanced cancer. <i>Journal of Clinical Oncology</i> , 2012 , 30, 1304-9	2.2	262
249	Prostate-specific antigen test for prostate cancer screening: American Society of Clinical Oncology provisional clinical opinion. <i>Journal of Oncology Practice</i> , 2012 , 8, 315-7	3.1	6
248	Rapid elimination kinetics of free PSA or human kallikrein-related peptidase 2 after initiation of gonadotropin-releasing hormone-antagonist treatment of prostate cancer: potential for rapid monitoring of treatment responses. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012 , 50, 1993-8	5.9	5
247	Screening for prostate cancer. <i>Annals of Internal Medicine</i> , 2012 , 156, 539; author reply 540	8	1
246	A personalized automated messaging system to improve adherence to prostate cancer screening: research protocol. <i>JMIR Research Protocols</i> , 2012 , 1, e20	2	8
245	Statistical Considerations for Patient Selection and Triggers for Intervention in Active Surveillance 2012 , 121-129		

244	Incidence-based analysis of lethal prostate cancer in Swedish counties with high versus low incidence of prostate cancer in nationwide, population-based registries.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 4668-4668	2.2	
243	Role of prostate specific antigen and immediate confirmatory biopsy in predicting progression during active surveillance for low risk prostate cancer. <i>Journal of Urology</i> , 2011 , 185, 477-82	2.5	154
242	Tumor markers in prostate cancer I: blood-based markers. <i>Acta Oncologica</i> , 2011 , 50 Suppl 1, 61-75	3.2	133
241	A single arm phase II study of a Far-Eastern traditional herbal formulation (sho-sai-ko-to or xiao-chai-hu-tang) in chronic hepatitis C patients. <i>Journal of Ethnopharmacology</i> , 2011 , 136, 83-7	5	39
240	Great meaningless questions in urology: which is better, open, laparoscopic, or robotic radical prostatectomy?. <i>Urology</i> , 2011 , 77, 1025-6	1.6	5
239	Intra-individual short-term variability of prostate-specific antigen and other kallikrein markers in a serial collection of blood from men under evaluation for prostate cancer. <i>BJU International</i> , 2011 , 107, 1769-74	5.6	8
238	Prediction models in cancer care. <i>Ca-A Cancer Journal for Clinicians</i> , 2011 , 61, 315-26	220.7	53
237	Cancer control and functional outcomes after radical prostatectomy as markers of surgical quality: analysis of heterogeneity between surgeons at a single cancer center. <i>European Urology</i> , 2011 , 59, 317-22	10.2	85
236	Extent of pelvic lymph node dissection and the impact of standard template dissection on nomogram prediction of lymph node involvement. <i>European Urology</i> , 2011 , 60, 195-201	10.2	73
235	Words of wisdom: Re: Population-based patterns and predictors of prostate-specific antigen screening among older men in the United States. <i>European Urology</i> , 2011 , 60, 392	10.2	
234	The surgical learning curve for artificial urinary sphincter procedures compared to typical surgeon experience. <i>European Urology</i> , 2011 , 60, 1285-90	10.2	45
233	One statistical test is sufficient for assessing new predictive markers. <i>BMC Medical Research Methodology</i> , 2011 , 11, 13	4.7	116
232	Prediction of significant prostate cancer diagnosed 20 to 30 years later with a single measure of prostate-specific antigen at or before age 50. <i>Cancer</i> , 2011 , 117, 1210-9	6.4	101
231	Reply to comparative risk-adjusted mortality outcomes after primary surgery, radiotherapy, or androgen-deprivation therapy for localized prostate cancer. <i>Cancer</i> , 2011 , 117, 2577-2578	6.4	1
230	Assessing the clinical benefit of nuclear matrix protein 22 in the surveillance of patients with nonmuscle-invasive bladder cancer and negative cytology: a decision-curve analysis. <i>Cancer</i> , 2011 , 117, 2892-7	6.4	42
229	Reply to comparative risk-adjusted mortality outcomes after primary surgery, radiotherapy, or androgen-deprivation therapy for localized prostate cancer. <i>Cancer</i> , 2011 , 117, 3532-3533	6.4	0
228	Reverse stage shift at a tertiary care center: escalating risk in men undergoing radical prostatectomy. <i>Cancer</i> , 2011 , 117, 4855-60	6.4	56
227	Surgery confounds biology: the predictive value of stage-, grade- and prostate-specific antigen for recurrence after radical prostatectomy as a function of surgeon experience. <i>International Journal of Cancer</i> , 2011 , 128, 1697-702	7.5	4

226	Evaluation of prediagnostic prostate-specific antigen dynamics as predictors of death from prostate cancer in patients treated conservatively. <i>International Journal of Cancer</i> , 2011 , 128, 2373-81	7.5	16
225	Prediction models: revolutionary in principle, but do they do more good than harm?. <i>Journal of Clinical Oncology</i> , 2011 , 29, 2951-2	2.2	50
224	A safety and efficacy pilot study of acupuncture for the treatment of chronic lymphoedema. <i>Acupuncture in Medicine</i> , 2011 , 29, 170-2	1.9	33
223	Re: an empirical evaluation of guidelines on prostate-specific antigen velocity in prostate cancer detection. <i>Journal of the National Cancer Institute</i> , 2011 , 103, 1635-6	9.7	3
222	A panel of kallikrein marker predicts prostate cancer in a large, population-based cohort followed for 15 years without screening. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 255-61	4	70
221	An empirical evaluation of guidelines on prostate-specific antigen velocity in prostate cancer detection. <i>Journal of the National Cancer Institute</i> , 2011 , 103, 462-9	9.7	87
220	Re: Comparative effectiveness of prostate cancer treatments: evaluating statistical adjustments for confounding in observational data. <i>Journal of the National Cancer Institute</i> , 2011 , 103, 1134; author reply 1134-5	9.7	4
219	Do the data support the comorbidity hypothesis for the Prostate, Lung, Colorectal, and Ovarian Cancer Screening Trial results?. <i>Journal of Clinical Oncology</i> , 2011 , 29, e387; author reply e388-9	2.2	6
218	Assessing the Learning Curve for Prostate Cancer Surgery 2011 , 49-60		1
217	Reply to D.A. Hamstra et al and A.P. Sandhu. <i>Journal of Clinical Oncology</i> , 2010 , 28, e521-e522	2.2	
216	Assessing the performance of prediction models: a framework for traditional and novel measures. <i>Epidemiology</i> , 2010 , 21, 128-38	3.1	2455
215	Blood biomarker levels to aid discovery of cancer-related single-nucleotide polymorphisms: kallikreins and prostate cancer. <i>Cancer Prevention Research</i> , 2010 , 3, 611-9	3.2	50
214	Reducing unnecessary biopsy during prostate cancer screening using a four-kallikrein panel: an independent replication. <i>Journal of Clinical Oncology</i> , 2010 , 28, 2493-8	2.2	172
213	Finasteride to prevent prostate cancer: should all men or only a high-risk subgroup be treated?. <i>Journal of Clinical Oncology</i> , 2010 , 28, 1112-6	2.2	16
212	The relationship between prostate-specific antigen and prostate cancer risk: the Prostate Biopsy Collaborative Group. <i>Clinical Cancer Research</i> , 2010 , 16, 4374-81	12.9	72
211	A four-kallikrein panel predicts prostate cancer in men with recent screening: data from the European Randomized Study of Screening for Prostate Cancer, Rotterdam. <i>Clinical Cancer Research</i> , 2010 , 16, 3232-9	12.9	97
210	Dutasteride reduces incident prostate cancer in men after negative prostate biopsy. <i>Evidence-Based Medicine</i> , 2010 , 15, 119-20		
209	Empirical estimates of the lead time distribution for prostate cancer based on two independent representative cohorts of men not subject to prostate-specific antigen screening. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 1201-7	4	28

208	Acupuncture for pain and dysfunction after neck dissection: results of a randomized controlled trial. <i>Journal of Clinical Oncology</i> , 2010 , 28, 2565-70	2.2	124
207	Preparing raw clinical data for publication: guidance for journal editors, authors, and peer reviewers. <i>BMJ, The</i> , 2010 , 340, c181	5.9	82
206	Prostate specific antigen concentration at age 60 and death or metastasis from prostate cancer: case-control study. <i>BMJ, The</i> , 2010 , 341, c4521	5.9	153
205	Susceptibility loci associated with prostate cancer progression and mortality. <i>Clinical Cancer Research</i> , 2010 , 16, 2819-32	12.9	64
204	The learning curve for surgical margins after open radical prostatectomy: implications for margin status as an oncological end point. <i>Journal of Urology</i> , 2010 , 183, 1360-5	2.5	67
203	Definition of biochemical recurrence after radical prostatectomy does not substantially impact prognostic factor estimates. <i>Journal of Urology</i> , 2010 , 183, 984-9	2.5	28
202	Complications after radical and partial nephrectomy as a function of age. <i>Journal of Urology</i> , 2010 , 183, 1725-30	2.5	55
201	How do you tell whether a change in surgical technique leads to a change in outcome?. <i>Journal of Urology</i> , 2010 , 183, 1510-4	2.5	10
200	Variations among experienced surgeons in cancer control after open radical prostatectomy. <i>Journal of Urology</i> , 2010 , 183, 977-82	2.5	47
199	1986 AN EMPIRICAL EVALUATION OF THE NATIONAL CANCER CENTER NETWORK GUIDELINES ON PROSTATE SPECIFIC ANTIGEN VELOCITY IN PROSTATE CANCER DETECTION. <i>Journal of Urology</i> , 2010 , 183,	2.5	1
198	596 CANCER CONTROL DOES NOT REQUIRE SACRIFICE OF FUNCTIONAL OUTCOMES AFTER RADICAL PROSTATECTOMY: ANALYSIS OF HETEROGENEITY BETWEEN SURGEONS AT A SINGLE CANCER CENTER. <i>Journal of Urology</i> , 2010 , 183,	2.5	1
197	Why can nomograms be more like Netflix?. <i>Urology</i> , 2010 , 75, 511-3	1.6	8
196	Everything you always wanted to know about evaluating prediction models (but were too afraid to ask). <i>Urology</i> , 2010 , 76, 1298-301	1.6	66
195	Statistical consideration for clinical biomarker research in bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2010 , 28, 389-400	2.8	99
194	The learning curve for laparoscopic radical prostatectomy: an international multicenter study. <i>Journal of Urology</i> , 2010 , 184, 2291-6	2.5	96
193	Prostate specific antigen velocity does not aid prostate cancer detection in men with prior negative biopsy. <i>Journal of Urology</i> , 2010 , 184, 907-12	2.5	23
192	Metastasis after radical prostatectomy or external beam radiotherapy for patients with clinically localized prostate cancer: a comparison of clinical cohorts adjusted for case mix. <i>Journal of Clinical Oncology</i> , 2010 , 28, 1508-13	2.2	238
191	Author Response: Probabilistic Predictions, Medical Decisions, and Clinical Usefulness. <i>Epidemiology</i> , 2010 , 21, 142-143	3.1	

190	Fellowship training as a modifier of the surgical learning curve. <i>Academic Medicine</i> , 2010 , 85, 863-8	3.9	25
189	Traditional statistical methods for evaluating prediction models are uninformative as to clinical value: towards a decision analytic framework. <i>Seminars in Oncology</i> , 2010 , 37, 31-8	5.5	69
188	Sixty years of CA: a cancer journal for clinicians. <i>Ca-A Cancer Journal for Clinicians</i> , 2010 , 60, 345-50	220.7	61
187	A panel of kallikrein markers can predict outcome of prostate biopsy following clinical work-up: an independent validation study from the European Randomized Study of Prostate Cancer screening, France. <i>BMC Cancer</i> , 2010 , 10, 635	4.8	64
186	Electronic patient self-assessment and management (SAM): a novel framework for cancer survivorship. <i>BMC Medical Informatics and Decision Making</i> , 2010 , 10, 34	3.6	24
185	A regret theory approach to decision curve analysis: a novel method for eliciting decision makers' preferences and decision-making. <i>BMC Medical Informatics and Decision Making</i> , 2010 , 10, 51	3.6	52
184	Validation study of a web-based assessment of functional recovery after radical prostatectomy. <i>Health and Quality of Life Outcomes</i> , 2010 , 8, 82	3	49
183	Data and programming code from the studies on the learning curve for radical prostatectomy. <i>BMC Research Notes</i> , 2010 , 3, 234	2.3	4
182	Predictive and prognostic models in radical prostatectomy candidates: a critical analysis of the literature. <i>European Urology</i> , 2010 , 58, 687-700	10.2	118
181	Impact of recent screening on predicting the outcome of prostate cancer biopsy in men with elevated prostate-specific antigen: data from the European Randomized Study of Prostate Cancer Screening in Gothenburg, Sweden. <i>Cancer</i> , 2010 , 116, 2612-20	6.4	53
180	Comparative risk-adjusted mortality outcomes after primary surgery, radiotherapy, or androgen-deprivation therapy for localized prostate cancer. <i>Cancer</i> , 2010 , 116, 5226-34	6.4	237
179	Individual patient data meta-analysis of acupuncture for chronic pain: protocol of the Acupuncture Trialists' Collaboration. <i>Trials</i> , 2010 , 11, 90	2.8	44
178	Pretreatment prostate-specific antigen (PSA) velocity and doubling time are associated with outcome but neither improves prediction of outcome beyond pretreatment PSA alone in patients treated with radical prostatectomy. <i>Journal of Clinical Oncology</i> , 2009 , 27, 3591-7	2.2	63
177	Prostate cancer-specific mortality after radical prostatectomy for patients treated in the prostate-specific antigen era. <i>Journal of Clinical Oncology</i> , 2009 , 27, 4300-5	2.2	351
176	Cutpoints in clinical chemistry: time for fundamental reassessment. <i>Clinical Chemistry</i> , 2009 , 55, 15-7	5.5	20
175	Long-term health outcomes of a decision aid: data from a randomized trial of adjuvant! In women with localized breast cancer. <i>Medical Decision Making</i> , 2009 , 29, 461-7	2.5	8
174	The Acupuncture Trialists' Collaboration: individual patient data meta-analysis of chronic pain trials. <i>Acupuncture in Medicine</i> , 2009 , 27, 126-7	1.9	4
173	Systematic review of pretreatment prostate-specific antigen velocity and doubling time as predictors for prostate cancer. <i>Journal of Clinical Oncology</i> , 2009 , 27, 398-403	2.2	180

172	Oncologic outcome after laparoscopic radical prostatectomy: 10 years of experience. <i>European Urology</i> , 2009 , 55, 1014-9	10.2	55
171	Prostate-specific antigen velocity for early detection of prostate cancer: result from a large, representative, population-based cohort. <i>European Urology</i> , 2009 , 56, 753-60	10.2	51
170	Evaluation of molecular forms of prostate-specific antigen and human kallikrein 2 in predicting biochemical failure after radical prostatectomy. <i>International Journal of Cancer</i> , 2009 , 124, 659-63	7.5	18
169	Comparison of models to predict clinical failure after radical prostatectomy. <i>Cancer</i> , 2009 , 115, 303-10	6.4	14
168	Preoperative and postoperative nomograms incorporating surgeon experience for clinically localized prostate cancer. <i>Cancer</i> , 2009 , 115, 1005-10	6.4	62
167	Clinical benefits of a multivariate prediction model for bladder cancer: a decision analytic approach. <i>Cancer</i> , 2009 , 115, 5460-9	6.4	24
166	A phase I/II trial of a polysaccharide extract from <i>Grifola frondosa</i> (Maitake mushroom) in breast cancer patients: immunological effects. <i>Journal of Cancer Research and Clinical Oncology</i> , 2009 , 135, 1215-21	4.9	126
165	Safety and pharmacokinetic trial of docetaxel plus an <i>Astragalus</i> -based herbal formula for non-small cell lung cancer patients. <i>Cancer Chemotherapy and Pharmacology</i> , 2009 , 65, 67-71	3.5	41
164	Net reclassification improvement and decision theory. <i>Statistics in Medicine</i> , 2009 , 28, 525-6; author reply 526-8	2.3	13
163	Using relative utility curves to evaluate risk prediction. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 2009 , 172, 729-748	2.1	105
162	The continuing role of prostate-specific antigen as a marker for localized prostate cancer: do not throw the baby out with the bath water <i>BJU International</i> , 2009 , 104, 1553-4	5.6	3
161	Comparison of observed biochemical recurrence-free survival in patients with low PSA values undergoing radical prostatectomy and predictions of preoperative nomogram. <i>Urology</i> , 2009 , 73, 1098-103	10.3	14
160	Acupuncture for tension-type headache. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD007587		130
159	Critical review of prostate cancer predictive tools. <i>Future Oncology</i> , 2009 , 5, 1555-84	3.6	125
158	The surgical learning curve for laparoscopic radical prostatectomy: a retrospective cohort study. <i>Lancet Oncology</i> , 2009 , 10, 475-80	21.7	192
157	Is it necessary to remove the seminal vesicles completely at radical prostatectomy? decision curve analysis of European Society of Urologic Oncology criteria. <i>Journal of Urology</i> , 2009 , 181, 609-13; discussion 614	2.5	19
156	Contemporary use of partial nephrectomy at a tertiary care center in the United States. <i>Journal of Urology</i> , 2009 , 181, 993-7	2.5	122
155	Low annual caseloads of United States surgeons conducting radical prostatectomy. <i>Journal of Urology</i> , 2009 , 182, 2677-9	2.5	47

154	Acupuncture for migraine prophylaxis. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD001218		188
153	Empirical study of data sharing by authors publishing in PLoS journals. <i>PLoS ONE</i> , 2009 , 4, e7078	3.7	200
152	Phase II designs for anticancer botanicals and supplements. <i>Society for Integrative Oncology</i> , 2009 , 7, 35-40		0
151	New Prognostic Markers: The Pathway from Research to Clinical Practice 2009 , 8, 7-13		
150	Prostate-specific antigen and prostate cancer: prediction, detection and monitoring. <i>Nature Reviews Cancer</i> , 2008 , 8, 268-78	31.3	605
149	Modified technique for neurovascular bundle preservation during radical prostatectomy: association between technique and recovery of erectile function. <i>BJU International</i> , 2008 , 101, 1217-22	5.6	54
148	Statistical methods to correct for verification bias in diagnostic studies are inadequate when there are few false negatives: a simulation study. <i>BMC Medical Research Methodology</i> , 2008 , 8, 75	4.7	30
147	Extensions to decision curve analysis, a novel method for evaluating diagnostic tests, prediction models and molecular markers. <i>BMC Medical Informatics and Decision Making</i> , 2008 , 8, 53	3.6	590
146	A panel of kallikrein markers can reduce unnecessary biopsy for prostate cancer: data from the European Randomized Study of Prostate Cancer Screening in Göteborg, Sweden. <i>BMC Medicine</i> , 2008 , 6, 19	11.4	183
145	Prostate-specific antigen at or before age 50 as a predictor of advanced prostate cancer diagnosed up to 25 years later: a case-control study. <i>BMC Medicine</i> , 2008 , 6, 6	11.4	73
144	Multi-institutional study of symptomatic deep venous thrombosis and pulmonary embolism in prostate cancer patients undergoing laparoscopic or robot-assisted laparoscopic radical prostatectomy. <i>European Urology</i> , 2008 , 53, 134-45	10.2	104
143	Effects of pathologic stage on the learning curve for radical prostatectomy: evidence that recurrence in organ-confined cancer is largely related to inadequate surgical technique. <i>European Urology</i> , 2008 , 53, 960-6	10.2	85
142	Editorial comment on: Impact of surgical volume on the rate of lymph node metastases in patients undergoing radical prostatectomy and extended pelvic lymph node dissection for clinically localized prostate cancer. <i>European Urology</i> , 2008 , 54, 802-3	10.2	4
141	Randomized controlled trial of a special acupuncture technique for pain after thoracotomy. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2008 , 136, 1464-9	1.5	43
140	Longitudinal risk of upper tract recurrence following radical cystectomy for urothelial cancer and the potential implications for long-term surveillance. <i>Journal of Urology</i> , 2008 , 179, 96-100	2.5	62
139	What do we mean by "outcome can be predicted"?. <i>American Heart Journal</i> , 2008 , 156, e11; author reply e13	4.9	2
138	Evaluation of widely consumed botanicals as immunological adjuvants. <i>Vaccine</i> , 2008 , 26, 4860-5	4.1	43
137	Surgeon experience is strongly associated with biochemical recurrence after radical prostatectomy for all preoperative risk categories. <i>Journal of Urology</i> , 2008 , 179, 2212-6; discussion 2216-7	2.5	111

136	Comprehensive prospective comparative analysis of outcomes between open and laparoscopic radical prostatectomy conducted in 2003 to 2005. <i>Journal of Urology</i> , 2008 , 179, 1811-7; discussion 1817-2.5	110
135	Decision analysis for the evaluation of diagnostic tests, prediction models and molecular markers. <i>American Statistician</i> , 2008 , 62, 314-320	5 84
134	Should supplemental antioxidant administration be avoided during chemotherapy and radiation therapy?. <i>Journal of the National Cancer Institute</i> , 2008 , 100, 773-83	9.7 336
133	Decision curve analysis: a discussion. <i>Medical Decision Making</i> , 2008 , 28, 146-9	2.5 91
132	Change/Percent Change From Baseline 2008 , 1	
131	Long-term prediction of prostate cancer: prostate-specific antigen (PSA) velocity is predictive but does not improve the predictive accuracy of a single PSA measurement 15 years or more before cancer diagnosis in a large, representative, unscreened population. <i>Journal of Clinical Oncology</i> , 2008 , 26, 835-41	2.2 82
130	Activator protein-1 transcription factors are associated with progression and recurrence of prostate cancer. <i>Cancer Research</i> , 2008 , 68, 2132-44	10.1 100
129	The status and future of acupuncture clinical research. <i>Journal of Alternative and Complementary Medicine</i> , 2008 , 14, 871-81	2.4 61
128	Against diagnosis. <i>Annals of Internal Medicine</i> , 2008 , 149, 200-3	8 45
127	Systematic review of statistical methods used in molecular marker studies in cancer. <i>Cancer</i> , 2008 , 112, 1862-8	6.4 30
126	Age-adjusted Charlson comorbidity score is associated with treatment decisions and clinical outcomes for patients undergoing radical cystectomy for bladder cancer. <i>Cancer</i> , 2008 , 112, 2384-92	6.4 202
125	Basic introduction to research: how not to do research. <i>Society for Integrative Oncology</i> , 2008 , 6, 82-5	2
124	Living proof and the pseudoscience of alternative cancer treatments. <i>Society for Integrative Oncology</i> , 2008 , 6, 37-40	2
123	Cyclin D1, a novel molecular marker of minimal residual disease, in metastatic neuroblastoma. <i>Journal of Molecular Diagnostics</i> , 2007 , 9, 237-41	5.1 19
122	Acupuncture for hypertension: a tale of two trials. From the perspective of the statistician--Andrew Vickers, New York, NY, USA. <i>Complementary Medicine Research</i> , 2007 , 14, 371, 373-4	1.3
121	Free PSA isoforms and intact and cleaved forms of urokinase plasminogen activator receptor in serum improve selection of patients for prostate cancer biopsy. <i>International Journal of Cancer</i> , 2007 , 120, 1499-504	7.5 37
120	The predictive value of prostate cancer biomarkers depends on age and time to diagnosis: towards a biologically-based screening strategy. <i>International Journal of Cancer</i> , 2007 , 121, 2212-7	7.5 36
119	Method for evaluating prediction models that apply the results of randomized trials to individual patients. <i>Trials</i> , 2007 , 8, 14	2.8 67

118	Evaluation of regional lymph node dissection in patients with upper urinary tract urothelial cancer. <i>International Journal of Urology</i> , 2007 , 14, 26-32	2.3	51
117	Preoperative and intraoperative risk factors for side-specific positive surgical margins in laparoscopic radical prostatectomy for prostate cancer. <i>European Urology</i> , 2007 , 51, 764-71	10.2	59
116	Risk-adjusted analysis of positive surgical margins following laparoscopic and retropubic radical prostatectomy. <i>European Urology</i> , 2007 , 52, 1090-6	10.2	32
115	Acupuncture for tension-type headache: a multicentre, sham-controlled, patient-and observer-blinded, randomised trial. <i>Journal of Headache and Pain</i> , 2007 , 8, 306-14	8.8	80
114	Comparison of free and total forms of serum human kallikrein 2 and prostate-specific antigen for prediction of locally advanced and recurrent prostate cancer. <i>Clinical Chemistry</i> , 2007 , 53, 233-40	5.5	49
113	Setting the bar in phase II trials: the use of historical data for determining "go/no go" decision for definitive phase III testing. <i>Clinical Cancer Research</i> , 2007 , 13, 972-6	12.9	56
112	Randomized, controlled trial of acupuncture for the treatment of hot flashes in breast cancer patients. <i>Journal of Clinical Oncology</i> , 2007 , 25, 5584-90	2.2	147
111	Measurements of proteases or protease system components in blood to enhance prediction of disease risk or outcome in possible cancer. <i>Journal of Clinical Oncology</i> , 2007 , 25, 347-8	2.2	8
110	How should we define patients who are at high risk of death from prostate cancer?. <i>Nature Reviews Urology</i> , 2007 , 4, 646-7		
109	Improved clinical outcome in recent years for men with metastatic nonseminomatous germ cell tumors. <i>Journal of Clinical Oncology</i> , 2007 , 25, 5603-8	2.2	73
108	The surgical learning curve for prostate cancer control after radical prostatectomy. <i>Journal of the National Cancer Institute</i> , 2007 , 99, 1171-7	9.7	309
107	Complementary therapies and integrative oncology in lung cancer: ACCP evidence-based clinical practice guidelines (2nd edition). <i>Chest</i> , 2007 , 132, 340S-354S	5.3	67
106	Needle biopsies on autopsy prostates: sensitivity of cancer detection based on true prevalence. <i>Journal of the National Cancer Institute</i> , 2007 , 99, 1484-9	9.7	160
105	Association of cysteine-rich secretory protein 3 and beta-microseminoprotein with outcome after radical prostatectomy. <i>Clinical Cancer Research</i> , 2007 , 13, 4130-8	12.9	72
104	Long-term prediction of prostate cancer up to 25 years before diagnosis of prostate cancer using prostate kallikreins measured at age 44 to 50 years. <i>Journal of Clinical Oncology</i> , 2007 , 25, 431-6	2.2	156
103	Radical prostatectomy shortly after prostate biopsy does not affect operative difficulty or efficacy. <i>Urology</i> , 2007 , 69, 1128-33	1.6	25
102	Prognostic significance of location of positive margins in radical prostatectomy specimens. <i>Urology</i> , 2007 , 70, 965-9	1.6	160
101	Treatment paradigm shift may improve survival of patients with high risk superficial bladder cancer. <i>Journal of Urology</i> , 2007 , 177, 1283-6; discussion 1286	2.5	122

100	How to improve accrual to clinical trials of symptom control 1: recruitment strategies. <i>Society for Integrative Oncology</i> , 2007 , 5, 38-42		4
99	How to improve accrual to clinical trials of symptom control 2: design issues. <i>Society for Integrative Oncology</i> , 2007 , 5, 61-4		6
98	Which botanicals or other unconventional anticancer agents should we take to clinical trial?. <i>Society for Integrative Oncology</i> , 2007 , 5, 125-9		11
97	Impact of a multidisciplinary continuous quality improvement program on the positive surgical margin rate after laparoscopic radical prostatectomy. <i>European Urology</i> , 2006 , 49, 853-8	10.2	31
96	Does a delay between diagnosis and radical prostatectomy increase the risk of disease recurrence?. <i>Cancer</i> , 2006 , 106, 576-80	6.4	53
95	Cancer-specific survival and predictors of prostate-specific antigen recurrence and survival in patients with seminal vesicle invasion after radical prostatectomy. <i>Cancer</i> , 2006 , 106, 2369-75	6.4	38
94	Impact of renal impairment on eligibility for adjuvant cisplatin-based chemotherapy in patients with urothelial carcinoma of the bladder. <i>Cancer</i> , 2006 , 107, 506-13	6.4	270
93	Significance of intraoperative ureteral evaluation at radical cystectomy for urothelial cancer. <i>Cancer</i> , 2006 , 107, 2167-72	6.4	59
92	Standardization of pelvic lymphadenectomy performed at radical cystectomy: can we establish a minimum number of lymph nodes that should be removed?. <i>Cancer</i> , 2006 , 107, 2368-74	6.4	178
91	Risk assessment for biochemical recurrence prior to radical prostatectomy: significant enhancement contributed by human glandular kallikrein 2 (hK2) and free prostate specific antigen (PSA) in men with moderate PSA-elevation in serum. <i>International Journal of Cancer</i> , 2006 , 118, 1234-40	7.5	44
90	Sialyltransferase STX (ST8Siall): a novel molecular marker of metastatic neuroblastoma. <i>International Journal of Cancer</i> , 2006 , 119, 152-6	7.5	35
89	Acupuncture in Cancer Patient Care. <i>Annals of Traditional Chinese Medicine</i> , 2006 , 265-286		
88	Unconventional anticancer agents: a systematic review of clinical trials. <i>Journal of Clinical Oncology</i> , 2006 , 24, 136-40	2.2	23
87	FCGR2A polymorphism is correlated with clinical outcome after immunotherapy of neuroblastoma with anti-GD2 antibody and granulocyte macrophage colony-stimulating factor. <i>Journal of Clinical Oncology</i> , 2006 , 24, 2885-90	2.2	98
86	Decision curve analysis: a novel method for evaluating prediction models. <i>Medical Decision Making</i> , 2006 , 26, 565-74	2.5	2070
85	Association between urinary cytology and pathology for nontransitional cell malignancies of the urinary tract. <i>Journal of Urology</i> , 2006 , 175, 2038-41; discussion 2041	2.5	8
84	Chronic kidney disease after nephrectomy in patients with renal cortical tumours: a retrospective cohort study. <i>Lancet Oncology</i> , 2006 , 7, 735-40	21.7	1212
83	Poorly differentiated prostate cancer treated with radical prostatectomy: long-term outcome and incidence of pathological downgrading. <i>Journal of Urology</i> , 2006 , 176, 991-5	2.5	115

82	Primer: using decision analysis to improve clinical decision making in urology. <i>Nature Reviews Urology</i> , 2006 , 3, 439-48		11
81	Temporary renal ischemia during nephron sparing surgery is associated with short-term but not long-term impairment in renal function. <i>Journal of Urology</i> , 2006 , 176, 1339-43; discussion 1343	2.5	74
80	Natural history of positive urinary cytology after radical cystectomy. <i>Journal of Urology</i> , 2006 , 176, 2000-5; discussion 2005	2.5	22
79	The association between total and positive lymph node counts, and disease progression in clinically localized prostate cancer. <i>Journal of Urology</i> , 2006 , 175, 1320-4; discussion 1324-5	2.5	168
78	Predicting teratoma in the retroperitoneum in men undergoing post-chemotherapy retroperitoneal lymph node dissection. <i>Journal of Urology</i> , 2006 , 176, 100-3; discussion 103-4	2.5	52
77	Evaluation of specific and non-specific effects in homeopathy: feasibility study for a randomised trial. <i>Homeopathy</i> , 2006 , 95, 215-22	1.4	15
76	Homoeopathic Oscillocoquinum for preventing and treating influenza and influenza-like syndromes. <i>Cochrane Database of Systematic Reviews</i> , 2006 , CD001957		12
75	Acupuncture-point stimulation for chemotherapy-induced nausea or vomiting. <i>Cochrane Database of Systematic Reviews</i> , 2006 , CD002285		155
74	Perioperative clinical thromboembolic events after radical or partial nephrectomy. <i>Urology</i> , 2006 , 68, 988-92	1.6	19
73	Double-blind, placebo-controlled, randomized trial of granulocyte-colony stimulating factor during postoperative radiotherapy for squamous head and neck cancer. <i>Cancer Journal (Sudbury, Mass)</i> , 2006 , 12, 182-8	2.2	30
72	Acupuncture is a feasible treatment for post-thoracotomy pain: results of a prospective pilot trial. <i>BMC Anesthesiology</i> , 2006 , 6, 5	2.4	19
71	Selecting patients for randomized trials: a systematic approach based on risk group. <i>Trials</i> , 2006 , 7, 30	2.8	20
70	Comparison of outcomes in elective partial vs radical nephrectomy for clear cell renal cell carcinoma of 4-7 cm. <i>BJU International</i> , 2006 , 97, 939-45	5.6	184
69	Clinical characteristics of bladder cancer in patients previously treated with radiation for prostate cancer. <i>BJU International</i> , 2006 , 98, 59-62	5.6	39
68	Principles of Complementary and Alternative Medicine for Cancer 2006 , 194-203		
67	How to design a phase I trial of an anticancer botanical. <i>Society for Integrative Oncology</i> , 2006 , 4, 46-51		8
66	How to measure quality of life in integrative oncology research. <i>Society for Integrative Oncology</i> , 2006 , 4, 100-3		3
65	Multiple assessment in quality of life trials: how many questionnaires? How often should they be given?. <i>Society for Integrative Oncology</i> , 2006 , 4, 135-8		7

64	How to randomize. <i>Society for Integrative Oncology</i> , 2006 , 4, 194-8		83
63	Parametric versus non-parametric statistics in the analysis of randomized trials with non-normally distributed data. <i>BMC Medical Research Methodology</i> , 2005 , 5, 35	4.7	201
62	Anatomy of accessory pudendal arteries in laparoscopic radical prostatectomy. <i>Journal of Urology</i> , 2005 , 174, 523-6; discussion 526	2.5	42
61	Clinical and biomarker endpoint analysis in neoadjuvant endocrine therapy trials. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2005 , 95, 91-5	5.1	21
60	Analysis of variance is easily misapplied in the analysis of randomized trials: a critique and discussion of alternative statistical approaches. <i>Psychosomatic Medicine</i> , 2005 , 67, 652-5	3.7	79
59	Rituximab therapy of lymphoma is enhanced by orally administered (1-->3),(1-->4)-D-beta-glucan. <i>Leukemia Research</i> , 2005 , 29, 679-83	2.7	68
58	Positive surgical margins and accessory pudendal artery preservation during laparoscopic radical prostatectomy. <i>European Urology</i> , 2005 , 48, 786-92; discussion 793	10.2	27
57	Acupuncture for dyspnea in advanced cancer: a randomized, placebo-controlled pilot trial [ISRCTN89462491]. <i>BMC Palliative Care</i> , 2005 , 4, 5	3	51
56	Change/Percent Change From Baseline 2005 , 1-6		
55	Acupuncture-point stimulation for chemotherapy-induced nausea and vomiting. <i>Journal of Clinical Oncology</i> , 2005 , 23, 7188-98	2.2	127
54	Interpreting data from randomized trials: the Scandinavian prostatectomy study illustrates two common errors. <i>Nature Reviews Urology</i> , 2005 , 2, 404-5		3
53	Point-counterpoint: using clinical trials for the evaluation of integrative cancer therapies. <i>Integrative Cancer Therapies</i> , 2004 , 3, 66-81	3	8
52	Recent review of research on a technique for treating cancer. <i>Integrative Cancer Therapies</i> , 2004 , 3, 199; author reply 200	3	1
51	Cost effectiveness analysis of a randomised trial of acupuncture for chronic headache in primary care. <i>BMJ, The</i> , 2004 , 328, 747	5.9	112
50	Acupuncture for postchemotherapy fatigue: a phase II study. <i>Journal of Clinical Oncology</i> , 2004 , 22, 1731-5	12.5	150
49	Massage therapy for symptom control: outcome study at a major cancer center. <i>Journal of Pain and Symptom Management</i> , 2004 , 28, 244-9	4.8	249
48	Alternative cancer cures: "unproven" or "disproven"?. <i>Ca-A Cancer Journal for Clinicians</i> , 2004 , 54, 110-8	220.7	31
47	Statistical considerations for use of composite health-related quality-of-life scores in randomized trials. <i>Quality of Life Research</i> , 2004 , 13, 717-23	3.7	18

46	Acupuncture for chronic headache in primary care: large, pragmatic, randomised trial. <i>BMJ, The</i> , 2004 , 328, 744	5.9	202
45	Massage for promoting growth and development of preterm and/or low birth-weight infants. <i>The Cochrane Library</i> , 2004 , CD000390	5.2	91
44	Placebo in acupuncture trials. <i>Pain</i> , 2004 , 109, 195; author reply 197-9	8	7
43	Incorporating predictions of individual patient risk in clinical trials. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2004 , 22, 348-52	2.8	16
42	Overexpression of c-MYC promotes an undifferentiated phenotype in cultured astrocytes and allows elevated Ras and Akt signaling to induce gliomas from GFAP-expressing cells in mice. <i>Neuron Glia Biology</i> , 2004 , 1, 157-63		47
41	Statistical reanalysis of four recent randomized trials of acupuncture for pain using analysis of covariance. <i>Clinical Journal of Pain</i> , 2004 , 20, 319-23	3.5	40
40	Use of a single global assessment to reduce missing data in a clinical trial with follow-up at one year. <i>Contemporary Clinical Trials</i> , 2003 , 24, 731-735		5
39	Music therapy for mood disturbance during hospitalization for autologous stem cell transplantation: a randomized controlled trial. <i>Cancer</i> , 2003 , 98, 2723-9	6.4	156
38	Complementary and alternative therapies. <i>Urologic Clinics of North America</i> , 2003 , 30, 369-76	2.9	9
37	How many repeated measures in repeated measures designs? Statistical issues for comparative trials. <i>BMC Medical Research Methodology</i> , 2003 , 3, 22	4.7	67
36	Underpowering in randomized trials reporting a sample size calculation. <i>Journal of Clinical Epidemiology</i> , 2003 , 56, 717-20	5.7	76
35	Soy: an anticancer agent in wide use despite some troubling data. <i>Cancer Investigation</i> , 2003 , 21, 817-8	2.1	16
34	Use of a single global assessment to reduce missing data in a clinical trial with follow-up at one year. <i>Contemporary Clinical Trials</i> , 2003 , 24, 731-5		3
33	Orally administered beta-glucans enhance anti-tumor effects of monoclonal antibodies. <i>Cancer Immunology, Immunotherapy</i> , 2002 , 51, 557-64	7.4	132
32	Placebo controls in randomized trials of acupuncture. <i>Evaluation and the Health Professions</i> , 2002 , 25, 421-35	2.5	44
31	Immediate effects of dry needling and acupuncture at distant points in chronic neck pain: results of a randomized, double-blind, sham-controlled crossover trial. <i>Pain</i> , 2002 , 99, 83-9	8	176
30	Botanical medicines for the treatment of cancer: rationale, overview of current data, and methodological considerations for phase I and II trials. <i>Cancer Investigation</i> , 2002 , 20, 1069-79	2.1	112
29	Complementary and Alternative Medicine Approaches in Colorectal Cancer 2002 , 717-735		

28	Alternative medicine use worldwide: the International Union Against Cancer survey. <i>Cancer</i> , 2001 , 91, 1390-3	6.4	59
27	The use of percentage change from baseline as an outcome in a controlled trial is statistically inefficient: a simulation study. <i>BMC Medical Research Methodology</i> , 2001 , 1, 6	4.7	314
26	Time course of muscle soreness following different types of exercise. <i>BMC Musculoskeletal Disorders</i> , 2001 , 2, 5	2.8	42
25	Message to complementary and alternative medicine: evidence is a better friend than power. <i>BMC Complementary and Alternative Medicine</i> , 2001 , 1, 1	4.7	29
24	Systematic reviews of complementary therapies - an annotated bibliography. Part 1: acupuncture. <i>BMC Complementary and Alternative Medicine</i> , 2001 , 1, 3	4.7	79
23	Systematic reviews of complementary therapies - an annotated bibliography. Part 3: homeopathy. <i>BMC Complementary and Alternative Medicine</i> , 2001 , 1, 4	4.7	25
22	Systematic reviews of complementary therapies - an annotated bibliography. Part 2: herbal medicine. <i>BMC Complementary and Alternative Medicine</i> , 2001 , 1, 5	4.7	36
21	Statistics notes: Analysing controlled trials with baseline and follow up measurements. <i>BMJ: British Medical Journal</i> , 2001 , 323, 1123-4		1247
20	The general practitioners' complementary medicine versus evidence-based medicine. <i>Complementary Therapies in Medicine</i> , 2001 , 9, 127-8	3.5	1
19	How to reduce the number of patients needed for randomized trials: a basic introduction. <i>Complementary Therapies in Medicine</i> , 2001 , 9, 234-6	3.5	2
18	Unconventional therapies for cancer and cancer-related symptoms. <i>Lancet Oncology</i> , 2001 , 2, 226-32	1.7	89
17	Can homeopathically prepared mercury cause symptoms in healthy volunteers? A randomized, double-blind placebo-controlled trial. <i>Journal of Alternative and Complementary Medicine</i> , 2001 , 7, 141-8	2.4	16
16	Incorporating data from dissertations in systematic reviews. <i>International Journal of Technology Assessment in Health Care</i> , 2000 , 16, 711-3	1.8	24
15	Researching complementary medicine. <i>International Journal of Therapy and Rehabilitation</i> , 2000 , 7, 26-29		
14	A Last Word from the Original Author. <i>Journal of Alternative and Complementary Medicine</i> , 2000 , 6, 302-304		
13	Why use placebos in clinical trials? A narrative review of the methodological literature. <i>Journal of Clinical Epidemiology</i> , 2000 , 53, 157-61	5.7	88
12	The lure of the ghetto. <i>Journal of Alternative and Complementary Medicine</i> , 2000 , 6, 300	2.4	2
11	Clinical trials of homeopathy and placebo: analysis of a scientific debate. <i>Journal of Alternative and Complementary Medicine</i> , 2000 , 6, 49-56	2.4	25

10	ABC of complementary medicine. Acupuncture. <i>BMJ: British Medical Journal</i> , 1999 , 319, 973-6		92
9	COMPARISON OF AN ORDINAL AND A CONTINUOUS OUTCOME MEASURE OF MUSCLE SORENESS. <i>International Journal of Technology Assessment in Health Care</i> , 1999 , 15, 709-716	1.8	47
8	ABC of complementary medicine: herbal medicine. <i>BMJ: British Medical Journal</i> , 1999 , 319, 1050-3		112
7	ABC of complementary medicine. Massage therapies. <i>BMJ: British Medical Journal</i> , 1999 , 319, 1254-7		82
6	Do certain countries produce only positive results? A systematic review of controlled trials. <i>Contemporary Clinical Trials</i> , 1998 , 19, 159-66		498
5	Homeopathic Arnica 30x is ineffective for muscle soreness after long-distance running: a randomized, double-blind, placebo-controlled trial. <i>Clinical Journal of Pain</i> , 1998 , 14, 227-31	3.5	60
4	How should we research unconventional therapies? A panel report from the Conference on Complementary and Alternative Medicine Research Methodology, National Institutes of Health. <i>International Journal of Technology Assessment in Health Care</i> , 1997 , 13, 111-21	1.8	70
3	Can Acupuncture have Specific Effects on Health? A Systematic Review of Acupuncture Antiemesis Trials. <i>Journal of the Royal Society of Medicine</i> , 1996 , 89, 303-311	2.3	267
2	Methodological issues in complementary and alternative medicine research: a personal reflection on 10 years of debate in the United Kingdom. <i>Journal of Alternative and Complementary Medicine</i> , 1996 , 2, 515-24	2.4	24
1	De Lange de Klerk et al. Study on Homeopathy. <i>Journal of Alternative and Complementary Medicine</i> , 1995 , 1, 213-214	2.4	