

Olof Stephansson

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7912699/olof-stephansson-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

150
papers

4,268
citations

35
h-index

62
g-index

162
ext. papers

5,564
ext. citations

6.9
avg, IF

5.74
L-index

#	Paper	IF	Citations
150	Analysis of Neurodevelopmental Disorders in Offspring of Mothers With Eating Disorders in Sweden.. <i>JAMA Network Open</i> , 2022 , 5, e2143947	10.4	6
149	Authors reply re: The Ten Group Classification System - First Things First.. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022 ,	3.7	
148	Association of SARS-CoV-2 Vaccination During Pregnancy With Pregnancy Outcomes.. <i>JAMA - Journal of the American Medical Association</i> , 2022 ,	27.4	7
147	The association between maternal characteristics and SARS-CoV-2 in pregnancy: a population-based registry study in Sweden and Norway.. <i>Scientific Reports</i> , 2022 , 12, 8355	4.9	0
146	Associations between ambient temperature and risk of preterm birth in Sweden: A comparison of analytical approaches. <i>Environmental Research</i> , 2022 , 113586	7.9	
145	Reply to: Re: Risk of pre-eclampsia after gastric bypass: a matched cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 ,	3.7	
144	Pregnancy and risk of COVID-19: a Norwegian registry-linkage study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 , 129, 101	3.7	7
143	SARS-CoV-2 and pregnancy outcomes under universal and non-universal testing in Sweden: register-based nationwide cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 , 129, 282	3.7	4
142	Pregnancy outcomes in women with immunoglobulin A nephropathy: a nationwide population-based cohort study. <i>Journal of Nephrology</i> , 2021 , 34, 1591-1598	4.8	1
141	Maternal and newborn health risks of climate change: A call for awareness and global action. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021 , 100, 566-570	3.8	9
140	Association of Maternal SARS-CoV-2 Infection in Pregnancy With Neonatal Outcomes. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 325, 2076-2086	27.4	41
139	Association between travel time to delivery unit and unplanned out-of-hospital birth, infant morbidity and mortality: A population-based cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021 , 100, 1478-1489	3.8	0
138	Neonatal Morbidities in Infants Born Late Preterm at 35-36 Weeks of Gestation: A Swedish Nationwide Population-based Study. <i>Journal of Pediatrics</i> , 2021 , 233, 43-50.e5	3.6	2
137	Gestational weight gain and delivery outcomes: A population-based cohort study. <i>Paediatric and Perinatal Epidemiology</i> , 2021 , 35, 47-56	2.7	5
136	Previous preterm cesarean delivery and risk of uterine rupture in subsequent trial of labor-a national cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2021 , 224, 380.e1-380.e13	6.4	0
135	Predicting vaginal birth after previous cesarean: Using machine-learning models and a population-based cohort in Sweden. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021 , 100, 513-520	3.8	3
134	Accuracy of postpartum hemorrhage coding in the Swedish Pregnancy Register. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021 , 100, 322-330	3.8	4

133	Preterm Birth and Stillbirth During the COVID-19 Pandemic in Sweden: A Nationwide Cohort Study. <i>Annals of Internal Medicine</i> , 2021 , 174, 873-875	8	21
132	Polycystic ovary syndrome and extremely preterm birth: A nationwide register-based study. <i>PLoS ONE</i> , 2021 , 16, e0246743	3.7	1
131	Assessment of Cesarean Delivery and Neurodevelopmental and Psychiatric Disorders in the Children of a Population-Based Swedish Birth Cohort. <i>JAMA Network Open</i> , 2021 , 4, e210837	10.4	6
130	Maternal obesity increases the risk and severity of NAFLD in offspring. <i>Journal of Hepatology</i> , 2021 , 75, 1042-1048	13.4	6
129	Association of body mass index and maternal age with first stage duration of labour. <i>Scientific Reports</i> , 2021 , 11, 13843	4.9	1
128	The association between postpartum hemorrhage and postpartum depression: A Swedish national register-based study. <i>PLoS ONE</i> , 2021 , 16, e0255938	3.7	0
127	Risk of pre-eclampsia after gastric bypass: a matched cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 ,	3.7	2
126	Postpartum haemorrhage trends in Sweden using the Robson ten group classification system: a population-based cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 ,	3.7	2
125	Routinely collected antenatal data for longitudinal prediction of preeclampsia in nulliparous women: a population-based study. <i>Scientific Reports</i> , 2021 , 11, 17973	4.9	2
124	Pregnancy outcomes in women with autoimmune hepatitis - A nationwide population-based cohort study with histopathology.. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	3
123	Maternal suicide attempts and deaths in the first year after cesarean delivery.. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	
122	Severe maternal morbidity among migrants with insecure residency status in Sweden 2000-2014: a population-based cohort study. <i>Journal of Migration and Health</i> , 2020 , 1-2, 100006	1.5	1
121	Risk of negative birth experience in trial of labor after cesarean delivery: A population-based cohort study. <i>PLoS ONE</i> , 2020 , 15, e0229304	3.7	0
120	Placental location and risk of retained placenta in women with a previous cesarean section: A population-based cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020 , 99, 1666-1673	3.8	5
119	Adverse pregnancy outcomes and risk of later allergic rhinitis-Nationwide Swedish cohort study. <i>Pediatric Allergy and Immunology</i> , 2020 , 31, 471-479	4.2	7
118	Diagnostic values of the femoral pulse palpation test. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2020 , 105, 375-379	4.7	1
117	Risk of Offspring Birth Defects in Women After Bariatric Surgery-Reply. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 668-669	27.4	
116	Association of Maternal Eating Disorders With Pregnancy and Neonatal Outcomes. <i>JAMA Psychiatry</i> , 2020 , 77, 285-293	14.5	23

115	Pregnancy outcome in women with cerebral palsy: A nationwide population-based cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020 , 99, 518-524	3.8	4
114	First stage progression in women with spontaneous onset of labor: A large population-based cohort study. <i>PLoS ONE</i> , 2020 , 15, e0239724	3.7	3
113	Maternal Influenza A(H1N1) Immunization During Pregnancy and Risk for Autism Spectrum Disorder in Offspring : A Cohort Study. <i>Annals of Internal Medicine</i> , 2020 , 173, 597-604	8	3
112	Association of SARS-CoV-2 Test Status and Pregnancy Outcomes. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 1782-1785	27.4	58
111	Risk of negative birth experience in trial of labor after cesarean delivery: A population-based cohort study 2020 , 15, e0229304		
110	Risk of negative birth experience in trial of labor after cesarean delivery: A population-based cohort study 2020 , 15, e0229304		
109	Risk of negative birth experience in trial of labor after cesarean delivery: A population-based cohort study 2020 , 15, e0229304		
108	Risk of negative birth experience in trial of labor after cesarean delivery: A population-based cohort study 2020 , 15, e0229304		
107	First stage progression in women with spontaneous onset of labor: A large population-based cohort study 2020 , 15, e0239724		
106	First stage progression in women with spontaneous onset of labor: A large population-based cohort study 2020 , 15, e0239724		
105	First stage progression in women with spontaneous onset of labor: A large population-based cohort study 2020 , 15, e0239724		
104	First stage progression in women with spontaneous onset of labor: A large population-based cohort study 2020 , 15, e0239724		
103	First stage progression in women with spontaneous onset of labor: A large population-based cohort study 2020 , 15, e0239724		
102	First stage progression in women with spontaneous onset of labor: A large population-based cohort study 2020 , 15, e0239724		
101	Maternal and infant pregnancy outcomes in women with psoriatic arthritis: a Swedish nationwide cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019 , 126, 1213-1222	3.7	14
100	Association Between Year of Birth and 1-Year Survival Among Extremely Preterm Infants in Sweden During 2004-2007 and 2014-2016. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 1188-1199	27.4	104
99	Body mass index in early pregnancy and future risk of severe liver disease: a population-based cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2019 , 49, 789-796	6.1	2
98	Placental location and pregnancy outcomes in nulliparous women: A population-based cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019 , 98, 988-996	3.8	8

97	Prenatal exposures and birth indices, and subsequent risk of polycystic ovary syndrome: a national registry-based cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019 , 126, 244-251	3.7	5
96	Perinatal health of refugee and asylum-seeking women in Sweden 2014-17: a register-based cohort study. <i>European Journal of Public Health</i> , 2019 , 29, 1048-1055	2.1	18
95	Association of Maternal Gastric Bypass Surgery With Offspring Birth Defects. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 322, 1515-1517	27.4	11
94	Episiotomy use among vaginal deliveries and the association with anal sphincter injury: a population-based retrospective cohort study. <i>Cmaj</i> , 2019 , 191, E1149-E1158	3.5	21
93	Induction of labour at 41 weeks versus expectant management and induction of labour at 42 weeks (SWEdish Post-term Induction Study, SWEPIS): multicentre, open label, randomised, superiority trial. <i>BMJ, The</i> , 2019 , 367, l6131	5.9	42
92	Is the Association Between Pregnancy Weight Gain and Fetal Size Causal?: A Re-examination Using a Sibling Comparison Design. <i>Epidemiology</i> , 2019 , 30, 234-242	3.1	9
91	Severe perineal trauma among women undergoing vaginal birth after cesarean delivery: A population-based cohort study. <i>Birth</i> , 2019 , 46, 379-386	3.1	6
90	Long-term clinical effects of early thymectomy: Associations with autoimmune diseases, cancer, infections, and atopic diseases. <i>Journal of Allergy and Clinical Immunology</i> , 2018 , 141, 2294-2297.e8	11.5	21
89	Pregnancy outcome in women undergoing liver biopsy during pregnancy: A nationwide population-based cohort study. <i>Hepatology</i> , 2018 , 68, 625-633	11.2	12
88	Periconception glycaemic control in women with type 1 diabetes and risk of major birth defects: population based cohort study in Sweden. <i>BMJ, The</i> , 2018 , 362, k2638	5.9	28
87	Preterm delivery is associated with an increased risk of epithelial ovarian cancer among parous women. <i>International Journal of Cancer</i> , 2018 , 143, 1858-1867	7.5	6
86	Pre- and perinatal stress and irritable bowel syndrome in young adults - A nationwide register-based cohort study. <i>Neurogastroenterology and Motility</i> , 2018 , 30, e13436	4	9
85	Risk of repeat cesarean delivery in women undergoing trial of labor: A population-based cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018 , 97, 1524-1529	3.8	6
84	Oral Fluconazole in Pregnancy and Risk of Stillbirth and Neonatal Death. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 2333-2335	27.4	9
83	Pregnancy Weight Gain Before Diagnosis and Risk of Preeclampsia: A Population-Based Cohort Study in Nulliparous Women. <i>Hypertension</i> , 2018 , 72, 433-441	8.5	28
82	The Swedish Pregnancy Register - for quality of care improvement and research. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018 , 97, 466-476	3.8	59
81	How to Improve Information on Medication Exposure during Pregnancy. <i>Paediatric and Perinatal Epidemiology</i> , 2018 , 32, 78-80	2.7	1
80	Pregnancy weight gain by gestational age and stillbirth: a population-based cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018 , 125, 973-981	3.7	8

79	Pregnancy outcomes in women with autism: a nationwide population-based cohort study. <i>Clinical Epidemiology</i> , 2018 , 10, 1817-1826	5.9	16
78	Outcomes of Pregnancy in Mothers With Cirrhosis: A National Population-Based Cohort Study of 1.3 Million Pregnancies. <i>Hepatology Communications</i> , 2018 , 2, 1299-1305	6	30
77	Delivery outcomes in term births after bariatric surgery: Population-based matched cohort study. <i>PLoS Medicine</i> , 2018 , 15, e1002656	11.6	11
76	Cesarean delivery, preterm birth, and risk of food allergy: Nationwide Swedish cohort study of more than 1 million children. <i>Journal of Allergy and Clinical Immunology</i> , 2018 , 142, 1510-1514.e2	11.5	44
75	Duration of Second Stage of Labour at Term and Pushing Time: Risk Factors for Postpartum Haemorrhage. <i>Paediatric and Perinatal Epidemiology</i> , 2017 , 31, 126-133	2.7	19
74	Duration of second stage of labor and instrumental delivery as risk factors for severe perineal lacerations: population-based study. <i>BMC Pregnancy and Childbirth</i> , 2017 , 17, 72	3.2	35
73	Incidence of First Stroke in Pregnant and Nonpregnant Women of Childbearing Age: A Population-Based Cohort Study From England. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	33
72	Apgar Score Components at 5 Minutes: Risks and Prediction of Neonatal Mortality. <i>Paediatric and Perinatal Epidemiology</i> , 2017 , 31, 328-337	2.7	42
71	Weight gain during pregnancy and the black-white disparity in preterm birth. <i>Annals of Epidemiology</i> , 2017 , 27, 323-328.e1	6.4	11
70	Population-based reference curve for umbilical cord arterial pH in infants born at 28 to 42 weeks. <i>Journal of Perinatology</i> , 2017 , 37, 254-259	3.1	8
69	Reply. <i>Gastroenterology</i> , 2017 , 153, 331-332	13.3	
68	Durations of second stage of labor and pushing, and adverse neonatal outcomes: a population-based cohort study. <i>Journal of Perinatology</i> , 2017 , 37, 236-242	3.1	41
67	Time-to-delivery and delivery outcomes comparing three methods of labor induction in 7551 nulliparous women: a population-based cohort study. <i>Journal of Perinatology</i> , 2017 , 37, 1197-1203	3.1	9
66	Slow fetal growth between first and early second trimester ultrasound scans and risk of small for gestational age (SGA) birth. <i>PLoS ONE</i> , 2017 , 12, e0184853	3.7	3
65	The incidence of first stroke in and around pregnancy: A population-based cohort study from Sweden. <i>European Stroke Journal</i> , 2017 , 2, 250-256	5.6	5
64	Accelerated fetal growth in early pregnancy and risk of severe large-for-gestational-age and macrosomic infant: a cohort study in a low-risk population. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017 , 96, 1261-1268	3.8	2
63	Pregnancy outcome in more than 5000 births to women with viral hepatitis: a population-based cohort study in Sweden. <i>European Journal of Epidemiology</i> , 2017 , 32, 617-625	12.1	27
62	Juvenile onset arthritis and pregnancy outcome: a population-based cohort study. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1809-1814	2.4	18

61	Outcomes of Pregnancies for Women Undergoing Endoscopy While They Were Pregnant: A Nationwide Cohort Study. <i>Gastroenterology</i> , 2017 , 152, 554-563.e9	13.3	34
60	Pregnancy outcome in joint hypermobility syndrome and Ehlers-Danlos syndrome. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017 , 96, 114-119	3.8	17
59	A policy of routine umbilical cord blood gas analysis decreased missing samples from high-risk births. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017 , 106, 43-48	3.1	11
58	Risk of major congenital malformations in relation to maternal overweight and obesity severity: cohort study of 1.2 million singletons. <i>BMJ, The</i> , 2017 , 357, j2563	5.9	104
57	Induction of labor versus expectant management of large-for-gestational-age infants in nulliparous women. <i>PLoS ONE</i> , 2017 , 12, e0180748	3.7	10
56	Surge of immune cell formation at birth differs by mode of delivery and infant characteristics-A population-based cohort study. <i>PLoS ONE</i> , 2017 , 12, e0184748	3.7	16
55	Low Risk of Birth Defects for Infants Whose Mothers Are Treated With Anti-Tumor Necrosis Factor Agents During Pregnancy. <i>Clinical Gastroenterology and Hepatology</i> , 2016 , 14, 234-41.e1-5	6.9	52
54	Adverse outcomes of pregnancy in women with non-alcoholic fatty liver disease. <i>Liver International</i> , 2016 , 36, 268-74	7.9	54
53	Bariatric Surgery and Preterm Birth. <i>New England Journal of Medicine</i> , 2016 , 375, 805-6	59.2	22
52	Preterm birth in women with inflammatory bowel disease - the association with disease activity and drug treatment. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 1462-1469	2.4	23
51	Maternal haemoglobin concentrations before and during pregnancy and stillbirth risk: a population-based case-control study. <i>BMC Pregnancy and Childbirth</i> , 2016 , 16, 135	3.2	13
50	The Impact of Small for Gestational Age Births in Early and Late Preeclamptic Pregnancies for Preeclampsia Recurrence: a Cohort Study of Successive Pregnancies in Sweden. <i>Paediatric and Perinatal Epidemiology</i> , 2016 , 30, 563-570	2.7	8
49	Development and validation of risk prediction model for venous thromboembolism in postpartum women: multinational cohort study. <i>BMJ, The</i> , 2016 , 355, i6253	5.9	64
48	Trends in Congenital Heart Defects in Infants With Down Syndrome. <i>Pediatrics</i> , 2016 , 138,	7.4	70
47	Study protocol of SWEPIS a Swedish multicentre register based randomised controlled trial to compare induction of labour at 41 completed gestational weeks versus expectant management and induction at 42 completed gestational weeks. <i>BMC Pregnancy and Childbirth</i> , 2016 , 16, 49	3.2	18
46	Increased risk of preterm birth in women with autoimmune hepatitis - a nationwide cohort study. <i>Liver International</i> , 2016 , 36, 76-83	7.9	31
45	Prolonged second stage of labour, maternal infectious disease, urinary retention and other complications in the early postpartum period. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016 , 123, 608-16	3.7	39
44	Registers of the Swedish total population and their use in medical research. <i>European Journal of Epidemiology</i> , 2016 , 31, 125-36	12.1	631

43	Pregnancy weight gain by gestational age and BMI in Sweden: a population-based cohort study. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 1278-84	7	29
42	Prehypertension in Pregnancy and Risks of Small for Gestational Age Infant and Stillbirth. <i>Hypertension</i> , 2016 , 67, 640-6	8.5	43
41	Pregnancy outcomes in patients with ankylosing spondylitis: a nationwide register study. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1838-42	2.4	48
40	Authors' reply to Makiyama and colleagues. <i>BMJ, The</i> , 2016 , 352, i776	5.9	
39	Careful monitoring of fetal growth and maternal nutritional status should be practiced in pregnant women with a history of bariatric surgery. <i>Evidence-Based Medicine</i> , 2016 , 21, 233		2
38	Outcomes of pregnancy after bariatric surgery. <i>New England Journal of Medicine</i> , 2015 , 372, 814-24	59.2	335
37	Intrahepatic cholestasis of pregnancy and cancer, immune-mediated and cardiovascular diseases: A population-based cohort study. <i>Journal of Hepatology</i> , 2015 , 63, 456-61	13.4	67
36	Prolonged second stage of labor is associated with low Apgar score. <i>European Journal of Epidemiology</i> , 2015 , 30, 1209-15	12.1	41
35	Hyperemesis gravidarum and risk of cancer in offspring, a Scandinavian registry-based nested case-control study. <i>BMC Cancer</i> , 2015 , 15, 398	4.8	8
34	Defining venous thromboembolism and measuring its incidence using Swedish health registries: a nationwide pregnancy cohort study. <i>BMJ Open</i> , 2015 , 5, e008864	3	16
33	Outcomes of Pregnancy After Bariatric Surgery. <i>Obstetrical and Gynecological Survey</i> , 2015 , 70, 375-377	2.4	3
32	Birth position and obstetric anal sphincter injury: a population-based study of 113 000 spontaneous births. <i>BMC Pregnancy and Childbirth</i> , 2015 , 15, 252	3.2	31
31	Maternal vaccination against H1N1 influenza and offspring mortality: population based cohort study and sibling design. <i>BMJ, The</i> , 2015 , 351, h5585	5.9	35
30	Use of antidepressants and association with elective termination of pregnancy: population based case-control study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015 , 122, 1618-24	3.7	9
29	Maternal and birth anthropometric characteristics in relation to the risk of childhood lymphomas: a Swedish nationwide cohort study. <i>European Journal of Cancer Prevention</i> , 2015 , 24, 535-41	2	12
28	Pregnancy and perinatal outcomes in women with polycystic ovary syndrome and twin births: a population-based cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015 , 122, 1295-302	3.7	26
27	Consanguineous marriage, prepregnancy maternal characteristics and stillbirth risk: a population-based case-control study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015 , 94, 1095-101	3.8	15
26	Selective serotonin reuptake inhibitors and venlafaxine in early pregnancy and risk of birth defects: population based cohort study and sibling design. <i>BMJ, The</i> , 2015 , 350, h1798	5.9	119

25	Hyperemesis gravidarum and maternal cancer risk, a Scandinavian nested case-control study. <i>International Journal of Cancer</i> , 2015 , 137, 1209-16	7.5	11
24	Mucosal healing in patients with celiac disease and outcomes of pregnancy: a nationwide population-based study. <i>Clinical Gastroenterology and Hepatology</i> , 2015 , 13, 1111-7.e2	6.9	5
23	Does Use of Low-Molecular-Weight Heparin during Pregnancy Influence the Risk of Prolonged Labor: A Population-Based Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0140422	3.7	2
22	Retained placenta is associated with pre-eclampsia, stillbirth, giving birth to a small-for-gestational-age infant, and spontaneous preterm birth: a national register-based study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121, 1462-70	3.7	26
21	A novel study on transdermal clonidine treatment of hyperemesis gravidarum. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121, 1563	3.7	
20	THU0081 Pregnancy Outcome in Patients with Ankylosing Spondylitis [A National Register Study. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 205.1-205	2.4	
19	IgA deficiency, autoimmunity & pregnancy: a population-based matched cohort study. <i>Journal of Clinical Immunology</i> , 2014 , 34, 853-63	5.7	2
18	Birth outcomes in women with inflammatory bowel disease: effects of disease activity and drug exposure. <i>Inflammatory Bowel Diseases</i> , 2014 , 20, 1091-8	4.5	128
17	A population-based cohort study of pregnancy outcomes among women with primary sclerosing cholangitis. <i>Clinical Gastroenterology and Hepatology</i> , 2014 , 12, 95-100.e1	6.9	38
16	Risk of placental dysfunction disorders after prior miscarriages: a population-based study. <i>American Journal of Obstetrics and Gynecology</i> , 2014 , 211, 34.e1-8	6.4	22
15	Risk of congenital malformations among offspring of mothers and fathers with celiac disease: a nationwide cohort study. <i>Clinical Gastroenterology and Hepatology</i> , 2014 , 12, 1108-1116.e6	6.9	11
14	Selective serotonin reuptake inhibitors during pregnancy and risk of stillbirth and infant mortality. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 309, 48-54	27.4	62
13	Perinatal characteristics and breast cancer risk in daughters: a Scandinavian population-based study. <i>Journal of Developmental Origins of Health and Disease</i> , 2013 , 4, 35-41	2.4	13
12	Perinatal outcomes after bariatric surgery: nationwide population based matched cohort study. <i>BMJ, The</i> , 2013 , 347, f6460	5.9	107
11	Complications from inflammatory bowel disease during pregnancy and delivery. <i>Clinical Gastroenterology and Hepatology</i> , 2012 , 10, 1246-52	6.9	54
10	Perinatal risk factors for childhood testicular germ-cell cancer: a Nordic population-based study. <i>Cancer Epidemiology</i> , 2011 , 35, e100-4	2.8	15
9	Drug use during pregnancy in Sweden - assessed by the Prescribed Drug Register and the Medical Birth Register. <i>Clinical Epidemiology</i> , 2011 , 3, 43-50	5.9	103
8	Congenital abnormalities and other birth outcomes in children born to women with ulcerative colitis in Denmark and Sweden. <i>Inflammatory Bowel Diseases</i> , 2011 , 17, 795-801	4.5	84

7	Risk of endometriosis in 11,000 women with celiac disease. <i>Human Reproduction</i> , 2011 , 26, 2896-901	5.7	23
6	Crohn's disease is a risk factor for preterm birth. <i>Clinical Gastroenterology and Hepatology</i> , 2010 , 8, 509-159	5.9	90
5	Risk of breast cancer among daughters of mothers with diabetes: a population-based cohort study. <i>Breast Cancer Research</i> , 2010 , 12, R14	8.3	5
4	Endometriosis, assisted reproduction technology, and risk of adverse pregnancy outcome. <i>Human Reproduction</i> , 2009 , 24, 2341-7	5.7	165
3	Previous preterm and small-for-gestational-age births and the subsequent risk of stillbirth. <i>New England Journal of Medicine</i> , 2004 , 350, 777-85	59.2	128
2	Time of birth and risk of intrapartum and early neonatal death. <i>Epidemiology</i> , 2003 , 14, 218-22	3.1	51
1	The influence of interpregnancy interval on the subsequent risk of stillbirth and early neonatal death. <i>Obstetrics and Gynecology</i> , 2003 , 102, 101-8	4.9	45