

Miroslav Slouf

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7912860/publications.pdf>

Version: 2024-02-01

311
papers

6,869
citations

76294

40
h-index

128225

60
g-index

315
all docs

315
docs citations

315
times ranked

8567
citing authors

#	ARTICLE	IF	CITATIONS
1	Preparation and properties of compatibilized LDPE/organo-modified montmorillonite nanocomposites. <i>European Polymer Journal</i> , 2005, 41, 1115-1122.	2.6	238
2	Epoxy Networks Reinforced with Polyhedral Oligomeric Silsesquioxanes (POSS). Structure and Morphology. <i>Macromolecules</i> , 2004, 37, 9449-9456.	2.2	198
3	Similarities and Differences between Cobalamins and Cobaloximes. Accurate Structural Determination of Methylcobalamin and of LiCl- and KCl-Containing Cyanocobalamins by Synchrotron Radiation. <i>Inorganic Chemistry</i> , 2000, 39, 3403-3413.	1.9	134
4	Novel polycarbonate-based polyurethane elastomers: Composition–property relationship. <i>European Polymer Journal</i> , 2011, 47, 959-972.	2.6	134
5	Synergistic effects in mechanical properties of PLA/PCL blends with optimized composition, processing, and morphology. <i>RSC Advances</i> , 2015, 5, 98971-98982.	1.7	128
6	Superparamagnetic Fe ₃ O ₄ Nanoparticles: Synthesis by Thermal Decomposition of Iron(III) Glucuronate and Application in Magnetic Resonance Imaging. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 7238-7247.	4.0	114
7	Phase Structure, Compatibility, and Toughness of PLA/PCL Blends: A Review. <i>Frontiers in Materials</i> , 2019, 6, .	1.2	114
8	Formation of nanostructured epoxy networks containing polyhedral oligomeric silsesquioxane (POSS) blocks. <i>Polymer</i> , 2007, 48, 3041-3058.	1.8	94
9	Green synthesis of bimetallic ZnO–CuO nanoparticles and their cytotoxicity properties. <i>Scientific Reports</i> , 2021, 11, 23479.	1.6	88
10	Strong synergistic effects in PLA/PCL blends: Impact of PLA matrix viscosity. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2017, 69, 229-241.	1.5	87
11	Super porous organic–inorganic poly(N-isopropylacrylamide)-based hydrogel with a very fast temperature response. <i>Polymer</i> , 2007, 48, 1471-1482.	1.8	84
12	Kinetics and mechanism of the biodegradation of PLA/clay nanocomposites during thermophilic phase of composting process. <i>Waste Management</i> , 2015, 42, 31-40.	3.7	81
13	Structural changes of UHMWPE after e-beam irradiation and thermal treatment. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2008, 85B, 240-251.	1.6	68
14	Modification of carbon nanotubes and its effect on properties of carbon nanotube/epoxy nanocomposites. <i>Polymer Composites</i> , 2009, 30, 1378-1387.	2.3	67
15	Superporous poly(2-hydroxyethyl methacrylate) based scaffolds: Preparation and characterization. <i>Polymer</i> , 2008, 49, 2046-2054.	1.8	64
16	Polystyrene Nanofiber Materials Modified with an Externally Bound Porphyrin Photosensitizer. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 3776-3783.	4.0	64
17	Polyethylenimine based magnetic nanoparticles mediated non-viral CRISPR/Cas9 system for genome editing. <i>Scientific Reports</i> , 2020, 10, 4619.	1.6	64
18	Microscopic Structure of Swollen Hydrogels by Scanning Electron and Light Microscopies: Artifacts and Reality. <i>Polymers</i> , 2020, 12, 578.	2.0	62

#	ARTICLE	IF	CITATIONS
19	Single-molecule surface-enhanced Raman spectroscopy from a molecularly-bridged silver nanoparticle dimer. <i>Chemical Physics Letters</i> , 2008, 455, 131-134.	1.2	58
20	Electrical and thermomechanical properties of epoxy-POSS nanocomposites. <i>European Polymer Journal</i> , 2011, 47, 861-872.	2.6	57
21	Polymer/clay nanocomposites and their gas barrier properties. <i>Polymer Composites</i> , 2013, 34, 1418-1424.	2.3	57
22	Study of ²²³ Ra uptake mechanism by Fe ₃ O ₄ nanoparticles: towards new prospective theranostic SPIONs. <i>Journal of Nanoparticle Research</i> , 2016, 18, 1.	0.8	55
23	Fluorescent boronate-based polymer nanoparticles with reactive oxygen species (ROS)-triggered cargo release for drug-delivery applications. <i>Nanoscale</i> , 2016, 8, 6958-6963.	2.8	54
24	Poly(2-hydroxyethyl methacrylate)-based slabs as a mouse embryonic stem cell support. <i>Biomaterials</i> , 2004, 25, 5249-5260.	5.7	50
25	Self-Assembled Thermoresponsive Polymeric Nanogels for ¹⁹ F MR Imaging. <i>Biomacromolecules</i> , 2018, 19, 3515-3524.	2.6	49
26	Structure Characterization and Biodegradation Rate of Poly(μ -caprolactone)/Starch Blends. <i>Frontiers in Materials</i> , 2020, 7, .	1.2	49
27	Gold Micrometer Crystals Modified with Carboranethiol Derivatives. <i>Journal of Physical Chemistry C</i> , 2008, 112, 14446-14455.	1.5	48
28	A new route for chitosan immobilization onto polyethylene surface. <i>Carbohydrate Polymers</i> , 2012, 90, 1501-1508.	5.1	47
29	Porphyrin-layered double hydroxide/polymer composites as novel ecological photoactive surfaces. <i>Journal of Materials Chemistry</i> , 2010, 20, 9423.	6.7	46
30	The multifunctional role of ionic liquids in the formation of epoxy-silica nanocomposites. <i>Journal of Materials Chemistry</i> , 2011, 21, 13801.	6.7	44
31	Physico-chemical characteristics, biocompatibility, and MRI applicability of novel monodisperse PEG-modified magnetic Fe ₃ O ₄ & SiO ₂ core-shell nanoparticles. <i>RSC Advances</i> , 2017, 7, 8786-8797.	1.7	44
32	Porphyrin "Flying-Saucers" Solid State and Solution Structure of a Novel Pentameric Array of Axially-Ligated Canted Porphyrins. <i>Inorganic Chemistry</i> , 1999, 38, 2527-2529.	1.9	42
33	Crystal Chemistry of Cobalamins. Structural Characterization of the Co-S Bond in Cobalamins. <i>Inorganic Chemistry</i> , 1999, 38, 4087-4092.	1.9	42
34	Polymer-clay nanocomposites prepared via in situ emulsion polymerization. <i>Polymer Bulletin</i> , 2009, 63, 365-384.	1.7	42
35	Fast temperature-responsive nanocomposite PNIPAM hydrogels with controlled pore wall thickness: Force and rate of T-response. <i>European Polymer Journal</i> , 2012, 48, 1997-2007.	2.6	42
36	Viscoelastic and photo-actuation studies of composites based on polystyrene-grafted carbon nanotubes and styrene-b-isoprene-b-styrene block copolymer. <i>Polymer</i> , 2014, 55, 211-218.	1.8	42

#	ARTICLE	IF	CITATIONS
37	Nanometer size wear debris generated from ultra high molecular weight polyethylene in vivo. <i>Wear</i> , 2009, 266, 349-355.	1.5	41
38	Linear low density polyethylene/cycloolefin copolymer blends. <i>EXPRESS Polymer Letters</i> , 2011, 5, 23-37.	1.1	41
39	Super-porous nanocomposite PNIPAm hydrogels reinforced with titania nanoparticles, displaying a very fast temperature response as well as pH-sensitivity. <i>European Polymer Journal</i> , 2014, 59, 341-352.	2.6	41
40	Macroporous Hydrogels Based on 2-Hydroxyethyl Methacrylate. Part 1. Copolymers of 2-Hydroxyethyl Methacrylate with Methacrylic Acid. <i>Collection of Czechoslovak Chemical Communications</i> , 2003, 68, 812-822.	1.0	40
41	Thermoresponsive Self-Assembly of Short Elastin-Like Polypentapeptides and Their Poly(ethylene) Tj ETQq1 1 0.784314 rgBT /Overloc	2.1	40
42	Solution and Solid State Structure of a Canted, Side-to-Face, Bis(porphyrin) Adduct. <i>Inorganic Chemistry</i> , 1999, 38, 869-875.	1.9	39
43	Single molecule SERS: Perspectives of analytical applications. <i>Journal of Molecular Structure</i> , 2007, 834-836, 42-47.	1.8	38
44	Morphology of undeformed and deformed polyethylene lamellar crystals. <i>Polymer</i> , 2010, 51, 5780-5787.	1.8	37
45	Synthesis of Photoactuating Acrylic Thermoplastic Elastomers Containing Diblock Copolymer-Grafted Carbon Nanotubes. <i>ACS Macro Letters</i> , 2014, 3, 999-1003.	2.3	37
46	Self-assembled anchor layers/polysaccharide coatings on titanium surfaces: a study of functionalization and stability. <i>Beilstein Journal of Nanotechnology</i> , 2015, 6, 617-631.	1.5	37
47	Spinning, drawing and physical properties of polypropylene nanocomposite fibers with fumed nanosilica. <i>EXPRESS Polymer Letters</i> , 2015, 9, 277-290.	1.1	37
48	Preparation and X-ray Analysis of Crystals of Azido- and Chlorocobalamin Containing LiCl: A Structural Model for the Interactions of the Corrin Ring with Ionic Species. <i>Inorganic Chemistry</i> , 1998, 37, 5390-5393.	1.9	36
49	Self-Assembly of Gold Nanoparticles as Colloidal Crystals Induced by Polymerization of Amphiphilic Monomers. <i>Macromolecules</i> , 2008, 41, 4895-4903.	2.2	36
50	The relationship of polyethylene wear to particle size, distribution, and number: A possible factor explaining the risk of osteolysis after hip arthroplasty. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2010, 94B, 171-177.	1.6	36
51	RGDS- and TAT-Conjugated Upconversion of NaYF ₄ :Yb ³⁺ /Er ³⁺ &SiO ₂ Nanoparticles: In Vitro Human Epithelioid Cervix Carcinoma Cellular Uptake, Imaging, and Targeting. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 20422-20431.	4.0	36
52	Polyelectrolyte~Surfactant Complexes Formed by Poly[3,5-bis(trimethylammoniummethyl)4-hydroxystyrene iodide]- <i>block</i> -poly(ethylene oxide) and Sodium Dodecyl Sulfate in Aqueous Solutions. <i>Langmuir</i> , 2011, 27, 5275-5281.	1.6	35
53	Micromechanical properties of one-step and sequentially crosslinked UHMWPEs for total joint replacements. <i>Polymer Testing</i> , 2015, 41, 191-197.	2.3	35
54	High-density polyethylene/cycloolefin copolymer blends. Part 1: Phase structure, dynamic mechanical, tensile, and impact properties. <i>Polymer Engineering and Science</i> , 2005, 45, 817-826.	1.5	34

#	ARTICLE	IF	CITATIONS
55	Poly(HEMA) hydrogels with controlled pore architecture for tissue regeneration applications. <i>Journal of Materials Science: Materials in Medicine</i> , 2008, 19, 615-621.	1.7	34
56	Structure and Pervaporation Properties of Poly(phenylene- <i>iso</i> -phthalamide) Membranes Modified by Fullerene C ₆₀ . <i>Macromolecular Materials and Engineering</i> , 2009, 294, 432-440.	1.7	34
57	Silica-modified monodisperse hexagonal lanthanide nanocrystals: synthesis and biological properties. <i>Nanoscale</i> , 2015, 7, 18096-18104.	2.8	34
58	Synthesis of conductive doubly filled poly(N-isopropylacrylamide)-polyaniline-SiO ₂ hydrogels. <i>Sensors and Actuators B: Chemical</i> , 2017, 244, 616-634.	4.0	34
59	Relations between morphology and micromechanical properties of alpha, beta and gamma phases of iPP. <i>Polymer Testing</i> , 2018, 67, 522-532.	2.3	34
60	Functional polymer hydrogels for embryonic stem cell support. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2006, 76B, 315-325.	1.6	33
61	Crystalline Character and Microhardness of Gamma-irradiated and Thermally Treated UHMWPE. <i>Journal of Macromolecular Science - Physics</i> , 2007, 46, 521-531.	0.4	33
62	Polyamide Membranes Modified by Carbon Nanotubes: Application for Pervaporation. <i>Separation Science and Technology</i> , 2009, 45, 35-41.	1.3	33
63	Temoporfin-loaded 1-tetradecanol-based thermoresponsive solid lipid nanoparticles for photodynamic therapy. <i>Journal of Controlled Release</i> , 2016, 241, 34-44.	4.8	33
64	Poly(N-isopropylacrylamide)-SiO ₂ nanocomposites interpenetrated by starch: Stimuli-responsive hydrogels with attractive tensile properties. <i>European Polymer Journal</i> , 2017, 88, 349-372.	2.6	32
65	Isolation, characterization and quantification of polyethylene wear debris from periprosthetic tissues around total joint replacements. <i>Wear</i> , 2007, 262, 1171-1181.	1.5	31
66	Rubber-toughened polypropylene/acrylonitrile-co-butadiene-co-styrene blends: Morphology and mechanical properties. <i>Polymer Engineering and Science</i> , 2007, 47, 582-592.	1.5	31
67	Thermoplastic starch composites with TiO ₂ particles: Preparation, morphology, rheology and mechanical properties. <i>International Journal of Biological Macromolecules</i> , 2017, 101, 273-282.	3.6	31
68	Macroporous hydrogels based on 2-hydroxyethyl methacrylate. <i>Journal of Materials Science: Materials in Medicine</i> , 2005, 16, 767-773.	1.7	30
69	Thermosensitive PNIPAA-Based Organic-Inorganic Hydrogels. <i>Polymer Journal</i> , 2006, 38, 527-541.	1.3	30
70	Effect of glass fibers on rheology, thermal and mechanical properties of recycled PET. <i>Polymer Composites</i> , 2008, 29, 915-921.	2.3	30
71	Photo-actuating materials based on elastomers and modified carbon nanotubes. <i>Journal of Nanophotonics</i> , 2012, 6, 063522.	0.4	30
72	β-Cyclodextrin-epichlorohydrin polymer/graphene oxide nanocomposite: preparation and characterization. <i>Chemical Papers</i> , 2018, 72, 1299-1313.	1.0	30

#	ARTICLE	IF	CITATIONS
73	Cycloolefin copolymer/fumed silica nanocomposites. <i>Journal of Applied Polymer Science</i> , 2011, 119, 3393-3402.	1.3	29
74	Poly(N-isopropyl acrylamide)-block-poly(n-butyl acrylate) thermoresponsive amphiphilic copolymers: Synthesis, characterization and self-assembly behavior in aqueous solutions. <i>European Polymer Journal</i> , 2014, 61, 124-132.	2.6	29
75	Improved biocompatibility and efficient labeling of neural stem cells with poly(L-lysine)-coated maghemite nanoparticles. <i>Beilstein Journal of Nanotechnology</i> , 2016, 7, 926-936.	1.5	29
76	Phase morphology of PP/COC blends. <i>Journal of Applied Polymer Science</i> , 2004, 91, 253-259.	1.3	28
77	Recycled poly(ethylene terephthalate) reinforced with basalt fibres: Rheology, structure, and utility properties. <i>Polymer Composites</i> , 2008, 29, 437-442.	2.3	28
78	A view from inside onto the surface of self-assembled nanocomposite coatings. <i>Progress in Organic Coatings</i> , 2008, 61, 145-155.	1.9	28
79	Surface-enhanced Raman scattering from a single molecularly bridged silver nanoparticle aggregate. <i>Journal of Molecular Structure</i> , 2009, 924-926, 567-570.	1.8	28
80	Support for the initial attachment, growth and differentiation of MG-63 cells: a comparison between nano-size hydroxyapatite and micro-size hydroxyapatite in composites. <i>International Journal of Nanomedicine</i> , 2014, 9, 3687.	3.3	27
81	Macroporous hydrogels based on 2-hydroxyethyl methacrylate. Part 5: Hydrolytically degradable materials. <i>Journal of Materials Science: Materials in Medicine</i> , 2006, 17, 1357-1364.	1.7	26
82	The effect of the architecture and concentration of styrene- <i>co</i> -butadiene compatibilizers on the morphology of polystyrene/low-density polyethylene blends. <i>Journal of Applied Polymer Science</i> , 2006, 100, 2803-2816.	1.3	26
83	RBS, XPS, and TEM study of metal and polymer interface modified by plasma treatment. <i>Vacuum</i> , 2007, 82, 307-310.	1.6	26
84	Morphology and Properties of SEBS Block Copolymer Compatibilized PS/HDPE Blends. <i>Journal of Elastomers and Plastics</i> , 2008, 40, 237-251.	0.7	26
85	Properties of polyimide, polyetheretherketone and polyethyleneterephthalate implanted by Ni ions to high fluences. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2012, 272, 396-399.	0.6	26
86	Macroporous Biodegradable Cryogels of Synthetic Poly(α -amino acids). <i>Biomacromolecules</i> , 2015, 16, 3455-3465.	2.6	26
87	Monolithic intercalated PNIPAm/starch hydrogels with very fast and extensive one-way volume and swelling responses to temperature and pH: prospective actuators and drug release systems. <i>Soft Matter</i> , 2019, 15, 752-769.	1.2	26
88	Cellulose-based graft copolymers with controlled architecture prepared in a homogeneous phase. <i>Journal of Polymer Science Part A</i> , 2011, 49, 4353-4367.	2.5	25
89	Rheology and porosity control of poly(2-hydroxyethyl methacrylate) hydrogels. <i>Polymer</i> , 2013, 54, 661-672.	1.8	25
90	The effect of ionizing radiation on biocompatible polymers: From sterilization to radiolysis and hydrogel formation. <i>Polymer Degradation and Stability</i> , 2017, 137, 1-10.	2.7	25

#	ARTICLE	IF	CITATIONS
91	Structure and mechanical properties of poly(l-lactide)/layered silicate nanocomposites. <i>European Polymer Journal</i> , 2006, 42, 888-899.	2.6	24
92	Increasing recyclability of PC, ABS and PMMA: Morphology and fracture behavior of binary and ternary blends. <i>Journal of Applied Polymer Science</i> , 2008, 109, 3210-3223.	1.3	24
93	Quantification of UHMWPE wear in periprosthetic tissues of hip arthroplasty: Description of a new method based on IR and comparison with radiographic appearance. <i>Wear</i> , 2008, 265, 674-684.	1.5	24
94	Structural and Surface Properties of Novel Polyurethane Films. <i>Materials and Manufacturing Processes</i> , 2009, 24, 1185-1189.	2.7	24
95	Optimization of sol-gel/pyrolysis routes to silicon oxycarbide glasses. <i>Journal of Non-Crystalline Solids</i> , 2012, 358, 2771-2782.	1.5	24
96	Heterogeneity of accelerated photooxidation in commodity polymers stabilized by HAS: ESRI, IR, and MH study. <i>Polymer Degradation and Stability</i> , 2014, 103, 11-25.	2.7	24
97	Macroporous 2-hydroxyethyl methacrylate hydrogels of dual porosity for cell cultivation: morphology, swelling, permeability, and mechanical behavior. <i>Journal of Polymer Research</i> , 2014, 21, 1.	1.2	24
98	Thermo- and ROS-Responsive Self-Assembled Polymer Nanoparticle Tracers for ¹⁹ F MRI Theranostics. <i>Biomacromolecules</i> , 2021, 22, 2325-2337.	2.6	24
99	Preparation of gram quantities of high-quality titanate nanotubes and their composites with polyamide 6. <i>Materials Chemistry and Physics</i> , 2010, 124, 652-657.	2.0	23
100	Association of Poly(4-hydroxystyrene)- <i>block</i> -Poly(Ethylene oxide) in Aqueous Solutions: Block Copolymer Nanoparticles with Intermixed Blocks. <i>Langmuir</i> , 2012, 28, 307-313.	1.6	23
101	Preparation of Novel, Nanocomposite Stannoxane-Based Organic-Inorganic Epoxy Polymers containing Ionic bonds. <i>Macromolecules</i> , 2012, 45, 221-237.	2.2	23
102	Structure evolution during order-disorder transitions in aliphatic polycarbonate based polyurethanes. <i>Self-healing polymer</i> . <i>Chemical Engineering Journal</i> , 2019, 357, 611-624.	6.6	23
103	Magnetic cobalt oxide nanosheets: green synthesis and in vitro cytotoxicity. <i>Bioprocess and Biosystems Engineering</i> , 2021, 44, 1423-1432.	1.7	23
104	Adhesive properties of polyester treated by cold plasma in oxygen and nitrogen atmospheres. <i>Surface and Coatings Technology</i> , 2013, 235, 407-416.	2.2	22
105	Thermoplastic polybutadiene-based polyurethane/carbon nanofiber composites. <i>Composites Part B: Engineering</i> , 2014, 67, 434-440.	5.9	22
106	Self-assembly of POSS-containing block copolymers: Fixing the hierarchical structure in networks. <i>Polymer</i> , 2014, 55, 126-136.	1.8	22
107	The orientation-enhancing effect of diphenyl aluminium phosphate nanorods in a liquid-crystalline epoxy matrix ordered by magnetic field. <i>European Polymer Journal</i> , 2015, 72, 238-255.	2.6	22
108	Spermine amides of selected triterpenoid acids: dynamic supramolecular system formation influences the cytotoxicity of the drugs. <i>Journal of Materials Chemistry B</i> , 2020, 8, 484-491.	2.9	22

#	ARTICLE	IF	CITATIONS
109	Long-term accelerated weathering of HAS stabilized PE and PP plaques: Compliance of ESRI, IR, and microhardness data characterizing heterogeneity of photooxidation. <i>Polymer Degradation and Stability</i> , 2015, 120, 114-121.	2.7	21
110	Biodistribution of upconversion/magnetic silica-coated NaGdF ₄ :Yb ³⁺ /Er ³⁺ nanoparticles in mouse models. <i>RSC Advances</i> , 2017, 7, 45997-46006.	1.7	21
111	Well-dispersed polyurethane/cellulose nanocrystal nanocomposites synthesized by a solvent-free procedure in bulk. <i>Polymer Composites</i> , 2019, 40, E456.	2.3	21
112	Probing strong optical fields in compact aggregates of silver nanoparticles by SERRS of protoporphyrin IX. <i>Faraday Discussions</i> , 2006, 132, 121-134.	1.6	20
113	Dilute solutions and phase behavior of polydisperse A-b-(A-co-B) diblock copolymers. <i>Polymer</i> , 2009, 50, 2451-2459.	1.8	20
114	Impact of Dose-Rate on Rheology, Structure and Wear of Irradiated UHMWPE. <i>Journal of Macromolecular Science - Physics</i> , 2009, 48, 587-603.	0.4	20
115	Nanocomposites of polypropylene/titanate nanotubes: morphology, nucleation effects of nanoparticles and properties. <i>Polymer Bulletin</i> , 2014, 71, 795-818.	1.7	20
116	Phase structure evolution during mixing and processing of poly(lactic acid)/polycaprolactone (PLA/PCL) blends. <i>Polymer Bulletin</i> , 2015, 72, 2931-2947.	1.7	20
117	Porous Heat-Treated Polyacrylonitrile Scaffolds for Bone Tissue Engineering. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 8496-8506.	4.0	20
118	New fast method for determination of number of UHMWPE wear particles. <i>Journal of Materials Science: Materials in Medicine</i> , 2004, 15, 1267-1278.	1.7	19
119	Combined effect of specific nucleation and rubber dispersion on morphology and mechanical behavior of isotactic polypropylene. <i>Journal of Applied Polymer Science</i> , 2007, 103, 3539-3546.	1.3	19
120	Distribution of polyethylene wear particles and bone fragments in periprosthetic tissue around total hip joint replacements. <i>Acta Biomaterialia</i> , 2010, 6, 3595-3600.	4.1	19
121	Surface modification of polyethylene by diffuse barrier discharge plasma. <i>Polymer Engineering and Science</i> , 2013, 53, 516-523.	1.5	19
122	Visualization of carbon nanotubes dispersion in composite by using confocal laser scanning microscopy. <i>European Polymer Journal</i> , 2016, 79, 187-197.	2.6	19
123	Pro-oxidant activity of α -tocopherol during photooxidative degradation of polyolefins. ESRI and IR microspectroscopy studies. <i>Polymer Degradation and Stability</i> , 2017, 138, 55-71.	2.7	19
124	Insight into the cryopolymerization to form a poly(N-isopropylacrylamide)/clay macroporous gel: structure and phase evolution. <i>Soft Matter</i> , 2017, 13, 1244-1256.	1.2	19
125	Electronic structure and bonding in hydroxocobalamin. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2005, 61, 1647-1652.	2.0	18
126	Submicrometer characterization of surfaces of epoxy-based organic-inorganic nanocomposite coatings. A comparison of AFM study with currently used testing techniques. <i>Journal of Applied Polymer Science</i> , 2006, 102, 5763-5774.	1.3	18

#	ARTICLE	IF	CITATIONS
127	HDPE/COC blends with fibrous morphology and their properties. <i>European Polymer Journal</i> , 2012, 48, 2031-2039.	2.6	18
128	Properties of organo-clay/natural rubber nanocomposites: Effects of organophilic modifiers. <i>Journal of Applied Polymer Science</i> , 2013, 127, 3447-3455.	1.3	18
129	The characterization of PEEK, PET and PI implanted with Co ions to high fluences. <i>Applied Surface Science</i> , 2013, 275, 311-315.	3.1	18
130	Spectral and microscopic study of self-assembly of novel cationic spermine amides of betulinic acid. <i>Steroids</i> , 2017, 117, 90-96.	0.8	18
131	On the key role of SiO ₂ @POSS hybrid filler in tailoring networking and interfaces in rubber nanocomposites. <i>Polymer Testing</i> , 2018, 65, 429-439.	2.3	18
132	Controlled biodegradability of functionalized thermoplastic starch based materials. <i>Polymer Degradation and Stability</i> , 2019, 170, 108995.	2.7	18
133	Monodisperse Core-Shell NaYF ₄ :Yb ³⁺ /Er ³⁺ @NaYF ₄ :Nd ³⁺ -PEG-GGRCDSGGGY-NH ₂ Nanoparticles Excitable at 808 and 980 nm: Design, Surface Engineering, and Application in Life Sciences. <i>Frontiers in Chemistry</i> , 2020, 8, 497.	1.8	18
134	Charge density study of hydrogen [(2,4-diaminopyrimidin-1-yl)methyl]phosphonate monohydrate. <i>Acta Crystallographica Section B: Structural Science</i> , 2002, 58, 519-529.	1.8	17
135	Compatibilized iPP/aPS blends: The effect of the viscosity ratio of the components on the blends morphology. <i>Journal of Applied Polymer Science</i> , 2006, 101, 2236-2249.	1.3	17
136	Activation of cellulose by 1,4-dioxane for dissolution in N,N-dimethylacetamide/LiCl. <i>Cellulose</i> , 2012, 19, 1893-1906.	2.4	17
137	Preparation of finely macroporous SiOC foams with high mechanical properties and with hierarchical porosity via pyrolysis of a siloxane/epoxide composite. <i>Ceramics International</i> , 2015, 41, 8402-8410.	2.3	17
138	A Multifunctional Graphene Oxide Platform for Targeting Cancer. <i>Cancers</i> , 2019, 11, 753.	1.7	17
139	Revealing the True Morphological Structure of Macroporous Soft Hydrogels for Tissue Engineering. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 6672.	1.3	17
140	Heterogeneous polyamide 66/syndiotactic polystyrene blends: Phase structure and thermal and mechanical properties. <i>Journal of Applied Polymer Science</i> , 2005, 96, 673-684.	1.3	16
141	Nucleation of isotactic polypropylene crystallization by gold nanoparticles. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2010, 48, 469-478.	2.4	16
142	Colloidally Stable P(DMA-AGME)-Ale-Coated Gd(Tb)F ₃ :Tb ³⁺ (Gd ³⁺),Yb ³⁺ ,Nd ³⁺ Nanoparticles as a Multimodal Contrast Agent for Down- and Upconversion Luminescence, Magnetic Resonance Imaging, and Computed Tomography. <i>Nanomaterials</i> , 2021, 11, 230.	1.9	16
143	Effect of micropores on CO ₂ capture in ordered mesoporous CMK-3 carbon at atmospheric pressure. <i>Adsorption</i> , 2021, 27, 1221-1236.	1.4	16
144	Mechanical behaviour of cyclic olefin copolymer/exfoliated graphite nanoplatelets nanocomposites foamed through supercritical carbon dioxide. <i>EXPRESS Polymer Letters</i> , 2016, 10, 977-989.	1.1	16

#	ARTICLE	IF	CITATIONS
145	Preparation and solid-state characterization of nickel(II) complexes with 1- β -(diphenylphosphino)ferrocenecarboxylic acid. <i>New Journal of Chemistry</i> , 2001, 25, 1215-1220.	1.4	15
146	Characterization and surface-enhanced Raman spectral probing of silver hydrosols prepared by two-wavelength laser ablation and fragmentation. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2003, 59, 2321-2329.	2.0	15
147	Can centrifugation affect the morphology of polyethylene wear debris?. <i>Wear</i> , 2008, 265, 1914-1917.	1.5	15
148	Preparation of stable Pd nanoparticles with tunable size for multiple immunolabeling in biomedicine. <i>Materials Letters</i> , 2011, 65, 1197-1200.	1.3	15
149	Biopolymer-based degradable nanofibres from renewable resources produced by freeze-drying. <i>RSC Advances</i> , 2013, 3, 15282.	1.7	15
150	Polyelectrolyte-Surfactant Complexes of Poly[3,5-bis(dimethylaminomethyl)-4-hydroxystyrene]-block-poly(ethylene oxide) and Sodium Dodecyl Sulfate: Anomalous Self-Assembly Behavior. <i>Langmuir</i> , 2013, 29, 5443-5449.	1.6	15
151	Quantification of structural changes of UHMWPE components in total joint replacements. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 109.	0.8	15
152	Tremendous reinforcing, pore-stabilizing and response-accelerating effect of <i>in situ</i> generated nanosilica in thermoresponsive poly(<i>N</i> -isopropylacrylamide) cryogels. <i>Polymer International</i> , 2017, 66, 1510-1521.	1.6	15
153	UV degradation of styrene-butadiene rubber versus high density poly(ethylene) in marine conditions studied by infrared spectroscopy, micro indentation, and electron spin resonance imaging. <i>Polymer Degradation and Stability</i> , 2018, 156, 132-143.	2.7	15
154	Synthesis of amphiphilic copolymers based on dendritic polyethylene grafted by polyhydroxyethylmethacrylate and polyhydroxypropylmethacrylate and their use for construction of nanoparticles. <i>European Polymer Journal</i> , 2019, 115, 193-200.	2.6	15
155	Biodegradability of blends based on aliphatic polyester and thermoplastic starch. <i>Chemical Papers</i> , 2019, 73, 1121-1134.	1.0	15
156	Phase structure and tensile creep of recycled poly(ethylene terephthalate)/short glass fibers/impact modifier ternary composites. <i>EXPRESS Polymer Letters</i> , 2009, 3, 235-244.	1.1	15
157	Poly(2-hydroxyethyl methacrylate-co-ethylene dimethacrylate) as a mouse embryonic stem cells support. <i>Journal of Applied Polymer Science</i> , 2003, 87, 425-432.	1.3	14
158	Macroporous hydrogels based on 2-hydroxyethyl methacrylate. <i>Journal of Materials Science: Materials in Medicine</i> , 2005, 16, 783-786.	1.7	14
159	The role of organic modification of layered nanosilicates on mechanical and surface properties of organic-inorganic coatings. <i>Journal of Coatings Technology Research</i> , 2011, 8, 311-328.	1.2	14
160	Simultaneous detection of multiple targets for ultrastructural immunocytochemistry. <i>Histochemistry and Cell Biology</i> , 2014, 141, 229-239.	0.8	14
161	Tin-based γ -super-POSS-building blocks in epoxy nanocomposites with highly improved oxidation resistance. <i>Polymer</i> , 2014, 55, 3498-3515.	1.8	14
162	Morphological analysis of polymer systems with broad particle size distribution. <i>Polymer Testing</i> , 2015, 42, 8-16.	2.3	14

#	ARTICLE	IF	CITATIONS
163	Reactivity of the tin homolog of POSS, butylstannoxane dodecamer, in oxygen-induced crosslinking reactions with an organic polymer matrix: Study of long-time behavior. <i>Polymer Degradation and Stability</i> , 2015, 118, 147-166.	2.7	14
164	Cyclic olefin copolymer/silica nanocomposites foams. <i>Journal of Materials Science</i> , 2016, 51, 3907-3916.	1.7	14
165	Self-assembled chitosan-alginate polyplex nanoparticles containing temoporfin. <i>Colloid and Polymer Science</i> , 2017, 295, 1259-1270.	1.0	14
166	Macro-, Micro- and Nanomechanical Characterization of Crosslinked Polymers with Very Broad Range of Mechanical Properties. <i>Polymers</i> , 2020, 12, 2951.	2.0	14
167	Comparison of macro-, micro- and nanomechanical properties of clinically-relevant UHMWPE formulations. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2021, 120, 104205.	1.5	14
168	Biocompatible hydrogels based on chitosan, cellulose/starch, PVA and PEDOT:PSS with high flexibility and high mechanical strength. <i>Cellulose</i> , 2022, 29, 6697-6717.	2.4	14
169	Infrared microscopy and surface-enhanced Raman scattering of Ag colloid-2,2'-bipyridine film. <i>Journal of Molecular Structure</i> , 1999, 482-483, 213-216.	1.8	13
170	Dynamic Mechanical and Dielectric Properties of Ethylene Vinyl Acetate/Carbon Nanotube Composites. <i>Journal of Macromolecular Science - Physics</i> , 2014, 53, 496-512.	0.4	13
171	Stabilization of aqueous dispersions of poly(methacrylic acid)-coated iron oxide nanoparticles by double hydrophilic block polyelectrolyte poly(ethylene oxide)-block-poly(N-methyl-2-vinylpyridinium) Tj ETQq1 1 0.784314 rg33 /Over	1.7	13
172	Impact of particle morphology on structure, crystallization kinetics, and properties of PCL composites with TiO ₂ -based particles. <i>Polymer Bulletin</i> , 2017, 74, 445-464.	1.7	13
173	Advanced two-step cryopolymerization to form superporous thermosensitive PNIPA/clay gels with unique mechanical properties and ultrafast swelling-deswelling kinetics. <i>Colloid and Polymer Science</i> , 2018, 296, 753-769.	1.0	13
174	Strong synergistic improvement of mechanical properties in HDPE/COC blends with fibrillar morphology. <i>Polymer Engineering and Science</i> , 2018, 58, 1955-1964.	1.5	13
175	Prediction of compatibility of organomodified clay with various polymers using rheological measurements. <i>Polymer Testing</i> , 2018, 69, 359-365.	2.3	13
176	One-pot preparation of surface-functionalized barium titanate nanoparticles for high-K polystyrene composite films prepared via floating method. <i>Journal of Materials Science</i> , 2018, 53, 11343-11354.	1.7	13
177	Transport Properties of Poly(lactic acid)/Clay Nanocomposites. <i>Polymer Engineering and Science</i> , 2019, 59, 2498-2501.	1.5	13
178	Starch-based biodegradable film with poly(butylene adipate-co-terephthalate): preparation, morphology, thermal and biodegradation properties. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2021, 58, 610-621.	1.2	13
179	In-situ study of Ag nanoparticle hydrosol optical spectra evolution during laser ablation/fragmentation. <i>Applied Physics A: Materials Science and Processing</i> , 2004, 79, 1307-1309.	1.1	12
180	Self-Assembly of Poly(4-methylstyrene)-g-poly(methacrylic acid) Graft Copolymer in Selective Solvents for Grafts: Scattering and Molecular Dynamics Simulation Study. <i>Langmuir</i> , 2010, 26, 9289-9296.	1.6	12

#	ARTICLE	IF	CITATIONS
181	Investigation of beech wood modified by radio-frequency discharge plasma. <i>Vacuum</i> , 2015, 119, 88-94.	1.6	12
182	The effect of <sc>UV</sc> irradiation on the electrospun <sc>PCL/TiO₂</sc> </sc> composites fibers. <i>Journal of Applied Polymer Science</i> , 2016, 133, .	1.3	12
183	Arrays of Ag and Au Nanoparticles with Terpyridine- and Thiophene-Based Ligands: Morphology and Optical Responses. <i>Langmuir</i> , 2017, 33, 4146-4156.	1.6	12
184	Mammalian enamel maturation: Crystallographic changes prior to tooth eruption. <i>PLoS ONE</i> , 2017, 12, e0171424.	1.1	12
185	Surface protolytic property characterization of hydroxyapatite and titanium dioxide nanoparticles. <i>RSC Advances</i> , 2019, 9, 21989-21995.	1.7	12
186	Porous hybrid poly(N-isopropylacrylamide) hydrogels with very fast volume response to temperature and pH. <i>European Polymer Journal</i> , 2019, 120, 109213.	2.6	12
187	Fluorine-containing block/branched polyamphiphiles forming bioinspired complexes with biopolymers. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019, 174, 393-400.	2.5	12
188	Highly colloidally stable trimodal 125I-radiolabeled PEG-neridronate-coated upconversion/magnetic bioimaging nanoprobcs. <i>Scientific Reports</i> , 2020, 10, 20016.	1.6	12
189	Magnetic poly(glycidyl methacrylate) particles prepared in the presence of surface-â€ modified $\text{Fe}_{2}\text{O}_{3}$. <i>Journal of Polymer Science Part A</i> , 2009, 47, 4982-4994.	2.5	11
190	Processing-improved properties and morphology of PP/COC blends. <i>Journal of Applied Polymer Science</i> , 2011, 122, 1168-1175.	1.3	11
191	<i>In Situ</i> WetSTEM Observation of Gold Nanorod Self-Assembly Dynamics in a Drying Colloidal Droplet. <i>Microscopy and Microanalysis</i> , 2014, 20, 385-393.	0.2	11
192	Silica-coated upconversion lanthanide nanoparticles: The effect of crystal design on morphology, structure and optical properties. <i>Beilstein Journal of Nanotechnology</i> , 2015, 6, 2290-2299.	1.5	11
193	Evaluation of poly(ethylene glycol)-coated monodispersed magnetic poly(2-hydroxyethyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 68, 687-696.	2.6	11
194	Aggregation of superparamagnetic iron oxide nanoparticles in dilute aqueous dispersions: Effect of coating by double-hydrophilic block polyelectrolyte. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015, 483, 1-7.	2.3	11
195	Effect of the dimethylsilyloxy co-monomer â€ on the chemistry of polysiloxane pyrolysis to SiOC. <i>Journal of Analytical and Applied Pyrolysis</i> , 2016, 117, 30-45.	2.6	11
196	Quantitative STEM imaging of electron beam induced mass loss of epoxy resin sections. <i>Ultramicroscopy</i> , 2019, 202, 44-50.	0.8	11
197	Determination of net atomic charges in anthraquinone by means of 5-h X-ray diffraction experiment. <i>Journal of Molecular Structure</i> , 2002, 611, 139-146.	1.8	10
198	Mechanism of reactive compatibilisation of a blend of recycled LDPE/HIPS using an EPDM/SB/aromatic diamine co-additive system. <i>Polymer Degradation and Stability</i> , 2005, 90, 244-249.	2.7	10

#	ARTICLE	IF	CITATIONS
199	Effect of the molecular structure of ethene-propene and styrene-butadiene copolymers on their compatibilization efficiency in low-density polyethylene/polystyrene blends. <i>Journal of Applied Polymer Science</i> , 2008, 107, 174-186.	1.3	10
200	Deformation and fracture behavior of polyamide nanocomposites: The effect of clay dispersion. <i>Journal of Applied Polymer Science</i> , 2008, 110, 3752-3757.	1.3	10
201	Foaming of polysiloxane resins with ethanol: A new route to pyrolytic macrocellular SiOC foams. <i>Ceramics International</i> , 2015, 41, 13561-13571.	2.3	10
202	Influence of Corona Structure on Binding of an Ionic Surfactant in Oppositely Charged Amphiphilic Polyelectrolyte Micelles. <i>Langmuir</i> , 2016, 32, 4059-4065.	1.6	10
203	Modified glycogen as construction material for functional biomimetic microfibers. <i>Carbohydrate Polymers</i> , 2016, 152, 271-279.	5.1	10
204	Prooxidant activity of phenolic stabilizers in polyolefins during accelerated photooxidation. <i>Polymer Degradation and Stability</i> , 2019, 166, 307-324.	2.7	10
205	Thermoplastic Starch Composites With Titanium Dioxide and Vancomycin Antibiotic: Preparation, Morphology, Thermomechanical Properties, and Antimicrobial Susceptibility Testing. <i>Frontiers in Materials</i> , 2020, 7, .	1.2	10
206	In vitro cellular activity of maghemite/cerium oxide magnetic nanoparticles with antioxidant properties. <i>Colloids and Surfaces B: Biointerfaces</i> , 2021, 204, 111824.	2.5	10
207	Preparation and surface characterisation of novel epoxy-based organic-inorganic nano-composite coatings. <i>Surface Coatings International Part B: Coatings Transactions</i> , 2005, 88, 237-242.	0.3	9
208	Interfacial activity of styrene-butadiene block copolymers in low-density polyethylene/polystyrene blends. <i>Composite Interfaces</i> , 2006, 13, 783-799.	1.3	9
209	Surface patterns of block copolymers in thin layers after vapor treatment. <i>European Polymer Journal</i> , 2007, 43, 1144-1153.	2.6	9
210	Comparison of one-step and sequentially irradiated ultrahigh-molecular-weight polyethylene for total joint replacements. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2013, 101B, 414-422.	1.6	9
211	Effect of network mesh size on the thermo-mechanical properties of epoxy nanocomposites with the heavier homologue of POSS, the inorganic butylstannoxane cages. <i>European Polymer Journal</i> , 2014, 57, 169-181.	2.6	9
212	The effect of gamma irradiation in air and inert atmosphere on structure and properties of unfilled or glass fibre-reinforced polyamide 6. <i>Polymer Bulletin</i> , 2016, 73, 1775-1794.	1.7	9
213	Composite particles formed by complexation of poly(methacrylic acid) stabilized magnetic fluid with chitosan: Magnetic material for bioapplications. <i>Materials Science and Engineering C</i> , 2016, 67, 486-492.	3.8	9
214	Nucleation of Polypropylene Crystallization with Gold Nanoparticles. Part 2: Relation between Particle Morphology and Nucleation Activity. <i>Journal of Macromolecular Science - Physics</i> , 2016, 55, 393-410.	0.4	9
215	Surface enhanced infrared absorption spectroscopy for graphene functionalization on copper. <i>Carbon</i> , 2017, 124, 250-255.	5.4	9
216	Improved enzyme-mediated synthesis and supramolecular self-assembly of naturally occurring conjugates of β -sitosterol. <i>Steroids</i> , 2017, 117, 38-43.	0.8	9

#	ARTICLE	IF	CITATIONS
217	Enamel apatite crystallinity significantly contributes to mammalian dental adaptations. Scientific Reports, 2018, 8, 5544.	1.6	9
218	The effect of short polystyrene brushes grafted from graphene oxide on the behavior of miscible PMMA/SAN blends. Polymer, 2020, 211, 123088.	1.8	9
219	Macromechanical and micromechanical properties of polymers with reduced density of entanglements. Polymer Engineering and Science, 2021, 61, 1773-1790.	1.5	9
220	Optomechanical Processing of Silver Colloids: New Generation of Nanoparticle-Polymer Composites with Bactericidal Effect. International Journal of Molecular Sciences, 2021, 22, 312.	1.8	9
221	<title>Preparation of Ag nanoparticles by two-wavelength laser ablation and fragmentation</title> . , 2003, , .		8
222	The influence of nanoadditives on surface, permeability and mechanical properties of self-organized organic-inorganic nanocomposite coatings. Journal of Coatings Technology Research, 2010, 7, 219-228.	1.2	8
223	Imaging of block copolymer vesicles in solvated state by wet scanning transmission electron microscopy. European Polymer Journal, 2011, 47, 1273-1278.	2.6	8
224	Fire retardation of polystyrene/clay nanocomposites. Journal of Thermoplastic Composite Materials, 2013, 26, 1278-1286.	2.6	8
225	Morphological, electrical, mechanical and thermal properties of high-density polyethylene/multiwall carbon nanotube nanocomposites: effect of aspect ratio. Materials Research Express, 2019, 6, 095079.	0.8	8
226	Tough and flexible conductive triple network hydrogels based on agarose/polyacrylamide/polyvinyl alcohol and poly(3,4-ethylenedioxythiophene):polystyrene sulfonate. Polymer International, 2021, 70, 1523-1533.	1.6	8
227	Powder Nano-Beam Diffraction in Scanning Electron Microscope: Fast and Simple Method for Analysis of Nanoparticle Crystal Structure. Nanomaterials, 2021, 11, 962.	1.9	8
228	Bis(acridine-N)(nitrate-O ₂)silver(I). Acta Crystallographica Section C: Crystal Structure Communications, 2000, 56, 1312-1313.	0.4	7
229	Coalescence during annealing of quiescent immiscible polymer blends. E-Polymers, 2011, 11, .	1.3	7
230	Properties of rubber filled with montmorillonite with various surface modifications. Polymers for Advanced Technologies, 2012, 23, 1414-1421.	1.6	7
231	Properties of natural rubber composites with structurally different clay intercalable surfactants. Journal of Polymer Research, 2017, 24, 1.	1.2	7
232	Communicating macropores in PHEMA-based hydrogels for cell seeding: Probabilistic open pore simulation and direct micro-CT proof. Materials and Design, 2021, 198, 109312.	3.3	7
233	Structure, processing and performance of ultra-high molecular weight polyethylene (IUPAC Technical) Tj ETQq1 1 0,784314 rgBT /Overlo	0,9	7
234	Biodegradable Thermoplastic Starch/Polycaprolactone Blends with Co-Continuous Morphology Suitable for Local Release of Antibiotics. Materials, 2022, 15, 1101.	1.3	7

#	ARTICLE	IF	CITATIONS
235	New and Simple Staining Method for Visualizing UHMWPE Lamellar Structure in TEM. <i>Journal of Macromolecular Science - Physics</i> , 2008, 47, 1148-1160.	0.4	6
236	Application of Colloidal Palladium Nanoparticles for Labeling in Electron Microscopy. <i>Microscopy and Microanalysis</i> , 2011, 17, 810-816.	0.2	6
237	Preparation of stable Pd nanocubes and their use in biological labeling. <i>Colloids and Surfaces B: Biointerfaces</i> , 2012, 100, 205-208.	2.5	6
238	Morphology evolution during cooling of quiescent immiscible polymer blends: matrix crystallization effect on the dispersed phase coalescence. <i>Polymer Bulletin</i> , 2013, 70, 263-275.	1.7	6
239	Preparation of conducting polysiloxane/polyaniline composites. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	1.3	6
240	In situ Observation of Nucleated Polymer Crystallization in Polyoxymethylene Sandwich Composites. <i>Frontiers in Materials</i> , 2015, 2, .	1.2	6
241	Anisotropy in CNT composite fabricated by combining directional freezing and gamma irradiation of acrylic acid. <i>Materials and Design</i> , 2016, 97, 300-306.	3.3	6
242	Formation of core/corona nanoparticles with interpolyelectrolyte complex cores in aqueous solution: insight into chain dynamics in the complex from fluorescence quenching. <i>Soft Matter</i> , 2018, 14, 7578-7585.	1.2	6
243	Thermoplastic Starch Composites Filled With Isometric and Elongated TiO ₂ -Based Nanoparticles. <i>Frontiers in Materials</i> , 2019, 6, .	1.2	6
244	Monitoring of Morphology and Properties During Preparation of PCL/PLA Microfibrillar Composites With Organophilic Montmorillonite. <i>Frontiers in Materials</i> , 2020, 7, .	1.2	6
245	A versatile β -cyclodextrin and N-heterocyclic palladium complex bi-functionalized iron oxide nanoadsorbent for water treatment. <i>Environmental Science and Pollution Research</i> , 2021, 28, 55419-55432.	2.7	6
246	Ternary PC/ABS/PMMA blends morphology and mechanical properties under quasi-static loading conditions. <i>Polimery</i> , 2012, 57, 87-94.	0.4	6
247	Monolithic nanocomposite hydrogels with fast dual T- and pH- stimuli responsiveness combined with high mechanical properties. <i>Journal of Materials Research and Technology</i> , 2021, 15, 6079-6097.	2.6	6
248	Fluorinated Ferrocene Moieties as a Platform for Redox-Responsive Polymer MRI Theranostics. <i>Macromolecules</i> , 2022, 55, 658-671.	2.2	6
249	Interaction of high-power laser pulses with monodisperse gold particles. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2007, 140, 138-146.	1.7	5
250	The effect of anisometry of dispersed droplets on their coalescence during annealing of polymer blends. <i>Colloid and Polymer Science</i> , 2011, 289, 1895-1903.	1.0	5
251	Is it possible to measure diameters of metal nanoparticles using BSE imaging in FESEM?. <i>Micron</i> , 2013, 44, 159-166.	1.1	5
252	Meltable copolymeric elastomers based on polydimethylsiloxane with multiplets of pendant liquid-crystalline groups as physical crosslinker: A self-healing structural material with a potential for smart applications. <i>European Polymer Journal</i> , 2020, 137, 109962.	2.6	5

#	ARTICLE	IF	CITATIONS
253	ε-Butyrolactone Copolymerization with the Well-Documented Polymer Drug Carrier Poly(ethylene) Tj ETQq1 1 0.784314 rgBT /Over 2020, 20, 1900408.	2.1	5
254	Magnetic Superporous Poly(2-hydroxyethyl methacrylate) Hydrogel Scaffolds for Bone Tissue Engineering. <i>Polymers</i> , 2021, 13, 1871.	2.0	5
255	Reversible multilayered vesicle-like structures with fluid hydrophobic and interpolyelectrolyte layers. <i>Journal of Colloid and Interface Science</i> , 2021, 599, 313-325.	5.0	5
256	Influence of compatibilizer type, polypropylene molecular weight and blending sequence on montmorillonite exfoliation in nanocomposites. <i>Polimery</i> , 2004, 49, 52-55.	0.4	5
257	High Resolution Powder Electron Diffraction in Scanning Electron Microscopy. <i>Materials</i> , 2021, 14, 7550.	1.3	5
258	Sterically Crowded Hexaalkyl Benzene-1,2,3,4,5,6-hexakis[±-(alkoxycarbonyl)propanoates]. Synthesis and Conformation Analysis. <i>Collection of Czechoslovak Chemical Communications</i> , 2000, 65, 673-694.	1.0	4
259	Effect of aN,Nâ€²-disubstituted phenylenediamine stabilizer and SB/EPDM compatibilizer on toughness and morphology of blends of pre-aged polyethylene with high-impact polystyrene. <i>Journal of Vinyl and Additive Technology</i> , 2006, 12, 58-65.	1.8	4
260	Nucleation of Polypropylene with Gold Nanoparticles. Part 1: Introduction of Sandwich Method for Evaluation of Very Weak Nucleation Activity. <i>Journal of Macromolecular Science - Physics</i> , 2010, 49, 392-404.	0.4	4
261	macroporous hydrogels based on 2-hydroxyethyl methacrylate. Part 7: Methods of preparation and comparison of resulting physical properties. <i>E-Polymers</i> , 2010, 10, .	1.3	4
262	Comparison of Regeneration Efficiency of Strong Base Anion Exchangers Fouled by Iron and Humic Acids. <i>Separation Science and Technology</i> , 2014, 49, 2352-2357.	1.3	4
263	Characterisation of morphological, antimicrobial and leaching properties of in situ prepared polyurethane nanofibres doped with silver behenate. <i>RSC Advances</i> , 2016, 6, 23816-23826.	1.7	4
264	Tungsten (VI) based â€œmolecular puzzleâ€•photoluminescent nanoparticles easily covered with biocompatible natural polysaccharides via direct chelation. <i>Journal of Colloid and Interface Science</i> , 2018, 512, 308-317.	5.0	4
265	Evolution of Structure in a Comb Copolymerâ€œSurfactant Coacervate. <i>Macromolecules</i> , 2019, 52, 6303-6310.	2.2	4
266	Wide-Cone Angle Phase-Contrast X-Ray Computed Tomography of Synthetic Polymer Materials. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2020, 69, 8910-8918.	2.4	4
267	Polyacrylamide brushes with varied morphologies as a tool for control of the intermolecular interactions within EPDM/MVQ blends. <i>Polymer</i> , 2021, 215, 123387.	1.8	4
268	High-strength nanocomposite self-regenerating hydrogels reinforced by additional crosslinking with trivalent metal cations. <i>Journal of Polymer Research</i> , 2021, 28, 1.	1.2	4
269	Surface Texturing of Polyethylene Terephthalate Induced by Excimer Laser in Silver Nanoparticle Colloids. <i>Materials</i> , 2021, 14, 3263.	1.3	4
270	Laser-Promoted Immobilization of Ag Nanoparticles: Effect of Surface Morphology of Poly(ethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.9	4

#	ARTICLE	IF	CITATIONS
271	(Acridine-N)trichlorogold(III). Acta Crystallographica Section C: Crystal Structure Communications, 2001, 57, 248-249.	0.4	3
272	3-Carboxypyridinium chloride. Acta Crystallographica Section E: Structure Reports Online, 2001, 57, 061-062.	0.2	3
273	Effect of citrate ions on laser ablation of Ag foil in aqueous medium. Journal of Physics: Conference Series, 2007, 59, 202-205.	0.3	3
274	Nucleated crystallization of isotactic polypropylene in multilayered sandwich nanocomposites with gold particles. Journal of Applied Polymer Science, 2012, 125, 4338-4346.	1.3	3
275	Structure of polymeric nanoparticles in surfactant-stabilized aqueous dispersions of high-molar-mass hydrophobic graft copolymers. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2014, 456, 10-17.	2.3	3
276	Poly(3-hexylthiophene)/gold nanoparticle nanocomposites: relationship between morphology and electrical conductivity. Chemical Papers, 2017, 71, 401-408.	1.0	3
277	Controlled Tuning of the Size of Ag-Hydrosol Nanoparticles by Nonstabilized THF and Detection of Peroxides in THF. Langmuir, 2019, 35, 9831-9840.	1.6	3
278	Low-Temperature Meltable Elastomers Based on Linear Polydimethylsiloxane Chains Alpha, Omega-Terminated with Mesogenic Groups as Physical Crosslinkers: A Passive Smart Material with Potential as Viscoelastic Coupling. Part I: Synthesis and Phase Behavior. Polymers, 2020, 12, 2476.	2.0	3
279	One-step synthesis of polyaniline-silver cryogels. Journal of Materials Science, 2020, 55, 10427-10434.	1.7	3
280	Polyhedral oligomeric silsesquioxane (POSS)-based epoxy nanocomposite involving a reversible Diels-Alder-type network as a self-healing material. Journal of Adhesion Science and Technology, 0, , 1-22.	1.4	3
281	Structure, processing and performance of ultra-high molecular weight polyethylene (IUPAC Technical) Tj ETQq1 1 0.784314 rgBT /Overlo 1485-1501.	0.9	3
282	Biodegradation of LDPE_TPS blends under controlled composting conditions. Polymer Bulletin, 2023, 80, 3331-3357.	1.7	3
283	Anionically Functionalized Glycogen Encapsulates Melittin by Multivalent Interaction. Biomacromolecules, 2022, 23, 3371-3382.	2.6	3
284	The Effect of processing on the PVC-Clay Nanocomposites Structure. , 2010, , .		2
285	Preparation of silicon oxynitrocarbide (SiONC) and of its ceramic-fibre-composites via hydrosilylation/radical polymerization/pyrolysis. Journal of Non-Crystalline Solids, 2015, 423-424, 9-17.	1.5	2
286	Influence of ethylene-propylene diene terpolymer addition on processing parameters, phase structure and thermal behaviour of polypropylene/low-density polyethylene blends. Journal of Elastomers and Plastics, 2015, 47, 502-514.	0.7	2
287	Polymer imaging in SEM charge, damage and coating free. Microscopy and Microanalysis, 2017, 23, 1816-1817.	0.2	2
288	Nanostructure of hyaluronan acyl-derivatives in the solid state. Carbohydrate Polymers, 2018, 195, 468-475.	5.1	2

#	ARTICLE	IF	CITATIONS
289	Editorial: Biodegradable Matrices and Composites. <i>Frontiers in Materials</i> , 2020, 7, .	1.2	2
290	Ultra-extensible solvent-free elastomers based on nanocomposite poly(2-methoxyethylacrylate)/clay xerogels. <i>Journal of Applied Polymer Science</i> , 2021, 138, 49836.	1.3	2
291	Pro-oxidant activity of biocompatible catechin stabilizer during photooxidation of polyolefins. <i>Polymer Degradation and Stability</i> , 2021, 193, 109735.	2.7	2
292	Morphological Transformation in Polymer Composite Materials Filled with Carbon Nanoparticles: Part I—SEM and XRD Investigations. <i>Materials</i> , 2022, 15, 3531.	1.3	2
293	Bis(2-carboxyanilinium) sulfate monohydrate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2000, 56, e353-e353.	0.4	1
294	6. Polymer surface morphology: Characterization by electron microscopies. , 2014, , 169-206.		1
295	Changes in the fine structure of the polymeric nanocomposites according to the shape of nanoparticles. <i>AIP Conference Proceedings</i> , 2016, , .	0.3	1
296	Low-Temperature-Meltable Elastomers Based on Linear Polydimethylsiloxane Chains Alpha, Omega-Terminated with Mesogenic Groups as Physical Crosslinker: A Passive Smart Material with Potential as Viscoelastic Coupling. Part II—Viscoelastic and Rheological Properties. <i>Polymers</i> , 2020, 12, 2840.	2.0	1
297	In-situ generation of Au nanoparticles in poly(methyl methacrylate) films via MeV proton irradiation. <i>Materials Chemistry and Physics</i> , 2022, 275, 125205.	2.0	1
298	Nanocomposites With Strong Optical Resonances: Silver Nanoparticles-Organic Molecules Systems. , 2008, , .		0
299	Simple colorimetric methods for determination of sub-milligram amounts of ultra-high molecular weight polyethylene wear particles. <i>Acta Biomaterialia</i> , 2012, 8, 1935-1938.	4.1	0
300	Nanocomposite of CeO ₂ and High-Coercivity Magnetic Carrier with Large Specific Surface Area. <i>Journal of Nanomaterials</i> , 2016, 2016, 1-13.	1.5	0
301	NaYF ₄ :Yb ³⁺ /Er ³⁺ Upconversion Nanoparticles for Infrared Photodynamic Therapy of Tumors. <i>Biophysical Journal</i> , 2016, 110, 652a.	0.2	0
302	CRISPR/Cas9 Nanoparticle based CRISPR/CAS gene editing system to treat huntington's disease. , 2018, , .		0
303	Micromechanical Properties of UHMWPE with Different Molecular Weights. <i>Key Engineering Materials</i> , 2018, 784, 33-37.	0.4	0
304	PLA based bionanocomposites and their transport properties. <i>AIP Conference Proceedings</i> , 2018, , .	0.3	0
305	Analysis and removal of air pollutants from scorched wood. <i>Journal of Wood Chemistry and Technology</i> , 2020, 40, 248-257.	0.9	0
306	Compositos de Poliestireno e Argila Aniônica Funcionalizada com Cinamato com Propriedade de Absorção de UV. <i>Polimeros</i> , 2013, 23, 778-783.	0.2	0

#	ARTICLE	IF	CITATIONS
307	Preparation and characterization of Metal Complex Hydrogels Crosslinked with Hyperbranched Polyester. Egyptian Journal of Chemistry, 2017, .	0.1	0
308	Structure, processing and performance of ultra-high molecular weight polyethylene (IUPAC Technical) Tj ETQq0 0 0,9rgBT /Overlock 10 Tf	0.9	0
309	Structure, processing and performance of ultra-high molecular weight polyethylene (IUPAC Technical) Tj ETQq1 1 0,784314 rgBT /Over	0.9	0
310	Properties of water steam-treated maple wood (Acer pseudoplatanus L).. Wood Research, 2020, 65, 865-876.	0.2	0
311	Nanocrystalline chloroxine possesses broad-spectrum antimicrobial activities and excellent skin tolerability in mice. Nanomedicine, 2022, 17, 137-149.	1.7	0