Mark de Bruyn

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7912937/mark-de-bruyn-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

55	2,765	21	52
papers	citations	h-index	g-index
68	3,392 ext. citations	5	4·79
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
55	Managing human-mediated range shifts: understanding spatial, temporal and genetic variation in marine non-native species <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2022 , 377, 20210025	5.8	5
54	Ecological changes have driven biotic exchanges across the Indian Ocean. <i>Scientific Reports</i> , 2021 , 11, 23357	4.9	
53	How mountains and elevations shape the spatial distribution of beetles in Peninsular Malaysia. <i>Scientific Reports</i> , 2021 , 11, 5791	4.9	3
52	Animals, protists and bacteria share marine biogeographic patterns. <i>Nature Ecology and Evolution</i> , 2021 , 5, 738-746	12.3	8
51	Environmental DNA provides higher resolution assessment of riverine biodiversity and ecosystem function via spatio-temporal nestedness and turnover partitioning. <i>Communications Biology</i> , 2021 , 4, 512	6.7	6
50	Conservation genomics of the Endangeredlong-nosed bandicoot (Perameles nasuta) population at North Head, Sydney, Australia. <i>Conservation Genetics</i> , 2021 , 22, 745-756	2.6	
49	Secondary predation constrains DNA-based diet reconstruction in two threatened shark species. <i>Scientific Reports</i> , 2021 , 11, 18350	4.9	O
48	Executing multi-taxa eDNA ecological assessment via traditional metrics and interactive networks. <i>Science of the Total Environment</i> , 2020 , 729, 138801	10.2	22
47	Evolutionary history of a Scottish harbour seal population. <i>PeerJ</i> , 2020 , 8, e9167	3.1	1
46	Comparative genetic stock structure in three species of commercially exploited Indo-Malay Carangidae (Teleosteii, Perciformes). <i>Journal of Fish Biology</i> , 2020 , 96, 337-349	1.9	7
45	Ecological community dynamics: 20 years of moth sampling reveals the importance of generalists for community stability. <i>Basic and Applied Ecology</i> , 2020 , 49, 34-44	3.2	O
44	Phylogenomics and species delimitation for effective conservation of manta and devil rays. <i>Molecular Ecology</i> , 2020 , 29, 4783-4796	5.7	14
43	Mummified and skeletal southern elephant seals (Mirounga leonina) from the Victoria Land Coast, Ross Sea, Antarctica. <i>Marine Mammal Science</i> , 2019 , 35, 934-956	1.9	3
42	Metabarcoding for stomach-content analyses of Pygmy devil ray (: Comparing tissue and ethanol preservative-derived DNA. <i>Ecology and Evolution</i> , 2019 , 9, 2678-2687	2.8	12
41	Detection of introduced and resident marine species using environmental DNA metabarcoding of sediment and water. <i>Scientific Reports</i> , 2019 , 9, 11559	4.9	57
40	Stepping stones to isolation: Impacts of a changing climate on the connectivity of fragmented fish populations. <i>Evolutionary Applications</i> , 2018 , 11, 978-994	4.8	14
39	Acidity promotes degradation of multi-species environmental DNA in lotic mesocosms. <i>Communications Biology</i> , 2018 , 1, 4	6.7	116

(2012-2018)

38	Exploring hidden diversity in Southeast Asia's Dermogenys spp. (Beloniformes: Zenarchopteridae) through DNA barcoding. <i>Scientific Reports</i> , 2018 , 8, 10787	4.9	12
37	Range-wide genomic data synthesis reveals transatlantic vicariance and secondary contact in Atlantic cod. <i>Ecology and Evolution</i> , 2018 , 8, 12140-12152	2.8	5
36	The complex evolutionary history and phylogeography of Caridina typus (Crustacea: Decapoda): long-distance dispersal and cryptic allopatric species. <i>Scientific Reports</i> , 2017 , 7, 9044	4.9	8
35	Plio-Pleistocene phylogeography of the Southeast Asian Blue Panchax killifish, Aplocheilus panchax. <i>PLoS ONE</i> , 2017 , 12, e0179557	3.7	14
34	DNA Barcoding Reveals High Cryptic Diversity of the Freshwater Halfbeak Genus Hemirhamphodon from Sundaland. <i>PLoS ONE</i> , 2016 , 11, e0163596	3.7	14
33	Population differentiation in the context of Holocene climate change for a migratory marine species, the southern elephant seal. <i>Journal of Evolutionary Biology</i> , 2016 , 29, 1667-79	2.3	11
32	Environmental DNA for wildlife biology and biodiversity monitoring. <i>Trends in Ecology and Evolution</i> , 2014 , 29, 358-67	10.9	623
31	Borneo and Indochina are major evolutionary hotspots for Southeast Asian biodiversity. <i>Systematic Biology</i> , 2014 , 63, 879-901	8.4	190
30	Fish product mislabelling: failings of traceability in the production chain and implications for illegal, unreported and unregulated (IUU) fishing. <i>PLoS ONE</i> , 2014 , 9, e98691	3.7	101
29	Impacts of climatic factors on evolution of molecular diversity and the natural distribution of wild stocks of the giant freshwater prawn (Macrobrachium rosenbergii). <i>Freshwater Science</i> , 2014 , 33, 217-2	:31	17
28	Looking forward through the past: identification of 50 priority research questions in palaeoecology. <i>Journal of Ecology</i> , 2014 , 102, 256-267	6	168
27	On the biogeography of Centipeda: a species-tree diffusion approach. Systematic Biology, 2014 , 63, 178	3- 9 .14	32
26	Rapid increase in southern elephant seal genetic diversity after a founder event. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2014 , 281, 20133078	4.4	8
25	The linking of plate tectonics and evolutionary divergence. <i>Current Biology</i> , 2013 , 23, R603-5	6.3	11
24	Paleo-drainage basin connectivity predicts evolutionary relationships across three Southeast Asian biodiversity hotspots. <i>Systematic Biology</i> , 2013 , 62, 398-410	8.4	53
23	Suggestions for a molecular biodiversity assessment of South East Asian freshwater invertebrates. Lessons from the megadiverse beetles (Coleoptera). <i>Journal of Limnology</i> , 2013 , 72,	1.5	4
22	Time and space in biogeography: response to Parenti & Ebach (2013). <i>Journal of Biogeography</i> , 2013 , 40, 2204-2206	4.1	10
21	Environmental selection on transcriptome-derived SNPs in a high gene flow marine fish, the Atlantic herring (Clupea harengus). <i>Molecular Ecology</i> , 2012 , 21, 3686-703	5.7	173

20	Anonymous nuclear markers for the African adders (Serpentes: Viperidae: Bitis). <i>Conservation Genetics Resources</i> , 2012 , 4, 967-969	0.8	4
19	Gene-associated markers provide tools for tackling illegal fishing and false eco-certification. <i>Nature Communications</i> , 2012 , 3, 851	17.4	171
18	DNA barcoding reveals cryptic diversity within commercially exploited Indo-Malay Carangidae (Teleosteii: Perciformes). <i>PLoS ONE</i> , 2012 , 7, e49623	3.7	57
17	Biogeography of the Indo-Australian Archipelago. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2011 , 42, 205-226	13.5	306
16	Faunal histories from Holocene ancient DNA. <i>Trends in Ecology and Evolution</i> , 2011 , 26, 405-13	10.9	66
15	Successful extraction of DNA from archived alcohol-fixed white-eye fish specimens using an ancient DNA protocol. <i>Journal of Fish Biology</i> , 2011 , 78, 2074-9	1.9	8
14	Anonymous nuclear markers for the Blue Panchax killifish (Aplocheilus panchax). <i>Conservation Genetics Resources</i> , 2011 , 3, 53-55	0.8	4
13	Anonymous nuclear markers for halfbeak fishes of the genus Hemirhamphodon. <i>Conservation Genetics Resources</i> , 2011 , 3, 155-157	0.8	2
12	Anonymous nuclear markers for SouthEast Asian halfbeak fishes (Dermogenys). <i>Conservation Genetics Resources</i> , 2010 , 2, 325-327	0.8	3
11	Rapid response of a marine mammal species to holocene climate and habitat change. <i>PLoS Genetics</i> , 2009 , 5, e1000554	6	76
10	Patterns of molecular diversity in wild stocks of the redclaw crayfish (Cherax quadricarinatus) from northern Australia and Papua New Guinea: impacts of Plio-Pleistocene landscape evolution. <i>Freshwater Biology</i> , 2008 , 53, 1592-1605	3.1	30
9	Molecular signatures of Pleistocene sea-level changes that affected connectivity among freshwater shrimp in Indo-Australian waters. <i>Molecular Ecology</i> , 2007 , 16, 4295-307	5.7	47
8	Microsatellite loci in the eastern form of the giant freshwater prawn (Macrobrachium rosenbergii). <i>Molecular Ecology Notes</i> , 2005 , 5, 308-310		26
7	Phylogeographic evidence for the existence of an ancient biogeographic barrier: the Isthmus of Kra Seaway. <i>Heredity</i> , 2005 , 94, 370-8	3.6	103
6	Reconciling geography and genealogy: phylogeography of giant freshwater prawns from the Lake Carpentaria region. <i>Molecular Ecology</i> , 2004 , 13, 3515-26	5.7	48
5	Huxley's line demarcates extensive genetic divergence between eastern and western forms of the giant freshwater prawn, Macrobrachium rosenbergii. <i>Molecular Phylogenetics and Evolution</i> , 2004 , 30, 251-7	4.1	71
4	Molecular biogeography and phylogeography of the freshwater fauna of the Indo-Australian Archipela	go316	-3 4 7
3	Consistent marine biogeographic boundaries across the tree of life despite centuries of human impact	S	2

LIST OF PUBLICATIONS

- Metabarcoding gillnets to assess unaccounted catch depredation or escape. Environmental DNA, 7.6 1
 - An invasion in slow motion: the spread of invasive cane toads (Rhinella marina) into cooler climates in southern Australia. *Biological Invasions*,1
- 2.7